

THE
REGISTRAR-GENERAL'S
STATISTICAL REVIEW
OF
ENGLAND AND WALES
FOR THE YEAR

1937

(New Annual Series, No. 17)

TABLES. PART I. MEDICAL

Crown Copyright Reserved



LONDON

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
York House, Kingsway, London, W.C.2 ; 120 George Street, Edinburgh 2
26 York Street, Manchester 1 ; 1 St. Andrew's Crescent, Cardiff ;
80 Chichester Street, Belfast ;
or through any bookseller

1938

Price 6s. *od.* net

TABLE OF CONTENTS.

PART I.—Medical.

	Page
Table 1. Estimated Population by Sex and Age, Mid Year 1937. England and Wales	1
Table 2. Estimated Resident Populations by Sex and Age, Mid Year, 1937. Geographical Regions and Certain Aggregates	2
Table 3. Deaths, Death-rates, Ratio of Male to Female Mortality and Infant Mortality, 1838-1937. England and Wales	3
Table 4. Deaths Registered and Death-rates in each Quarter, 1838-1937. England and Wales	5
Table 5. Death-rates at All Ages (Standardized) and at Age Groups. Infant Mortality, 1838-1937. England and Wales	6
Table 6. Deaths from Various Causes, Males and Females, 1927-1937. England and Wales	9
Table 7. Crude Death-rates from Certain Causes, Males, Females and Persons, 1927-1937. England and Wales ..	25
Table 8. Standardized Death-rates from Certain Causes, 1927- 1937. England and Wales	39
Table 9. Death-rates from principal Epidemic or General Diseases, 1851-1937. England and Wales	43
Table 10. Crude Death-rates from the principal Epidemic Diseases and from certain other causes; Infant Mortality; 1936 and 1937. England and Wales, Metropolitan Boroughs, Administrative Counties and County Boroughs	44
Table 11. Deaths of Infants from Certain Causes, 1927-1937. England and Wales	50
Table 12. Infant Mortality from Certain Causes, 1927-1937. England and Wales	51
Table 13. Deaths at Various Periods in the First Year of Life, 1937 and the Four Quarters thereof. England and Wales and Geographical Regions	52
Table 14. Infant Mortality by Sex, Age, Cause and Legitimacy, 1937. England and Wales, Greater London, and Aggregates of County Boroughs, Urban Districts and Rural Districts	53
Table 15. Infant Mortality from Certain Causes, 1937. England and Wales and Geographical Regions	64
Table 16. Infant Mortality by Legitimacy and Age, 1937. England and Wales, Geographical Regions, County Boroughs and Aggregates of Urban and Rural Districts in each Administrative County	66

	Page
Table 17. Population, Births, Deaths, Infant Mortality, 1937. Geographical Regions and all Administrative Areas	70
Table 18. Stillbirths by Sex and Legitimacy, 1937. Geographical Regions, County Boroughs and Aggregates of Urban and Rural Districts in each Administrative County..	121
Table 19. Deaths at each year of Age, 1937. England and Wales..	124
Table 20. Deaths at Different Ages, 1937. Geographical Regions, County Boroughs and Aggregates of Urban and Rural Districts in each Administrative County ..	125
Table 21. Deaths by Cause at different Age periods, 1937. England and Wales	142
Table 22. Deaths by Cause at Ages under five, 1937. England and Wales	169
Table 23. Deaths by Month of Occurrence and by Cause, Oct.- Dec., 1936, and Jan.-Sept., 1937. England and Wales	173
Table 24. Deaths by Abridged List of Causes, Sex and Age, 1937. Geographical Regions, County Boroughs and Aggregates of Urban and Rural Districts in each Administrative County	189
Table 25. Violent Deaths by Sex and Age and form of Violence, 1937. England and Wales	331
Table 26. Case-rates (Notifications) of Certain Infectious Diseases, 1927-1937. England and Wales and certain Aggre- gates	343
Table 27. Seasonal Incidence of Certain Infectious Diseases, 1937. England and Wales	346
Table 28. Cases of Certain Infectious Diseases Notified, 1927-1937. England and Wales	347
Table 29. Cases of Infectious Diseases Notified and certain Attack- rates, 1937. Geographical Regions and all Admini- strative Areas	350
Table 30. Air Temperature, Rainfall and Sunshine, 1937. England and Wales	401
Table 31. Meteorological Elements, Greenwich, 1888-1937 ..	402
Table 32. Quarterly Meteorological Elements, Greenwich, 1937..	404
Appendix. Estimated Mid Year Populations of Areas in which changes of boundary occurred during the Year 1937	405

General Register Office,
Somerset House,
London, W.C.2.

LIST OF CORRIGENDA IN THE STATISTICAL REVIEW
FOR THE YEAR 1936, PART I. MEDICAL

TABLE 17 (page 119).
MONMOUTHSHIRE URBAN DISTRICTS.
For Abersychan read Abertillery.

TABLE 24 (page 263).
COUNTY BOROUGH—WALSALL.
Cause 21. Other Respiratory. Age 15— Males *should read* 1.

TABLE 24 (page 289).
ADMINISTRATIVE COUNTY OF LEICESTER—AGGREGATE OF RURAL DISTRICTS.
Cause 33. Suicide. All Ages. Males *should read* 17
Females „ „ 8
Cause 34. Other Violence. All Ages. Males „ „ 43
Females „ „ 24
Age 0— Females „ „ 1

TABLE 25 VIOLENT DEATHS, *should read* :—

				All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
III	Transport	Page 340.	M.	5093	4	219	305	208	428	721	798	552	540	595	452	271
	5. Aerial transport	Page 342.	M.	92	—	—	—	—	4	32	35	16	4	1	—	—

TABLE 1. ESTIMATED POPULATION BY SEX } England and Wales.
AND AGE. MID-YEAR, 1937.

Age.	Persons.	Males.	Females.
All ages ..	41,031,000	19,705,000	21,326,000
0— ..	580,800	296,300	284,500
1— ..	563,600	286,600	277,000
2— ..	553,500	282,000	271,500
3— ..	541,600	275,000	266,600
4— ..	552,900	280,500	272,400
0—5 ..	2,792,400	1,420,400	1,372,000
5— ..	2,942,200	1,488,100	1,454,100
10— ..	3,196,000	1,613,000	1,583,000
15— ..	3,341,400	1,688,800	1,652,600
20— ..	3,256,100	1,610,900	1,645,200
25— ..	3,438,500	1,680,900	1,757,600
30— ..	3,381,600	1,650,100	1,731,500
35— ..	3,127,500	1,497,200	1,630,300
40— ..	2,795,700	1,275,600	1,520,100
45— ..	2,641,700	1,214,600	1,427,100
50— ..	2,458,600	1,125,900	1,332,700
55— ..	2,267,400	1,047,500	1,219,900
60— ..	1,917,400	890,900	1,026,500
65— ..	1,479,300	678,700	800,600
70— ..	1,012,950	441,950	571,000
75— ..	595,910	242,650	353,260
80— ..	276,680	101,900	174,780
85 and up	109,660	35,900	73,760

TABLE 2. ESTIMATED RESIDENT POPULATIONS BY SEX AND AGE, MID-YEAR, 1937.

England and Wales ; Geographical Regions* ; Aggregates of County Boroughs, Other Urban Districts and Rural Districts.

Adjusted to allow for changes in boundary during the year. (See note at head of Table 17.)

Figures given to the nearest hundred.

			All Ages.	0-	5-	15-	25-	35-	45-	55-	65-	75 and upwards.
England and Wales	..	{ M F	19,705,0 21,326,0	1,420,4 1,372,0	3,101,1 3,037,1	3,299,7 3,297,8	3,331,0 3,489,1	2,772,8 3,150,4	2,340,5 2,759,8	1,938,4 2,246,4	1,120,6 1,371,6	380,5 601,8
Regional Summary.												
South East	..	{ M F	6,774,1 7,597,6	473,0 456,0	1,013,2 988,0	1,158,6 1,188,6	1,167,5 1,261,3	956,4 1,133,5	809,1 998,2	663,1 815,3	392,1 513,4	141,1 243,3
Greater London	..	{ M F	4,056,9 4,598,1	284,0 274,4	607,2 595,3	708,0 760,5	724,6 801,9	584,7 693,7	484,4 594,8	385,4 468,2	209,1 280,8	69,5 128,5
Remainder of South East	..	{ M F	2,717,2 2,999,5	189,0 181,6	406,0 392,7	450,6 428,1	442,9 459,4	371,7 439,8	324,7 403,4	277,7 347,1	183,0 232,6	71,6 114,8
North	..	{ M F	6,324,5 6,783,5	467,3 453,6	1,021,9 1,006,8	1,053,6 1,055,8	1,066,9 1,118,8	902,3 1,013,5	760,0 885,3	624,1 705,0	332,3 398,2	96,1 146,5
North I	..	{ M F	1,100,6 1,106,0	89,3 86,4	204,1 199,4	185,5 171,9	177,9 179,4	150,0 158,0	122,7 131,7	100,5 102,5	54,0 56,4	16,6 20,3
North II	..	{ M F	633,7 659,6	49,9 48,0	104,3 102,8	106,9 100,9	103,2 102,5	85,3 93,9	73,2 83,7	60,5 67,4	36,9 42,0	13,5 18,4
North III	..	{ M F	1,670,8 1,784,3	117,3 114,2	261,0 256,6	274,6 277,3	288,1 299,6	241,0 268,3	205,4 234,1	169,6 189,1	88,7 106,1	25,1 39,0
North IV	..	{ M F	2,919,4 3,233,6	210,8 205,0	452,5 448,0	486,6 505,7	497,7 537,3	426,0 493,3	358,7 435,8	293,5 346,0	152,7 193,7	40,9 68,8
Midland	..	{ M F	3,471,1 3,680,3	258,2 248,5	563,6 552,5	580,5 581,9	595,6 608,0	481,9 535,4	402,4 460,3	332,1 370,5	191,4 224,7	65,4 98,5
Midland I	..	{ M F	2,277,9 2,428,8	171,7 165,5	374,3 367,7	383,0 384,7	388,5 398,4	314,9 350,7	262,8 302,3	217,2 244,9	123,7 148,4	41,8 66,2
Midland II	..	{ M F	1,193,2 1,251,5	86,5 83,0	189,3 184,8	197,5 197,2	207,1 209,6	167,0 184,7	139,6 158,0	114,9 125,6	67,7 76,3	23,6 32,3
East	..	{ M F	906,8 937,4	65,7 62,9	142,7 138,2	148,2 135,8	142,1 138,8	118,7 130,9	106,4 119,8	92,3 103,0	64,1 71,1	26,6 36,9
South West	..	{ M F	986,4 1,090,3	67,0 64,3	143,6 140,4	155,2 149,5	159,5 163,4	137,3 158,1	117,7 144,9	104,9 130,3	72,2 92,4	29,0 47,0
Wales	..	{ M F	1,242,1 1,236,9	89,2 86,7	216,1 211,2	203,6 186,2	199,4 198,8	176,2 179,0	144,9 151,3	121,9 122,3	68,5 71,8	22,3 29,6
Wales I	..	{ M F	911,1 884,4	65,8 64,1	163,3 160,2	151,1 136,6	147,6 145,4	132,0 129,8	106,3 105,2	86,3 81,2	45,3 44,6	13,4 17,3
Wales II	..	{ M F	331,0 352,5	23,4 22,6	52,8 51,0	52,5 49,6	51,8 53,4	44,2 49,2	38,6 46,1	35,6 41,1	23,2 27,2	8,9 12,3
Density Summary of all areas outside Greater London.												
County Boroughs	..	{ M F	6,085,5 6,689,2	458,3 444,0	973,6 963,3	1,017,2 1,067,9	1,030,1 1,100,3	865,3 987,8	728,9 867,3	594,6 690,8	320,0 404,6	97,5 163,2
Other Urban Districts		{ M F	5,958,6 6,402,6	427,2 412,7	944,9 925,5	984,2 960,6	997,1 1,030,2	836,6 942,6	709,9 832,3	594,4 688,7	346,1 424,5	118,2 185,5
Rural Districts	..	{ M F	3,604,0 3,636,1	250,9 240,9	575,4 553,0	590,3 508,8	579,2 556,7	486,2 526,3	417,3 465,4	364,0 398,7	245,4 261,7	95,3 124,6

* The counties included in the several Geographical Regions are shown on the first page of Table 17.

TABLE 3. DEATHS, DEATH-RATES, RATIO OF MALE TO FEMALE } England and Wales.
MORTALITY AND INFANT MORTALITY, 1838-1937.

Period.	Deaths.			Crude rates per 1,000 living.			Standard- ized rates per 1,000 living.*			Ratio of Standardized Male to Female Mortality, the latter taken as 1,000.*	Deaths of Infants under 1 year per 1,000 Live births.		
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.		Total.	Legitimate.	Illegitimate.
1838-1937	†48,406,086	24,824,543	23,581,543	17·2	18·3	16·2	16·5	17·8	15·2	1,169	130	—	—
1841-1850	3,769,396	1,909,125	1,860,271	22·4	23·1	21·6	21·6	22·5	20·7	1,085	153	—	—
1851-1860	4,210,715	2,138,536	2,072,179	22·2	23·1	21·4	21·2	22·1	20·3	1,092	154	—	—
1861-1870	4,794,498	2,459,489	2,335,009	22·5	23·7	21·4	21·3	22·6	20·2	1,119	154	—	—
1871-1880	5,178,311	2,679,416	2,498,895	21·4	22·7	20·1	20·3	21·8	19·0	1,150	149	—	—
1881-1890	5,244,770	2,698,316	2,546,454	19·1	20·3	18·1	18·6	20·0	17·3	1,154	142	—	—
1891-1900	5,575,375	2,865,226	2,710,149	18·2	19·3	17·1	18·1	19·5	16·7	1,167	153	—	—
1901-1910	5,248,774	2,706,356	2,542,418	15·4	16·4	14·4	15·2	16·6	13·9	1,190	128	—	—
1911-1920	† 5,188,052	2,684,511	2,503,541	14·4	15·9	13·0	13·5	15·0	12·2	1,230	100	96	194
1921-1930	4,722,991	2,407,475	2,315,516	12·1	12·9	11·4	10·6	11·8	9·5	1,236	72	70	130
1841-1845	1,746,110	885,168	860,942	21·4	22·1	20·6	20·6	21·6	19·8	1,089	148	—	—
1846-1850	2,023,286	1,023,957	999,329	23·3	24·1	22·6	22·4	23·4	21·6	1,084	157	—	—
1851-1855	2,087,236	1,061,271	1,025,965	22·7	23·5	21·8	21·7	22·7	20·7	1,097	156	—	—
1856-1860	2,123,479	1,077,265	1,046,214	21·8	22·6	21·0	20·7	21·6	19·9	1,090	152	—	—
1861-1865	2,331,957	1,192,943	1,139,014	22·6	23·7	21·5	21·4	22·6	20·3	1,113	151	—	—
1866-1870	2,462,541	1,266,546	1,195,995	22·4	23·7	21·2	21·2	22·6	20·0	1,130	157	—	—
1871-1875	2,572,749	1,330,063	1,242,686	22·0	23·3	20·7	20·9	22·4	19·5	1,149	153	—	—
1876-1880	2,605,562	1,349,353	1,256,209	20·8	22·1	19·5	19·8	21·3	18·4	1,158	145	—	—
1881-1885	2,585,164	1,330,461	1,254,703	19·4	20·5	18·3	18·7	20·1	17·5	1,151	139	—	—
1886-1890	2,659,606	1,367,855	1,291,751	18·9	20·0	17·8	18·5	20·0	17·2	1,163	145	—	—
1891-1895	2,785,391	1,427,164	1,358,227	18·7	19·8	17·7	18·5	20·0	17·2	1,161	151	—	—
1896-1900	2,789,984	1,438,062	1,351,922	17·7	18·8	16·6	17·6	19·1	16·2	1,178	156	—	—
1901-1905	2,671,566	1,379,931	1,291,635	16·0	17·1	15·0	16·0	17·4	14·6	1,192	138	—	—
1906-1910	2,577,208	1,326,425	1,250,783	14·7	15·6	13·8	14·4	15·8	13·2	1,196	117	113	224
1911-1915	† 2,598,719	1,344,171	1,254,548	14·3	15·4	13·3	13·7	15·1	12·4	1,218	110	105	210
1916-1920	† 2,589,333	1,340,340	1,248,993	14·4	16·5	12·8	13·4	15·1	11·9	1,269	90	85	179
1921-1925	2,336,270	1,189,865	1,146,405	12·1	12·9	11·4	10·9	12·0	9·8	1,225	76	73	140
1926-1930	2,386,721	1,217,610	1,169,111	12·1	12·9	11·4	10·3	11·5	9·2	1,247	68	65	119
1931-1935	2,426,435	1,232,370	1,194,065	12·0	12·7	11·4	9·6	10·7	8·6	1,251	62	60	103
1888	510,971	263,294	247,677	18·1	19·2	17·0	17·7	19·2	16·4	1,168	136	—	—
1889	518,353	266,102	252,251	18·2	19·3	17·2	17·9	19·2	16·6	1,159	144	—	—
1890	562,248	290,448	271,800	19·5	20·8	18·3	19·3	21·0	17·8	1,181	151	—	—
1891	587,925	302,494	285,431	20·2	21·5	19·0	20·0	21·7	18·5	1,174	149	—	—
1892	559,684	286,062	273,622	19·0	20·0	18·0	18·8	20·2	17·5	1,158	148	—	—
1893	569,958	291,889	278,069	19·2	20·3	18·1	18·9	20·4	17·6	1,157	159	—	—
1894	498,827	256,015	242,812	16·6	17·6	15·6	16·4	17·7	15·2	1,165	137	—	—
1895	568,997	290,704	278,293	18·7	19·7	17·7	18·5	19·9	17·3	1,155	161	—	—

* The standardized death-rates are those which would have been recorded if the sex and age constitution of the population had been the same as in 1901. The rates for males and females are standardized for differences of age constitution in each sex, and also between the two sexes. See the Registrar-General's Decennial Supplement, 1921, Part III. (pages xxxiii-xlii).

† For the years 1915-20 the mortality-rates are based upon civilians only, but, as in other years, the numbers of deaths include those of non-civilians registered in England and Wales.

TABLE 3—(continued).

Year.	Deaths.			Crude rates per 1,000 living.			Standardized rates per 1,000 living.*			Ratio of Standardized Male to Female Mortality, the latter taken as 1,000.*	Deaths of Infants under 1 year per 1,000 Live births.		
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.		Total.	Legitimate.	Illegitimate.
1896	526,727	270,575	256,152	17.1	18.1	16.1	16.9	18.3	15.7	1,163	148	—	—
1897	541,487	280,211	261,276	17.4	18.6	16.2	17.3	18.8	15.9	1,187	156	—	—
1898	552,141	283,981	268,160	17.5	18.6	16.5	17.4	18.9	16.1	1,172	160	—	—
1899	581,799	299,472	282,327	18.2	19.4	17.2	18.2	19.8	16.8	1,176	163	—	—
1900	587,830	303,823	284,007	18.2	19.5	17.1	18.2	19.9	16.7	1,189	154	—	—
1901	551,585	285,618	265,967	16.9	18.1	15.8	16.9	18.5	15.5	1,192	151	—	—
1902	535,538	277,216	258,322	16.3	17.4	15.2	16.2	17.7	14.8	1,195	133	—	—
1903	514,628	266,290	248,338	15.5	16.5	14.4	15.4	16.8	14.1	1,196	132	—	—
1904	549,784	283,206	266,578	16.3	17.4	15.3	16.2	17.6	14.9	1,185	145	—	—
1905	520,031	267,601	252,430	15.3	16.3	14.4	15.2	16.5	13.9	1,188	128	—	—
1906	531,281	274,233	257,048	15.5	16.5	14.5	15.3	16.8	14.0	1,195	132	127	261
1907	524,221	269,259	254,962	15.1	16.0	14.2	14.9	16.2	13.6	1,190	118	113	220
1908	520,456	268,714	251,742	14.8	15.8	13.9	14.5	16.0	13.3	1,204	120	116	233
1909	518,003	265,203	252,800	14.6	15.5	13.8	14.3	15.6	13.1	1,192	109	104	211
1910	483,247	249,016	234,231	13.5	14.4	12.7	13.2	14.5	12.0	1,205	105	102	195
1911	527,810	272,512	255,298	14.6	15.6	13.7	14.2	15.6	13.0	1,202	130	125	245
1912	486,939	250,232	236,707	13.4	14.2	12.6	12.9	14.2	11.8	1,203	95	91	181
1913	504,975	261,687	243,288	13.8	14.8	12.9	13.3	14.7	12.1	1,221	108	104	213
1914	516,742	267,359	249,383	14.0	14.9	13.1	13.5	14.9	12.2	1,216	105	100	207
1915†	562,253	292,381	269,872	15.7	17.7	14.0	14.6	16.3	13.0	1,254	110	105	203
1916†	508,217	265,030	243,187	14.3	16.7	12.5	13.1	14.9	11.5	1,296	91	87	183
1917†	498,922	262,215	236,707	14.2	17.1	12.1	13.0	15.1	11.2	1,348	96	90	201
1918†	611,861	314,704	297,157	17.3	20.1	15.2	16.6	19.0	14.5	1,310	97	91	186
1919†	504,203	258,089	246,114	14.0	15.7	12.6	13.0	14.6	11.6	1,259	89	84	173
1920†	466,130	240,302	225,828	12.4	13.5	11.5	11.9	13.2	10.7	1,234	80	76	156
1921	458,629	234,291	224,338	12.1	12.9	11.3	11.3	12.5	10.2	1,223	83	79	158
1922	486,780	247,221	239,559	12.7	13.5	12.0	11.6	12.8	10.5	1,216	77	74	139
1923	444,785	226,858	217,927	11.6	12.4	10.9	10.2	11.4	9.2	1,231	69	67	132
1924	473,235	240,620	232,615	12.2	13.0	11.5	10.7	11.8	9.6	1,225	75	73	133
1925	472,841	240,875	231,966	12.1	12.9	11.4	10.6	11.8	9.6	1,231	75	72	136
1926	453,804	231,549	222,255	11.6	12.4	10.9	10.0	11.2	9.0	1,240	70	68	130
1927	484,609	246,606	238,003	12.3	13.1	11.6	10.5	11.8	9.5	1,243	70	67	120
1928	460,389	235,542	224,847	11.7	12.5	10.9	9.9	11.0	8.8	1,254	65	63	115
1929	532,492	269,903	262,589	13.4	14.2	12.7	11.4	12.6	10.2	1,234	74	72	126
1930	455,427	234,010	221,417	11.4	12.3	10.7	9.5	10.7	8.4	1,269	60	58	105
1931	491,630	249,717	241,913	12.3	13.0	11.6	10.1	11.3	9.0	1,251	66	64	111
1932	484,129	245,715	238,414	12.0	12.7	11.4	9.7	10.9	8.7	1,248	65	63	112
1933	496,465	250,625	245,840	12.3	12.9	11.7	9.8	10.9	8.8	1,240	64	62	107
1934	476,810	242,855	233,955	11.8	12.5	11.1	9.3	10.4	8.3	1,252	59	57	95
1935	477,401	243,458	233,943	11.7	12.5	11.1	9.0	10.2	8.0	1,265	57	56	90
1936	495,764	253,319	242,445	12.1	12.9	11.4	9.2	10.4	8.2	1,280	59	57	88
1937	509,574	260,057	249,517	12.4	13.2	11.7	9.3	10.5	8.2	1,279	58	56	88

* See footnote * on first page of this Table.

† For the years 1915–20 the mortality-rates are based upon civilians only, but, as in other years, the numbers of deaths include those of non-civilians registered in England and Wales.

TABLE 4. DEATHS REGISTERED AND DEATH-RATES IN EACH } England and Wales.
QUARTER, 1838-1937.

Period.	Quarter ended.							
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
	Deaths : Males.				Deaths : Females.			
1838-1937*	7,033,888	6,046,967	5,587,346	6,156,342	6,802,552	5,636,660	5,213,400	5,928,931
1841-50	522,415	471,969	452,208	462,533	507,070	454,122	440,756	458,323
1851-60	587,846	532,002	491,400	527,288	570,070	508,594	474,524	518,991
1861-70	677,517	597,458	578,694	605,820	645,889	559,376	547,594	582,150
1871-80	731,877	658,545	621,924	667,070	690,899	600,519	573,079	634,398
1881-90	744,679	661,355	618,271	674,011	714,871	610,420	575,831	645,332
1891-1900	790,553	697,093	682,542	695,038	771,792	640,661	629,133	668,563
1901-10	756,871	648,442	621,683	679,360	733,364	598,293	563,732	647,029
1911-20*	785,560	638,473	565,071	695,407	746,774	582,169	509,764	664,834
1921-30	746,920	585,095	484,852	590,608	743,076	551,336	451,409	569,695
1928	69,050	59,160	48,120	59,212	67,249	55,582	45,595	56,421
1929	99,944	61,439	50,201	58,319	104,365	57,289	46,548	54,387
1930	67,653	57,414	49,766	59,177	64,314	53,922	46,623	56,558
1931	81,036	58,755	49,896	60,030	81,172	55,939	46,839	57,963
1932	76,393	59,749	50,360	59,213	77,058	56,479	47,624	57,253
1933	84,280	55,459	48,977	61,909	85,703	53,132	46,833	60,172
1934	74,292	60,796	49,808	57,959	71,711	58,211	47,661	56,372
1935	67,538	61,679	51,357	62,884	65,119	60,256	48,709	59,859
1936	77,731	61,463	51,347	62,778	75,860	58,077	48,588	59,920
1937	82,071	60,887	51,741	65,358	81,645	57,638	48,560	61,674
	Deaths : Persons.				Annual Death-rates per 1,000 persons living.			
1838-1937*	13,836,440	11,683,627	10,800,746	12,085,273	19.9	16.6	15.2	17.0
1841-50	1,029,485	926,091	892,964	920,856	24.7	22.0	21.0	21.7
1851-60	1,157,916	1,040,596	965,924	1,046,279	24.7	22.1	20.3	21.9
1861-70	1,323,406	1,156,834	1,126,288	1,187,970	25.2	21.8	21.0	22.1
1871-80	1,422,776	1,259,064	1,195,003	1,301,468	23.7	20.9	19.6	21.3
1881-90	1,459,550	1,271,775	1,194,102	1,319,343	21.6	18.7	17.3	19.1
1891-1900	1,562,345	1,337,754	1,311,675	1,363,601	20.7	17.6	17.0	17.7
1901-10	1,490,235	1,246,735	1,185,415	1,326,389	17.7	14.6	13.8	15.4
1911-20*	1,532,334	1,220,642	1,074,835	1,360,241	17.2	13.6	11.8	14.9
1921-30	1,489,996	1,136,431	936,261	1,160,303	15.5	11.7	9.5	11.8
1928	136,299	114,742	93,715	115,633	13.9	11.7	9.4	11.7
1929	204,309	118,728	96,749	112,706	20.9	12.0	9.7	11.3
1930	131,967	111,336	96,389	115,735	13.4	11.2	9.6	11.5
1931	162,208	114,694	96,735	117,993	16.5	11.5	9.6	11.7
1932	153,451	116,228	97,984	116,466	15.4	11.6	9.7	11.5
1933	169,983	108,591	95,810	122,081	17.1	10.8	9.4	12.0
1934	146,003	119,007	97,469	114,331	14.6	11.8	9.6	11.2
1935	132,657	121,935	100,066	122,743	13.2	12.0	9.8	12.0
1936	153,591	119,540	99,935	122,698	15.1	11.8	9.7	12.0
1937	163,716	118,525	100,301	127,032	16.2	11.6	9.7	12.3

* See Note † to Table 3.

TABLE 5. DEATH-RATES PER 1,000 LIVING AT
ALL AGES (STANDARDIZED) AND AGE GROUPS. } England and Wales.
INFANT MORTALITY, 1838-1937.*

PERSONS.

Period.	All Ages (Stand- ard- ized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up- wards	Deaths under 1 year per 1,000 Live Births.
1838-1937‡	16.5	50.4	5.1	3.0	4.3	5.4	6.5	9.1	14.0	26.5	57.9	130.3	274.1	130
1841-50	21.6	66.0	9.0	5.3	7.5	9.3	10.3	12.9	17.0	29.9	63.6	141.5	301.0	153
1851-60	21.2	67.6	8.5	5.0	7.0	8.7	9.8	12.3	16.5	28.9	61.7	139.9	296.5	154
1861-70	21.3	68.6	8.0	4.5	6.4	8.2	9.8	12.7	17.4	30.4	62.8	140.4	296.6	154
1871-80	20.3	63.4	6.5	3.7	5.4	7.1	9.0	12.7	17.8	31.6	65.0	142.2	308.3	149
1881-90	18.6	56.8	5.3	3.0	4.4	5.6	7.6	11.5	17.1	31.4	65.0	137.6	284.0	142
1891-1900	18.1	57.7	4.3	2.5	3.7	4.7	6.4	10.5	16.8	31.5	65.0	137.2	270.8	153
1901-10	15.2	46.0	3.6	2.1	3.0	3.8	5.1	8.3	14.3	28.1	58.8	127.2	260.8	128
1911-20‡	13.5	34.6	3.6	2.3	3.3	4.3	5.5	7.4	12.6	25.0	55.8	125.5	254.2	100
1921-30	10.6	22.7	2.4	1.6	2.6	3.2	3.6	5.5	10.0	21.3	50.8	120.9	260.2	72
1841-45	20.6	63.6	8.7	5.0	7.2	8.8	9.7	12.2	16.1	28.7	62.0	137.2	295.3	148
1846-50	22.4	68.7	9.4	5.6	7.7	9.8	10.9	13.6	18.1	31.4	65.9	145.7	306.5	157
1851-55	21.7	68.9	8.6	5.2	7.4	9.1	10.2	12.7	17.2	29.6	62.9	143.2	299.6	156
1856-60	20.7	66.9	8.3	4.7	6.7	8.3	9.4	12.0	16.1	28.4	61.0	136.7	293.4	152
1861-65	21.4	69.1	8.4	4.7	6.6	8.4	9.8	12.6	17.2	30.3	62.5	139.1	299.0	151
1866-70	21.2	68.1	7.6	4.3	6.2	8.0	9.9	12.9	17.6	30.6	63.2	141.7	294.3	157
1871-75	20.9	64.9	6.9	4.0	5.8	7.7	9.6	13.1	18.0	31.6	65.3	141.7	305.2	153
1876-80	19.8	61.9	6.1	3.5	4.9	6.5	8.3	12.3	17.5	31.6	64.7	142.9	311.5	145
1881-85	18.7	56.6	5.8	3.2	4.6	6.0	8.0	11.8	17.2	31.0	63.5	136.2	277.9	139
1886-90	18.5	56.9	4.9	2.8	4.1	5.3	7.2	11.1	17.1	31.8	66.4	139.0	290.1	145
1891-95	18.5	57.8	4.6	2.7	4.0	5.0	6.8	11.0	17.3	32.5	67.3	140.7	273.9	151
1896-1900	17.6	57.6	4.1	2.4	3.5	4.5	6.0	10.1	16.2	30.5	62.9	133.8	267.7	156
1901-05	16.0	50.2	3.7	2.2	3.1	4.0	5.4	8.9	14.9	28.7	59.4	127.3	258.6	138
1906-10	14.4	41.7	3.4	2.0	2.9	3.6	4.8	7.8	13.7	27.5	58.1	127.0	262.4	117
1911-15‡	13.7	37.5	3.4	2.1	2.9	3.6	4.6	7.3	13.1	26.2	57.3	126.2	257.9	110
1916-20‡	13.4	31.4	3.8	2.5	3.8	5.2	6.5	7.5	12.1	24.0	54.5	124.8	250.7	90
1921-25	10.9	24.4	2.5	1.7	2.6	3.3	3.8	5.7	10.1	21.6	51.1	121.8	251.4	76
1926-30	10.3	20.8	2.4	1.6	2.5	3.1	3.5	5.4	9.9	21.0	50.6	120.2	268.2	68
1931-35	9.6	18.1	2.2	1.4	2.3	3.0	3.2	4.8	9.4	20.0	49.2	119.8	257.6	62
1897	17.3	57.4	4.0	2.4	3.5	4.5	6.0	9.8	15.6	29.3	60.2	129.9	259.8	156
1898	17.4	58.5	3.8	2.2	3.4	4.4	5.9	9.8	15.7	29.7	61.5	132.1	268.1	160
1899	18.2	58.5	4.1	2.4	3.5	4.5	6.1	10.5	17.0	31.9	66.6	142.2	283.9	163
1900	18.2	56.7	4.2	2.4	3.5	4.6	6.2	10.5	17.5	33.1	68.1	143.9	285.2	154
1901	16.9	54.2	4.1	2.3	3.3	4.2	5.8	9.6	15.9	29.8	61.5	129.8	258.0	151
1902	16.2	49.6	4.1	2.3	3.2	4.2	5.7	9.3	15.5	29.4	60.6	129.0	258.8	133
1903	15.4	48.1	3.5	2.1	3.0	3.8	5.4	8.6	14.6	27.7	57.5	122.2	243.6	132
1904	16.2	53.0	3.6	2.1	3.1	3.9	5.3	8.5	14.6	28.7	59.7	130.1	267.6	145
1905	15.2	46.2	3.5	2.1	3.0	3.9	5.2	8.3	14.2	28.0	58.0	125.5	264.5	128
1906	15.3	47.2	3.6	2.1	3.0	3.8	5.1	8.2	14.2	28.2	57.7	126.9	273.1	132
1907	14.9	42.9	3.5	2.1	2.9	3.7	5.0	8.2	14.2	28.6	59.6	129.3	271.0	118
1908	14.5	43.0	3.4	2.0	2.8	3.7	4.9	7.8	13.7	27.6	57.8	127.2	259.0	120
1909	14.3	39.2	3.4	2.1	2.9	3.6	4.8	7.7	13.8	27.8	60.4	131.7	268.3	109
1910	13.2	36.4	3.0	1.9	2.7	3.4	4.4	7.2	12.7	25.7	55.2	120.1	242.4	105
1911	14.2	43.1	3.4	2.1	2.9	3.5	4.6	7.3	13.1	26.0	55.8	123.7	243.0	130
1912	12.9	32.9	3.1	1.9	2.8	3.4	4.4	7.1	12.9	25.8	56.4	123.6	248.9	95
1913	13.3	36.8	3.2	2.0	2.7	3.4	4.3	7.1	12.9	25.9	55.8	121.7	247.7	108
1914	13.5	36.2	3.4	2.1	2.9	3.5	4.6	7.3	13.2	26.0	56.5	121.8	256.8	105
1915‡	14.6	38.2	3.8	2.3	3.2	4.3	5.1	7.6	13.5	27.5	61.7	139.5	291.8	110
1916‡	13.1	29.5	3.3	2.2	3.2	4.3	5.1	7.2	12.5	25.4	58.5	133.3	282.2	91
1917‡	13.0	29.1	3.3	2.2	3.4	4.5	5.3	7.2	12.0	24.7	56.5	130.5	263.9	96
1918‡	16.6	36.5	5.7	3.7	6.1	9.3	12.4	10.1	14.2	25.1	55.1	117.5	225.8	97
1919‡	13.0	29.6	3.5	2.3	3.5	4.7	6.4	7.2	11.6	23.7	54.6	130.6	264.0	89
1920‡	11.9	32.6	3.3	2.0	2.8	3.6	4.4	6.1	10.4	21.2	48.2	113.1	220.8	80
1921	11.3	28.7	2.8	1.8	2.8	3.4	3.9	5.8	10.0	21.1	49.0	116.7	242.3	83
1922	11.6	27.0	2.6	1.8	2.6	3.5	4.1	6.1	10.6	22.7	53.9	129.4	255.7	77
1923	10.2	21.7	2.3	1.6	2.5	3.2	3.7	5.5	9.8	21.1	49.0	116.0	238.3	69
1924	10.7	22.4	2.3	1.7	2.5	3.3	3.7	5.7	10.1	21.9	52.4	123.3	251.8	75
1925	10.6	22.7	2.5	1.7	2.6	3.2	3.6	5.5	10.1	21.3	51.2	123.4	268.1	75
1926	10.0	21.1	2.4	1.5	2.4	3.0	3.5	5.3	9.6	20.5	48.6	115.4	254.3	70
1927	10.5	21.3	2.3	1.5	2.5	3.1	3.6	5.7	10.2	21.5	52.2	124.8	281.2	70
1928	9.9	19.6	2.3	1.6	2.5	3.1	3.4	5.2	9.6	20.3	48.9	112.6	258.0	65
1929	11.4	23.9	2.5	1.7	2.6	3.3	3.6	5.7	10.9	22.8	56.2	136.5	312.3	74
1930	9.5	18.2	2.3	1.5	2.5	3.0	3.4	5.0	9.4	20.0	47.2	111.8	238.1	60
1931	10.1	19.9	2.1	1.5	2.5	3.1	3.4	5.1	9.8	20.6	50.8	123.9	267.9	66
1932	9.7	19.0	2.1	1.4	2.4	3.0	3.2	4.8	9.3	20.0	49.9	122.2	265.6	65
1933	9.8	17.9	2.2	1.4	2.4	3.1	3.4	5.1	9.9	20.3	49.7	124.4	268.1	64
1934	9.3	17.5	2.4	1.4	2.3	2.9	3.1	4.6	9.2	19.7	48.1	114.0	238.9	59
1935	9.0	16.1	2.0	1.3	2.1	2.7	3.0	4.5	9.0	19.5	47.8	115.6	249.0	57
1936	9.2	17.0	2.0	1.2	2.0	2.7	2.8	4.3	9.1	20.0	48.9	119.6	269.9	59
1937	9.3	16.6	1.9	1.2	2.0	2.7	2.9	4.4	9.2	20.5	49.5	121.5	277.2	58

* The age rates for intercensal years are based upon estimated populations.

† See Note * to Table 3.

‡ Including civilian mortality only in 1915-20.

TABLE 5—(continued).

MALES.

Period.	All ages (Stand- ard- ized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up- wards	Deaths under 1 year per 1,000 Live Births.
1838-1937‡	17.8	54.5	5.2	2.9	4.2	5.7	6.8	9.9	15.8	29.8	64.1	141.9	294.4	143
1841-50	22.5	71.2	9.2	5.1	7.1	9.5	9.9	12.9	18.2	31.8	67.5	148.3	312.3	167
1851-60	22.1	72.4	8.5	4.9	6.7	8.8	9.6	12.5	18.0	30.9	65.3	146.7	308.2	168
1861-70	22.6	73.5	8.2	4.5	6.2	8.5	9.9	13.5	19.3	33.1	67.1	147.2	315.0	168
1871-80	21.8	68.4	6.7	3.7	5.3	7.4	9.3	13.8	20.1	34.9	69.7	150.8	327.4	163
1881-90	20.0	61.6	5.3	3.0	4.3	5.7	7.8	12.4	19.4	34.7	70.5	146.6	305.8	155
1891-1900	19.5	62.7	4.3	2.4	3.8	5.1	6.8	11.5	18.9	34.9	70.4	146.1	286.8	168
1901-10	16.6	50.0	3.5	2.1	3.1	4.2	5.6	9.2	16.2	31.8	64.8	137.7	279.2	140
1911-20‡	15.0	37.8	3.6	2.2	3.4	4.9	6.5	8.6	14.5	29.0	63.5	139.3	274.5	112
1921-30	11.8	25.1	2.5	1.7	2.6	3.4	3.9	6.3	11.6	24.6	58.2	135.4	285.8	81
1841-45	21.6	68.7	8.8	4.8	6.8	9.0	9.4	12.2	17.2	30.3	65.5	143.7	305.1	162
1846-50	23.4	73.7	9.5	5.4	7.4	10.0	10.5	13.6	19.2	33.2	69.5	152.9	319.5	172
1851-55	22.7	73.9	8.8	5.2	7.0	9.2	10.0	12.9	18.6	31.6	66.7	150.9	310.9	172
1856-60	21.6	71.5	8.3	4.6	6.4	8.4	9.2	12.2	17.5	30.4	64.3	142.7	305.3	166
1861-65	22.6	74.1	8.5	4.7	6.4	8.6	9.8	13.2	18.9	32.8	66.4	145.9	316.6	166
1866-70	22.6	72.9	7.9	4.3	6.0	8.3	10.1	13.7	19.6	33.5	67.8	148.7	313.5	170
1871-75	22.4	69.9	7.1	4.0	5.7	8.1	10.0	14.3	20.3	34.8	70.1	149.6	323.3	167
1876-80	21.3	67.1	6.3	3.4	4.8	6.7	8.7	13.4	19.8	34.9	69.4	152.2	331.5	159
1881-85	20.1	61.3	5.8	3.2	4.5	6.0	8.2	12.8	19.3	34.2	68.8	145.4	297.9	152
1886-90	20.0	61.9	4.9	2.8	4.1	5.5	7.4	12.1	19.4	35.2	72.1	147.9	313.7	159
1891-95	20.0	62.9	4.5	2.6	4.0	5.2	7.1	11.9	19.5	35.8	72.5	149.2	290.8	165
1896-1900	19.1	62.4	4.1	2.3	3.6	4.9	6.5	11.1	18.4	34.1	68.3	143.1	282.8	170
1901-05	17.4	54.7	3.7	2.1	3.2	4.4	5.9	9.7	17.0	32.4	65.3	137.6	274.6	151
1906-10	15.8	45.4	3.3	2.0	3.0	4.0	5.3	8.6	15.5	31.2	64.4	137.7	283.0	129
1911-15‡	15.1	40.9	3.4	2.0	3.0	4.0	5.1	8.2	14.9	30.2	64.1	139.2	281.6	121
1916-20‡	15.1	34.4	3.8	2.4	3.9	6.6	8.6	9.1	14.0	27.9	63.0	139.4	267.8	101
1921-25	12.0	27.0	2.6	1.7	2.7	3.5	4.0	6.5	11.6	24.9	58.2	135.5	272.7	86
1926-30	11.5	23.1	2.5	1.6	2.6	3.3	3.7	6.2	11.6	24.4	58.3	135.4	298.1	77
1931-35	10.7	20.1	2.3	1.4	2.4	3.2	3.3	5.4	11.2	23.5	56.8	135.2	273.8	70
1897	18.8	62.5	3.9	2.4	3.6	4.8	6.4	10.8	17.7	32.9	65.8	141.7	272.1	170
1898	18.9	63.4	3.8	2.2	3.5	4.8	6.3	10.7	17.6	33.2	66.4	140.3	282.6	175
1899	19.8	63.4	4.1	2.3	3.6	5.0	6.7	11.6	19.2	35.5	72.0	150.3	302.1	177
1900	19.9	61.6	4.2	2.3	3.7	5.1	6.7	11.7	19.9	37.1	74.2	153.7	304.3	169
1901	18.5	59.0	4.0	2.3	3.5	4.7	6.2	10.6	18.0	33.5	67.8	139.8	276.5	166
1902	17.7	54.1	3.9	2.2	3.3	4.6	6.2	10.4	17.8	33.3	66.7	138.5	270.0	147
1903	16.8	52.5	3.5	2.0	3.0	4.2	5.8	9.4	16.6	31.6	63.3	132.8	260.3	145
1904	17.6	57.4	3.6	2.1	3.1	4.3	5.7	9.4	16.5	32.3	65.5	139.7	287.6	159
1905	16.5	50.3	3.4	2.1	3.1	4.2	5.6	9.0	16.1	31.5	63.3	137.2	278.2	141
1906	16.8	51.2	3.5	2.0	3.2	4.1	5.5	9.1	16.1	32.4	64.3	137.3	298.5	145
1907	16.2	46.8	3.4	2.0	3.0	4.0	5.5	9.0	16.1	32.3	65.2	138.8	291.7	130
1908	16.0	46.9	3.3	2.0	2.9	4.0	5.3	8.6	15.4	31.4	64.3	138.4	277.2	133
1909	15.6	42.8	3.4	2.0	3.0	3.9	5.2	8.5	15.6	31.1	66.4	142.5	289.9	120
1910	14.5	39.7	3.0	1.9	2.7	3.7	4.7	7.9	14.5	29.4	61.8	131.6	259.7	116
1911	15.6	46.7	3.5	2.1	3.1	3.8	5.0	8.1	14.9	29.6	62.4	136.7	268.0	142
1912	14.2	35.9	3.1	1.8	2.9	3.6	4.8	7.9	14.7	29.6	62.7	135.6	266.7	106
1913	14.7	40.3	3.2	1.9	2.8	3.6	4.8	7.9	14.7	29.9	62.9	136.6	269.3	120
1914	14.9	39.4	3.4	2.1	3.1	3.9	5.1	8.3	14.9	30.0	63.4	133.2	281.2	116
1915‡	16.3	42.0	3.9	2.3	3.3	5.8	6.5	8.9	15.4	31.9	69.0	153.6	322.7	123
1916‡	14.9	32.5	3.3	2.2	3.4	6.9	7.2	8.6	14.4	29.6	66.8	148.1	309.2	102
1917‡	15.1	31.8	3.3	2.2	3.6	7.9	8.5	9.1	14.1	29.2	66.2	147.2	286.5	108
1918‡	19.0	38.9	5.5	3.5	6.2	13.8	19.6	12.6	16.4	29.3	64.4	132.1	234.4	108
1919‡	14.6	32.8	3.5	2.3	3.6	5.5	8.1	8.6	13.3	27.2	62.6	145.5	277.6	100
1920‡	13.2	36.2	3.3	1.9	2.9	3.9	4.7	7.0	12.1	24.5	55.6	125.1	235.2	90
1921	12.5	31.9	2.8	1.8	2.8	3.6	4.2	6.5	11.4	24.4	55.8	128.7	262.8	93
1922	12.8	29.8	2.6	1.7	2.7	3.8	4.3	6.9	12.0	26.0	61.0	143.5	271.7	87
1923	11.4	24.0	2.3	1.6	2.6	3.5	4.0	6.3	11.2	24.2	55.6	129.5	262.9	78
1924	11.8	24.8	2.4	1.7	2.6	3.5	3.9	6.5	11.6	25.1	59.6	136.9	273.4	85
1925	11.8	24.9	2.5	1.7	2.6	3.3	3.8	6.3	11.6	24.7	58.7	138.8	292.0	84
1926	11.2	23.3	2.5	1.5	2.5	3.2	3.6	6.0	11.0	23.6	55.9	131.1	284.3	79
1927	11.8	23.7	2.4	1.6	2.5	3.4	3.8	6.5	11.9	24.9	59.9	139.8	312.2	79
1928	11.0	21.9	2.4	1.7	2.6	3.2	3.6	6.0	11.2	23.6	56.5	128.0	290.9	74
1929	12.6	26.2	2.6	1.7	2.7	3.5	3.9	6.7	12.9	26.3	64.1	151.5	343.6	83
1930	10.7	20.4	2.4	1.6	2.6	3.2	3.5	5.7	11.2	23.4	55.2	126.6	263.5	68
1931	11.3	22.4	2.3	1.5	2.6	3.3	3.5	5.8	11.6	23.9	58.7	138.4	295.4	75
1932	10.9	21.0	2.2	1.4	2.5	3.2	3.3	5.3	10.8	23.4	57.9	138.0	289.2	73
1933	10.9	19.9	2.3	1.5	2.6	3.3	3.5	5.7	11.7	23.7	56.7	139.4	286.5	72
1934	10.4	19.3	2.5	1.4	2.4	3.1	3.2	5.1	10.9	23.3	55.6	129.3	256.4	65
1935	10.2	17.9	2.1	1.3	2.1	2.9	3.1	5.0	10.8	23.2	55.5	131.8	269.2	64
1936	10.4	19.1	2.1	1.3	2.0	2.9	3.0	4.9	10.8	24.1	56.6	137.3	291.4	66
1937	10.5	18.6	2.0	1.2	2.1	2.8	3.1	5.0	11.1	24.9	57.4	138.5	292.3	65

† See Note * to Table 3.

‡ Including civilian mortality only in 1915-20.

TABLE 5—(continued).

FEMALES.

Period.	All ages (Stand- ard- ized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up- wards	Deaths under 1 year per 1,000 Live Births.
1838-1937	15.2	46.3	5.1	3.0	4.3	5.2	6.2	8.3	12.3	23.6	52.8	122.1	262.8	117
1841-50	20.7	61.1	8.9	5.4	7.9	9.1	10.6	12.9	16.0	28.4	61.0	135.9	293.3	137
1851-60	20.3	62.7	8.4	5.1	7.4	8.5	9.9	12.1	15.2	27.0	58.7	134.5	288.9	139
1861-70	20.2	63.7	7.8	4.5	6.6	8.0	9.7	12.1	15.6	27.9	59.1	134.9	285.1	139
1871-80	19.0	58.3	6.2	3.7	5.5	6.8	8.6	11.6	15.6	28.7	61.0	135.4	296.4	134
1881-90	17.3	51.9	5.3	3.1	4.4	5.5	7.4	10.6	15.1	28.5	60.4	130.6	270.8	128
1891-1900	16.7	52.8	4.4	2.6	3.7	4.5	6.1	9.6	14.7	28.4	60.7	130.6	261.4	138
1901-10	13.9	41.9	3.6	2.2	2.9	3.5	4.7	7.5	12.5	24.8	53.9	119.8	250.3	114
1911-20	12.2	31.4	3.6	2.3	3.2	3.9	4.8	6.4	10.9	21.5	49.6	116.3	243.6	89
1921-30	9.5	20.2	2.3	1.6	2.5	3.0	3.5	4.9	8.6	18.3	44.9	111.6	248.2	63
1841-45	19.8	58.6	8.6	5.2	7.7	8.6	9.9	12.1	15.1	27.2	59.1	131.8	288.6	133
1846-50	21.6	63.6	9.2	5.7	8.1	9.6	11.2	13.7	17.0	29.7	62.7	140.0	297.7	142
1851-55	20.7	63.8	8.5	5.3	7.8	8.9	10.3	12.6	15.8	27.8	59.7	137.2	292.1	141
1856-60	19.9	62.3	8.4	4.8	7.1	8.2	9.6	11.8	14.8	26.5	58.1	131.9	285.8	137
1861-65	20.3	64.2	8.3	4.8	6.9	8.2	9.8	12.1	15.5	27.9	59.1	133.8	287.9	136
1866-70	20.0	63.3	7.4	4.3	6.4	7.8	9.6	12.1	15.8	27.9	59.1	136.1	282.3	142
1871-75	19.5	60.0	6.6	4.0	5.9	7.4	9.2	12.0	15.9	28.7	61.3	135.3	293.9	138
1876-80	18.4	56.8	5.9	3.5	5.0	6.2	8.0	11.3	15.3	28.6	60.8	135.5	299.0	130
1881-85	17.5	51.9	5.7	3.3	4.7	5.9	7.9	10.9	15.2	28.1	59.1	129.0	265.5	125
1886-90	17.2	52.0	4.9	2.9	4.2	5.2	6.9	10.3	15.0	28.8	61.7	132.3	276.1	131
1891-95	17.2	52.8	4.6	2.7	4.0	4.8	6.6	10.1	15.2	29.5	63.0	134.3	264.0	135
1896-1900	16.2	52.7	4.2	2.4	3.4	4.1	5.6	9.1	14.3	27.4	58.5	127.0	258.7	141
1901-05	14.6	45.8	3.8	2.2	3.0	3.7	5.0	8.0	13.1	25.4	54.8	119.9	249.4	124
1906-10	13.2	38.0	3.4	2.1	2.8	3.3	4.5	7.1	12.0	24.3	53.1	119.6	250.9	105
1911-15	12.4	34.0	3.4	2.1	2.8	3.2	4.1	6.5	11.4	22.7	51.7	117.5	245.4	97
1916-20	11.9	28.4	3.8	2.6	3.7	4.5	5.5	6.4	10.4	20.4	47.7	115.1	241.9	79
1921-25	9.8	21.2	2.4	1.7	2.6	3.1	3.6	5.0	8.8	18.7	45.5	112.9	241.2	66
1926-30	9.2	18.5	2.3	1.5	2.4	2.9	3.3	4.7	8.4	18.0	44.4	110.4	254.4	59
1931-35	8.6	16.0	2.1	1.4	2.2	2.8	3.1	4.3	7.9	16.9	43.0	109.7	247.6	54
1897	15.9	52.4	4.0	2.4	3.4	4.1	5.6	8.9	13.7	26.2	55.7	121.2	252.6	141
1898	16.1	53.5	3.9	2.3	3.3	4.1	5.5	8.9	13.9	26.7	57.5	126.0	259.6	145
1899	16.8	53.6	4.2	2.4	3.3	4.1	5.7	9.4	15.0	28.7	62.3	136.3	273.2	148
1900	16.7	51.8	4.2	2.5	3.3	4.2	5.7	9.3	15.3	29.6	63.2	136.8	273.9	139
1901	15.5	49.5	4.1	2.4	3.2	3.8	5.3	8.7	13.8	26.5	56.5	122.6	247.1	136
1902	14.8	45.0	4.2	2.3	3.1	3.9	5.3	8.4	13.4	25.9	55.7	122.1	252.3	118
1903	14.1	43.7	3.6	2.1	2.9	3.5	4.9	7.9	12.8	24.4	52.9	114.7	233.9	118
1904	14.9	48.5	3.6	2.2	3.0	3.5	4.9	7.7	12.8	25.6	55.1	123.2	256.1	131
1905	13.9	42.1	3.5	2.2	2.9	3.6	4.8	7.5	12.5	24.8	53.8	117.2	256.7	115
1906	14.0	43.1	3.7	2.3	2.9	3.5	4.7	7.5	12.4	24.8	52.5	119.6	258.7	120
1907	13.6	39.1	3.5	2.1	2.9	3.4	4.6	7.4	12.4	25.3	55.1	122.6	259.4	104
1908	13.3	39.0	3.4	2.0	2.7	3.4	4.4	6.9	12.1	24.2	52.7	119.4	248.8	107
1909	13.1	35.7	3.5	2.1	2.8	3.3	4.4	6.9	12.1	24.8	55.5	124.2	256.2	97
1910	12.0	33.1	3.1	2.0	2.6	3.1	4.1	6.5	11.1	22.4	49.8	112.3	232.8	94
1911	13.0	39.5	3.4	2.1	2.7	3.3	4.2	6.6	11.4	22.8	50.5	115.1	229.4	117
1912	11.8	29.9	3.1	2.0	2.7	3.2	4.0	6.4	11.2	22.4	51.2	115.5	239.3	84
1913	12.1	33.3	3.2	2.0	2.6	3.2	4.0	6.4	11.3	22.3	50.2	111.8	236.2	96
1914	12.2	32.9	3.4	2.2	2.7	3.2	4.1	6.5	11.5	22.4	51.0	114.2	244.2	93
1915	13.0	34.4	3.8	2.3	3.0	3.4	4.2	6.5	11.7	23.6	55.7	130.2	275.9	96
1916	11.5	26.5	3.2	2.2	3.0	3.4	4.1	6.1	10.7	21.6	51.8	123.4	268.4	80
1917	11.2	26.3	3.2	2.2	3.2	3.4	3.9	5.8	10.1	20.7	48.8	119.3	252.2	85
1918	14.5	34.1	5.9	4.0	6.0	7.9	9.8	8.5	12.3	21.4	47.8	107.8	221.3	86
1919	11.6	26.4	3.6	2.3	3.4	4.3	5.4	6.1	10.1	20.5	48.3	120.8	257.0	78
1920	10.7	28.9	3.2	2.0	2.7	3.3	4.2	5.4	9.0	18.2	42.3	105.2	213.6	69
1921	10.2	25.5	2.7	1.8	2.7	3.2	3.7	5.2	8.8	18.2	43.6	108.9	232.3	72
1922	10.5	24.1	2.5	1.8	2.6	3.2	3.8	5.3	9.4	19.7	48.3	120.2	248.0	66
1923	9.2	19.4	2.2	1.6	2.5	2.9	3.4	4.8	8.5	18.2	43.6	107.3	226.5	60
1924	9.6	19.9	2.2	1.7	2.5	3.1	3.5	5.0	8.7	19.1	46.7	114.5	241.6	65
1925	9.6	20.4	2.4	1.6	2.5	3.1	3.4	4.8	8.7	18.3	45.2	113.5	256.8	66
1926	9.0	18.8	2.3	1.5	2.4	2.9	3.3	4.7	8.2	17.6	42.7	105.4	240.2	61
1927	9.5	18.9	2.2	1.5	2.4	2.9	3.4	4.9	8.8	18.5	45.9	115.2	262.3	60
1928	8.8	17.3	2.2	1.5	2.4	3.0	3.3	4.6	8.2	17.3	42.7	102.6	242.9	56
1929	10.2	21.6	2.3	1.7	2.5	3.1	3.5	4.9	9.1	19.6	49.9	126.7	298.2	65
1930	8.4	16.0	2.2	1.5	2.3	2.8	3.2	4.3	7.9	16.9	40.7	102.2	226.5	51
1931	9.0	17.4	2.0	1.5	2.4	2.9	3.3	4.5	8.3	17.6	44.4	114.4	255.1	57
1932	8.7	16.8	1.9	1.3	2.2	2.8	3.1	4.3	8.0	17.0	43.3	111.8	254.7	56
1933	8.8	15.8	2.1	1.4	2.3	2.9	3.2	4.6	8.3	17.3	44.0	114.4	259.4	55
1934	8.3	15.6	2.4	1.4	2.2	2.7	3.0	4.1	7.7	16.4	42.0	103.9	230.6	51
1935	8.0	14.2	1.9	1.3	2.0	2.6	2.9	4.0	7.4	16.2	41.5	104.9	239.3	50
1936	8.2	14.9	1.8	1.1	1.9	2.6	2.7	3.9	7.6	16.4	42.7	108.1	259.5	50
1937	8.2	14.7	1.7	1.1	1.8	2.6	2.8	3.9	7.6	16.7	43.0	110.4	269.9	50

† See Note * to Table 3.

TABLE 6.—DEATHS OF MALES AND FEMALES FROM VARIOUS } England and Wales.
CAUSES AT ALL AGES, 1927—1937.

As from the year 1931 the causes of death for England and Wales are tabulated according to the International List (Fourth Revision, 1929).† In the first column the numbers in Roman type relate to the Detailed List and those in italics to the Intermediate List. In the second column the lettered divisions of the main titles are international, while the numbered divisions have been adopted for use in England and Wales by the Registrar-General. The deaths for the earlier years have been reconstructed as far as possible in the terms of the revised List, and where such reconstruction is incomplete an * is marked against the heading. Details of the changes made at the Fourth Revision will be found in Appendix C to Part I of the Statistical Review for 1931.

Inter- national List No.	Causes of Death.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.
	ALL CAUSES { M 246606 235542 269903 234010 249717 245715 250625 242855 243458 253319 260057 F 238003 224847 262589 221417 241913 238414 245840 233955 233943 242445 249517											
1-44	I.—Infectious and Parasitic Diseases* { M 40213 33163 45270 31296 35226 32889 36826 29168 26809 26488 30990 F 36579 28270 41861 25953 30624 29241 32909 24155 22025 21281 27006											
1 & 2 (1)	Typhoid and paratyphoid fevers { M 188 215 187 163 134 136 124 75 85 122 96 F 179 223 195 150 117 122 98 84 89 135 110											
1 (1)	Typhoid fever { M 166 161 163 140 102 117 105 65 73 102 76 F 147 177 164 117 83 102 78 69 76 114 77											
2 (1)	Paratyphoid fevers { M 22 54 24 23 32 19 19 10 12 20 20 F 32 46 31 33 34 20 20 15 13 21 33											
3 (2)	Typhus fever { M — 1 — — — — — — — — F — — — 1 — — — — — — —											
4 (17)	Relapsing fever ("Spirillum obermeieri") { M — — — — 1 — — — — — F — — — — — — — — — —											
5 (17)	Undulant fever { M — — — 2 — 2 4 3 5 4 8 F — — — 1 1 4 1 2 2 — — 2											
6 (3)	Small-pox { M 23 38 19 15 5 1 2 3 — — — F 24 15 20 13 4 2 — 3 — — —											
7 (4)	Measles { M 1914 2284 1736 2264 1768 1793 1018 1984 697 1464 559 F 1708 2018 1652 1924 1520 1618 919 1784 649 1287 492											
8 (5)	Scarlet fever { M 284 263 358 352 239 235 340 466 263 250 183 F 295 317 359 388 301 295 389 497 310 245 166											
9 (6)	Whooping cough { M 1660 1343 2787 897 1112 1302 991 863 689 956 799 F 2021 1633 3545 1140 1400 1654 1279 1186 895 1134 951											
10 (7)	Diphtheria { M 1339 1580 1632 1725 1338 1122 1291 1971 1715 1534 1382 F 1393 1611 1814 1772 1335 1217 1355 2114 1773 1547 1581											
11 (8)	Influenza { M 10804 4084 13867 2742 6899 6162 10926 2925 3758 3176 8991 F 11459 3670 15217 2277 7510 6994 11964 2694 3624 2881 9644											
	(a) With respiratory complications* { M 7698 2742 10690 1843 4915 4250 8350 2006 2612 2204 6767 F 7753 2196 11147 1301 5082 4685 8637 1658 2305 1847 6952											
	(1) With pneumonic complications { M 5308 2035 7394 1335 3367 2929 5694 1480 1929 1641 4707 F 4699 1432 6835 848 3012 2947 5419 1097 1496 1244 4450											
	(2) With other respiratory complications* { M 2390 707 3296 508 1548 1321 2656 526 683 563 2060 F 3054 764 4312 453 2070 1738 3218 561 809 603 2502											
	(b) Without respiratory complications* { M 3106 1342 3177 899 1984 1912 2576 919 1146 972 2224 F 3706 1474 4070 976 2428 2309 3327 1036 1319 1034 2692											
	(1) With non-respiratory complications* { M 1752 998 1981 663 1392 1372 1696 698 869 783 1675 F 2056 1070 2443 740 1636 1606 2137 759 991 822 1968											
	(2) Without stated complications { M 1354 344 1196 236 592 540 880 221 277 189 549 F 1650 404 1627 236 792 703 1190 277 328 212 724											
12 (17)	Cholera { M — — — — — — — — — — — F — — — — — — — — — — —											
13 (9)	Dysentery { M 53 84 68 57 69 80 56 64 65 49 68 F 42 71 30 40 47 53 36 39 51 38 71											
	(a) Amoebic { M 12 12 10 6 10 3 5 9 10 6 9 F 1 1 4 — — — 1 — — — 1											
	(b) Bacillary { M 4 17 13 20 26 30 29 23 36 25 35 F 2 20 7 22 21 23 15 21 31 27 36											
	(c) Other or unspecified { M 37 55 45 31 33 47 22 32 19 18 24 F 39 50 19 18 26 30 20 18 20 11 34											

† See Manual of the International List of Causes of Death obtainable from H.M. Stationery Office, York House, Kingsway, London, W.C.2; 120 George St., Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller. Price 3s.

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.
14 (10)	Plague { M	—	—	—	—	—	—	—	—	—	—	—
 { F	—	—	—	—	—	—	—	—	—	—	—
	(a) Bubonic { M	—	—	—	—	—	—	—	—	—	—	—
 { F	—	—	—	—	—	—	—	—	—	—	—
	(b) Pneumonic { M	—	—	—	—	—	—	—	—	—	—	—
15 (17) { F	—	—	—	—	—	—	—	—	—	—	—
	(c) Septicæmic { M	—	—	—	—	—	—	—	—	—	—	—
 { F	—	—	—	—	—	—	—	—	—	—	—
	(d) Not otherwise defined { M	—	—	—	—	—	—	—	—	—	—	—
 { F	—	—	—	—	—	—	—	—	—	—	—
16 (17)	Erysipelas { M	414	480	540	548	521	503	624	789	579	515	324
 { F	406	416	491	486	483	487	567	669	481	472	257
	Acute poliomyelitis .. { M	107	99	83	86	56	99	119	74	73	52	95
 { F	75	68	57	78	42	79	83	61	72	50	57
	(1) Acute poliomyelitis .. { M	67	68	48	61	37	55	84	44	51	32	57
17 (17) { F	45	44	37	47	26	48	51	38	46	34	37
	(2) Acute polioencephalitis { M	40	31	35	25	19	44	35	30	22	20	38
 { F	30	24	20	31	16	31	32	23	26	16	20
	Encephalitis lethargica .. { M	592	512	517	437	496	402	428	356	350	332	386
 { F	563	560	520	479	466	423	387	432	372	354	364
18 (17)	Cerebro-spinal fever .. { M	259	246	352	363	863	718	530	433	349	375	394
 { F	171	192	236	269	577	495	412	296	268	260	304
19 (17)	Glanders { M	1	—	—	—	1	—	—	—	—	—	—
 { F	—	—	—	—	—	—	—	—	—	—	—
	Anthrax { M	3	9	7	7	4	5	3	8	8	2	4
 { F	—	3	—	2	1	—	1	1	—	—	1
	Rabies { M	—	—	—	—	—	—	—	—	—	—	—
20 (17) { F	—	—	—	—	—	—	—	—	—	—	—
	Tetanus { M	136	107	113	105	94	95	76	87	100	87	85
 { F	29	26	46	28	25	21	28	26	28	29	22
	Tuberculosis (all forms) .. { M	20919	20161	21292	19790	19941	18743	18734	17448	16543	16166	16246
 { F	17261	16471	16709	15960	15877	14915	14525	13434	12658	12102	12283
23 (11)	Respiratory system .. { M	17184	16608	17786	16468	16704	15543	15862	14734	14081	13770	13832
 { F	13882	13191	13639	12946	12954	12084	11992	10948	10522	10031	10138
24 (12)	Central nervous system .. { M	1534	1333	1344	1273	1346	1281	1106	1099	988	944	930
 { F	1334	1218	1220	1199	1252	1141	1037	1056	859	848	866
25 (12)	Intestines and .. { M	653	635	608	557	516	524	440	391	357	314	347
	peritoneum { F	698	701	619	592	578	497	518	432	393	368	329
26 (12)	Vertebral column .. { M	283	277	262	270	274	257	278	262	254	217	227
 { F	216	213	217	216	220	218	185	194	180	171	157
27 (12)	Other bones and joints .. { M	190	185	156	173	160	159	142	146	123	139	105
 { F	117	118	115	112	91	125	95	96	81	82	80
28 (12)	Skin and subcutaneous { M	16	19	12	19	12	21	13	19	16	14	19
	tissues { F	57	60	43	31	31	32	33	27	26	30	43
29 (12)	Lymphatic system (ab- { M	46	49	36	40	39	27	41	26	33	30	26
	dominal and bronchial { F	41	41	23	37	26	46	24	39	26	31	27
	glands excepted).											
30 (12)	Genito-urinary system .. { M	132	164	169	156	163	177	172	158	154	188	169
 { F	98	127	110	103	123	107	88	110	100	104	103
31 (12)	Other organs { M	9	8	13	9	20	17	22	15	19	16	21
 { F	11	17	10	6	11	15	10	14	12	12	24
	(1) Adrenals { M	3	4	6	4	11	11	12	10	12	11	20
 { F	4	5	5	1	7	11	6	13	7	10	17
	(2) Other sites included { M	6	4	7	5	9	6	10	5	7	5	1
	under 31 { F	7	12	5	5	4	4	4	1	5	2	7

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.
32 (12)	Disseminated tuberculosis { M 872 883 906 825 707 737 658 598 518 534 570 F 807 785 713 718 591 650 543 518 459 425 516											
	(a) Acute { M 313 339 330 316 354 332 315 323 263 292 333 F 334 344 294 309 299 323 288 314 251 246 318											
	(b) Chronic { M } 559 544 576 509 { 6 1 3 — 3 1 2 F } 473 441 419 409 { 3 5 1 3 3 — —											
	(c) Not distinguished as acute or chronic .. { M } * 559 544 576 509 { 347 404 340 275 252 241 235 F } 289 322 254 201 205 179 198											
33 (17)	Leprosy { M 2 1 2 2 3 1 2 2 1 1 1 F 1 — 1 — — — 1 1 — — —											
34 (13)	Syphilis { M 865 993 892 918 956 834 870 838 879 828 851 F 541 539 497 496 490 469 451 396 363 375 392											
	(a) Congenital syphilis .. { M ? ? ? ? 229 203 162 133 133 131 115 F ? ? ? ? 183 162 134 128 106 89 81											
	(b & c) Acquired or un- specified { M ? ? ? ? 727 631 708 705 746 697 736 F ? ? ? ? 307 307 317 268 257 286 311											
35 (17)	Other venereal diseases .. { M 52 55 56 47 47 43 44 45 29 40 35 F 22 21 13 18 18 23 14 19 16 10 18											
	(1) Gonorrhœal or puru- lent ophthalmia .. { M 24 13 16 15 13 12 9 11 4 8 9 F 8 12 9 13 9 13 6 10 2 5 9											
	(2) Other diseases included under 35 { M 28 42 40 32 34 31 35 34 25 32 26 F 14 9 4 5 9 10 8 9 14 5 9											
36 (14)	Purulent infection, septi- cæmia* { M 409 404 543 558 487 410 462 525 442 361 298 F 266 284 323 303 279 263 287 292 251 227 156											
	(a) Septicæmia { M ? ? ? ? 448 356 413 484 416 313 259 F ? ? ? ? 263 229 255 263 231 197 132											
	(b) Pyæmia { M ? ? ? ? 36 50 46 36 26 43 37 F ? ? ? ? 15 33 31 29 20 28 22											
	(c) Gas gangrene .. { M ? ? ? ? 3 4 3 5 — 5 2 F ? ? ? ? 1 1 1 — — 2 2											
37 (17)	Yellow fever.. .. { M — — — — 1 — — — — — — F — — — — — — — — — — —											
38 (15)	Malaria { M 33 31 46 38 28 26 18 22 10 16 18 F 6 5 3 2 3 3 4 — 1 — 3											
39 (16)	Other diseases due to pro- tozoa { M 5 7 6 2 4 9 1 11 14 10 17 F 1 — — 1 — 1 1 3 — 4											
40 (16)	Ankylostomiasis { M — — — — — — — — — — — F — — — — — — — — — — —											
41 (16)	Hydatid cysts { M 18 16 10 16 11 23 15 10 18 12 10 F 16 14 13 19 16 11 8 17 9 13 8											
	(a) Liver { M 17 11 7 13 6 14 11 5 13 5 10 F 13 12 10 15 12 8 7 13 7 9 6											
	(b) Other organs.. .. { M 1 5 3 3 5 9 4 5 5 7 — F 3 2 3 4 4 3 1 4 2 4 2											
42 (16)	Other diseases due to helminths { M 9 7 13 6 5 6 5 5 2 5 12 F 16 12 6 8 6 7 4 8 3 6 5											
43 (17)	Mycoses { M 54 67 53 51 70 71 63 73 66 48 60 F 26 31 42 36 38 43 40 34 37 27 39											
	(1) Actinomycosis .. { M 30 44 27 29 42 40 39 45 42 40 40 F 13 19 18 17 18 22 22 20 23 18 22											
	(2) Other mycoses .. { M 24 23 26 22 28 31 24 28 24 8 20 F 13 12 24 19 20 21 18 14 14 9 17											
44 (17)	Other infectious or parasitic diseases { M 70 76 90 104 74 68 80 88 69 83 68 F 58 70 72 62 68 42 55 66 70 89 76											
	(1) Vaccinia { M — 7 7 2 3 — 3 3 1 — 3 F 1 9 6 1 5 1 1 2 3 3 2											
	(2) Other sequelæ of vac- cination† { M 3 3 3 1 2 — — 2 2 1 5 F 1 4 1 1 3 — — 4 — — —											

† Includes deaths following inoculation against diseases other than Small-pox as follows, in 1934—2 males, in 1935—2 females, in 1937—2 males.

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.
44 (17)	Other infectious or parasitic diseases— <i>contd.</i>											
	(3) German measles .. { M F	15 5	7 5	19 12	14 13	10 6	3 4	5 6	4 4	4 7	10 3	5 4
	(4) Varicella { M F	27 22	33 29	26 27	34 13	31 23	26 15	27 16	27 19	17 15	21 15	15 12
	(5) Mumps { M F	11 13	11 14	13 12	20 12	14 11	8 6	13 5	12 13	7 8	10 13	10 6
	(6) Other diseases in- cluded under 44 .. { M F	14 16	15 9	22 14	33 22	14 20	31 16	32 26	40 28	38 33	41 55	30 52
	(1) Pink disease .. { M F	? ?	? ?	? ?	? ?	14 19	27 16	29 25	33 26	34 26	38 51	26 47
	(2) Other diseases in- cluded under 44 (6) .. { M F	? ?	? ?	? ?	? ?	— 1	4 —	3 1	7 2	4 7	3 4	4 5
45-55	II.—Cancer and Other Tumours { M F	26062 30648	27084 31851	27330 32212	28030 32674	28908 33281	29960 33604	29925 34446	30943 35204	31894 35398	32669 36360	33237 36322
45-53	Cancer, malignant disease* { M F	25048 29030	26013 30240	26284 30612	26916 30967	27777 31569	28829 31887	28837 32735	29777 33486	30780 33727	31590 34764	32189 34802
45 (18)	Buccal cavity and pharynx { M F	3043 512	3109 508	2928 529	2913 519	2951 514	3040 536	2812 537	3000 542	2972 537	2847 637	2784 580
46 (18)	Digestive organs and peritoneum* { M F	15534 14059	15887 14743	16396 14955	16710 15230	17043 15368	17703 15493	17704 15958	18002 16356	18641 16371	19099 16794	19233 16993
47 (18)	Respiratory organs .. { M F	1794 665	1984 708	1991 760	2258 864	2532 908	2688 920	2971 953	3252 1057	3491 1107	3744 1231	4169 1185
48 (18)	Uterus F	4428	4525	4455	4354	4341	4342	4313	4451	4470	4348	4462
49 (18)	Other female genital organs F	1444	1483	1567	1645	1667	1735	1868	1936	1983	2153	2121
50 (18)	Breast { M F	41 5678	51 5878	46 5944	60 6052	61 6381	49 6386	55 6551	53 6687	77 6768	79 7079	60 6922
51 (18)	Male genito-urinary organs M	2586	2822	2885	2947	3187	3259	3277	3431	3572	3679	3857
52 (18)	Skin { M F	589 475	652 502	664 494	627 447	683 480	630 527	618 500	627 460	606 483	661 497	657 510
53 (18)	Other or unspecified organs { M F	1461 1769	1508 1893	1374 1908	1401 1856	1320 1910	1460 1948	1400 2055	1412 1997	1421 2008	1481 2025	1429 2029
54 (19)	Non-malignant tumours .. { M F	378 945	437 962	376 980	444 1042	484 1099	482 1083	420 1096	459 1094	484 1061	472 976	495 994
	(a) Female genital organs F	671	693	668	717	743	723	722	713	673	598	613
	(b) Other sites { M F	378 274	437 269	376 312	444 325	484 356	482 360	420 374	459 381	484 388	472 378	495 381
55 (19)	Tumours of undetermined nature* { M F	636 673	634 649	670 620	670 665	647 613	649 634	668 615	707 624	630 610	607 620	553 526
	(a) Female genital organs F	25	24	32	28	29	26	22	13	9	15	12
	(b) Other sites* { M F	636 648	634 625	670 588	670 637	647 584	649 608	668 593	707 611	630 601	607 605	553 514
56-69	III.—Rheumatism, Diseases of Nutrition and of Endo- crine Glands and other General Diseases.* { M F	4531 7437	4844 7995	4953 8497	4758 8285	4707 8498	4716 8589	4806 8898	4798 8994	4869 9263	5156 9716	5039 9714
56 (20)	Rheumatic fever { M F	694 868	638 862	638 779	693 812	557 703	491 627	589 718	594 793	526 649	535 607	395 522
57 (21)	Chronic rheumatism, osteo- arthritis { M F	835 1842	903 2097	978 2410	884 2118	950 2193	901 2262	924 2291	960 2199	1046 2309	1088 2481	1067 2460
	(1) Chronic rheumatism* { M F	100 121	98 128	93 125	72 115	56 95	52 94	44 85	57 72	59 63	44 60	36 32
	(2) Rheumatoid arthritis, osteo-arthritis* .. { M F	735 1721	805 1969	885 2285	812 2003	894 2098	849 2168	880 2206	903 2127	987 2246	1044 2421	1031 2428
58 (21)	Gout { M F	224 41	277 53	253 49	238 55	213 53	233 32	200 45	180 40	179 33	179 36	177 31

TABLE 6—continued.

Inter- national List No.	Causes of Death.				1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.
59 (22)	Diabetes	{	M		2045	2198	2306	2317	2259	2425	2460	2496	2531	2731	2801
			F		2905	2982	3322	3342	3551	3683	3818	3975	4150	4388	4495
60 (23)	Scurvy	{	M		17	18	11	9	15	9	6	10	8	5	2
			F		9	3	8	10	6	8	10	7	3	8	5
61 (23)	Beri-beri	{	M		1	—	1	—	1	—	1	—	—	—	1
			F		—	—	—	—	—	—	—	—	—	—	—
62 (23)	Pellagra	{	M		1	1	—	1	—	2	2	1	2	3	3
			F		7	4	1	5	4	2	5	6	7	9	8
63 (23)	Rickets*	{	M		?	?	?	?	238	195	130	114	103	104	111
			F		?	?	?	?	147	129	98	80	75	68	82
	(1) Rickets	{	M		232	290	252	184	227	182	123	108	93	94	98
			F		146	203	164	132	134	119	90	72	66	54	64
	(2) Spinal curvatures of undetermined nature*	{	M						11	13	7	6	10	10	13
			F		23	18	20	12	13	10	8	8	9	14	18
64 (23)	Osteomalacia*	{	M		28	39	28	25	1	2	1	3	1	2	3
			F						13	8	7	3	7	4	6
65 (25)	Diseases of the pituitary gland	{	M		19	17	14	14	26	24	25	14	17	15	28
			F		24	26	28	22	23	20	24	38	41	44	48
	(1) Infantilism	{	M		2	3	—	1	2	5	4	1	1	—	1
			F		5	4	3	2	3	3	4	4	1	2	2
	(2) Other diseases of the pituitary gland ..	{	M		17	14	14	13	24	19	21	13	16	15	27
			F		19	22	25	20	20	17	20	34	40	42	46
66 (24)	Diseases of the thyroid and parathyroid glands*	{	M		198	209	206	191	220	227	243	234	255	272	242
			F		1243	1374	1333	1481	1567	1575	1624	1613	1719	1808	1784
	(a) Simple goitre ..	{	M		28	24	23	26	30	18	31	21	27	20	23
			F		146	198	147	147	145	134	167	107	150	124	93
	(b) Exophthalmic goitre..	{	M		91	119	128	112	138	165	168	181	183	207	191
			F		853	933	936	1115	1162	1239	1244	1315	1378	1492	1482
	(c) Myxœdema, cretinism	{	M		53	47	37	40	37	23	37	21	29	27	18
			F		220	218	232	201	247	185	197	167	178	185	188
	(d) Tetany*	{	M		23	18	16	12	13	18	4	9	11	16	7
			F		19	17	13	11	8	13	5	15	9	5	11
	(e) Other diseases included under 66	{	M		3	1	2	1	2	3	3	2	5	2	3
			F		5	8	5	7	5	4	11	9	4	2	10
67 (25)	Diseases of the thymus ..	{	M		90	108	116	84	95	91	100	80	86	101	109
			F		63	65	86	54	48	63	53	53	62	61	54
68 (25)	Diseases of the adrenals ..	{	M		74	96	97	91	77	60	88	75	65	77	57
			F		153	140	146	141	129	129	137	138	149	144	132
69 (25)	Other general diseases*	{	M		78	71	61	40	55	56	37	37	50	44	43
			F		108	147	143	88	61	51	68	49	59	58	87
	(1) Amyloid disease of un- stated origin*.. ..	{	M		4	1	—	—	3	3	2	—	3	7	6
			F		3	—	—	—	—	4	5	3	11	7	7
	(2) Other diseases included under 69	{	M		74	70	61	40	52	53	35	37	47	37	37
			F		105	147	143	88	61	47	63	46	48	51	80
70-74	IV.—Diseases of the Blood and Blood-forming Organs	{	M		2070	1719	1832	1932	2019	2168	2098	2192	2139	2199	2099
			F		2347	1961	2025	2127	2221	2476	2482	2484	2558	2499	2541
70 (27)	Hæmorrhagic conditions ..	{	M		191	229	203	217	218	191	193	238	205	225	199
			F		159	192	192	186	165	148	210	201	197	199	185
	(a) Purpura	{	M		123	141	136	131	135	119	125	129	125	110	115
			F		137	153	159	148	148	126	164	158	159	144	140
	(b) Hæmophilia	{	M		68	88	67	86	83	72	68	109	80	115	84
			F		22	39	33	38	17	22	46	43	38	55	45
71 (26)	Anæmia, chlorosis	{	M		1192	831	910	995	990	1178	1075	1054	1022	995	953
			F		1683	1256	1273	1379	1476	1711	1641	1633	1627	1540	1590
	(a) Pernicious anæmia ..	{	M		1100	739	807	902	893	1040	963	926	918	893	847
			F		1555	1115	1148	1248	1333	1551	1465	1459	1442	1365	1421

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.
71 (26)	Anæmia, chlorosis— <i>contd.</i>											
	(b) Other anæmias and chlorosis .. { M F	92 128	92 141	103 125	93 131	97 143	138 160	112 176	128 174	104 185	102 175	106 169
	(1) Splenic anæmia .. { M F	60 76	60 81	71 78	57 76	67 85	98 94	75 107	95 106	68 114	68 115	82 111
	(2) Other diseases in- cluded under 71b .. { M F	32 52	32 60	32 47	36 55	30 58	40 66	37 69	33 68	36 71	34 60	24 58
72 (27)	Leukæmia, aleukæmia .. { M F	631 464	601 457	670 497	672 493	752 520	740 553	751 554	820 585	830 645	895 672	863 686
	(a) Leukæmia .. { M F	341 301	342 275	357 335	354 302	378 328	390 347	407 369	463 382	454 409	506 465	516 434
	(b) { (1) Aleukæmia (lymphadenoma) .. { M F } { (2) Aleukæmia (agranulocytosis) .. { M F }	290 163	259 182	313 162	318 191	374 192	350 206	344 185	357 203	360 200 16 36	360 174 29 33	326 217 21 35
73 (27)	Diseases of the spleen .. { M F	43 33	44 50	37 50	34 57	47 52	42 50	56 60	56 49	60 72	58 64	58 63
	(1) Banti's disease .. { M F	25 17	24 28	26 34	19 33	31 29	21 35	37 32	36 33	42 51	37 46	41 47
	(2) Other diseases of the spleen .. { M F	18 16	20 22	11 16	15 24	16 23	21 15	19 28	20 16	18 21	21 18	17 16
74 (27)	Other diseases of the blood and blood-forming organs { M F	13 8	14 6	12 13	14 12	12 8	15 14	23 17	24 16	22 17	26 24	26 17
75-77	V.—Chronic Poisoning .. { M F	137 27	135 46	137 53	93 50	78 44	101 41	76 37	69 24	82 24	60 34	82 53
75 (28)	Alcoholism (acute or chronic) { M F	84 24	74 34	85 49	49 45	40 41	61 34	43 30	33 19	50 23	32 27	54 48
76 (29)	Chronic poisoning by other organic substances .. { M F	5 2	5 5	10 3	2 4	4 —	12 3	3 3	4 3	3 —	4 4	2 2
77 (29)	Chronic poisoning by mineral substances .. { M F	48 1	56 7	42 1	42 1	34 3	28 4	30 4	32 2	29 1	24 3	26 3
	(1) Occupational lead poisoning .. { M F	44 —	53 6	40 1	39 1	30 3	27 2	26 2	30 2	26 —	21 2	25 2
	(2) Other chronic poisoning by mineral substances { M F	4 1	3 1	2 —	3 —	4 —	1 2	4 2	2 —	3 1	3 1	1 1
78-89	VI.—Diseases of the Nervous System and Sense Organs* { M F	20655 22059	19456 21088	20630 21830	19008 20837	19569 20860	19429 21029	18669 20399	18622 20685	18830 21010	18893 21573	18777 21128
78 (36)	Encephalitis .. { M F	155 110	153 130	172 138	161 116	173 105	153 116	158 123	152 131	160 148	157 126	163 127
	(a) Cerebral abscess .. { M F	104 50	94 74	112 66	92 63	115 56	102 58	84 64	90 66	96 69	110 56	89 62
	(b) Other diseases included under 78 .. { M F	51 60	59 56	60 72	69 53	58 49	51 58	74 59	62 65	64 79	47 70	74 65
79 (30)	Meningitis* .. { M F	813 650	669 541	735 596	590 487	590 506	621 459	615 390	544 424	478 362	501 376	520 393
80 (31)	Tabes dorsalis (locomotor ataxy) .. { M F	642 138	651 126	744 138	579 122	557 114	634 144	592 141	496 107	553 118	496 104	473 116
81 (36)	Other diseases of the spinal cord .. { M F	761 641	829 599	754 601	719 578	744 576	708 592	684 582	679 544	699 528	673 546	704 550
	(1) Progressive muscular atrophy .. { M F	290 218	319 225	307 240	291 240	316 245	274 225	304 244	331 224	312 234	301 271	359 238
	(2) Subacute combined sclerosis.. { M F	29 30	24 22	16 26	30 27	34 24	46 49	43 56	41 56	38 57	60 50	33 47
	(3) Myelitis of unstated origin .. { M F	199 200	204 168	204 164	159 161	164 157	173 150	159 141	139 129	156 121	144 105	109 131
	(4) Other diseases included under 81 .. { M F	243 193	282 184	227 171	239 150	230 150	215 168	178 141	168 135	193 116	168 120	203 134

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.
90-103	VII.—Diseases of the Circulatory System* { M F	48326 50565	52070 54274	58337 62729	55044 57433	60735 64749	62241 65525	64569 68755	66033 68566	68988 71798	75922 78330	77416 79823
90-95	Heart diseases* { M F	33365 38744	35777 41251	45018 51449	42961 47142	47960 53393	49160 53665	51412 56675	52718 56244	55524 59147	61762 64822	62925 65788
90(38)	Pericarditis { M F	169 117	153 129	180 111	167 133	165 106	183 109	198 115	154 112	131 87	265 187	248 162
91(39)	Acute endocarditis* .. { M F	728 799	648 736	657 787	662 738	601 584	569 580	605 651	574 640	608 639	609 639	624 590
	(1) Malignant endocarditis { M F	528 510	456 488	477 528	496 526	539 505	498 517	545 578	511 562	553 592	552 563	562 534
	(2) Other acute endocar- ditis* { M F	200 289	192 248	180 259	166 212	62 79	71 63	60 73	63 78	55 47	57 76	62 56
92(40)	Chronic endocarditis, valv- ular disease* { M F	11653 14528	11990 15001	12876 15921	11625 14533	12097 15130	11654 14162	10857 14062	10665 12839	10436 12601	10119 12494	9475 11688
	(1) Aortic valve disease* { M F	2181 1005	2252 1074	2390 1075	2276 1146	2359 1167	2359 1028	2133 1095	2118 1044	2144 1048	2051 1014	1919 969
	(2) Mitral valve disease* { M F	3635 6233	3855 6640	4212 7145	3723 6366	3772 6559	3760 6354	3456 6217	3525 5725	3477 5662	3522 5741	3252 5386
	(3) Aortic and mitral valve disease* { M F	543 486	633 662	723 612	648 574	627 559	622 591	578 553	622 537	585 527	571 533	551 482
	(4) Endocarditis, not re- turned as acute or chronic* .. { M F	5294 6804	5250 6625	5551 7089	4978 6447	590 838	534 741	502 755	482 658	457 636	484 630	415 584
	(5) Other or unspecified valve disease* .. { M F	4749 6007	4379 5448	4188 5442	3918 4875	3773 4728	3491 4576	3338 4267				
93(41)	Diseases of the myocardium* { M F	13929 16396	16204 19011	23633 27626	22699 25430	26698 30813	27954 31889	30143 34606	30874 35162	32923 37681	38038 42883	39232 44480
	(a) Acute myocarditis* .. { M F	232 242	236 220	261 250	192 194	75 78	96 90	91 90	115 112	112 118	147 127	168 147
	(b) Myocardial degenera- tion* { M F	13697 16154	15968 18791	23372 27376	22507 25236	20931 24100	22079 25114	23778 27212	24399 28121	26422 30569	30542 34863	31649 36274
	(1) Fatty heart .. { M F	1218 1618	1225 1671	1343 1837	1263 1714	1250 1664	1198 1555	1128 1431	982 1409	911 1313	852 1181	861 1173
	(2) Cardiovascular degeneration* .. { M F	5640 5207	6254 5759	6905 6267	7222 6550	7774 7553	8960 8650	9386 9410				
	(3) Other diseases in- cluded under 93 (b) { M F	12479 14536	14743 17120	22029 25539	21244 23522	14041 17229	14627 17800	15745 19514	16195 20162	17737 21703	20730 25032	21402 25691
	(c) Myocarditis, not dis- tinguished as acute or chronic* .. { M F	5692 6635	5779 6685	6274 7304	6360 6929	6389 6994	7349 7893	7415 8059				
94(42)	Diseases of the coronary arteries, angina pectoris* { M F	1982 820	2586 1108	3376 1431	4118 1766	4565 2063	5241 2432	6325 2905	7173 3491	8232 4085	9459 4636	10333 5127
95(43)	Other diseases of the heart.. { M F	4904 6084	4196 5266	4296 5573	3690 4542	3834 4697	3559 4493	3284 4336	3278 4000	3194 4054	3272 3983	3013 3741
	(a) Disordered action of heart { M F	776 1232	702 1259	774 1392	794 1302	905 1439	1019 1598	1031 1638	1101 1627	1140 1796	1241 1937	1178 1900
	(b) Other diseases included under 95 { M F	4128 4852	3494 4007	3522 4181	2896 3240	2929 3258	2540 2895	2253 2698	2177 2373	2054 2258	2031 2046	1835 1841
	(1) Dilatation of heart (cause unspecified) .. { M F	342 347	258 245	195 175	173 151	171 155	177 120	133 119	130 108	121 95	132 96	131 116
	(2) Heart disease (un- defined) { M F	3786 4505	3236 3762	3327 4006	2723 3089	2758 3103	2363 2775	2120 2579	2047 2265	1933 2163	1899 1950	1704 1725
96(44)	Aneurysm { M F	885 270	946 280	947 305	1006 313	989 325	958 336	931 414	984 431	982 459	1030 490	1001 528
97(45)	Arterio-sclerosis* { M F	12907 10241	14176 11577	11265 9722	10088 8837	10841 9888	11120 10469	11271 10580	11304 10704	11436 11055	11930 11743	12187 12245
	(1) With cerebral hæmorrhage { M F	3191 2973	3811 3591	3791 3520	3711 3588	4055 4021	4189 4269	4154 4370	4173 4463	4353 4511	4329 4755	4399 4816

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.
109(48)	Pneumonia (not otherwise defined) { M F	3640 2603	2816 1859	3699 2477	2507 1526	2611 1778	2164 1571	2151 1575	1995 1345	1764 1131	1735 1104	1628 1051
110(49)	Pleurisy { M F	647 467	686 440	806 494	674 358	626 417	601 365	588 359	548 349	510 270	439 288	509 226
	(1) Empyema { M F	267 135	273 119	354 159	289 103	267 153	300 126	302 140	272 144	242 85	222 108	273 92
	(2) Other pleurisy { M F	380 332	413 321	452 335	385 255	359 264	301 239	286 219	276 205	268 185	217 180	236 134
111(50)	Congestion and hæmorrhagic infarct of lung, etc.* .. . { M F	491 687	433 608	511 734	435 576	539 719	560 736	584 794	523 708	555 757	559 686	568 687
	(1) Hypostatic congestion of lungs { M F	488 681	431 604	507 732	435 569	485 669	499 669	523 748	483 662	494 703	507 642	527 646
	(2) Other diseases included under 111* { M F	3 6	2 4	4 2	— 7	54 50	61 67	61 46	40 46	61 54	52 44	41 41
112(50)	Asthma { M F	1324 990	997 827	1429 1128	956 694	1106 939	887 808	975 820	802 680	907 714	855 739	999 811
113(50)	Pulmonary emphysema { M F	85 28	51 14	54 10	45 13	56 14	51 12	47 12	60 15	42 10	72 9	82 12
114(50)	Other diseases of the respiratory system { M F	305 104	300 107	312 96	278 97	334 94	334 101	339 87	328 87	415 102	365 101	408 101
	(a) Chronic interstitial pneumonia, including occupational diseases of the lung. { M F	221 61	220 74	222 60	201 64	260 60	241 49	252 53	236 49	306 61	266 50	315 54
	(b) Other diseases included under 114 { M F	84 43	80 33	90 36	77 33	74 34	93 52	87 34	92 38	109 41	99 51	93 47
	(1) Gangrene of the lung { M F	16 7	16 8	20 9	16 2	13 6	14 8	16 4	14 5	14 3	13 7	8 9
	(2) Other diseases included under 114 (b) { M F	68 36	64 25	70 27	61 31	61 28	79 44	71 30	78 33	95 38	86 44	85 38
115-129	IX.—Diseases of the Digestive System { M F	14148 11813	14417 12184	15173 12458	14310 11677	14093 11656	14058 11994	14004 11946	13813 12173	14058 11613	13876 11290	13599 10910
115(58)	Diseases of the buccal cavity, pharynx, etc. { M F	743 693	863 861	911 898	881 858	868 845	822 941	907 1056	1149 1289	944 1048	825 751	693 682
	(1) Diseases of the teeth and gums { M F	255 181	299 227	262 194	261 190	263 207	222 195	221 204	229 179	214 167	193 129	163 126
	(2) Ludwig's angina { M F	57 38	52 37	61 51	54 48	47 39	41 44	45 30	61 47	48 45	45 30	35 31
	(3) Diseases of the tonsils { M F	339 368	373 451	436 511	441 467	448 468	420 516	488 621	640 753	527 639	436 435	358 393
	(4) Other diseases included under 115 { M F	92 106	139 146	152 142	125 153	110 131	139 186	153 201	219 310	155 197	151 157	137 132
116(58)	Diseases of the œsophagus { M F	33 14	18 21	27 19	23 26	22 19	28 18	27 15	26 12	31 24	26 15	34 24
117(51)	Ulcer of the stomach or duodenum { M F	2974 998	2833 998	3055 1031	3214 1036	3214 1021	2935 1052	3134 1000	3241 1075	3320 1021	3556 1127	3532 1052
	(a) Ulcer of the stomach { M F	1915 855	1827 816	1976 870	2074 876	2029 846	1867 827	2012 814	2172 850	2167 812	2242 882	2272 825
	(b) Ulcer of the duodenum { M F	1059 143	1006 182	1079 161	1140 160	1185 175	1068 225	1122 186	1069 225	1153 209	1314 245	1260 227
118(58)	Other diseases of the stomach { M F	790 846	738 845	659 743	621 673	638 723	556 616	493 525	415 519	458 465	403 412	388 369
	(1) Inflammation of the stomach { M F	627 739	625 761	551 655	505 578	513 634	449 522	394 458	317 451	362 410	293 352	300 307
	(2) Other diseases included under 118 { M F	163 107	113 84	108 88	116 95	125 89	107 94	99 67	98 68	96 55	110 60	88 62

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.
119 & 120 (52 & 53)	Diarrhœa and enteritis .. { M	3313	3528	3841	2985	2840	3033	3084	2507	2592	2687	2697
	F	2884	2937	3228	2503	2382	2643	2532	2209	2207	2303	2228
	(a) { (1) Colitis* .. { M	179	163	184	146	134	154	130	123	148	128	93
	F	213	187	198	203	189	208	165	173	163	159	162
	(2) Other diarrhœa and enteritis* { M	3008	3246	3530	2720	2576	2704	2791	2205	2258	2365	2378
	F	2502	2569	2837	2115	1983	2170	2104	1761	1733	1820	1739
	(b) Ulceration of intestines { M	126	119	127	122	130	175	163	179	186	194	221
	F	169	181	193	185	210	265	263	275	311	324	327
121(54)	Appendicitis { M	1524	1623	1657	1693	1608	1715	1650	1628	1692	1649	1584
	F	1236	1245	1169	1248	1264	1299	1404	1357	1273	1220	1237
122(55)	Hernia, intestinal obstruc- { M	2281	2267	2506	2352	2413	2519	2447	2500	2549	2331	2394
	tion { F	2231	2126	2262	2192	2306	2318	2318	2325	2261	2312	2269
	(a) Hernia { M	957	993	1090	950	977	1058	1019	1049	1049	1020	1017
	F	1008	974	1039	1002	1044	1074	1076	1031	1040	1088	1086
	(1) Strangulated hernia { M	?	?	?	?	692	734	729	756	758	736	760
	F	?	?	?	?	792	814	832	811	827	849	848
	(2) Hernia not returned { M	?	?	?	?	285	324	290	293	291	284	257
	as strangulated .. { F	?	?	?	?	252	260	244	220	213	239	238
	(b) Intestinal obstruction { M	1324	1274	1416	1402	1436	1461	1428	1451	1500	1311	1377
	F	1223	1152	1223	1190	1262	1244	1242	1294	1221	1224	1183
123(58)	Other diseases of the { M	266	268	300	304	304	314	349	350	394	382	396
	intestines { F	244	272	284	328	318	352	327	356	373	404	406
	(1) Constipation, intestinal { M	76	67	69	52	51	53	41	35	50	28	38
	stasis { F	101	93	96	99	94	90	64	63	62	59	62
	(2) Diverticulitis { M	97	120	138	158	174	187	206	231	255	270	281
	F	77	96	116	148	150	181	183	221	225	278	273
	(3) Other diseases included { M	93	81	93	94	79	74	102	84	89	84	77
	under 123 { F	66	83	72	81	74	81	80	72	86	67	71
124(56)	Cirrhosis of the liver .. { M	1214	1206	1174	1100	1054	946	817	872	898	851	792
	F	646	684	604	556	557	505	424	478	436	414	441
	(a) Returned as alcoholic { M	162	210	175	144	162	115	115	125	139	133	135
	F	101	110	83	71	99	62	77	84	62	64	72
	(b) Not returned as alco- { M	1052	996	999	956	892	831	702	747	759	718	657
	holic { F	545	574	521	485	458	443	347	394	374	350	369
125(57)	Other diseases of the liver.. { M	115	132	108	122	101	113	87	99	91	105	102
	F	158	162	148	146	125	111	114	119	138	158	162
	(1) Acute yellow atrophy { M	19	22	12	22	19	27	22	24	27	32	24
	F	62	54	62	69	47	48	54	58	76	87	89
	(2) Other diseases included { M	96	110	96	100	82	86	65	75	64	73	78
	under 125 { F	96	108	86	77	78	63	60	61	62	71	73
126(57)	Biliary calculi { M	325	335	321	333	353	342	301	309	368	337	301
	F	835	903	889	880	853	882	884	962	945	817	779
	(1) With cholecystitis .. { M	?	?	?	?	118	136	95	102	121	123	110
	F	?	?	?	?	293	311	323	341	336	303	294
	(2) Without mention of { M	?	?	?	?	235	206	206	207	247	214	191
	cholecystitis { F	?	?	?	?	560	571	561	621	609	514	485
127(57)	Other diseases of the gall { M	269	314	289	354	330	355	337	361	397	385	359
	bladder and ducts .. { F	566	644	690	721	711	752	791	859	899	881	809
	(1) Cholecystitis without { M	223	269	230	300	301	300	308	322	348	345	303
	record of biliary calculi { F	518	573	632	665	665	697	731	811	863	829	766
	(2) Other diseases included { M	46	45	59	54	29	55	29	39	49	40	56
	under 127 { F	48	71	58	56	46	55	60	48	36	52	43
128(58)	Diseases of the pancreas .. { M	186	192	196	189	227	252	234	218	225	237	225
	F	216	226	262	260	299	266	265	299	301	272	263
129(58)	Peritonitis, without stated { M	115	100	129	136	121	128	137	138	99	102	102
	cause { F	246	260	231	250	233	239	291	314	222	204	189

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.
130-139	X.—Non-venereal Diseases of the Genito-urinary System and Annexa.	12012 8039	12645 8722	13391 9070	13331 9157	14001 9370	14403 9554	13790 9293	14171 9298	14526 9572	14488 9405	14278 9113
130-132	Nephritis { M F	7151 6701	7525 7336	7874 7638	7902 7729	8284 7840	8298 8018	7687 7786	7894 7717	8059 7995	7952 7771	7593 7472
130(59)	Acute nephritis* .. . { M F	696 610	600 583	563 602	600 574	558 515	549 536	536 520	559 517	488 483	577 489	439 459
131(59)	Chronic nephritis* .. . { M F	6455 6091	6925 6753	7311 7036	7302 7155	6728 6335	6788 6533	6302 6421	6545 6387	6781 6721	6562 6573	6497 6423
132(59)	Nephritis, not stated to be acute or chronic* .. . { M F	? ?	? ?	? ?	? ?	998 990	961 949	849 845	790 813	790 791	813 709	657 590
133(60)	Other diseases of the kidney and annexa .. . { M F	352 459	363 480	371 468	400 488	388 537	454 575	412 538	475 569	475 618	537 644	582 674
	(a) Pyelitis .. . { M F	246 315	243 322	231 339	271 354	284 394	336 439	293 420	338 433	327 450	371 482	419 506
	(b) Other diseases included under 133 .. . { M F	106 144	120 158	140 129	129 134	104 143	118 136	119 118	137 136	148 168	166 162	163 168
134(61)	Calculi of the urinary passages .. . { M F	201 122	241 133	308 149	249 168	269 160	267 161	273 152	281 164	308 199	300 169	333 213
	(a) Calculi of kidney and ureter .. . { M F	? ?	? ?	? ?	? ?	173 141	182 148	194 140	204 146	209 182	199 149	213 172
	(b) Calculi of the bladder { M F	? ?	? ?	? ?	? ?	94 18	82 11	79 11	77 17	93 16	101 20	120 40
	(c) Calculi of unstated site { M F	? ?	? ?	? ?	? ?	2 1	3 2	— 1	— 1	6 1	— —	— 1
135(62)	Diseases of the bladder .. { M F	687 307	605 358	545 377	513 335	552 366	555 351	484 335	524 337	467 323	507 341	591 363
	(a) Cystitis .. . { M F	638 292	575 345	514 356	486 316	522 348	516 336	436 313	487 301	427 304	473 320	540 338
	(b) Other diseases of the bladder .. { M F	49 15	30 13	31 21	27 19	30 18	39 15	48 22	37 36	40 19	34 21	51 25
136(63)	Diseases of the urethra, urinary abscess, etc. .. { M F	385 8	429 7	457 5	404 5	405 5	420 3	359 4	359 6	361 6	365 8	347 6
	(a) Stricture of the urethra { M F	364 2	407 —	433 1	389 —	391 1	403 —	341 —	339 —	344 1	345 2	335 2
	(b) Other diseases of the urethra, etc. .. { M F	21 6	22 7	24 4	15 5	14 4	17 3	18 4	20 6	17 5	20 6	12 4
137(64)	Diseases of the prostate .. M	3172	3407	3760	3803	4039	4328	4498	4566	4770	4768	4783
138(65)	Diseases of the male genital organs. M	64	75	76	60	64	81	77	72	86	59	49
139(65)	Diseases of the female genital organs. F	442	408	433	432	462	446	478	505	431	472	385
	(a) Diseases of the ovary, Fallopian tube and parametrium. F	247	225	239	230	240	218	227	255	194	214	165
	(1) Diseases of the ovary F	11	18	5	8	6	9	10	18	7	14	2
	(2) Diseases of the Fallopian tube. F	210	186	205	188	211	192	186	206	162	177	144
	(3) Diseases of the parametrium. F	26	21	29	34	23	17	31	31	25	23	19
	(b) Diseases of the uterus F	157	145	168	170	200	201	216	216	198	223	192
	(c) Diseases of the breast F	13	10	13	6	9	11	13	11	11	17	8
	(d) Other diseases of the female genital organs. F	25	28	13	26	13	16	22	23	28	18	20

TABLE 6—continued.

Inter- national List No.	Causes of Death.		1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.
140-150	XI.—Diseases of Pregnancy, Childbirth and the Puerperal State.	F	2691	2921	2791	2855	2601	2587	2618	2748	2457	2301	1988
140 & 145	Puerperal sepsis	F	1027	1185	1161	1244	1050	991	1061	1212	1006	843	596
140(68)	Post-abortive sepsis* ..	F	215	224	238	300	229	262	257	295	262	241	173
141(66)	Abortion not returned as septic.	F	154	124	118	124	118	117	121	99	91	69	50
	(1) Hæmorrhage following abortion.*	F	72	47	51	59	97	105	108	94	71	56	44
	(2) Without record of hæmorrhage.*	F	82	77	67	65	21	12	13	5	20	13	6
142(66)	Ectopic gestation	F	98	86	86	73	79	83	90	88	74	71	75
143(66)	Other accidents of pregnancy	F	25	14	16	16	23	19	22	28	16	16	21
144(67)	Puerperal hæmorrhage ..	F	327	331	313	348	289	291	269	265	253	290	296
	(a) Placenta prævia ..	F	142	171	159	162	139	156	137	109	123	137	133
	(b) Other puerperal hæmorrhage.	F	185	160	154	186	150	135	132	156	130	153	163
145(68)	Puerperal sepsis not returned as post-abortive.*	F	812	961	923	944	821	729	804	917	744	602	423
	(a) Puerperal septicæmia and pyæmia.*	F	811	960	919	943	820	729	803	917	744	602	422
	(b) Puerperal tetanus ..	F	1	1	4	1	1	—	1	—	—	—	1
146(69)	Puerperal albuminuria and convulsions.*	F	537	557	524	467	375	373	372	414	348	334	333
147(69)	Other toxæmias of pregnancy*	F	45	45	66	66	131	151	140	126	133	162	167
148(70)	Puerperal phlegmasia alba dolens, embolism and sudden death.	F	175	219	180	190	188	200	175	158	165	159	139
	(a) Puerperal phlegmasia alba dolens not returned as septic.*	F	32	31	17	23	47	46	55	50	43	52	53
	(b) Puerperal embolism and sudden death.*	F	143	188	163	167	141	154	120	108	122	107	86
149(70)	Other accidents of childbirth	F	251	307	274	246	300	286	311	293	311	300	262
150(70)	Other or unspecified conditions of the puerperal state.	F	52	53	53	81	48	76	57	65	55	57	49
	(1) Puerperal insanity ..	F	14	21	22	25	13	24	11	21	15	14	18
	(2) Puerperal diseases of the breast.	F	7	8	6	8	11	13	17	20	16	18	7
	(3) Childbirth (unqualified)	F	31	24	25	48	24	39	29	24	24	25	24
151-153	XII.—Diseases of the Skin and Cellular Tissue*	{ M F	904 803	1084 875	1057 832	999 820	1006 882	1066 901	1084 895	1191 1029	1053 927	1083 857	1114 774
151(71)	Carbuncle, boil	{ M F	256 138	307 152	303 166	340 171	352 160	369 197	383 230	368 197	341 233	353 190	350 182
152(71)	Cellulitis, acute abscess* ..	{ M F	335 275	426 311	455 313	372 305	378 367	385 312	426 330	523 446	424 331	434 328	451 312
	(1) Cellulitis	{ M F	250 205	338 238	354 252	296 240	294 289	282 232	335 267	427 342	342 266	351 238	373 259
	(2) Acute abscess*	{ M F	85 70	88 73	101 61	76 65	84 78	103 80	91 63	96 104	82 65	83 90	78 53
153(71)	Other diseases of the skin and its annexa.. ..	{ M F	313 390	351 412	299 353	287 344	276 355	312 392	275 335	300 386	288 363	296 339	313 280
154-156	XIII.—Diseases of the Bones and Organs of Locomotion.	{ M F	538 317	579 309	577 386	560 352	545 327	608 354	534 359	591 314	552 347	536 319	508 336
154(72)	Acute infective osteomyelitis and periostitis	{ M F	315 164	362 144	318 191	326 164	321 163	347 156	279 175	331 137	288 159	299 153	294 152

TABLE 6—continued.

national List No.	Causes of Death.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.
161(77)	Other diseases peculiar to early infancy*— <i>conid.</i>											
	(2) Pemphigus neonatorum { M	85	79	65	56	51	40	28	37	34	43	47
 { F	37	40	61	46	33	32	24	32	24	25	31
	(3) Other diseases in- { M	111	133	129	132	116	177	131	160	153	192	175
	cluded under 161 (c)* { F	113	121	151	136	127	139	150	160	145	156	142
162(78)	XVI.—Old Age* { M	9150	7976	8495	7345	7120	7250	6703	6331	6807	6932	6747
 { F	13603	11774	12685	10772	10867	11016	10435	9735	10186	10157	10238
	(a) Senile dementia* .. { M	782	852	877	776	565	491	449	388	424	503	431
 { F	1037	1141	1271	1112	758	659	514	426	465	533	481
	(b) Other forms of senile { M	8368	7124	7618	6569	6555	6759	6254	5943	6383	6429	6316
	decay* { F	12566	10633	11414	9660	10109	10357	9921	9309	9721	9624	9757
163-168	XVII.—Deaths from Violence { M	14162	14810	15184	15585	14547	14981	15295	15178	14501	14693	14893
 { F	6227	6753	6936	6832	7031	6888	7385	7553	7462	7901	7903
163-171	Suicide { M	3458	3409	3480	3527	3624	4054	3893	3839	3525	3441	3447
 { F	1449	1473	1504	1524	1523	1689	1761	1711	1698	1638	1718
163(79)	By solid or liquid poisons { M	399	380	354	406	368	428	468	426	344	298	304
	and corrosive substances { F	338	285	314	309	308	349	348	323	313	264	276
164(79)	By poisonous gas { M	658	667	824	842	934	1168	1091	1183	1101	1081	1083
 { F	340	421	461	509	517	639	641	681	678	690	702
165(79)	By hanging or strangula- { M	671	697	690	629	614	727	704	631	616	670	645
	tion { F	157	166	136	124	122	135	168	155	179	161	169
166(79)	By drowning { M	580	609	546	554	584	670	561	535	459	482	489
 { F	363	350	329	333	329	329	324	272	287	280	317
167(79)	By firearms { M	225	226	221	254	254	249	283	226	220	236	233
 { F	18	11	11	8	13	10	5	12	6	9	7
168(79)	By cutting or piercing { M	634	567	581	535	524	534	455	478	491	399	383
	instruments { F	125	111	118	88	87	77	97	93	75	74	78
169(79)	By jumping from high { M	93	83	87	110	111	98	102	113	104	94	106
	places { F	53	59	65	67	56	74	64	67	66	73	73
170(79)	By crushing { M	185	173	170	190	227	172	218	236	179	172	188
 { F	27	36	20	30	36	30	44	45	44	35	42
171(79)	By other means { M	13	7	7	7	8	8	11	11	11	9	16
 { F	28	34	50	56	55	46	70	63	50	52	54
172-175	Homicide { M	99	100	97	112	76	71	87	109	81	83	83
 { F	109	108	107	82	114	115	123	117	97	97	90
172(80)	Infanticide (under 1 year)†											
173(80)	By firearms { M	10	7	9	9	6	8	6	4	6	4	6
 { F	11	10	16	9	12	17	12	8	11	11	8
174(80)	By cutting or piercing { M	11	13	18	7	9	5	15	8	9	9	4
	instruments { F	24	25	22	9	23	16	23	20	21	17	9
175(80)	By other means { M	78	80	70	96	61	58	66	97	66	70	73
 { F	74	73	69	64	79	82	88	89	65	69	73
176-194	Accidental deaths { M	9700	10415	10827	11081	9943	9976	10465	10420	10065	10375	10579
 { F	4381	4883	5066	4968	5076	4771	5202	5409	5336	5830	5747
176(81)	Attack by venomous { M	6	18	5	18	9	21	25	22	8	11	15
	animals { F	9	15	18	14	14	23	19	10	15	13	11
177(81)	Food poisoning { M	10	19	10	10	8	5	12	11	10	6	22
 { F	12	14	8	6	7	10	6	7	9	5	15
178(81)	Accidental absorption of { M	87	88	119	111	104	136	106	129	122	176	170
	irrespirable or poisonous { F	77	63	90	39	73	64	58	47	78	78	76
	gas.											
179(81)	Other acute accidental { M	50	49	46	56	51	45	57	42	56	54	47
	poisoning (not by gas) { F	37	49	25	48	41	44	49	51	35	41	51

† Deaths from this cause are included under headings 173-175 (Homicide).

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.
180(81)	Conflagration { M F	28 31	32 25	45 30	31 30	30 42	22 27	30 16	22 38	23 42	32 30	39 35
181(81)	Accidental burns (con- flagration excepted) .. { M F	689 767	641 822	681 935	601 749	597 800	535 729	534 783	524 714	531 801	517 836	511 807
182(81)	Accidental mechanical suffocation { M F	282 242	280 223	265 205	277 197	242 186	255 167	248 144	236 175	234 155	255 174	295 168
183(81)	Accidental drowning .. { M F	660 132	743 144	735 131	622 117	583 102	733 80	810 115	542 58	688 133	590 89	656 125
184(81)	Accidental injury by fire- arms { M F	66 5	62 6	55 10	75 4	66 4	66 8	67 3	60 5	67 7	64 7	61 5
185(81)	Accidental injury by cutting or piercing in- struments. { M F	11 —	15 11	14 6	9 1	2 2	7 1	10 4	9 —	6 1	13 2	20 3
186(81)	Accidental injury by fall, crushing, etc. { M F	7178 2846	7854 3281	8241 3365	8552 3497	7813 3637	7581 3334	7980 3784	8275 4091	7815 3865	8122 4385	8284 4251
187(81)	Cataclysm { M F	? ?	? ?	? ?	? ?	— —	— —	— —	— —	— —	— —	— —
188(81)	Injury by animals (poison- ing by venomous animals excepted). { M F	58 5	50 3	52 7	42 10	45 4	54 4	37 4	51 4	41 4	46 7	49 5
189(81)	Hunger or thirst { M F	16 10	14 9	20 7	9 5	6 5	5 2	9 2	10 5	13 1	6 2	11 3
190(81)	Excessive cold { M F	50 12	40 9	68 27	28 6	19 5	14 6	30 7	11 5	17 9	24 7	22 3
191(81)	Excessive heat { M F	7 8	52 22	50 19	155 72	11 1	67 36	93 53	35 21	37 22	20 8	14 6
192(81)	Lightning { M F	5 —	4 —	14 —	9 1	10 2	7 1	13 2	11 —	13 1	17 2	— —
193(81)	Electricity (lightning ex- cepted) { M F	51 1	51 4	52 1	61 7	51 5	51 4	63 7	63 4	61 9	70 10	70 9
194(81)	Other and unstated forms of accidental violence .. { M F	446 187	403 183	355 182	415 165	296 146	352 181	341 146	367 174	323 149	352 134	293 174
	(1) Inattention at birth { M F	143 123	132 118	105 118	105 112	82 100	114 112	87 78	91 106	85 70	84 59	71 99
	(2) Other causes in- cluded under 194 .. { M F	303 64	271 65	250 64	310 53	214 46	238 69	254 68	276 68	238 79	268 75	222 75
195(82)	Violent deaths of unstated nature (i.e., accidental, suicidal, etc.). { M F	830 287	789 289	700 259	788 258	802 318	786 313	757 299	719 315	749 331	719 334	719 348
196(83)	Wounds of war { M F	68 1	76 —	72 —	74 —	92 —	85 —	84 —	83 —	69 —	70 —	56 —
197(83)	Execution of civilians by belligerent armies .. { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
198(84)	Execution { M F	7 —	21 —	8 —	3 —	10 —	9 —	9 —	8 1	12 —	5 2	9 —
199-200	XVIII.—Ill-defined Diseases* { M F	642 443	494 343	484 347	441 306	777 570	748 593	731 534	662 583	768 539	681 521	695 542
199(85)	Sudden death* { M F	154 88	138 74	133 82	117 75	174 97	178 113	194 143	153 107	171 112	187 98	158 84
200(85)	Cause of death unstated or ill-defined* { M F	488 355	356 269	351 265	324 231	603 473	570 480	537 441	509 481	597 427	494 423	537 458
	(1) Heart failure* .. { M F	359 234	246 169	250 171	214 153	499 397	493 426	463 367	448 426	512 379	455 382	474 412
	(2) Other ill-defined causes { M F	99 104	85 84	70 79	80 55	63 64	49 43	50 58	43 37	51 37	27 29	30 28
	(3) Cause not specified .. { M F	30 17	25 16	31 15	30 23	41 12	28 11	24 16	18 18	34 11	12 12	33 18

TABLE 7. CRUDE DEATH-RATES OF MALES, FEMALES AND PERSONS }
FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, } England and Wales.
1927-1937.

List of Causes as in use for 1931 (see note to heading of Table 6), but in this table headings consistently showing a mortality of less than 5 per million and some indefinite headings are omitted. Where the incidence of mortality falls particularly on one sex, the rate in that sex has been taken as the criterion. For titles omitted see Table 6. The relation of the full detailed International List to the Intermediate International List will be found in the first column of Table 6. The deaths on which the rates for years prior to 1931 are based have been reconstructed as far as possible in the terms of the revised List, and where such reconstruction is incomplete an * is marked against the heading.

NOTE.—Rates based upon less than 20 deaths are distinguished by *italic type* (see note to Table 17, page 71).

Inter- national List No.	Causes of Death.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.
	ALL CAUSES	M. 13,116 F. 11,619 P. 12,336	12,465 10,922 11,661	14,234 12,723 13,447	12,270 10,682 11,443	13,033 11,615 12,294	12,745 11,396 12,043	12,948 11,711 12,304	12,511 11,112 11,783	12,485 11,064 11,746	12,930 11,410 12,139	13,198 11,700 12,419
1-44	I.—Infectious and Parasitic Diseases*	M. 2,139 F. 1,786 P. 1,954	1,755 1,373 1,556	2,387 2,028 2,200	1,641 1,252 1,438	1,839 1,470 1,647	1,706 1,398 1,545	1,902 1,568 1,728	1,503 1,147 1,318	1,375 1,042 1,201	1,352 1,002 1,170	1,573 1,266 1,413
1 & 2	Typhoid and paratyphoid fevers	M. 10 F. 9 P. 9	11 11 11	10 9 10	9 7 8	7 6 6	7 6 6	6 5 6	4 4 4	4 4 4	6 6 6	5 5 5
1	Typhoid fever	M. 9 F. 7 P. 8	9 9 9	9 8 8	7 6 6	5 4 5	6 5 5	5 4 5	3 3 3	4 4 4	5 5 5	4 4 4
7	Measles	M. 102 F. 83 P. 92	121 98 109	92 80 86	119 93 105	92 73 82	93 77 85	53 44 48	102 85 93	36 31 33	75 61 67	28 23 26
8	Scarlet fever	M. 15 F. 14 P. 15	14 15 15	19 17 18	18 19 19	12 14 14	12 14 13	18 19 18	24 24 24	13 15 14	13 12 12	9 8 9
9	Whooping cough	M. 88 F. 99 P. 94	71 79 75	147 172 160	47 55 51	58 67 63	68 79 74	51 61 56	44 56 51	35 42 39	49 53 51	41 45 43
10	Diphtheria	M. 71 F. 68 P. 70	84 78 81	86 88 87	90 85 88	70 64 67	58 58 58	67 65 66	102 100 101	88 84 86	78 73 75	70 74 72
11	Influenza	M. 575 F. 559 P. 567	216 178 196	731 737 734	144 110 126	360 360 360	320 334 327	564 570 567	151 128 139	193 171 182	162 136 148	456 452 454
	(a) { 1. With pneumonic complications	M. 282 F. 229 P. 255	108 70 88	390 331 359	70 41 55	176 145 160	152 141 146	294 258 275	76 52 64	99 71 84	84 59 71	239 209 223
	2. With other respiratory complications*	M. 127 F. 149 P. 139	37 37 37	174 209 192	27 22 24	81 99 90	69 83 76	137 153 146	27 27 27	35 38 37	29 28 29	105 117 111
	(b) { 1. With non-respiratory complications*	M. 93 F. 100 P. 97	53 52 52	104 118 112	35 36 35	73 79 76	71 77 74	88 102 95	36 36 36	45 47 46	40 39 39	85 92 89
	2. Without stated complications	M. 72 F. 81 P. 76	18 20 19	63 79 71	12 11 12	31 38 35	28 34 31	45 57 51	11 13 12	14 16 15	10 10 10	28 34 31
13	Dysentery	M. 3 F. 2 P. 2	4 3 4	4 1 2	3 2 2	4 2 3	4 3 3	3 2 2	3 2 3	3 2 3	3 2 2	3 3 3
15	Erysipelas	M. 22 F. 20 P. 21	25 20 23	28 24 26	29 23 26	27 23 25	26 23 25	32 27 30	41 32 36	30 23 26	26 22 24	16 12 14
16	Acute poliomyelitis	M. 6 F. 4 P. 5	5 3 4	4 3 4	5 4 4	3 2 2	5 4 4	6 4 5	4 3 3	4 3 4	3 2 2	5 3 4
17	Encephalitis lethargica	M. 31 F. 27 P. 29	27 27 27	27 25 26	23 23 23	26 22 24	21 20 21	22 18 20	18 21 19	18 18 18	17 17 17	20 17 18
18	Cerebro-spinal fever	M. 14 F. 8 P. 11	13 9 11	19 11 15	19 13 16	45 28 36	37 24 30	27 20 23	22 14 18	18 13 15	19 12 16	20 14 17
22	Tetanus	M. 7 F. 1 P. 4	6 1 3	6 2 4	6 1 3	5 1 3	5 1 3	4 1 3	4 1 3	5 1 3	4 1 3	4 1 3

TABLE 7—continued.

Inter- national List No.	Causes of Death.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.
23-32	Tuberculosis (all forms) .. { M. F. P.	1,112 843 972	1,067 800 928	1,122 810 959	1,037 770 898	1,041 762 896	972 713 837	968 692 824	899 638 763	848 599 718	825 570 692	824 576 695
23	Respiratory system .. { M. F. P.	914 678 791	879 641 755	938 661 793	863 624 739	872 622 742	806 578 687	819 571 690	759 520 635	722 498 605	703 472 583	702 475 584
24	Central nervous system .. { M. F. P.	82 65 73	71 59 65	71 59 65	67 58 62	70 60 65	66 55 60	57 49 53	57 50 53	51 41 45	48 40 44	47 41 44
25	Intestines and peritoneum { M. F. P.	35 34 34	34 34 34	32 30 31	29 29 29	27 28 27	27 24 25	23 25 24	20 21 20	18 19 18	16 17 17	18 15 16
26	Vertebral column .. { M. F. P.	15 11 13	15 10 12	14 11 12	14 10 12	14 11 12	13 10 12	14 9 11	13 9 11	13 9 11	11 8 10	12 7 9
27	Other bones and joints .. { M. F. P.	10 6 8	10 6 8	8 6 7	9 5 7	8 4 6	8 6 7	7 5 6	8 5 6	6 4 5	7 4 5	5 4 5
30	Genito-urinary system .. { M. F. P.	7 5 6	9 6 7	9 5 7	8 5 7	9 6 7	9 5 7	9 4 6	8 5 7	8 5 6	10 5 7	9 5 7
32	Disseminated tuberculosis { M. F. P.	46 39 43	47 38 42	48 35 41	43 35 39	37 28 32	38 31 35	34 26 30	31 25 28	27 22 24	27 20 24	29 24 26
	(a) Acute .. { M. F. P.	17 16 16	18 17 17	17 14 16	17 15 16	18 14 16	17 15 16	16 14 15	17 15 16	13 12 13	15 12 13	17 15 16
	(b) Chronic .. { M. F. P.	30 23 26	29 21 25	30 20 25	27 20 23	0 0 0	0 0 0	0 0 0	— 0 0	0 0 0	0 — 0	0 — 0
	(c) Not distinguished as acute or chronic .. { M. F. P.	17 16 16	18 17 17	17 14 16	17 15 16	18 14 16	17 15 18	16 12 15	17 10 12	13 10 11	15 8 10	17 9 11
34	Syphilis .. { M. F. P.	46 26 36	53 26 39	47 24 35	48 24 36	50 24 36	43 22 32	45 21 33	43 19 30	45 17 31	42 18 29	43 18 30
	(a) Congenital syphilis .. { M. F. P.	? ? ?	? ? ?	? ? ?	? ? ?	12 9 10	11 8 9	8 6 7	7 6 6	7 5 6	7 4 5	6 4 5
	(b & c) Acquired or un- specified .. { M. F. P.	? ? ?	? ? ?	? ? ?	? ? ?	38 15 26	33 15 23	37 15 25	36 13 24	38 12 25	36 13 24	37 15 26
36	Purulent infection, septi- cæmia* .. { M. F. P.	22 13 17	21 14 17	29 16 22	29 15 22	25 13 19	21 13 17	24 14 19	27 14 20	23 12 17	18 11 14	15 7 11
	(a) Septicæmia .. { M. F. P.	? ? ?	? ? ?	? ? ?	? ? ?	23 13 18	18 11 15	21 12 17	25 12 18	21 11 16	16 9 12	13 6 10
38	Malaria .. { M. F. P.	2 0 1	2 0 1	2 0 1	2 0 1	1 0 1	1 0 1	1 0 1	1 — 1	1 0 0	1 — 0	1 0 1
44	Other infectious or parasitic diseases .. { M. F. P.	4 3 3	4 3 4	5 3 4	5 3 4	4 3 4	4 2 3	4 3 3	5 3 4	4 3 3	4 4 4	3 4 4
45-55	II.—Cancer and Other Tumours { M. F. P.	1,386 1,496 1,443	1,433 1,547 1,493	1,441 1,561 1,503	1,469 1,576 1,525	1,509 1,593 1,555	1,554 1,606 1,581	1,546 1,641 1,595	1,594 1,672 1,635	1,636 1,674 1,656	1,668 1,711 1,690	1,687 1,703 1,695
45-53	Cancer, malignant disease* .. { M. F. P.	1,332 1,417 1,376	1,377 1,469 1,425	1,386 1,483 1,437	1,411 1,494 1,454	1,450 1,516 1,484	1,495 1,524 1,510	1,490 1,559 1,526	1,534 1,590 1,563	1,578 1,595 1,587	1,612 1,636 1,625	1,634 1,632 1,633
45	Buccal cavity and pharynx { M. F. P.	162 25 90	165 25 92	154 26 87	153 25 86	154 25 87	158 26 89	145 26 83	155 26 88	152 25 86	145 30 85	141 27 82
46	Digestive organs and peritoneum* .. { M. F. P.	826 686 753	841 716 776	864 725 792	876 735 802	890 738 811	918 741 826	915 760 834	927 777 849	956 774 861	975 790 879	976 797 883

TABLE 7—continued.

Inter- national List No.	Causes of Death.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.
	Cancer, malignant disease* —contd.											
47	Respiratory organs .. { M. F. P.	95 32 63	105 34 68	105 37 69	118 42 78	132 44 86	139 44 90	153 45 97	168 50 106	179 52 113	191 58 122	212 56 130
48	Uterus F.	216	220	216	210	208	208	205	211	211	205	209
49	Other female genital organs F.	70	72	76	79	80	83	89	92	94	101	99
50	Breast { M. F. P.	2 277 146	3 286 150	2 288 151	3 292 154	3 306 161	3 305 160	3 312 164	3 318 167	4 320 168	4 333 175	3 325 170
51	Male genito-urinary organs M.	138	149	152	154	166	169	169	177	183	188	196
52	Skin { M. F. P.	31 23 27	35 24 29	35 24 29	33 22 27	36 23 29	33 25 29	32 24 28	32 22 27	31 23 27	34 23 28	33 24 28
53	Other or unspecified organs { M. F. P.	78 86 82	80 92 86	72 92 83	73 90 82	69 92 81	76 93 85	72 98 86	73 95 84	73 95 84	76 95 86	73 95 84
54	Non-malignant tumours .. { M. F. P.	20 46 34	23 47 35	20 47 34	23 50 37	25 53 40	25 52 39	22 52 38	24 52 38	25 50 38	24 46 35	25 47 36
	(a) Female genital organs F.	33	34	32	35	36	35	34	34	32	28	29
	(b) Other sites { M. F. P.	20 13 17	23 13 18	20 15 17	23 16 19	25 17 21	25 17 21	22 18 20	24 18 21	25 18 21	24 18 21	25 18 21
55	Tumours of undetermined nature* { M. F. P.	34 33 33	34 32 32	35 30 33	35 32 34	34 29 32	34 30 32	35 29 32	36 30 33	32 29 31	31 29 30	28 25 26
	(b) Sites other than female genital organs* .. { M. F. P.	34 32 33	34 30 32	35 28 32	35 31 33	34 28 31	34 29 31	35 28 31	36 29 33	32 28 30	31 28 30	28 24 26
56-69	III.—Rheumatism, Diseases of Nutrition and of Endocrine Glands and other General Diseases.*											
	.. { M. F. P.	241 363 305	256 388 325	261 412 340	249 400 328	246 408 330	245 411 331	248 424 340	247 427 341	250 438 348	263 457 364	256 456 360
56	Rheumatic fever { M. F. P.	37 42 40	34 42 38	34 38 36	36 39 38	29 34 32	25 30 28	30 34 32	31 38 34	27 31 29	27 29 28	20 24 22
57	Chronic rheumatism, osteo-arthritides { M. F. P.	44 90 68	48 102 76	52 117 86	46 102 75	50 105 79	47 108 79	48 109 80	49 104 78	54 109 83	56 117 87	54 115 86
	(1) Chronic rheumatism* .. { M. F. P.	5 6 6	5 6 6	5 6 6	4 6 5	3 5 4	3 4 4	2 4 3	3 3 3	3 3 3	2 3 3	2 2 2
	(2) Rheumatoid arthritis, osteo-arthritides* .. { M. F. P.	39 84 63	43 96 70	47 111 80	43 97 71	47 101 75	44 104 75	45 105 76	47 101 75	51 106 80	53 114 85	52 114 84
58	Gout { M. F. P.	12 2 7	15 3 8	13 2 8	12 3 7	11 3 7	12 2 7	10 2 6	9 2 5	9 2 5	9 2 5	9 1 5
59	Diabetes { M. F. P.	109 142 126	116 145 131	122 161 142	121 161 142	118 170 145	126 176 152	127 182 156	129 189 160	130 196 164	139 207 174	142 211 178
63	Rickets* { M. F. P.	? ? ?	? ? ?	? ? ?	? ? ?	12 7 10	10 6 8	7 5 6	6 4 5	5 4 4	5 3 4	6 4 5
	(1) Rickets (excluding spinal curvatures of undetermined nature) { M. F. P.	12 7 10	15 10 12	13 8 11	10 6 8	12 9 0	9 7 0	6 4 0	6 3 0	5 3 0	5 3 0	5 3 0
64	Osteomalacia* { M. F. P.	10 10 10	12 10 10	11 8 10	8 6 10	0 1 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0
66	Diseases of the thyroid and parathyroid glands* .. { M. F. P.	11 61 37	11 67 40	11 65 39	10 71 42	11 75 45	12 75 45	13 77 46	12 77 46	13 81 49	14 85 51	12 84 49
	(a) Simple goitre { M. F. P.	1 7 4	1 10 6	1 7 4	1 7 4	2 7 4	1 6 4	2 8 5	1 5 3	1 7 4	1 6 4	1 4 3

TABLE 7—continued.

Inter- national List No.	Causes of Death.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.
66	Diseases of the thyroid and parathyroid glands*— <i>contd.</i>											
	(b) Exophthalmic goitre .. { M. F. P.	5 42 24	6 45 27	7 45 27	6 54 31	7 56 33	9 59 35	9 59 35	9 62 37	9 65 38	11 70 42	10 69 41
	(c) Myxœdema, cretinism { M. F. P.	3 11 7	2 11 7	2 11 7	2 10 6	2 12 7	1 9 5	2 9 6	1 8 5	1 8 5	1 9 5	1 9 5
67	Diseases of the thymus .. { M. F. P.	5 3 4	6 3 4	6 4 5	4 3 3	5 2 4	5 3 4	5 3 4	4 3 3	4 3 4	5 3 4	6 3 4
68	Diseases of the adrenals .. { M. F. P.	4 7 6	5 7 6	5 7 6	5 7 6	4 6 5	3 6 5	5 7 6	4 7 5	3 7 5	4 7 5	3 6 5
69	Other general diseases* .. { M. F. P.	4 5 5	4 7 6	3 7 5	2 4 3	3 3 3	3 2 3	2 3 3	2 2 2	3 3 3	2 3 2	2 4 3
70-74	IV.—Diseases of the Blood and Blood-forming Organs .. { M. F. P.	110 115 112	91 95 93	97 98 97	101 103 102	105 107 106	112 118 115	108 118 114	113 118 116	110 121 116	112 118 115	107 119 113
70	Hæmorrhagic conditions .. { M. F. P.	10 8 9	12 9 11	11 9 10	11 9 10	11 8 10	10 7 8	10 10 10	12 10 11	11 9 10	11 9 10	10 9 9
	(a) Purpura .. { M. F. P.	7 7 7	7 7 7	7 8 7	7 7 7	7 7 7	6 6 6	6 8 7	7 8 7	6 8 7	6 7 6	6 7 6
71	Anæmia, chlorosis .. { M. F. P.	63 82 73	44 61 53	48 62 55	52 67 60	52 71 62	61 82 72	56 78 67	54 78 66	52 77 65	51 72 62	48 75 62
	(a) Pernicious anæmia .. { M. F. P.	58 76 68	39 54 47	43 56 49	47 60 54	47 64 56	54 74 64	50 70 60	48 69 59	47 68 58	46 64 55	43 67 55
	(b) Other anæmias and chlorosis .. { M. F. P.	5 6 6	5 7 6	5 6 6	5 6 6	5 7 6	7 8 7	6 8 7	7 8 7	5 9 7	5 8 7	5 8 7
72	Leukæmia, aleukæmia .. { M. F. P.	34 23 28	32 22 27	35 24 29	35 24 29	39 25 32	38 26 32	39 26 32	42 28 35	43 31 36	46 32 38	44 32 38
	(a) Leukæmia .. { M. F. P.	18 15 16	18 13 16	19 16 17	19 15 16	20 16 18	20 17 18	21 18 19	24 18 21	23 19 21	26 22 24	26 20 23
	(b) Aleukæmia (lympho- denoma) .. { M. F. P.	15 8 12	14 9 11	17 8 12	17 9 13	20 9 14	18 10 14	18 9 13	18 10 14	19 11 15	20 10 15	18 12 15
75-77	V.—Chronic Poisoning .. { M. F. P.	7 1 4	7 2 5	7 3 5	5 2 4	4 2 3	5 2 4	4 2 3	4 1 2	4 1 3	3 2 2	4 2 3
75	Alcoholism (acute or chronic) { M. F. P.	4 1 3	4 2 3	4 2 3	3 2 2	2 2 2	3 2 2	2 1 2	2 1 1	3 1 2	2 1 1	3 2 2
78-89	VI.—Diseases of the Nervous System and Sense Organs* { M. F. P.	1,098 1,077 1,087	1,030 1,024 1,027	1,088 1,058 1,072	996 1,005 1,001	1,021 1,002 1,011	1,008 1,005 1,006	964 972 968	959 982 971	966 994 980	964 1,015 991	953 991 973
78	Encephalitis .. { M. F. P.	8 5 7	8 6 7	9 7 8	8 6 7	9 5 7	8 6 7	8 6 7	8 6 7	8 7 8	8 6 7	8 6 7
	(a) Cerebral abscess .. { M. F. P.	6 2 4	5 4 4	6 3 4	5 3 4	6 3 4	5 3 4	4 3 4	5 3 4	5 3 4	6 3 4	5 3 4
79	Meningitis* .. { M. F. P.	43 32 37	35 26 31	39 29 34	31 23 27	31 24 27	32 22 27	32 19 25	28 20 24	25 17 21	26 18 21	26 18 22
80	Tabes dorsalis (locomotor ataxy) .. { M. F. P.	34 7 20	34 6 20	39 7 22	30 6 18	29 5 17	33 7 19	31 7 18	26 5 15	28 6 17	25 5 15	24 5 14

TABLE 7—continued.

Inter- national List No.	Causes of Death.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.
81	Other diseases of the spinal cord	M. 40	44	40	38	39	37	35	35	36	34	36
		F. 31	29	29	28	28	28	28	26	25	26	26
		P. 36	36	34	33	33	32	31	30	30	30	31
	(1) Progressive muscular atrophy	M. 15	17	16	15	16	14	16	17	16	15	18
		F. 11	11	12	12	12	11	12	11	11	13	11
		P. 13	14	14	13	14	12	14	14	13	14	15
	(3) Myelitis of unstated origin	M. 11	11	11	8	9	9	8	7	8	7	6
		F. 10	8	8	8	8	7	7	6	6	5	6
		P. 10	9	9	8	8	8	7	7	7	6	6
	(4) Other diseases included under 81	M. 13	15	12	13	12	11	9	9	10	9	10
		F. 9	9	8	7	7	8	7	6	5	6	6
		P. 11	12	10	10	10	10	8	7	8	7	8
82	Cerebral hæmorrhage, apo- plexy, etc.	M. 634	582	631	585	605	601	579	585	596	601	602
		F. 753	710	737	710	706	714	691	703	724	744	724
		P. 696	649	686	650	658	660	637	647	663	676	665
	(a) { 1. Cerebral hæmor- rhage so returned	M. 460	426	459	418	428	422	395	399	400	399	392
		F. 536	512	529	505	494	498	476	480	482	490	472
		P. 499	471	496	463	463	461	437	441	443	447	433
	{ 2. Apoplexy (lesion un- stated)	M. 42	38	35	31	30	28	24	22	19	19	19
		F. 51	41	39	34	34	33	27	24	24	20	19
		P. 47	40	37	32	32	31	25	23	22	19	19
	{ 1. Cerebral embolism ..	M. 16	11	11	12	10	10	11	9	10	9	7
		F. 17	16	14	15	14	13	14	13	13	13	11
		P. 17	13	13	14	12	12	12	11	11	11	9
	(b) { 2. Cerebral thrombosis	M. 68	65	79	85	96	105	117	124	137	146	155
		F. 90	89	101	108	116	126	136	151	163	185	187
		P. 79	78	91	97	106	116	127	138	153	166	172
	{ 3. Cerebral softening ..	M. 11	8	9	8	8	7	5	6	5	3	4
		F. 13	10	10	10	11	9	8	6	8	6	5
		P. 12	9	10	9	9	8	7	6	6	4	4
	(c) { 1. Hemiplegia ..	M. 33	29	32	28	30	26	25	24	23	23	23
		F. 41	38	38	34	34	31	27	27	27	30	28
		P. 38	34	35	31	32	29	26	26	25	27	26
	{ 2. Other paralyzes of unstated origin ..	M. 4	5	4	3	3	3	2	2	2	1	2
		F. 5	4	5	3	3	3	3	2	3	2	1
		P. 5	4	4	3	3	3	2	2	2	1	2
83	General paralysis of the insane	M. 65	61	52	49	49	45	40	41	37	33	30
		F. 14	13	13	11	12	11	11	11	11	11	12
		P. 39	36	32	29	30	27	25	25	24	22	21
84	Other forms of insanity* ..	M. 25	26	28	24	22	22	20	19	23	19	23
		F. 35	37	37	32	33	35	30	32	30	30	30
		P. 30	32	33	28	28	29	25	26	26	25	26
	(a) Dementia præcox ..	M. ?	?	?	?	1	2	2	2	2	2	3
		F. ?	?	?	?	1	1	2	2	1	2	2
		P. ?	?	?	?	1	1	2	2	2	2	2
	(b) Other conditions in- cluded under 84* ..	M. ?	?	?	?	21	20	18	18	21	18	20
		F. ?	?	?	?	32	34	28	30	28	29	28
		P. ?	?	?	?	27	27	23	24	25	23	24
85	Epilepsy	M. 61	60	59	60	63	61	57	54	55	57	52
		F. 49	54	52	50	52	52	50	48	46	47	45
		P. 55	57	55	55	57	56	54	51	51	52	49
86	Infantile convulsions (under 5 years of age)	M. 70	59	61	53	52	45	39	38	35	33	28
		F. 46	37	41	32	30	27	25	23	23	20	17
		P. 58	48	50	42	41	36	31	30	29	26	22
87	Other diseases of the nervous system*	M. 76	79	83	74	78	78	77	74	77	78	79
		F. 76	74	76	76	76	73	72	72	74	78	78
		P. 76	76	79	75	77	76	74	73	76	78	79
	(b) Neuritis, neuralgia* ..	M. 4	5	4	4	3	2	3	3	2	3	3
		F. 7	7	6	6	4	3	3	4	3	2	3
		P. 6	6	5	5	4	3	3	4	3	3	3
	(c) Paralysis agitans ..	M. 31	33	37	31	37	41	40	39	40	40	42
		F. 25	25	27	28	30	29	31	31	32	35	37
		P. 28	29	34	30	33	35	36	34	36	37	39
	(d) Disseminated sclerosis ..	M. 20	20	20	20	20	20	20	18	21	22	22
		F. 21	20	22	20	24	23	22	22	24	26	23
		P. 20	20	21	20	22	22	21	20	22	24	23

TABLE 7—continued.

Inter- national List No.	Causes of Death.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.
87	Other diseases of the nervous system*— <i>contd.</i>											
	(e) Other diseases included under 87*	M. 21 F. 20 P. 20	20 19 19	21 18 19	19 18 18	16 16 16	14 15 14	13 14 13	12 13 13	13 13 13	12 13 12	12 14 13
89	Diseases of the ear and mastoid sinus	M. 39 F. 27 P. 32	39 29 34	44 29 36	41 29 35	43 27 35	43 28 35	45 32 38	50 34 41	43 28 35	47 28 37	43 27 34
	(a) Otitis and other diseases of the ear	M. 25 F. 18 P. 21	26 18 22	30 18 24	26 18 22	26 17 21	25 18 21	27 19 23	31 20 25	25 17 21	28 17 22	24 15 19
	(b) Diseases of the mastoid sinus	M. 14 F. 9 P. 11	13 10 12	14 10 12	15 11 13	17 10 13	18 10 14	18 12 15	19 14 16	18 11 14	19 12 15	19 12 15
90-103	VII.—Diseases of the Circulatory System*	M. 2,570 F. 2,468 P. 2,517	2,756 2,636 2,693	3,075 3,039 3,057	2,886 2,770 2,826	3,170 3,109 3,138	3,228 3,132 3,178	3,336 3,275 3,304	3,402 3,257 3,326	3,538 3,396 3,464	3,875 3,686 3,777	3,929 3,743 3,832
90-95	Heart diseases*	M. 1,774 F. 1,891 P. 1,835	1,893 2,004 1,951	2,373 2,493 2,436	2,252 2,274 2,264	2,503 2,564 2,535	2,550 2,565 2,558	2,656 2,700 2,679	2,716 2,671 2,693	2,847 2,797 2,821	3,153 3,051 3,100	3,193 3,085 3,137
90	Pericarditis	M. 9 F. 6 P. 7	8 6 7	9 5 7	9 6 8	9 5 7	9 5 7	10 5 8	8 5 7	7 4 5	14 9 11	13 8 10
91	Acute endocarditis*	M. 39 F. 39 P. 39	34 36 35	35 38 36	35 36 35	31 28 30	30 28 29	31 31 31	30 30 30	31 30 31	31 30 31	32 28 30
	(1) Malignant endocarditis	M. 28 F. 25 P. 26	24 24 24	25 26 25	26 25 26	28 24 26	26 25 25	28 28 28	26 27 27	28 28 28	28 26 27	29 25 27
	(2) Other acute endocarditis*	M. 11 F. 14 P. 12	10 12 11	9 13 11	9 10 9	3 4 4	4 3 3	3 3 3	3 4 3	3 2 3	3 4 3	3 3 3
92	Chronic endocarditis, valvular disease*	M. 620 F. 709 P. 666	635 729 684	679 771 727	609 701 657	631 726 681	604 677 642	561 670 618	549 610 581	535 596 567	517 588 554	481 548 516
	(1) Aortic valve disease*	M. 116 F. 49 P. 81	119 52 84	126 52 87	119 55 86	123 56 88	122 49 84	110 52 80	109 50 78	110 50 79	105 48 75	97 45 70
	(2) Mitral valve disease*	M. 193 F. 304 P. 251	204 323 266	222 346 287	195 307 253	197 315 258	195 304 252	179 296 240	182 272 229	178 268 225	180 270 227	165 253 211
	(3) Aortic and mitral valve disease*	M. 29 F. 24 P. 26	33 32 33	38 30 34	34 28 31	33 27 30	32 28 30	30 26 28	32 26 29	30 25 27	29 25 27	28 23 25
	(4) Endocarditis, not returned as acute or chronic*	M. 282 F. 332 P. 308	278 322 301	293 343 319	261 311 287	31 40 36	28 35 32	26 36 31	25 31 28	23 30 27	25 30 27	21 27 24
	(5) Other or unspecified valve disease*	M. 248 F. 288 P. 269	227 260 244	216 259 239	202 232 217	193 224 209	178 215 198	169 200 185				
93	Diseases of the myocardium*	M. 741 F. 800 P. 772	858 923 892	1,246 1,339 1,294	1,190 1,227 1,209	1,393 1,479 1,438	1,450 1,524 1,489	1,557 1,648 1,605	1,590 1,670 1,632	1,688 1,782 1,737	1,942 2,018 1,981	1,991 2,086 2,040
	(a) Acute myocarditis*	M. 12 F. 12 P. 12	12 11 12	14 12 13	10 9 10	4 4 4	5 4 5	5 4 4	6 5 6	6 6 6	8 6 7	9 7 8
	(b) Myocardial degeneration*	M. 728 F. 789 P. 760	845 913 880	1,232 1,326 1,281	1,180 1,217 1,199	1,092 1,157 1,126	1,145 1,200 1,174	1,228 1,296 1,264	1,257 1,336 1,298	1,355 1,446 1,402	1,559 1,641 1,602	1,606 1,701 1,655
	1. Fatty heart	M. 65 F. 79 P. 72	65 81 73	71 89 80	66 83 75	65 80 73	62 74 68	58 68 63	51 67 59	47 62 55	43 56 50	44 55 50
	2. Cardiovascular degeneration*	M. 294 F. 250 P. 271	324 275 299	357 299 326	372 311 340	399 357 431	457 407 458					
	3. Other diseases included under 93 (b)	M. 664 F. 710 P. 688	780 832 807	1,161 1,237 1,201	1,114 1,135 1,125	733 827 782	759 851 807	813 930 874	834 958 898	910 1,026 970	1,058 1,178 1,121	1,086 1,205 1,148
	(c) Myocarditis, not distinguished as acute or chronic*	M. 297 F. 319 P. 308	300 320 310	324 348 337	328 329 328	328 331 329	375 371 377					

TABLE 7—continued.

Inter- national List No.	Causes of Death.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.
94	Diseases of the coronary arteries, angina pectoris*..	M. 105 F. 40 P. 71	M. 137 F. 54 P. 94	M. 178 F. 69 P. 121	M. 216 F. 85 P. 148	M. 238 F. 99 P. 166	M. 272 F. 116 P. 191	M. 327 F. 138 P. 229	M. 370 F. 166 P. 264	M. 422 F. 193 P. 303	M. 483 F. 218 P. 345	M. 524 F. 240 P. 377
95	Other diseases of the heart ..	M. 261 F. 297 P. 280	M. 222 F. 256 P. 240	M. 226 F. 270 P. 249	M. 193 F. 219 P. 207	M. 200 F. 226 P. 213	M. 185 F. 215 P. 200	M. 170 F. 207 P. 189	M. 169 F. 190 P. 180	M. 164 F. 192 P. 178	M. 167 F. 187 P. 178	M. 153 F. 175 P. 165
	(a) Disordered action of heart	M. 41 F. 60 P. 51	M. 37 F. 61 P. 50	M. 41 F. 67 P. 55	M. 42 F. 63 P. 53	M. 47 F. 69 P. 59	M. 53 F. 76 P. 65	M. 53 F. 78 P. 66	M. 57 F. 77 P. 67	M. 58 F. 85 P. 72	M. 63 F. 91 P. 78	M. 60 F. 89 P. 75
	(b) { 1. Dilatation of heart (cause unspecified)	M. 18 F. 17 P. 18	M. 14 F. 12 P. 13	M. 10 F. 8 P. 9	M. 9 F. 7 P. 8	M. 9 F. 7 P. 8	M. 9 F. 6 P. 7	M. 7 F. 6 P. 6	M. 7 F. 5 P. 6	M. 6 F. 4 P. 5	M. 7 F. 5 P. 6	M. 7 F. 5 P. 6
	{ 2. Heart disease (un- defined)	M. 201 F. 220 P. 211	M. 171 F. 183 P. 177	M. 175 F. 194 P. 185	M. 143 F. 149 P. 146	M. 144 F. 149 P. 147	M. 123 F. 133 P. 128	M. 110 F. 123 P. 116	M. 105 F. 108 P. 107	M. 99 F. 102 P. 101	M. 97 F. 92 P. 94	M. 86 F. 81 P. 84
96	Aneurysm	M. 47 F. 13 P. 29	M. 50 F. 14 P. 31	M. 50 F. 15 P. 32	M. 53 F. 15 P. 33	M. 52 F. 16 P. 33	M. 50 F. 16 P. 32	M. 48 F. 20 P. 33	M. 51 F. 20 P. 35	M. 50 F. 22 P. 35	M. 53 F. 23 P. 37	M. 51 F. 25 P. 37
97	Arterio-sclerosis*	M. 686 F. 500 P. 589	M. 750 F. 562 P. 652	M. 594 F. 471 P. 530	M. 529 F. 426 P. 475	M. 566 F. 475 P. 518	M. 577 F. 500 P. 537	M. 582 F. 504 P. 542	M. 582 F. 508 P. 544	M. 586 F. 523 P. 553	M. 609 F. 553 P. 580	M. 618 F. 574 P. 595
	(1) With cerebral hæmorrh- age	M. 170 F. 145 P. 157	M. 202 F. 174 P. 187	M. 200 F. 171 P. 185	M. 195 F. 173 P. 183	M. 212 F. 193 P. 202	M. 217 F. 204 P. 210	M. 215 F. 208 P. 211	M. 215 F. 212 P. 213	M. 223 F. 213 P. 218	M. 221 F. 224 P. 222	M. 223 F. 226 P. 225
	(2) With record of other cerebral vascular lesion	M. 74 F. 64 P. 69	M. 88 F. 79 P. 83	M. 87 F. 77 P. 82	M. 90 F. 74 P. 82	M. 95 F. 88 P. 92	M. 105 F. 100 P. 102	M. 109 F. 106 P. 107	M. 122 F. 108 P. 115	M. 123 F. 123 P. 123	M. 140 F. 135 P. 137	M. 143 F. 141 P. 142
	(3) Without record of cere- bral vascular lesion ..	M. 443 F. 291 P. 364	M. 460 F. 309 P. 382	M. 307 F. 224 P. 264	M. 245 F. 179 P. 210	M. 259 F. 194 P. 225	M. 255 F. 197 P. 225	M. 258 F. 190 P. 223	M. 245 F. 189 P. 216	M. 240 F. 186 P. 212	M. 248 F. 194 P. 220	M. 253 F. 207 P. 229
98	Gangrene	M. 30 F. 27 P. 28	M. 28 F. 21 P. 24	M. 29 F. 25 P. 27	M. 23 F. 20 P. 21	M. 22 F. 21 P. 21	M. 22 F. 17 P. 20	M. 20 F. 16 P. 18	M. 20 F. 16 P. 18	M. 16 F. 15 P. 16	M. 19 F. 17 P. 18	M. 19 F. 14 P. 16
	(a) Senile gangrene	M. 28 F. 26 P. 27	M. 25 F. 19 P. 22	M. 27 F. 23 P. 25	M. 21 F. 18 P. 19	M. 20 F. 19 P. 19	M. 20 F. 16 P. 18	M. 19 F. 15 P. 17	M. 18 F. 15 P. 17	M. 15 F. 14 P. 14	M. 18 F. 15 P. 16	M. 17 F. 13 P. 15
99	Other diseases of the arteries*	M. 16 F. 15 P. 16	M. 15 F. 14 P. 15	M. 13 F. 13 P. 13	M. 12 F. 11 P. 11	M. 9 F. 8 P. 9	M. 10 F. 9 P. 9	M. 9 F. 9 P. 9	M. 8 F. 8 P. 8	M. 11 F. 8 P. 9	M. 10 F. 8 P. 9	M. 10 F. 7 P. 8
100	Diseases of the veins (varix, hæmorrhoids, phlebitis, etc.)	M. 8 F. 15 P. 12	M. 11 F. 16 P. 14	M. 10 F. 17 P. 13	M. 9 F. 18 P. 14	M. 10 F. 18 P. 14	M. 9 F. 16 P. 13	M. 9 F. 17 P. 13	M. 11 F. 20 P. 16	M. 12 F. 18 P. 15	M. 11 F. 20 P. 15	M. 14 F. 18 P. 16
	(1) Varix	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. 4 F. 8 P. 6	M. 4 F. 7 P. 6	M. 3 F. 7 P. 5	M. 4 F. 8 P. 6	M. 6 F. 8 P. 7	M. 3 F. 7 P. 5	M. 6 F. 8 P. 7
	(2) Other diseases of the veins	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. 6 F. 10 P. 8	M. 6 F. 9 P. 7	M. 6 F. 10 P. 8	M. 7 F. 12 P. 9	M. 6 F. 10 P. 8	M. 7 F. 12 P. 10	M. 8 F. 10 P. 9
102	Abnormalities of blood- pressure*	M. 5 F. 3 P. 4	M. 5 F. 3 P. 4	M. 4 F. 3 P. 3	M. 5 F. 4 P. 4	M. 6 F. 6 P. 6	M. 7 F. 6 P. 7	M. 9 F. 7 P. 8	M. 11 F. 11 P. 11	M. 12 F. 10 P. 11	M. 19 F. 14 P. 17	M. 22 F. 18 P. 20
104- 114	VIII.—Diseases of the Respira- tory System*	M. 2,164 F. 1,720 P. 1,933	M. 1,744 F. 1,289 P. 1,507	M. 2,358 F. 1,871 P. 2,104	M. 1,539 F. 1,088 P. 1,304	M. 1,795 F. 1,422 P. 1,601	M. 1,521 F. 1,218 P. 1,363	M. 1,564 F. 1,237 P. 1,394	M. 1,441 F. 1,051 P. 1,238	M. 1,364 F. 977 P. 1,163	M. 1,457 F. 1,026 P. 1,233	M. 1,500 F. 1,064 P. 1,273
104	Diseases of the nasal fossæ and annexa	M. 5 F. 5 P. 5	M. 7 F. 4 P. 6	M. 7 F. 5 P. 6	M. 8 F. 5 P. 7	M. 6 F. 4 P. 5	M. 8 F. 6 P. 7	M. 8 F. 6 P. 7	M. 7 F. 5 P. 6	M. 9 F. 5 P. 7	M. 9 F. 5 P. 7	M. 9 F. 5 P. 7
	(2) Diseases of the accessory nasal sinuses	M. 4 F. 4 P. 4	M. 5 F. 3 P. 4	M. 6 F. 4 P. 5	M. 7 F. 4 P. 5	M. 5 F. 3 P. 4	M. 7 F. 5 P. 6	M. 7 F. 5 P. 6	M. 7 F. 4 P. 5	M. 7 F. 4 P. 6	M. 8 F. 4 P. 6	M. 8 F. 4 P. 6

TABLE 7—continued.

Inter- national List No.	Causes of Death.			1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.
105	Diseases of the larynx ..	M.	11	10	10	9	7	5	6	6	4	4	4	4
		F.	7	8	7	5	5	5	5	4	4	4	4	3
		P.	9	9	8	7	6	5	6	5	5	4	4	4
	(2) Laryngitis ..	M.	8	7	8	7	6	3	5	5	3	3	3	3
		F.	6	7	6	4	4	4	4	3	3	3	3	3
		P.	7	7	7	6	5	4	5	4	3	3	3	3
106	Bronchitis	M.	862	632	855	534	653	525	542	455	430	486	481	481
		F.	821	558	831	451	607	488	504	385	349	381	394	394
		P.	840	593	843	490	629	506	522	419	388	431	436	436
	(a) Acute bronchitis ..	M.	203	123	188	105	152	115	127	101	89	108	112	112
		F.	240	135	228	115	180	140	155	114	104	114	129	129
		P.	222	129	209	110	166	128	142	108	97	111	121	121
	(b) Chronic bronchitis ..	M.	327	244	314	222	251	216	226	205	205	230	230	230
		F.	235	168	224	136	167	143	145	124	116	131	129	129
		P.	279	205	267	177	207	178	184	163	158	178	177	177
	(c) Bronchitis, not dis- tinguished as acute or chronic	M.	332	265	353	207	250	194	189	149	136	148	140	140
		F.	345	254	379	199	261	205	203	147	129	136	136	136
		P.	339	259	367	203	256	200	197	148	132	142	138	138
107- 109	Pneumonia (all forms) ..	M.	1,135	964	1,322	863	989	857	876	856	796	841	876	876
		F.	776	622	909	543	702	623	624	570	532	551	576	576
		P.	948	786	1,107	696	840	735	745	707	659	690	720	720
107	Broncho-pneumonia ..	M.	588	445	683	392	523	430	452	405	384	434	470	470
		F.	454	344	553	296	419	360	368	325	308	325	354	354
		P.	518	392	616	342	469	393	408	363	345	377	409	409
108	Lobar pneumonia	M.	353	370	444	340	330	314	313	349	322	319	323	323
		F.	196	188	236	173	198	189	181	181	171	174	173	173
		P.	271	275	336	253	261	249	244	262	243	243	245	245
109	Pneumonia (not otherwise defined)	M.	194	149	195	131	136	112	111	103	90	89	83	83
		F.	127	90	120	74	85	75	75	64	53	52	49	49
		P.	159	118	156	101	110	93	92	83	71	70	65	65
110	Pleurisy	M.	34	36	42	35	33	31	30	28	26	22	26	26
		F.	23	21	24	17	20	17	17	17	13	14	11	11
		P.	28	29	33	26	26	24	23	22	19	18	18	18
	(1) Empyema	M.	14	14	19	15	14	16	16	14	12	11	14	14
		F.	7	6	8	5	7	6	7	7	4	5	4	4
		P.	10	10	13	10	11	11	11	10	8	8	9	9
	(2) Other pleurisy	M.	20	22	24	20	19	16	15	14	14	11	12	12
		F.	16	16	16	12	13	11	10	10	9	8	6	6
		P.	18	19	20	16	16	13	13	12	11	10	9	9
111	Congestion and hæmorrhagic infarct of lung, etc.* ..	M.	26	23	27	23	28	29	30	27	28	29	29	29
		F.	34	30	36	28	35	35	38	34	36	32	32	32
		P.	30	26	31	25	31	32	34	30	32	30	31	31
	(1) Hypostatic congestion of lungs	M.	26	23	27	23	25	26	27	25	25	26	27	27
		F.	33	29	35	27	32	32	36	31	33	30	30	30
		P.	30	26	31	25	29	29	31	28	29	28	29	29
112	Asthma	M.	70	53	75	50	55	46	50	41	47	44	51	51
		F.	48	40	55	33	45	39	39	32	34	35	38	38
		P.	59	46	65	41	51	42	44	37	40	39	44	44
113	Pulmonary emphysema ..	M.	5	3	3	2	3	3	2	3	2	4	4	4
		F.	1	1	0	1	1	1	1	1	0	0	1	1
		P.	3	2	2	1	2	2	1	2	1	2	2	2
114	Other diseases of the respira- tory system	M.	16	16	16	15	17	17	18	17	21	19	21	21
		F.	5	5	5	5	5	5	4	4	5	5	5	5
		P.	10	10	10	9	11	11	11	10	13	11	12	12
	(a) Chronic interstitial pneumonia, including occupational diseases of the lung	M.	12	12	12	11	14	13	13	12	16	14	16	16
		F.	3	4	3	3	3	2	3	2	3	2	3	3
		P.	7	7	7	7	8	7	8	7	9	8	9	9
115- 129	IX.—Diseases of the Digestive System	M.	752	763	800	750	736	729	723	712	721	708	690	690
		F.	577	592	604	563	560	573	569	578	549	531	512	512
		P.	661	674	698	653	644	648	643	642	632	616	597	597
115	Diseases of the buccal cavity, pharynx, etc.	M.	40	46	48	46	45	43	47	59	48	42	35	35
		F.	34	42	44	41	41	45	50	61	50	35	32	32
		P.	37	44	46	44	43	44	49	60	49	39	34	34
	(1) Diseases of the teeth and gums	M.	14	16	14	14	14	12	11	12	11	10	8	8
		F.	9	11	9	9	10	9	10	9	8	6	6	6
		P.	11	13	12	11	12	10	11	10	9	8	7	7

TABLE 7—continued.

Inter- national List No.	Causes of Death.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.
115	Diseases of the buccal cavity, pharynx, etc.— <i>contd.</i>											
	(3) Diseases of the tonsils..	{ M. 18 F. 18 P. 18	{ 20 22 21	{ 23 25 24	{ 23 23 23	{ 23 22 23	{ 22 25 23	{ 25 30 27	{ 33 36 34	{ 27 30 29	{ 22 20 21	{ 18 18 18
	(4) Other diseases included under 115	{ M. 5 F. 5 P. 5	{ 7 7 7	{ 8 7 7	{ 7 7 7	{ 6 6 6	{ 7 9 8	{ 8 10 9	{ 11 15 13	{ 8 9 9	{ 8 7 8	{ 7 6 7
117	Ulcer of the stomach or duodenum	{ M. 158 F. 49 P. 101	{ 150 48 97	{ 161 50 103	{ 168 50 107	{ 168 49 106	{ 152 50 99	{ 162 48 102	{ 167 51 107	{ 170 48 107	{ 182 53 115	{ 179 49 112
	(a) Ulcer of the stomach ..	{ M. 102 F. 42 P. 71	{ 97 40 67	{ 104 42 72	{ 109 42 74	{ 106 41 72	{ 97 40 67	{ 104 39 70	{ 112 40 75	{ 111 38 73	{ 114 42 76	{ 115 39 75
	(b) Ulcer of the duodenum	{ M. 56 F. 7 P. 31	{ 53 9 30	{ 57 8 31	{ 60 8 33	{ 62 8 34	{ 55 11 32	{ 58 9 32	{ 55 11 32	{ 59 10 34	{ 67 12 38	{ 64 11 36
118	Other diseases of the stomach	{ M. 42 F. 41 P. 42	{ 39 41 40	{ 35 36 35	{ 33 32 33	{ 33 35 34	{ 29 29 29	{ 25 25 25	{ 21 25 23	{ 23 22 23	{ 21 19 20	{ 20 17 18
	(1) Inflammation of the stomach	{ M. 33 F. 36 P. 35	{ 33 37 35	{ 29 32 30	{ 26 28 27	{ 27 30 29	{ 23 25 24	{ 20 22 21	{ 16 21 19	{ 19 19 19	{ 15 17 16	{ 15 14 15
	(2) Other diseases included under 118	{ M. 9 F. 5 P. 7	{ 6 4 5	{ 6 4 5	{ 6 5 5	{ 7 4 5	{ 6 4 5	{ 5 3 4	{ 5 3 4	{ 5 3 4	{ 6 3 4	{ 4 3 4
119- 120	Diarrhoea and enteritis ..	{ M. 176 F. 141 P. 158	{ 187 143 164	{ 202 156 178	{ 157 121 138	{ 148 114 131	{ 157 126 141	{ 159 121 139	{ 129 105 117	{ 133 104 118	{ 137 108 122	{ 137 104 120
	(a) { 1. Colitis*	{ M. 10 F. 10 P. 10	{ 9 9 9	{ 10 10 10	{ 8 10 9	{ 7 9 8	{ 8 10 9	{ 7 8 7	{ 6 8 7	{ 8 8 8	{ 7 7 7	{ 5 8 6
	{ 2. Other diarrhoea and enteritis*	{ M. 160 F. 122 P. 140	{ 172 125 147	{ 186 137 161	{ 143 102 121	{ 134 95 114	{ 140 104 121	{ 144 100 121	{ 114 84 98	{ 116 82 98	{ 121 86 102	{ 121 82 100
	(b) Ulceration of intestines	{ M. 7 F. 8 P. 8	{ 6 9 8	{ 7 9 8	{ 6 9 8	{ 7 10 9	{ 9 13 11	{ 8 13 11	{ 9 13 11	{ 10 15 12	{ 10 15 13	{ 11 15 13
121	Appendicitis	{ M. 81 F. 60 P. 70	{ 86 60 73	{ 87 57 71	{ 89 60 74	{ 84 61 72	{ 89 62 75	{ 85 67 76	{ 84 64 74	{ 87 60 73	{ 84 57 70	{ 80 58 69
122	Hernia, intestinal obstruction	{ M. 121 F. 109 P. 115	{ 120 103 111	{ 132 110 120	{ 123 106 114	{ 126 111 118	{ 131 111 120	{ 126 110 118	{ 129 110 119	{ 131 107 18	{ 119 109 114	{ 121 106 114
	(a) Hernia	{ M. 51 F. 49 P. 50	{ 53 47 50	{ 57 50 54	{ 50 48 49	{ 51 50 51	{ 55 51 53	{ 53 51 52	{ 54 49 51	{ 54 49 51	{ 52 51 52	{ 52 51 51
	1. Strangulated hernia	{ M. ? F. ? P. ?	{ ? ? ?	{ ? ? ?	{ ? ? ?	{ 36 38 37	{ 38 39 39	{ 38 40 39	{ 39 39 39	{ 39 39 39	{ 38 40 39	{ 39 40 39
	2. Hernia not returned as strangulated ..	{ M. ? F. ? P. ?	{ ? ? ?	{ ? ? ?	{ ? ? ?	{ 15 12 13	{ 17 12 15	{ 15 12 13	{ 15 10 13	{ 15 10 12	{ 14 11 13	{ 13 11 12
	(b) Intestinal obstruction..	{ M. 70 F. 60 P. 65	{ 67 56 61	{ 75 59 67	{ 73 57 65	{ 75 61 67	{ 76 59 67	{ 74 59 66	{ 75 61 68	{ 77 58 67	{ 67 58 62	{ 70 55 62
123	Other diseases of the intestines	{ M. 14 F. 12 P. 13	{ 14 13 14	{ 16 14 15	{ 16 16 16	{ 16 15 16	{ 16 17 17	{ 18 16 17	{ 18 17 17	{ 20 18 19	{ 19 19 19	{ 20 19 20
	(1) Constipation, intestinal stasis	{ M. 4 F. 5 P. 5	{ 4 5 4	{ 4 5 4	{ 3 5 4	{ 3 5 4	{ 3 4 4	{ 2 3 3	{ 2 3 2	{ 3 3 3	{ 1 3 2	{ 2 3 2
	(2) Diverticulitis	{ M. 5 F. 4 P. 4	{ 6 5 5	{ 7 6 6	{ 8 7 8	{ 9 7 8	{ 10 9 9	{ 11 9 10	{ 12 10 11	{ 13 11 12	{ 14 13 13	{ 14 13 14
	(3) Other diseases included under 123	{ M. 5 F. 3 P. 4	{ 4 4 4	{ 5 3 4	{ 5 4 4	{ 4 4 4	{ 4 4 4	{ 5 4 4	{ 4 3 4	{ 5 4 4	{ 4 3 4	{ 4 3 4

TABLE 7—continued.

Inter- national List No.	Causes of Death.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.
135	Diseases of the bladder .. { M. F. P.	37 15 25	32 17 24	29 18 23	27 16 21	29 18 23	29 17 23	25 16 20	27 16 21	24 15 19	26 16 21	30 17 23
	(a) Cystitis { M. F. P.	34 14 24	30 17 23	27 17 22	25 15 20	27 17 22	27 16 21	23 15 19	25 14 19	22 14 18	24 15 19	27 16 21
136	Diseases of the urethra, { M. F. P. urinary abscess, etc. ..	20 0 10	23 0 11	24 0 12	21 0 10	21 0 10	22 0 11	19 0 9	18 0 9	19 0 9	19 0 9	18 0 9
	(a) Stricture of the urethra { M. F. P.	19 0 9	22 — 10	23 0 11	20 — 10	20 0 10	21 — 10	18 — 8	17 — 8	18 0 8	18 0 8	17 0 8
137	Diseases of the prostate .. M.	169	180	198	199	211	224	232	235	245	243	243
139	Diseases of the female genital { F. organs	22	20	21	21	22	21	23	24	20	22	18
	(a) Diseases of the ovary, { F. Fallopian tube and parametrium	12	11	12	11	12	10	11	12	9	10	8
	2. Diseases of the Fallo- { F. pian tube	10	9	10	9	10	9	9	10	8	8	7
	(b) Diseases of the uterus.. F.	8	7	8	8	10	10	10	10	9	10	9
140- 150	XI.—Diseases of Pregnancy, { F. Child-birth and the Puer- peral State†	4·11	4·25	4·18	4·22	3·95	4·04	4·32	4·41	3·94	3·65	3·13
140 & 145 140	Puerperal sepsis F.	1·57	1·72	1·73	1·84	1·59	1·55	1·75	1·95	1·61	1·34	0·94
	Post-abortion sepsis* .. F.	0·33	0·33	0·35	0·44	0·35	0·41	0·42	0·47	0·42	0·38	0·27
141	Abortion not returned as { F. septic	0·24	0·18	0·18	0·18	0·18	0·18	0·20	0·16	0·15	0·11	0·08
	(1) Hæmorrhage following { F. abortion*	0·11	0·07	0·08	0·09	0·15	0·16	0·18	0·15	0·11	0·09	0·07
	(2) Without record of { F. hæmorrhage*	0·13	0·11	0·10	0·10	0·03	0·02	0·02	0·01	0·03	0·02	0·01
142	Ectopic gestation F.	0·15	0·13	0·13	0·11	0·12	0·13	0·15	0·14	0·12	0·11	0·12
143	Other accidents of pregnancy F.	0·04	0·02	0·02	0·02	0·03	0·03	0·04	0·04	0·03	0·03	0·03
144	Puerperal hæmorrhage .. F.	0·50	0·48	0·47	0·51	0·44	0·45	0·44	0·43	0·41	0·46	0·47
	(a) Placenta prævia .. F.	0·22	0·25	0·24	0·24	0·21	0·24	0·23	0·18	0·20	0·22	0·21
	(b) Other puerperal hæmor- { F. rhage	0·28	0·23	0·23	0·27	0·23	0·21	0·22	0·25	0·21	0·24	0·26
145	Puerperal sepsis not returned { F. as post-abortion*	1·24	1·40	1·38	1·40	1·25	1·14	1·33	1·47	1·19	0·96	0·67
	(a) Puerperal septicæmia { F. and pyæmia*	1·24	1·40	1·37	1·39	1·24	1·14	1·33	1·47	1·19	0·96	0·66
	(b) Puerperal tetanus .. F.	0·00	0·00	0·01	0·00	0·00	—	0·00	—	—	—	0·00
146	Puerperal albuminuria and { F. convulsions*	0·82	0·81	0·78	0·69	0·57	0·58	0·61	0·66	0·56	0·53	0·52
147	Other toxæmias of pregnancy* F.	0·07	0·07	0·10	0·10	0·20	0·24	0·23	0·20	0·22	0·26	0·26
148	Puerperal phlegmasia alba { F. dolens, embolism and sud- den death	0·27	0·32	0·27	0·28	0·29	0·31	0·29	0·25	0·26	0·25	0·22
	(a) Puerperal phlegmasia { F. alba dolens not re- turned as septic* ..	0·05	0·05	0·03	0·03	0·07	0·07	0·09	0·08	0·07	0·08	0·08
	(b) Puerperal embolism and { F. sudden death*	0·22	0·27	0·24	0·25	0·21	0·24	0·20	0·17	0·20	0·17	0·14

† The rates for these headings are per 1,000 Live-births for the year 1927. From 1928 onwards they are per 1,000 Total (live and still) Births.

TABLE 7—continued.

Inter- national List No.	Causes of Death.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.
149	Other accidents of childbirth F.	0·38	0·45	0·41	0·36	0·46	0·45	0·51	0·47	0·50	0·48	0·41
150	Other or unspecified condi- tions of the puerperal state } F.	0·08	0·08	0·08	0·12	0·07	0·12	0·09	0·10	0·09	0·09	0·08
	(1) Puerperal insanity .. F.	0·02	0·03	0·03	0·04	0·02	0·04	0·02	0·03	0·02	0·02	0·03
	(2) Puerperal diseases of the breast } F.	0·01	0·01	0·01	0·01	0·02	0·02	0·03	0·03	0·03	0·03	0·01
	(3) Childbirth (unqualified) F.	0·05	0·03	0·04	0·07	0·04	0·06	0·05	0·04	0·04	0·04	0·04
151- 153	XII.—Diseases of the Skin and Cellular Tissue* { M. F. P.	48 39 43	57 43 50	56 40 48	52 40 46	53 42 47	55 43 49	56 43 49	61 49 55	54 44 49	55 40 48	57 36 46
151	Carbuncle, boil { M. F. P.	14 7 10	16 7 12	16 8 12	18 8 13	18 8 13	19 9 14	20 11 15	19 9 14	17 11 14	18 9 13	18 9 13
152	Cellulitis, acute abscess* .. { M. F. P.	18 13 16	23 15 19	24 15 19	20 15 17	20 18 19	20 15 17	22 16 19	27 21 24	22 16 19	22 15 19	23 15 19
	(1) Cellulitis { M. F. P.	13 10 12	18 12 15	19 12 15	16 12 13	15 14 15	15 11 13	17 13 15	22 16 19	18 13 15	18 11 14	19 12 15
	(2) Acute abscess* .. { M. F. P.	5 3 4	5 4 4	5 3 4	4 3 4	4 4 4	5 4 5	5 3 4	5 5 5	4 3 4	4 4 4	4 2 3
153	Other diseases of the skin and its annexa { M. F. P.	17 19 18	19 20 19	16 17 16	15 17 16	14 17 16	16 19 18	14 16 15	15 18 17	15 17 16	15 16 16	16 13 14
154- 156	XIII.—Diseases of the Bones and Organs of Locomotion { M. F. P.	29 15 22	31 15 22	30 19 24	29 17 23	28 16 22	32 17 24	28 17 22	30 15 22	28 16 22	27 15 21	26 16 21
154	Acute infective osteomyelitis and periostitis { M. F. P.	17 8 12	19 7 13	17 9 13	17 8 12	17 8 12	18 7 13	14 8 11	17 7 12	15 8 11	15 7 11	15 7 11
155	Other diseases of the bones { M. F. P.	5 3 4	5 3 4	6 3 5	5 3 4	5 3 4	6 3 5	6 4 5	6 3 4	6 4 5	5 3 4	5 4 4
156	Diseases of the joints and other organs of locomotion { M. F. P.	7 4 5	6 5 6	8 6 7	7 6 6	7 5 6	8 6 7	7 5 6	8 5 6	7 5 6	7 5 6	6 5 6
	(a) Diseases of the joints .. { M. F. P.	5 3 4	5 3 4	6 4 5	5 4 5	5 4 4	5 4 5	6 4 5	6 3 4	5 3 4	5 3 4	5 3 4
157	XIV.—Congenital Malforma- tions { M. F. P.	105 78 91	109 79 93	109 85 96	115 80 97	115 82 98	118 87 102	112 82 96	115 86 100	114 84 98	118 84 100	115 88 101
	(a) Congenital hydrocephalus { M. F. P.	9 6 7	7 4 6	8 5 6	7 5 6	8 6 7	8 6 7	8 5 7	8 5 7	8 6 7	8 5 6	7 6 6
	(b) Spina bifida and men- ingocele { M. F. P.	17 22 20	20 23 22	19 25 22	21 23 22	21 25 23	22 30 26	22 29 25	22 31 27	23 30 26	23 30 27	25 31 28
	(c) Congenital malforma- tion of heart { M. F. P.	42 29 35	41 31 36	43 32 37	47 31 38	45 31 37	45 28 36	42 27 34	44 29 37	41 27 34	46 28 37	43 29 35
	(e) Other congenital mal- formations { M. F. P.	36 19 27	39 19 29	38 20 29	39 21 29	39 19 29	41 19 30	38 18 28	38 18 28	41 19 29	39 19 29	39 20 29
	1. Congenital pyloric stenosis { M. F. P.	12 3 7	13 3 8	12 4 8	14 4 9	17 4 10	15 4 9	13 3 8	14 3 9	15 4 9	16 4 10	17 5 10
	2. Cleft palate, hare lip { M. F. P.	4 2 3	4 2 3	5 4 4	4 4 4	4 3 3	5 2 3	4 2 3	3 2 2	3 2 3	2 3 3	4 3 3

† The rates for these headings are per 1,000 Live-births for the year 1927. From 1928 onwards they are per 1,000 Total (live and still) Births.

TABLE 7—continued.

Inter- national List No.	Causes of Death.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.	
157	Congenital Malformations— <i>contd.</i> (e) Other congenital mal- formations— <i>contd.</i>												
	4. Other stated congeni- tal malformations ..	{ M. F. P.	15 11 13	16 11 13	16 11 13	15 10 13	13 9 11	16 11 13	17 11 14	15 10 13	17 10 13	15 9 12	14 10 12
	5. Congenital malforma- tion unspecified ..	{ M. F. P.	3 2 2	2 2 2	2 1 1	3 2 2	3 2 2	3 2 2	2 1 2	3 1 2	2 2 2	3 1 2	2 2 2
158- 161	XV.—Diseases of Early Infancy	(The rates for this section are shown per 1,000 live-births in Table 12.)											
162	XVI.—Old Age* ..	{ M. F. P.	487 664 579	422 572 500	448 615 535	385 520 455	372 522 450	376 527 454	346 497 425	326 462 397	349 482 418	354 478 418	342 480 414
	(a) Senile dementia* ..	{ M. F. P.	42 51 46	45 55 50	46 62 54	41 54 47	29 36 33	25 31 29	23 24 24	20 20 20	22 22 22	26 25 25	22 23 22
	(b) Other forms of senile.. decay*.. ..	{ M. F. P.	445 613 533	377 517 450	402 553 481	344 466 408	342 485 417	351 495 426	323 473 401	306 442 377	327 460 396	328 453 393	321 458 392
163- 198	XVII.—Deaths from Violence..	{ M. F. P.	753 304 519	784 328 546	800 336 558	817 330 563	759 338 540	777 329 544	790 352 562	782 359 562	744 353 540	750 372 553	756 371 556
163- 171	Suicide	{ M. F. P.	184 71 125	180 72 124	183 73 126	185 74 127	189 73 129	210 81 143	201 84 140	198 81 137	181 80 129	176 77 124	175 81 126
163	By solid or liquid poisons and corrosive substances	{ M. F. P.	21 16 19	20 14 17	19 15 17	21 15 18	19 15 17	22 17 19	24 17 20	22 15 19	18 15 16	15 12 14	15 13 14
164	By poisonous gas	{ M. F. P.	35 17 25	35 20 28	43 22 32	44 25 34	49 25 36	61 31 45	56 31 43	61 32 46	56 32 44	55 32 43	55 33 44
165	By hanging or strangulation	{ M. F. P.	36 8 21	37 8 22	36 7 21	33 6 19	32 6 18	38 6 21	36 8 22	33 7 19	32 8 20	34 8 20	33 8 20
166	By drowning	{ M. F. P.	31 18 24	32 17 24	29 16 22	29 16 22	30 16 23	35 16 25	29 15 22	28 13 20	24 14 18	25 13 19	25 15 20
167	By firearms	{ M. F. P.	12 1 6	12 1 6	12 1 6	13 0 7	13 1 7	13 0 6	15 0 7	12 1 6	11 0 6	12 0 6	12 0 6
168	By cutting or piercing instruments	{ M. F. P.	34 6 19	30 5 17	31 6 18	28 4 16	27 4 15	28 4 15	24 5 14	25 4 14	25 4 14	20 3 12	19 4 11
169	By jumping from high places	{ M. F. P.	5 3 4	4 3 4	5 3 4	6 3 4	6 3 4	5 4 4	5 3 4	6 3 4	5 3 4	5 3 4	5 3 4
170	By crushing	{ M. F. P.	10 1 5	9 2 5	9 1 5	10 1 6	12 2 7	9 1 5	11 2 6	12 2 7	9 2 5	9 2 5	10 2 6
172- 175	Homicide	{ M. F. P.	5 5 5	5 5 5	5 5 5	6 4 5	4 5 5	4 5 5	4 6 5	6 6 6	4 5 4	4 5 4	4 4 4
176- 194	Accidental deaths	{ M. F. P.	516 214 358	551 237 387	571 245 401	581 240 403	519 244 376	517 228 367	541 248 388	537 257 391	516 252 379	530 274 397	537 269 398
178	Accidental absorption of irrespirable or poisonous gas	{ M. F. P.	5 4 4	5 3 4	6 4 5	6 2 4	5 4 4	7 3 5	5 3 4	7 2 4	6 4 5	9 4 6	9 4 6
181	Accidental burns (con- flagration excepted) ..	{ M. F. P.	37 37 37	34 40 37	36 45 41	32 36 34	31 38 35	28 35 31	28 37 33	27 34 31	27 38 33	26 39 33	26 38 32
182	Accidental mechanical suf- focation	{ M. F. P.	15 12 13	15 11 13	14 10 12	15 10 12	13 9 11	13 8 10	13 7 10	12 8 10	12 7 10	13 8 11	15 8 11

TABLE 7—continued.

Inter- national List No.	Causes of Death.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.
	Accidental deaths— <i>contd.</i>											
183	Accidental drowning .. { M. F. P.	35 6 20	39 7 22	39 6 22	33 6 19	30 5 17	39 4 21	42 5 23	28 3 15	35 6 20	30 4 17	33 6 19
186	Accidental injury by fall, crushing, etc. .. { M. F. P.	382 139 255	416 159 282	434 163 293	448 169 303	408 175 286	393 162 273	412 180 292	426 194 306	401 183 287	415 206 306	420 199 306
191	Excessive heat .. { M. F. P.	0 0 0	3 1 2	3 1 2	8 3 6	1 0 0	3 2 3	5 3 4	2 1 1	2 1 1	1 0 1	1 0 0
194	Other and unstated forms of accidental violence .. { M. F. P.	24 9 16	21 9 15	19 9 14	22 8 15	15 7 11	18 9 13	18 7 12	19 8 13	17 7 12	18 6 12	15 8 11
	(1) Inattention at birth† { M. F. P.	8 6 7	7 6 6	6 6 6	6 5 5	4 5 5	6 5 6	4 4 4	5 5 5	4 3 4	4 3 4	4 5 4
	(2) Other causes included under 194 .. { M. F. P.	16 3 9	14 3 9	13 3 8	16 3 9	11 2 7	12 3 8	13 3 8	14 3 9	12 4 8	14 4 8	11 4 7
195	Violent deaths of unstated nature (i.e., accidental, suicidal, etc.) .. { M. F. P.	44 14 28	42 14 27	37 13 24	41 12 26	42 15 28	41 15 27	39 14 26	37 15 26	38 16 27	37 16 26	36 16 26
196	Wounds of war .. { M. F. P.	4 0 2	4 — 2	4 — 2	4 — 2	5 — 2	4 — 2	4 — 2	4 — 2	4 — 2	4 — 2	3 — 1
199- 200	XVIII.—Ill-defined Diseases* { M. F. P.	34 22 28	26 17 21	26 17 21	23 15 19	41 27 34	39 28 33	38 28 33	34 28 31	39 25 32	35 25 29	35 25 30
199	Sudden death* .. { M. F. P.	8 4 6	7 4 5	7 4 5	6 4 5	9 5 7	9 5 7	10 7 8	8 5 6	9 5 7	10 5 7	8 4 6
200	Cause of death unstated or ill-defined* .. { M. F. P.	26 17 21	19 13 16	19 13 16	17 11 14	31 23 27	30 23 26	28 21 24	26 23 24	31 20 25	25 20 22	27 21 24
	(1) Heart failure* .. { M. F. P.	19 11 15	13 8 11	13 8 11	11 7 9	26 19 22	26 20 23	24 17 21	23 20 22	26 18 22	23 18 20	24 19 22

† The rates for this cause per 1,000 Live Births are shown in Table 12.

TABLE 8.—STANDARDIZED DEATH-RATES* OF MALES AND FEMALE FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1927-37. } England and Wales.

The deaths on which these rates are based were classified according to the International List in use from 1921-30 and according to the revised International List from 1931 onwards. A † is inserted against those headings in which changes of classification occur, but in most cases these changes do not materially affect the comparability of the figures. The nature of the change will be found in Appendix C to Part I, Statistical Review, 1931. The numbers and headings to the various causes are those of the revised International List, but where a difference in name occurs the old name is shown in brackets. The relation of the full detailed International List to the Intermediate International List will be found in the first column of Table 6.

List No.	Causes of Death.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.
	ALL CAUSES .. { Males. 11,754 11,047 12,641 10,700 11,231 10,896 10,920 10,428 10,167 10,434 10,492 Females. 9,458 8,807 10,243 8,435 9,019 8,730 8,809 8,328 8,036 8,152 8,202 Persons. 10,531 9,852 11,365 9,496 10,077 9,738 9,794 9,305 9,026 9,213 9,267											
1 & 2	Typhoid and paratyphoid (enteric) fevers. { M. 10 11 9 8 7 7 6 4 4 4 6 5 F. 8 10 9 7 5 5 4 4 4 7 5											
7	Measles { M. 131 159 125 165 130 133 76 151 54 115 44 F. 119 143 121 142 114 123 71 139 52 103 39											
8	Scarlet fever { M. 18 17 23 23 16 16 23 31 18 17 13 F. 19 20 23 26 20 20 26 34 21 17 11											
9	Whooping cough { M. 114 95 202 66 83 98 76 67 54 76 64 F. 142 117 261 85 107 127 100 94 73 93 78											
10	Diphtheria { M. 87 104 109 117 91 77 88 134 120 109 100 F. 91 106 121 120 90 83 92 144 123 110 114											
11	Influenza { M. 502 184 619 119 304 263 463 122 152 127 345 F. 434 138 542 82 265 237 401 91 120 92 293											
15	Erysipelas† { M. 19 22 24 25 25 23 30 34 25 21 13 F. 16 16 19 20 20 21 25 27 19 18 9											
16	Acute poliomyelitis { M. 7 6 5 5 4 6 8 5 5 3 6 F. 5 4 4 5 3 5 5 4 5 3 3											
17	Encephalitis lethargica .. { M. 30 25 25 21 23 19 19 16 15 14 16 F. 26 26 23 21 20 18 16 18 14 14 13											
18	Cerebro-spinal fever (meningococcal meningitis). { M. 17 16 23 24 55 46 35 29 23 26 27 F. 11 12 16 18 37 32 27 20 19 18 21											
23-32	Tuberculosis (all forms)† .. { M. 1,060 1,014 1,056 973 976 913 901 832 774 744 739 F. 854 812 820 781 772 727 707 657 610 578 584											
23	Respiratory system .. { M. 837 802 845 774 780 718 729 669 627 601 595 F. 660 625 641 606 601 562 559 512 486 457 459											
24	Central nervous system .. { M. 99 87 89 85 91 87 75 75 68 65 65 F. 87 79 82 80 84 78 71 73 60 59 61											
25	Intestines and peritoneum { M. 40 39 37 34 31 32 27 23 21 18 20 F. 39 39 35 32 32 27 28 23 20 19 17											
34	Syphilis { M. 45 50 45 45 45 39 39 36 37 35 34 F. 29 28 26 25 24 23 21 18 16 16 16											
45-53	Cancer, malignant disease† .. { M. 1,012 1,024 1,023 1,022 1,034 1,052 1,035 1,046 1,053 1,068 1,071 F. 973 991 988 975 974 966 973 974 959 969 951											
54	Non-malignant tumours† .. { M. ? ? ? ? 22 21 18 19 20 19 20 F. ? ? ? ? 40 39 39 39 37 34 34											
55	Tumours of undetermined nature.† { M. ? ? ? ? 28 27 28 29 26 25 22 F. ? ? ? ? 22 23 23 22 22 21 19											
54 (a) & 55 (a)	Tumours of female genital organs — non-malignant and undetermined.† { M. ? ? ? ? 27 25 25 24 23 20 20 F. ? ? ? ? 27 25 25 24 23 20 20											
56	Rheumatic fever { M. 37 35 35 38 30 27 33 32 29 29 22 F. 45 45 41 42 37 32 38 42 34 32 27											
57 (2)	Rheumatoid arthritis, osteo-arthritis.† { M. 30 32 35 31 34 31 32 32 34 35 34 F. 55 61 70 60 61 62 61 58 60 62 61											
59	Diabetes { M. 87 91 94 92 88 92 92 91 89 95 96 F. 100 100 109 106 111 112 114 115 117 120 121											
68	Diseases of the adrenals† .. { M. 4 4 4 4 3 3 4 3 3 3 2 F. 6 6 6 5 5 5 5 5 5 5 5											
71 (a)	Pernicious anæmia { M. 45 30 32 35 34 39 35 34 32 31 29 F. 56 39 39 41 43 49 46 44 43 40 40											
72 (a)	Leukæmia { M. 17 18 17 18 18 19 19 22 22 23 24 F. 14 12 15 13 15 15 16 16 17 19 18											
72 (b)	Aleukæmia (lymphadenoma) { M. 14 12 15 15 17 16 15 16 17 17 15 F. 7 8 6 8 8 8 7 8 9 8 9											
79	Meningitis† { M. 50 42 46 37 38 39 40 35 31 32 33 F. 40 34 37 31 32 29 25 27 24 24 26											
80	Tabes dorsalis (locomotor ataxy). { M. 26 25 29 22 20 23 21 17 19 17 16 F. 5 4 5 4 4 5 4 3 4 3 3											

* See Note re Standardized death-rates at foot of Table 3.

TABLE 8—continued.

List No.	Causes of Death.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.
82	Cerebral hæmorrhage, apoplexy, etc.† {M. F.	455 448	406 415	439 427	400 404	436 421	427 418	404 399	398 397	396 399	394 403	389 385
83	General paralysis of the insane {M. F.	54 11	49 10	42 10	39 8	40 10	35 9	31 9	32 8	28 9	25 8	22 8
84	Other forms of insanity† .. {M. F.	19 27	20 28	21 27	18 23	17 24	17 25	15 21	15 23	17 21	14 21	16 21
85	Epilepsy {M. F.	57 43	55 47	55 44	56 42	57 45	56 45	51 43	49 41	49 40	52 39	47 39
87 (c)	Paralysis agitans {M. F.	24 17	24 16	27 16	22 17	26 17	29 17	27 18	26 17	26 17	25 19	26 19
87 (d)	Disseminated sclerosis .. {M. F.	16 16	16 15	16 16	15 15	16 18	16 17	15 16	14 16	16 17	17 18	16 16
89	Diseases of the ear and mastoid sinus. {M. F.	42 31	43 33	49 34	45 35	47 32	49 34	50 38	57 42	50 34	56 37	52 35
90-95	Heart diseases† {M. F.	1,401 1,285	1,461 1,324	1,815 1,621	1,687 1,450	1,845 1,592	1,848 1,560	1,896 1,616	1,897 1,565	1,949 1,597	2,118 1,700	2,113 1,685
91 (1)	Malignant (infective) endocarditis. {M. F.	26 24	22 23	23 24	24 25	26 24	24 23	26 27	24 26	26 28	26 26	26 25
91 (2)	Other acute endocarditis† .. {M. F.	11 14	10 12	10 13	9 10	3 3	3 3	3 3	3 3	3 2	3 3	3 2
92 (1)	Aortic valve disease† .. {M. F.	90 34	90 35	96 34	87 35	89 35	88 31	78 32	76 30	75 29	71 27	65 26
92 (2)	Mitral valve disease† .. {M. F.	156 220	163 230	175 245	153 216	151 219	148 207	135 202	136 185	131 180	130 178	118 164
92 (3)	Aortic and mitral valve disease.† {M. F.	23 18	27 24	30 22	27 21	25 19	25 20	23 19	24 18	23 17	21 17	21 15
92 (4)	Endocarditis, not returned as acute or chronic.† {M. F.	? ?	? ?	? ?	? ?	23 28	21 23	19 24	18 21	17 20	18 19	15 18
92 (5)	Other or unspecified valve disease.† {M. F.	223 233	215 221	225 234	198 210	187 192	168 171	159 169	147 150	139 143	126 135	118 124
93 (a)	Acute myocarditis† {M. F.	11 10	12 10	13 11	9 8	3 3	4 3	3 3	4 4	4 4	6 4	6 4
93 (b.1)	Fatty heart {M. F.	49 53	48 53	52 57	48 53	47 50	43 46	40 42	34 40	31 36	29 32	29 32
93 (b.2)	Cardiovascular degeneration.† {M. F.	521 459	596 512	881 757	826 676	215 144	233 155	251 165	255 168	266 188	301 209	309 222
93 (b.3)	Other diseases included under 93 (b).† {M. F.					538 483	547 488	578 524	578 526	617 552	705 620	711 623
93 (c)	Myocarditis, not distinguished as acute or chronic.† {M. F.	? ?	? ?	? ?	? ?	216 190	214 187	228 200	225 185	220 181	248 200	245 200
94	Diseases of the coronary arteries, angina pectoris.† {M. F.	79 27	100 34	130 44	154 52	168 59	189 69	224 80	248 94	279 107	314 118	338 128
95 (a)	Disordered action of heart .. {M. F.	33 40	28 40	31 45	30 40	34 42	38 46	37 46	39 45	39 48	42 51	39 49
95 (b.2)	Heart disease (undefined) .. {M. F.	158 146	131 118	133 124	106 94	105 91	88 80	78 73	73 63	68 58	65 51	57 44
96	Aneurysm {M. F.	36 9	37 9	37 10	38 10	38 10	36 11	35 13	36 13	36 14	37 16	35 16
97	Arterio-sclerosis† {M. F.	540 313	576 342	451 286	391 252	412 275	412 284	409 281	398 277	391 278	400 288	399 293
97 (1)	With cerebral hæmorrhage {M. F.	189 133	219 157	214 152	207 148	151 114	152 118	148 118	145 118	147 116	143 119	143 118
97 (2)	With other cerebral vascular lesion. {M. F.					69 51	74 57	76 59	83 58	81 65	91 70	91 72
98	Gangrene {M. F.	24 18	23 13	23 15	18 12	17 13	17 10	15 9	15 9	11 8	13 9	12 7
98 (a)	Senile gangrene {M. F.	23 16	20 11	21 14	16 10	15 11	15 9	14 8	13 8	10 7	12 8	11 6
100	Diseases of the veins (varix, hæmorrhoids, phlebitis, etc.)† {M. F.	6 11	8 11	7 11	7 12	7 12	7 10	7 11	8 12	8 12	7 12	9 11
104-114	Diseases of the respiratory system.† {M. F.	2,051 1,498	1,642 1,139	2,245 1,649	1,430 946	1,704 1,242	1,426 1,055	1,442 1,043	1,313 897	1,225 831	1,296 853	1,332 872
104 (2)	Diseases of the accessory nasal sinuses. {M. F.	4 4	5 3	5 4	7 4	5 3	7 5	8 5	7 4	7 4	8 4	8 4

TABLE 8—continued.

List No.	Causes of Death.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.
105	Diseases of the larynx .. {M. F.	13 9	12 11	12 9	12 7	9 6	6 6	7 6	7 5	5 5	5 5	5 4
106	Bronchitis {M. F.	743 589	544 403	727 586	448 320	548 420	436 337	435 334	361 255	335 230	370 241	365 246
106 (a)	Acute {M. F.	192 185	119 111	177 176	100 92	145 140	111 108	115 112	94 86	82 78	95 82	100 90
106 (b)	Chronic {M. F.	257 153	188 107	240 141	167 84	187 101	159 86	163 86	145 72	144 67	157 74	156 72
107	Broncho-pneumonia .. {M. F.	670 522	508 403	792 650	445 342	614 488	499 410	515 410	460 366	432 343	484 359	518 381
108	Lobar pneumonia .. {M. F.	312 169	322 161	389 201	294 145	284 169	271 157	270 150	295 148	267 139	262 140	265 137
109	Pneumonia (not otherwise defined). {M. F.	183 119	139 86	184 112	123 68	130 82	106 71	105 70	93 58	82 51	79 47	76 45
110 (1)	Empyema {M. F.	14 7	14 7	18 8	15 6	14 8	15 7	15 7	13 7	12 4	11 6	13 5
110 (2)	Other pleurisy .. {M. F.	17 12	18 12	19 12	16 9	15 9	12 8	12 7	11 7	11 6	8 5	9 4
111	Congestion and hæmorrhagic infarct of lung.† {M. F.	23 22	20 20	23 23	19 18	24 22	24 22	24 23	21 20	22 20	21 18	20 17
112	Asthma† {M. F.	55 34	41 28	58 38	38 24	43 31	34 27	37 26	30 22	33 23	31 23	35 25
114 (a)	Chronic interstitial pneumonia, including occupational diseases of the lung. {M. F.	9 2	9 3	9 2	8 2	10 2	9 2	10 2	9 2	11 2	10 1	11 2
115-129	Diseases of the digestive system. {M. F.	715 526	730 541	778 565	711 507	690 494	687 511	684 507	654 495	659 469	650 458	629 437
117 (a)	Ulcer of the stomach† .. {M. F.	82 31	76 29	82 30	85 30	82 28	73 27	78 26	82 26	81 25	82 26	82 23
117 (b)	Ulcer of the duodenum .. {M. F.	46 5	42 6	46 6	47 6	48 6	43 7	44 6	41 7	43 6	49 7	46 6
118	Other diseases of the stomach† {M. F.	41 36	37 35	34 30	32 26	32 29	28 24	24 21	21 19	22 17	19 17	18 14
118 (1)	Inflammation of the stomach {M. F.	33 32	32 31	29 26	26 23	27 26	23 21	20 19	16 17	18 16	14 14	14 11
121	Appendicitis {M. F.	78 51	82 57	84 53	84 55	79 55	83 57	79 60	78 58	80 53	79 50	75 53
122 (a)	Hernia.. .. {M. F.	43 33	43 31	47 34	40 32	41 32	43 32	40 31	40 30	41 29	39 30	37 29
122 (b)	Intestinal obstruction .. {M. F.	67 49	64 47	71 50	69 48	69 49	69 48	68 48	68 48	69 45	61 45	61 43
124	Cirrhosis of the liver† .. {M. F.	48 22	47 23	45 20	41 18	39 18	34 16	29 13	31 15	31 13	29 12	27 13
125	Other diseases of the liver†.. {M. F.	16 23	18 25	16 25	19 26	4 5	5 4	4 5	4 5	4 6	4 7	4 7
127	Other diseases of the gall bladder and ducts. {M. F.											
126	Biliary calculi {M. F.	13 27	13 29	12 28	13 28	13 26	12 26	11 26	11 27	13 27	11 22	10 21
128	Diseases of the pancreas .. {M. F.	8 8	8 8	8 9	7 9	9 10	10 9	9 8	8 9	8 9	8 8	8 8
129	Peritonitis, without stated cause. {M. F.	6 13	5 14	7 13	7 14	7 13	7 14	7 17	7 18	5 12	5 12	5 11
130	Acute nephritis† {M. F.	35 27	31 26	28 28	30 25	27 23	26 23	26 22	27 22	24 21	27 20	21 18
131	Chronic nephritis† {M. F.	269 211	282 228	295 234	287 231	258 200	256 202	234 196	239 190	243 196	231 187	226 181
132	Nephritis, not stated to be acute or chronic.† {M. F.	? ?	? ?	? ?	? ?	40 32	37 30	32 27	30 25	29 24	30 21	23 17

TABLE 8—continued.

List No.	Causes of Death.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.
134	Calculi of the urinary passages {M. F.	9 4	10 5	13 5	10 6	11 6	11 5	11 5	11 5	12 7	11 5	12 7
135 (a)	Cystitis {M. F.	27 10	24 11	21 11	19 10	20 10	20 10	16 9	17 8	15 8	16 8	18 9
136 (a)	Stricture of the urethra .. M.	15	16	17	15	14	15	12	12	12	12	11
137	Diseases of the prostate .. M.	133	138	151	148	153	161	162	160	163	159	156
151	Carbuncle, boil .. . {M. F.	12 6	14 7	13 7	14 7	15 6	16 8	16 9	16 8	14 9	15 7	15 7
152 (1)	Cellulitis† {M. F.	12 9	15 10	16 10	14 9	13 12	13 9	15 10	18 13	14 10	15 9	16 9
154	Acute infective osteomyelitis {M. and periostitis. F.	19 10	22 9	19 12	20 10	19 10	21 10	17 11	20 8	17 10	18 10	17 10
162	Old age† {M. F.	413 401	344 335	366 361	307 298	290 292	288 288	260 267	237 242	248 245	246 237	234 233
163- 198	Deaths from violence (exter- {M. nal causes). F.	690 263	718 281	734 288	745 281	693 290	710 280	721 293	705 297	669 287	670 294	674 295
163- 171	Suicide {M. F.	151 57	146 57	147 58	148 58	149 58	165 62	158 65	153 63	139 61	133 57	131 60
176- 194	Accidental deaths† .. . {M. F.	533 199	566 218	582 224	591 216	500 212	503 198	521 208	511 214	489 206	499 217	505 217
181	Accidental burns (conflagra- {M. tion excepted). F.	42 42	40 44	43 49	38 39	37 40	34 37	34 39	33 35	33 40	32 40	32 39
186(pt)	Accidental injury by fall .. {M. F.	73 52	78 56	79 55	78 54	76 57	67 52	75 60	76 63	78 61	85 72	86 68
199- 200	Ill-defined diseases† .. . {M. F.	28 18	21 14	21 14	19 12	31 19	30 19	29 18	25 18	28 16	24 15	25 15
199	Sudden death† .. . {M. F.	6 3	6 2	5 3	4 3	7 3	7 4	7 4	6 3	6 3	7 3	5 2
200 (1)	Heart failure† .. . {M. F.	14 8	10 6	10 6	8 5	19 12	19 12	17 10	16 12	18 10	15 10	16 10

† This heading excludes headings 195-198 (see Table 6) which were included in the heading " Violent deaths (excluding suicide and homicide) " to which the figures prior to 1931 relate.

TABLE 9.—DEATH-RATES PER MILLION LIVING FROM THE } England and Wales.
PRINCIPAL EPIDEMIC OR GENERAL DISEASES, 1851–1937.

Note.—The rates throughout the table are based on total deaths and population (including non-civilians).

Period.	At All Ages (Standardized).								At Ages under 15 Years.					
	Typhoid and paratyphoid fevers.	Small-pox.	Influenza.	Encephalitis lethargica.	Tuberculosis (all forms).	Tuberculosis of respira- tory system.	Cancer.	Diabetes.	Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Acute poliomyelitis.	Cerebro-spinal fever.
1851–60					3,478	2,772	326		1,151			1,418		
1861–70		149			3,263	2,590	396		1,221	2,617	1,148	1,475		
1871–80	321	228			2,882	2,231	484		1,038	1,908	765	1,415		
1881–90	199	45			2,444	1,810	610		1,227	903	823	1,259		
1891–1900	175	14	363		2,021	1,413	767		1,217	439	894	1,115		
1901–10	91	13	208		1,646	1,143	867	93	973	311	584	876		
1911–20	34	0	566		1,375	1,007	928	98	891	141	447	596	13	45
1921–30	11	1	308	24	992	767	985	94	414	73	305	435	11	31
1851–55					3,638	2,890	320		1,114			1,439		
1856–60		180			3,328	2,663	341		1,185	2,201	1,379	1,398		
1861–65		205			3,316	2,625	381		1,265	2,646	1,422	1,437		
1866–70		97			3,217	2,558	416		1,180	2,589	891	1,511		
1871–75	371	392			2,956	2,327	460		1,023	2,018	807	1,378		
1876–80	275	76			2,818	2,141	515		1,051	1,806	726	1,450		
1881–85	218	78			2,558	1,922	567		1,138	1,160	848	1,269		
1886–90	181	13			2,342	1,704	650		1,313	656	799	1,250		
1891–95	175	20	418		2,138	1,504	725		1,174	498	896	1,151		
1896–1900	176	7	311		1,912	1,337	805		1,260	380	893	1,079		
1901–05	113	25	189		1,739	1,208	849	88	1,016	366	668	940		
1906–10	70	0	224		1,556	1,082	882	97	930	257	503	813		
1911–15	47	0	164		1,389	1,005	932	107	1,110	185	444	681	14	41
1916–20	22	0	965		1,359	1,009	924	91	665	96	449	509	12	48
1921–25	12	0	318	22	1,064	815	974	91	447	91	309	482	11	25
1926–30	9	1	299	26	921	721	998	96	380	55	301	387	12	37
1931–35	5	0	241	18	782	620	1,000	103	287	57	300	239	10	68
1897	157	1	196		1,933	1,356	791		1,214	414	805	1,097		
1898	182	8	331		1,915	1,325	804		1,256	320	788	973		
1899	198	6	390		1,908	1,339	829		948	334	953	965		
1900	174	3	504		1,904	1,337	830		1,199	340	936	1,090		
1901	155	11	173		1,807	1,263	841	91	850	380	888	965		
1902	126	75	222		1,739	1,229	836	83	1,211	427	768	924		
1903	101	23	187		1,741	1,196	856	84	854	364	592	893		
1904	93	15	166		1,780	1,228	854	91	1,141	330	564	1,109		
1905	90	3	199		1,634	1,130	856	91	1,025	333	532	809		
1906	92	1	178		1,647	1,138	880	94	871	301	587	768		
1907	68	0	256		1,606	1,125	866	93	1,157	275	541	944		
1908	75	0	275		1,585	1,099	874	98	729	236	521	899		
1909	60	1	241		1,524	1,063	895	99	1,145	273	484	654		
1910	53	1	172		1,422	988	893	103	750	200	384	798		
1911	67	1	113		1,456	1,035	909	99	1,173	158	433	705	16	31
1912	44	0	137		1,361	995	925	103	1,150	168	376	756	13	25
1913	41	0	161		1,340	958	948	108	951	175	392	492	15	25
1914	46	0	148		1,345	988	943	111	816	233	510	722	13	29
1915	37	0	257		1,440	1,053	933	113	1,458	189	510	730	13	97
1916	29	0	210		1,423	1,046	935	109	478	112	468	546	13	59
1917	26	0	174		1,479	1,085	930	90	941	62	393	411	11	62
1918	25	0	3,024		1,539	1,165	913	84	892	82	430	918	14	41
1919	15	1	1,169		1,229	918	915	89	334	104	447	248	12	40
1920	14	1	267		1,123	833	928	85	675	119	510	417	9	37
1921	16	0	213	19	1,117	845	957	90	211	105	430	433	12	29
1922	12	1	503	9	1,107	848	958	99	540	109	372	605	10	27
1923	12	0	188	13	1,049	798	971	92	506	83	249	398	9	21
1924	13	0	415	36	1,039	801	985	87	463	74	230	383	11	21
1925	10	0	272	34	1,017	788	997	88	517	85	259	591	11	27
1926	9	0	191	32	942	730	993	88	339	57	281	406	16	28
1927	9	1	466	28	951	744	987	94	359	49	256	367	12	33
1928	11	1	160	26	908	709	1,001	96	430	49	303	300	12	33
1929	9	1	580	24	932	737	1,000	103	345	57	328	649	10	45
1930	7	1	100	21	872	683	993	100	430	63	340	211	11	48
1931	6	0	284	22	869	686	998	101	341	45	258	263	7	95
1932	6	0	251	18	815	636	1,001	103	354	46	228	310	13	80
1933	5	0	432	17	799	639	997	104	201	63	261	237	13	67
1934	4	0	106	17	740	586	1,003	104	390	83	402	214	9	51
1935	4	—	135	15	687	552	1,001	104	143	47	351	170	10	46
1936	6	—	109	14	657	525	1,010	108	297	43	318	228	7	49
1937	5	—	318	15	657	523	1,002	110	114	31	310	195	8	52

TABLE 10.—CRUDE DEATH-RATES (INCLUDING NON-CIVILIANS) FROM THE PRINCIPAL EPIDEMIC { England and Wales, Metropolitan Boroughs, DISEASES AND FROM CERTAIN OTHER CAUSES; INFANT MORTALITY; 1936 AND 1937. County Boroughs, Administrative Counties.

Note :—The figures relate to the areas as constituted during each year.

Rates based upon less than 20 deaths are distinguished by *italic type* (see note to Table 17, page 71).

Administrative Area.	Mortality per Million Population at all Ages.																Mortality per 1,000 Live births.		Mortality per 1,000 Total (live and still) births.					
	Typhoid and paratyphoid fevers.		Smallpox.		Measles.		Scarlet fever.		Whooping cough.		Diphtheria.		Tuberculosis (all forms).		Tuberculosis of respiratory system.		Deaths under One Year.		Diarrhoea and enteritis under Two Years.		The Puerperal state.			
																	Year.		Years.		Puerperal sepsis.		Others.	
	1936.	1937.	1936.	1937.	1936.	1937.	1936.	1937.	1936.	1937.	1936.	1937.	1936.	1937.	1936.	1937.	1936.	1937.	1936.	1937.	1936.	1937.	1936.	1937.
England and Wales ..	6	5	—	—	67	26	12	9	51	43	75	72	692	695	583	584	59	58	5.75	5.54	1.34	0.94	2.31	2.19
<i>Metropolitan Boroughs:</i>																								
City of London ..	—	—	—	—	—	—	—	—	—	—	—	111	440	780	440	780	152	41	45.45	—	—	—	—	—
The Temples ..	—	7	—	—	158	21	7	7	76	63	48	63	1,003	857	873	774	59	70	10.34	13.99	1.37	—	0.91	1.81
Battersea ..	—	—	—	—	209	—	—	—	50	71	70	51	946	931	797	881	60	59	10.36	16.19	1.89	—	3.15	—
Bermondsey ..	40	—	—	—	175	11	21	—	134	106	41	42	836	846	671	772	98	54	30.49	9.54	1.46	1.54	0.73	0.77
Bethnal Green..	21	—	—	—	140	—	4	9	52	76	52	58	807	916	724	787	59	58	8.45	12.32	0.30	0.92	1.82	0.92
Camberwell ..	4	4	—	—	71	—	—	—	53	35	18	35	956	849	938	672	53	59	21.94	13.11	—	—	3.04	—
Chelsea ..	18	—	—	—	91	10	10	10	71	104	61	31	768	777	657	683	50	45	11.63	7.52	—	—	0.62	0.66
Deptford ..	—	—	—	—	345	—	16	—	115	102	66	34	1,003	1,056	872	1,005	81	71	20.24	13.55	1.15	—	—	1.19
Finsbury ..	—	—	—	—	99	14	7	14	42	50	71	29	849	850	757	778	64	56	9.95	15.52	0.92	—	0.92	3.01
Fulham ..	21	—	—	—	63	—	—	—	52	63	31	42	751	844	667	792	51	50	16.63	10.54	—	0.73	0.73	—
Greenwich ..	—	—	—	—	215	10	21	21	86	48	33	39	689	629	612	561	63	43	12.59	8.05	0.32	0.34	0.96	1.01
Hackney ..	—	5	—	—	117	—	23	8	55	71	39	95	908	838	775	751	60	68	12.49	14.11	0.51	0.51	1.01	1.53
Hammersmith..	16	16	—	—	22	—	—	11	66	22	11	44	430	397	353	331	66	54	11.45	10.84	1.82	0.96	0.91	1.91
Hampstead ..	44	—	—	—	57	29	—	—	57	58	86	87	1,004	780	918	665	62	79	10.38	7.14	—	3.45	—	—
Holborn ..	—	—	—	—	183	3	20	10	80	68	106	68	771	772	694	697	62	67	15.05	13.51	1.04	1.50	1.04	1.29
Islington ..	3	3	—	—	148	6	11	11	74	28	62	23	698	740	596	649	73	83	17.50	19.76	0.43	0.91	0.43	2.28
Kensington ..	11	11	—	—	94	4	4	15	47	77	54	73	760	873	699	760	59	69	9.56	11.62	0.25	1.25	0.50	0.75
Lambeth ..	4	4	—	—	98	—	9	9	67	49	18	49	705	650	629	593	56	47	7.50	9.27	0.33	0.32	1.64	0.96
Lewisham ..	—	4	—	—	65	7	7	—	22	43	36	36	546	788	474	665	72	66	16.14	12.71	2.51	1.02	2.51	3.06
Paddington ..	14	7	—	—	349	29	14	15	114	58	93	110	834	870	713	789	73	61	16.11	12.29	0.46	0.46	1.38	0.46
Poplar ..	—	7	—	—	87	—	11	—	54	33	65	33	758	586	671	554	75	73	24.28	10.48	—	2.23	2.14	2.23
St. Marylebone	11	22	—	—	98	—	38	16	82	49	44	82	897	891	827	814	78	65	25.42	21.79	2.03	0.81	0.81	1.22
St. Pancras ..	5	5	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Shoreditch ..	7	—	—	—	480	24	—	—	94	85	59	36	714	1,046	585	888	75	54	21.98	9.00	—	0.79	—	2.38
Southwark ..	—	—	—	—	151	7	—	—	105	88	59	54	887	875	828	787	59	65	8.43	9.69	0.43	0.45	1.29	2.68
Stepney ..	—	5	—	—	250	—	5	—	106	69	53	34	760	837	693	753	99	60	32.61	14.86	0.94	0.70	0.63	1.75
Stoke Newington ..	—	—	—	—	40	—	—	—	40	20	60	20	755	697	695	657	45	37	4.32	8.03	—	—	5.56	3.90
Wandsworth ..	9	—	—	—	70	6	—	15	35	67	67	53	697	656	609	571	58	64	9.16	11.45	0.25	1.72	0.99	0.98
Westminster ..	—	8	—	—	40	—	8	—	32	32	32	24	685	780	620	692	64	56	10.29	10.71	—	2.81	1.81	2.81
Woolwich ..	7	—	—	—	89	—	27	—	55	33	48	67	792	797	710	703	60	40	12.39	6.12	0.96	—	1.45	1.36
<i>County Boroughs</i>																								
Barnsley ..	6	7	—	—	89	43	12	8	63	50	100	95	828	844	707	718	66	66	6.68	6.47	1.37	0.98	2.37	2.06
Barrow-in-Furness ..	15	—	—	—	99	—	14	—	85	14	127	72	595	777	566	619	61	57	1.62	1.73	—	3.28	1.54	1.64
Bath ..	—	—	—	—	74	—	15	—	—	46	31	91	742	760	541	562	74	72	7.29	5.99	—	0.97	2.96	3.86
Birkenhead ..	—	—	—	—	209	—	7	7	44	—	59	44	826	546	738	457	42	40	2.61	—	1.26	—	2.53	—
Birmingham ..	3	1	—	—	38	72	11	9	104	82	115	172	865	873	757	756	62	78	3.71	9.25	1.96	0.40	0.78	0.80
Blackburn ..	9	—	—	—	—	—	—	—	43	35	26	105	767	728	681	726	63	60	5.89	4.99	1.42	0.74	1.60	2.00
Blackpool ..	—	—	—	—	74	8	—	—	25	8	49	57	633	622	526	541	63	60	2.33	3.20	2.22	0.75	2.22	2.24
Bolton ..	—	6	—	—	46	23	12	—	46	82	23	135	688	628	567	522	57	62	3.24	1.84	0.44	1.31	3.49	4.36
Bootle ..	13	27	—	—	105	54	26	13	92	107	105	187	1,342	1,098	1,145	964	69	77	4.15	7.32	—	2.34	3.42	1.76
Bournemouth ..	243	—	—	—	67	—	—	—	25	33	17	66	637	744	561	628	39	46	1.44	2.96	1.39	0.71	3.46	2.14
Bradford ..	3	3	—	—	59	10	24	3	41	41	179	166	657	767	516	646	83	70	7.95	7.99	1.47	0.95	3.18	1.67
Brighton ..	7	7	—	—	48	—	14	—	20	61	27	14	769	791	688	675	58	52	10.11	8.25	0.49	—	3.90	1.00
Bristol ..	—	2	—	—	99	5	7	10	43	36	36	24	814	812	713	682	48	46	4.07	1.50	1.47	1.12	1.63	2.40
Burnley ..	—	—	—	—	22	11	—	—	77	22	77	212	722	691	613	591	64	75	2.69	2.86	1.69	—	4.23	1.79
Burton-upon-Trent ..	—	—	—	—	42	—	21	21	21	—	84	85	527	637	463	573	64	51	1.46	1.44	—	2.77	1.40	1.39
Bury ..	—	—	—	—	100	17	17	17	17	17	234	101	618	654	484	503	59	57	—	—	1.19	1.28	3.57	6.38
Canterbury ..	17	—	—	—	79	—	—	17	—	39	119	—	635	431	595	392	42	30	4.99	—	—	—	2.44	—
Carlisle ..	—	—	—	—	—	90	—	17	17	17	—	17	983	706	864	588	86	53	7.14	2.12	1.14	1.02	2.28	5.11
Chester ..	—	—	—	—	23	—	—	—	23	—	68	157	867	986	799	807	51	59	4.52	3.05	1.47	—	2.95	4.41
Coventry ..	—	5	—	—	5	34	21	—	26	34	82	34	876	757	788	611	52	50	2.39	5.94	1.32	1.20	1.32	1.80
Croydon ..	17	144	—	—	87	21	8	12	62	21	33	62	625	640	546	561	41	60	6.77	11.65	1.48	0.30	2.08	3.28
Darlington ..	—	13	—	—	26	13	26	26	—	40	252	225	940	1,045	808	899	58	59	0.85	3.50	0.81	0.84	1.62	0.84
Derby ..	7	7	—	—	21	21	14	—	57	57	71	43	670	616	577	544	62	63	3.45	2.91	1.89	2.80	1.89	2.33
Dewsbury ..	—	—	—	—	113	—	—	19	56	38	113	170	676	566	451	415	69	62	3.81	7.45	1.20	—	1.20	2.36
Doncaster ..	—	—	—	—	43	—	57	28	86	14	29	70	471	673	343	547	52	61	7.60	—	3.61	0.90	8.13	2.69
Dudley ..	—	—	—	—	17	180	33	—	17	33	149	229	776	834	677	785	71	80	6.30	6.92	—	1.66	0.87	0.83
Eastbourne ..	—	—	—	—	36	—	—	—	36	18	—	18	718	539	592	450	46	31	—	—	—	1.57	4.42	3.13
East Ham ..	—	8	—	—	127	—	—	—	75	38	37	23	802	709	720	610	50	49	9.32	7.17	0.50	—	1.50	0.50
Exeter ..	15	72	—	—	29	—	—	—	29	29	29	—	699	693	554	592	62	56	6.56	3.06	1.04	0.98	1.04	—
Gateshead ..	—	—	—	—	193	26	8	—	168	51	67	221	1,126	1,148	874	1,029	92	77	14.63	6.70	1.39	0.92	4.64	3.21

Sheffield	..	(1)	4	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Smethwick	83	15	10	..	75	14	168	83	685	60	55	5.33	3.27	1.59	2.05	2.20	1.32
Southampton	74	62	25	25	37	50	37	100	566	734	541	709	2.54	2.30	2.42
Southend-on-Sea	180	11	39	45	68	56	829	834	705	733	5.29	1.37	0.68	1.72	1.02
Southport	15	25	7	15	37	36	22	29	514	604	492	553	5.79	..	0.62	1.25	3.74
South Shields	13	36	13	13	76	13	..	76	517	519	429	418	5.97	2.39	2.29	1.19	2.29
Stockport	72	36	54	27	27	81	72	171	1,060	1270	817	1,027	7.65	2.56	..	0.51	2.10
Stoke-on-Trent	..	15	83	15	106	..	61	30	804	905	622	740	4.23	..	3.03	3.15	5.56
Sunderland	..	11	135	40	15	26	59	70	66	117	871	953	732	799	8.37	1.03	1.04	2.89	3.97
Tynemouth	..	16	11	109	22	33	60	27	163	115	912	1039	782	804	18.84	1.33	2.39	2.13	1.06
Wakefield	..	15	120	60	15	15	30	60	..	105	943	972	868	807	7.27	0.80	..	2.41	1.75
Walsley	101	..	17	..	52	34	218	118	754	574	570	422	2.44	1.10	..	4.42	1.15
Walsall..	115	..	10	53	125	126	751	790	626	664	6.26	1.45	1.50	..	0.75
Warrington	..	9	9	112	..	28	66	75	19	94	818	918	780	777	7.32	1.48	2.02	2.46	2.02
West Bromwich	354	13	25	..	114	38	290	127	947	943	871	904	4.45	5.24	1.42
West Ham	49	109	114	206	158	631	802	510	741	7.02	0.66	..	1.33	0.61
West Hartlepool	..	4	188	4	15	15	68	69	56	69	888	875	775	782	11.22	0.69	0.46	1.15	0.69
Wigan	..	28	141	14	42	114	339	128	1,032	970	778	770	2.31	1.48	..	0.74	1.50
Wolverhampton	12	60	215	12	179	264	752	793	573	637	5.91	1.97	..	0.66	2.81
Worcester	14	90	7	21	49	49	91	139	787	826	709	688	0.82	0.82	..	3.27	1.57
York	..	11	76	38	57	19	171	264	664	1093	607	848	11.46	3.64	..	2.43	1.16
Cardiff	..	18	167	10	11	102	558	553	446	440	1.21	3.64	..	2.86	1.96
Merthyr Tydfil	14	54	9	9	54	36	77	91	1,052	995	876	822	4.09	0.72	0.65	2.86	1.96
Newport (Mon.)	32	30	..	107	63	137	111	975	885	853	759	5.59	2.55	0.85	1.13	2.83
Swansea	62	10	10	62	62	123	31	1,039	883	967	759	3.35	1.02	4.22
	18	68	6	12	61	6	85	148	792	952	622	773	5.72	0.59	..	1.77	1.83
	2.22	2.32	4.44	1.54
Administrative Counties																										
Bedfordshire	..	6	..	4	57	17	12	9	45	39	64	61	626	623	522	519	55	54	5.26	5.06	1.32	0.92	2.28	2.26
Berkshire	24	24	20	4	32	20	234	138	646	575	585	457	42	41	1.36	2.28	1.31	..	3.14	1.72
Buckinghamshire	31	13	9	4	9	44	18	18	477	486	410	389	39	44	1.28	3.13	1.85	0.30	2.47	2.42
Cambridgeshire	10	16	..	3	14	16	17	16	549	546	444	467	45	40	2.32	2.44	0.90	0.43	2.47	1.73
Cheshire	7	..	14	7	20	40	..	7	420	478	352	404	37	43	3.96	1.66	0.55	1.61	2.75	1.08
Cornwall	..	4	..	4	52	4	21	4	52	29	122	129	490	517	386	437	50	51	3.24	2.93	0.97	1.58	3.96	1.86
Cumberland	..	3	45	13	13	3	16	16	26	19	653	631	509	541	51	49	2.86	1.49	1.14	0.48	2.96	3.10
Derbyshire	..	10	..	15	30	41	..	5	15	31	90	41	731	806	561	627	58	61	5.69	5.11	0.91	0.31	3.03	0.93
Devonshire	..	8	..	3	29	34	8	18	59	19	76	96	514	504	419	399	58	52	3.02	3.29	1.30	0.88	2.10	2.45
Dorsetshire	..	4	..	11	7	9	4	13	28	35	22	35	626	635	507	542	48	52	2.61	1.96	0.84	0.69	2.35	2.40
Durham	..	80	..	12	76	4	4	8	32	68	40	28	491	464	426	356	47	46	2.65	0.87	1.71	0.84	2.00	2.79
Ely, Isle of	..	6	..	1	61	30	48	23	94	41	212	261	754	736	606	570	71	71	6.96	6.07	2.89	0.95	2.71	2.84
	..	24	12	25	24	..	122	61	24	49	539	527	392	453	60	58	1.51	3.07	1.45	2.20	2.18	5.13

TABLE 10—*continued.*

Administrative Area.	Mortality per Million Population at all Ages.												Mortality per 1,000 Live births.		Mortality per 1,000 Total (live and still) births.		The Puerperal state.							
	Typhoid and paratyphoid fevers.		Smallpox.		Measles.		Scarlet fever.		Whooping cough.		Diphtheria.		Tuberculosis (all forms).		Tuberculosis of respiratory system.		Deaths under One Year.		Diarrhoea and enteritis under Two Years.		Puerperal sepsis.		Others.	
	1936.	1937.	1936.	1937.	1936.	1937.	1936.	1937.	1936.	1937.	1936.	1937.	1936.	1937.	1936.	1937.	1936.	1937.	1936.	1937.	1936.	1937.	1936.	1937.
Essex ..	7	7	—	—	84	14	11	4	30	28	54	44	540	527	446	438	49	46	4.71	4.50	1.14	0.97	1.84	1.69
Gloucestershire	6	3	—	—	42	21	15	9	48	38	9	24	637	631	509	504	45	45	1.64	3.75	1.18	0.76	2.16	1.71
Herefordshire ..	—	—	—	—	36	27	9	9	9	—	18	9	720	596	574	513	43	48	3.17	2.52	1.22	1.22	2.44	2.45
Hertfordshire ..	4	—	—	—	11	21	4	8	26	17	22	4	537	451	428	381	38	38	1.35	3.16	0.44	0.70	1.60	1.67
Huntingdonshire	18	—	—	—	—	—	—	—	36	35	72	71	486	568	360	479	46	47	—	4.81	—	1.16	—	5.79
Kent ..	6	4	—	—	52	1	12	11	37	33	29	29	617	640	518	535	47	48	3.07	5.59	1.24	0.72	1.58	1.93
Lancashire ..	4	4	—	—	50	13	10	9	44	38	97	82	569	572	464	465	58	63	3.54	4.09	1.51	1.30	3.40	3.71
Leicestershire ..	—	3	—	—	3	27	10	23	37	23	108	47	642	672	528	539	52	49	2.72	2.45	1.30	2.15	2.61	0.86
Lincolnshire, Holland	11	21	—	—	32	84	—	21	63	52	—	10	644	639	549	503	51	51	2.51	1.85	1.21	1.19	2.42	1.79
" Kesteven	18	—	—	—	9	44	—	—	53	62	35	18	426	643	337	529	47	64	1.26	0.62	0.60	1.19	3.02	0.59
" Lindsey ..	4	—	—	—	22	26	7	4	22	26	22	37	594	646	468	521	51	49	2.87	1.65	0.46	0.45	2.06	2.27
London ..	7	4	—	—	141	6	10	8	67	60	55	53	776	791	688	705	66	60	14.47	12.29	0.72	0.81	1.19	1.41
Middlesex ..	6	2	—	—	56	6	9	7	35	29	42	39	648	584	565	500	49	49	5.77	7.96	0.86	0.92	1.40	1.77
Norfolk ..	3	18	—	—	28	15	6	3	22	28	22	18	520	542	411	443	47	47	2.29	2.46	2.20	—	3.20	1.58
Northamptonshire	—	5	—	—	9	5	18	14	32	36	28	36	538	554	455	426	48	44	1.64	1.93	0.32	0.62	2.53	1.56
Northumberland	5	15	—	—	59	42	5	15	22	54	93	52	713	732	551	540	70	66	7.74	5.52	1.54	0.93	2.47	3.11
Nottinghamshire	4	2	—	—	35	36	—	4	65	34	70	45	617	517	538	406	58	59	4.83	5.74	1.50	0.79	2.31	2.10
Oxfordshire ..	15	—	—	—	15	90	8	—	45	37	—	22	543	382	422	284	43	42	3.65	1.46	1.01	0.94	2.52	1.41
Peterborough, Soke of	—	—	—	—	—	36	—	—	18	36	—	108	476	723	384	560	56	64	6.05	8.79	1.17	1.21	4.68	1.21
Rutlandshire ..	—	—	—	—	—	57	—	—	—	114	57	—	453	454	453	398	43	52	—	8.00	—	—	3.80	—
Shropshire ..	4	4	—	—	17	17	4	—	21	58	83	29	488	565	393	403	46	51	1.92	2.12	0.79	1.52	3.41	2.28
Somersetshire ..	2	7	—	—	30	5	12	5	20	42	30	17	441	515	354	413	47	44	2.26	2.61	2.17	0.54	3.25	2.69
Southampton ..	18	—	—	—	58	—	8	10	28	29	30	29	447	482	365	404	47	41	1.98	2.02	1.78	0.85	2.68	2.68
Staffordshire ..	5	1	—	—	42	49	14	11	41	59	62	88	590	677	489	555	67	61	5.79	4.27	1.08	1.11	2.54	2.45
Suffolk, East ..	—	5	—	—	14	63	19	19	34	58	29	10	560	525	444	418	43	41	1.74	1.01	2.01	0.98	2.35	1.63
" West ..	—	10	—	—	29	39	—	—	29	39	29	—	531	379	415	292	42	41	2.24	2.07	1.44	—	4.32	1.99
Surrey ..	11	4	—	—	45	3	9	4	22	24	34	32	548	524	470	455	42	42	2.93	2.75	1.05	0.49	1.48	1.82
Sussex, East ..	3	3	—	—	41	10	3	7	27	20	34	20	484	519	419	415	37	37	2.27	3.35	1.09	0.27	1.92	1.35
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Sussex West ..	4	8	—	—	24	4	8	4	20	15	12	19	551	512	475	427	35	46	2.61	1.93	0.83	0.53	1.95	1.33
Warwickshire ..	3	—	—	—	21	26	26	20	55	38	113	90	514	520	425	415	52	50	1.74	2.67	2.69	0.48	2.35	2.58
Westmorland ..	—	—	—	—	31	—	—	—	—	78	16	31	655	565	499	455	52	46	2.21	1.13	2.13	—	3.19	4.32
Wight, Isle of ..	—	—	—	—	—	—	12	—	—	35	12	—	559	490	431	397	47	36	1.89	2.83	—	0.91	1.82	0.91
Wiltshire ..	—	3	—	—	23	3	—	3	20	36	63	30	461	439	382	344	36	38	1.61	1.17	1.11	0.68	2.44	3.15
Worcestershire ..	3	—	—	—	37	30	6	6	43	42	82	69	742	640	611	519	51	52	4.91	2.98	2.27	1.52	3.02	3.05
Yorkshire, East Riding ..	6	—	—	—	17	5	11	—	34	16	90	137	524	407	400	313	49	53	2.72	2.26	0.37	0.36	2.61	2.16
North ..	12	12	—	—	55	42	24	12	58	51	58	66	566	492	444	348	57	58	2.96	3.00	1.89	1.80	1.51	2.52
West ..	3	3	—	—	52	19	24	11	55	43	98	91	559	568	438	460	63	60	4.00	3.05	1.62	0.87	2.53	2.87
Anglesey ..	21	—	—	—	42	—	—	21	63	86	21	64	888	1156	846	985	52	68	5.47	4.71	1.30	—	5.20	1.47
Brecknockshire ..	—	—	—	—	—	19	—	—	55	56	37	19	733	897	659	766	57	52	3.98	2.72	1.25	—	4.99	5.07
Caernarvonshire ..	—	—	—	—	92	—	—	8	84	25	50	76	1,230	1304	1,029	1169	66	66	5.64	4.33	2.38	4.70	4.17	4.12
Cardiganshire ..	19	—	—	—	37	19	19	19	37	38	—	—	969	1004	876	853	65	65	1.59	8.33	1.48	1.57	7.42	11.01
Carmarthenshire ..	—	—	—	—	17	23	—	11	34	57	51	98	1,094	850	918	701	65	56	4.47	3.62	1.54	1.89	5.01	6.05
Denbighshire ..	—	—	—	—	95	6	25	6	51	38	172	293	694	688	560	599	67	59	3.06	3.91	0.83	—	2.91	2.08
Flintshire ..	8	8	—	—	8	33	8	17	93	42	127	109	552	577	433	468	61	61	3.81	2.01	2.04	1.92	3.58	2.40
Glamorganshire ..	5	6	—	—	12	57	15	10	75	41	72	69	834	867	688	718	63	65	4.70	3.38	2.42	1.47	2.92	3.12
Merionethshire ..	—	—	—	—	49	—	—	—	146	—	—	—	1,072	1314	951	1265	70	68	3.80	7.31	—	—	1.82	3.41
Monmouthshire ..	9	6	—	—	13	54	9	3	81	42	59	45	716	791	575	656	62	64	4.13	5.76	2.96	1.55	3.52	2.72
Montgomeryshire ..	—	—	—	—	—	—	—	—	—	88	22	—	849	641	696	530	49	46	4.48	1.53	—	—	1.43	4.35
Pembrokeshire ..	—	—	—	—	24	12	36	24	24	108	36	192	717	853	550	709	51	55	1.59	4.20	2.25	—	1.50	3.21
Radnorshire ..	50	—	—	—	—	—	—	—	99	51	—	51	447	809	348	658	66	57	—	—	—	—	3.07	3.15

TABLE 11.—DEATHS UNDER ONE YEAR OF AGE FROM } England and Wales.
CERTAIN CAUSES, 1927-1937.

Cause of Death.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.
All Causes	45,610	42,960	47,868	38,908	41,939	39,933	36,960	35,017	34,092	35,425	35,175
I—Common Infectious Diseases (6-10, 44 : 4)	2,537	2,498	3,415	2,028	2,000	2,185	1,479	1,694	1,199	1,808	1,192
II—Tuberculous Diseases (23-32) ..	718	710	660	585	665	617	482	413	335	359	389
III—Diarrhœa and Enteritis (119) ..	3,740	4,099	4,597	3,522	3,284	3,630	3,558	2,890	3,031	3,220	3,086
IV—Developmental and Wasting Diseases (157-159, 161 : a & b) ..	19,440	18,915	19,256	18,366	18,543	17,973	17,491	17,092	16,782	16,774	17,039
V—Miscellaneous Diseases— (Remainder)	19,175	16,738	19,940	14,407	17,447	15,528	13,950	12,928	12,745	13,264	13,469
Measles (7)	791	914	657	902	720	661	363	676	287	624	233
Whooping cough (9)	1,584	1,397	2,554	965	1,127	1,410	1,010	902	812	1,073	860
Diphtheria (10)	105	135	143	126	101	72	70	74	70	82	81
Influenza (11)	808	222	777	130	513	422	519	169	205	161	375
Tuberculosis of nervous system (24)	399	357	325	306	366	341	229	227	182	190	220
Tuberculosis of intestines and peritoneum (25)	114	128	128	86	104	89	81	51	45	36	38
Other tuberculous diseases (23, 26-32)	205	225	207	193	195	187	172	135	108	133	131
Syphilis (34)	505	471	413	360	322	291	232	201	174	162	140
Meningitis (79)	310	298	291	231	257	225	233	213	215	203	209
Convulsions (86)	1,911	1,624	1,702	1,456	1,412	1,237	1,084	1,076	1,026	902	790
Bronchitis (106)	2,762	2,309	2,725	1,718	2,305	1,899	1,485	1,253	1,202	1,203	1,244
Pneumonia (107-109)	7,659	6,385	8,477	5,160	7,302	5,987	5,484	4,873	5,018	5,328	5,582
Other respiratory diseases (104, 105, 110-114)	158	199	188	189	180	163	123	108	119	107	94
Inflammation of the stomach (118 : 1)	335	302	253	219	247	208	189	153	157	141	112
Diarrhœa and enteritis (119) ..	3,740	4,099	4,597	3,522	3,284	3,630	3,558	2,890	3,031	3,220	3,086
Hernia, intestinal obstruction (122)	384	408	432	399	392	357	340	311	350	320	286
Congenital malformations (157) ..	3,120	3,249	3,350	3,420	3,494	3,611	3,417	3,619	3,540	3,683	3,699
Diseases of early infancy (158-161)	17,952	17,371	17,764	16,789	16,800	16,232	15,797	15,336	15,036	15,110	15,327
Congenital debility (158) ..	2,768	2,555	2,504	2,198	2,116	1,823	1,810	1,526	1,521	1,459	1,374
Premature birth (159)	12,132	11,671	11,992	11,360	11,565	11,174	10,885	10,518	10,314	10,105	10,375
Injury at birth (160)	1,211	1,253	1,354	1,360	1,334	1,379	1,321	1,391	1,415	1,530	1,509
With mention of Cæsarean section (160 a)	?	?	?	?	10	15	12	14	15	9	5
Without mention of Cæsarean section (160 b)	?	?	?	?	1,324	1,364	1,309	1,377	1,400	1,521	1,504
Other diseases peculiar to early infancy (161)	1,841	1,892	1,914	1,871	1,785	1,856	1,781	1,901	1,836	2,016	2,069
Atelectasis (161 a)	1,018	1,049	1,021	1,012	1,042	1,052	1,079	1,099	1,118	1,219	1,266
Icterus neonatorum (161 b) ..	402	391	389	376	326	313	300	330	289	308	325
Other diseases included under 161 (161 c)	421	452	504	483	417	491	402	472	429	489	478
Disease of the umbilicus (161 c : 1)	75	79	98	113	90	103	69	83	73	73	83
Pemphigus neonatorum (161 c : 2)	122	119	126	102	84	72	52	69	58	68	78
Other diseases under 161 c (161 c : 3)	224	254	280	268	243	316	281	320	298	348	317
Suffocation—in bed or not stated how (182 pt.)	392	390	364	359	296	300	255	253	230	260	245
Inattention at birth (194 : 1) ..	266	250	223	217	182	226	165	197	155	143	170
Other causes	2,110	2,227	2,298	2,161	2,340	2,385	2,154	2,300	2,080	2,344	2,253

TABLE 12.—INFANT MORTALITY (DEATHS UNDER
1 YEAR PER 1,000 LIVE BIRTHS) FROM CERTAIN } England and Wales.
CAUSES, 1927-1937.

NOTE.—Rates based upon less than 20 deaths are distinguished by *italic type* (see note to Table 17, page 71).

Cause of Death.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.
All Causes	69.72	65.06	74.37	59.97	66.35	65.04	63.68	58.59	56.94	58.53	57.61
I—Common Infectious Diseases (8-10, 44 : 4)	3.88	3.78	5.31	3.13	3.16	3.56	2.55	2.83	2.00	2.99	1.95
II—Tuberculous Diseases (23-32) ..	1.10	1.08	1.03	0.90	1.05	1.00	0.83	0.69	0.56	0.59	0.64
III—Diarrhoea and Enteritis (119) ..	5.72	6.21	7.14	5.43	5.20	5.91	6.13	4.84	5.06	5.32	5.05
IV—Developmental and Wasting Diseases (157-159, 161 : a & b) ..	29.72	28.65	29.92	28.31	29.34	29.27	30.14	28.60	28.03	27.71	27.91
V—Miscellaneous Diseases— (Remainder)	29.31	25.35	30.98	22.21	27.60	25.29	24.03	21.63	21.29	21.91	22.06
Measles (7)	1.21	1.38	1.02	1.39	1.14	1.08	0.63	1.13	0.48	1.03	0.38
Whooping cough (9)	2.42	2.12	3.97	1.49	1.78	2.30	1.74	1.51	1.36	1.77	1.41
Diphtheria (10)	0.16	0.20	0.22	0.19	0.16	0.12	0.12	0.12	0.12	0.14	0.13
Influenza (11)	1.24	0.34	1.21	0.20	0.81	0.69	0.89	0.28	0.34	0.27	0.61
Tuberculosis of nervous system (24)	0.61	0.54	0.50	0.47	0.58	0.56	0.39	0.38	0.30	0.31	0.36
Tuberculosis of intestines and peritoneum (25)	0.17	0.19	0.20	0.13	0.16	0.14	0.14	0.09	0.08	0.06	0.06
Other tuberculous diseases (23, 26-32)	0.31	0.34	0.32	0.30	0.31	0.30	0.30	0.23	0.18	0.22	0.21
Syphilis (34)	0.77	0.71	0.64	0.55	0.51	0.47	0.40	0.34	0.29	0.27	0.23
Meningitis (79)	0.47	0.45	0.45	0.36	0.41	0.37	0.40	0.36	0.36	0.34	0.34
Convulsions (86)	2.92	2.46	2.64	2.24	2.23	2.01	1.87	1.80	1.71	1.49	1.29
Bronchitis (106)	4.22	3.50	4.23	2.65	3.65	3.09	2.56	2.10	2.01	1.99	2.04
Pneumonia (107-109)	11.71	9.67	13.17	7.95	11.55	9.75	9.45	8.15	8.38	8.80	9.14
Other respiratory diseases (104, 105, 110-114)	0.24	0.30	0.29	0.29	0.28	0.27	0.21	0.18	0.20	0.18	0.15
Inflammation of the stomach (118 : 1)	0.51	0.46	0.39	0.34	0.39	0.34	0.33	0.26	0.26	0.23	0.18
Diarrhoea and enteritis (119) ..	5.72	6.21	7.14	5.43	5.20	5.91	6.13	4.84	5.06	5.32	5.05
Hernia, intestinal obstruction (122)	0.59	0.62	0.67	0.61	0.62	0.58	0.59	0.52	0.58	0.53	0.47
Congenital malformations (157) ..	4.77	4.92	5.20	5.27	5.53	5.88	5.89	6.06	5.91	6.08	6.06
Diseases of early infancy (158-161)	27.45	26.31	27.60	25.88	26.58	26.44	27.22	25.66	25.20	24.96	25.10
Congenital debility (158) ..	4.23	3.87	3.89	3.39	3.35	2.97	3.12	2.55	2.54	2.41	2.25
Premature birth (159)	18.55	17.68	18.63	17.51	18.30	18.20	18.75	17.60	17.23	16.69	16.99
Injury at birth (160)	1.85	1.90	2.10	2.10	2.11	2.25	2.28	2.33	2.36	2.53	2.47
With mention of Cæsarean section (160 a)	?	?	?	?	0.02	0.02	0.02	0.02	0.03	0.01	0.01
Without mention of Cæsarean section (160 b)	?	?	?	?	2.10	2.22	2.26	2.30	2.34	2.51	2.46
Other diseases peculiar to early infancy (161)	2.81	2.87	2.97	2.88	2.82	3.02	3.07	3.18	3.07	3.33	3.39
Atelectasis (161 a)	1.56	1.59	1.59	1.56	1.65	1.71	1.86	1.84	1.87	2.01	2.07
Icterus neonatorum (161 b) ..	0.61	0.59	0.60	0.58	0.52	0.51	0.52	0.55	0.48	0.51	0.53
Other diseases included under 161 (161 c)	0.64	0.68	0.78	0.74	0.66	0.80	0.69	0.79	0.72	0.81	0.78
Disease of the umbilicus (161 c : 1)	0.11	0.12	0.15	0.17	0.14	0.17	0.12	0.14	0.12	0.12	0.14
Pemphigus neonatorum (161 c : 2)	0.19	0.18	0.20	0.16	0.13	0.12	0.09	0.12	0.10	0.11	0.13
Other diseases under 161 c (161 c : 3)	0.34	0.38	0.44	0.41	0.38	0.51	0.48	0.54	0.50	0.57	0.52
Suffocation—in bed or not stated how (182 pt.)	0.60	0.59	0.57	0.55	0.47	0.49	0.44	0.42	0.38	0.43	0.40
Inattention at birth (194 : 1) ..	0.41	0.38	0.35	0.33	0.29	0.37	0.28	0.33	0.26	0.24	0.28
Other causes	3.23	3.37	3.57	3.33	3.70	3.88	3.71	3.85	3.47	3.87	3.69

TABLE 13.—DEATHS AT VARIOUS PERIODS IN THE FIRST YEAR OF { England and Wales, Geographical Regions,* Aggregates of County Life, 1937, and the four quarters thereof. }
Boroughs, Other Urban Districts and Rural Districts.

	Total under 1 year.	Under 30 minutes.	30 minutes and under 1 day.	Total under 1 day.	Days.						1 day and under 1 week.	Weeks.			Months.						
					1	2	3	4	5	6		0	1	2	3	Total under 4 weeks.	4 weeks to 3 months.	3-6	6-9	9-12	
{ All Infants .. Legitimate .. Illegitimate .. }	{ M. F. P. } { M. F. P. } { M. F. P. }	520 484 1,004	3,192 2,411 5,603	3,712 2,895 6,607	1,135	1,043	776	414	299	267	3,934	7,646	1,150	866	623	10,285	3,464	2,957	2,067	1,508	
					964	737	479	305	238	182	2,905	5,800	969	655	459	7,883	2,257	2,087	1,533	1,134	
					2,099	1,780	1,255	719	537	449	6,839	13,446	2,119	1,521	1,082	18,168	5,721	5,044	3,600	2,642	
{ South East Greater London .. Remainder of South East .. }	{ M. F. P. } { M. F. P. } { M. F. P. }	417 366 783	3,020 2,275 5,295	3,437 2,641 6,078	1,076	985	745	399	287	254	3,746	7,183	1,089	813	587	9,672	3,200	2,738	1,972	1,446	
					903	706	454	293	226	174	2,756	5,397	915	621	425	7,358	2,079	1,927	1,464	1,087	
					1,979	1,691	1,199	692	513	428	6,502	12,580	2,004	1,434	1,012	17,030	5,279	4,665	3,436	2,533	
{ Midland section Southern section North .. " II .. " III .. " IV .. }	{ M. F. P. } { M. F. P. } { M. F. P. } { M. F. P. } { M. F. P. } { M. F. P. }	103 118 221	172 136 308	275 254 529	59	58	31	15	12	13	188	463	61	53	36	613	264	219	95	62	
					61	31	25	12	12	8	149	403	54	34	34	525	178	160	69	47	
					120	89	56	27	24	21	337	866	115	87	70	1,138	442	379	164	109	
{ Midland section Southern section North .. " II .. " III .. " IV .. }	{ M. F. P. } { M. F. P. } { M. F. P. } { M. F. P. } { M. F. P. } { M. F. P. }	318 184 134	1,545 900 645	1,863 1,084 779	607	447	322	185	163	122	1,846	3,709	530	395	281	4,915	1,744	1,662	1,085	725	
					359	257	178	99	104	72	1,069	2,153	314	251	183	2,901	1,186	1,221	786	503	
					248	190	144	86	59	50	777	1,556	216	144	98	2,014	558	441	299	222	
{ Midland section Southern section North .. " II .. " III .. " IV .. }	{ M. F. P. } { M. F. P. } { M. F. P. } { M. F. P. } { M. F. P. } { M. F. P. }	111 207	567 978	678 1,185	210	175	121	85	63	47	701	1,379	203	156	105	1,843	637	523	350	219	
					397	272	201	100	100	75	1,145	2,330	327	239	176	3,072	1,107	1,139	735	506	
					791	718	500	276	197	158	2,640	5,026	845	620	449	6,940	2,231	2,010	1,445	1,053	
{ Midland Midland I .. " II .. " III .. " IV .. }	{ M. F. P. } { M. F. P. } { M. F. P. } { M. F. P. } { M. F. P. }	200 131 69	1,141 782 359	1,341 913 428	376	306	234	130	103	100	1,249	2,590	411	284	202	3,487	973	835	644	513	
					275	202	150	85	68	58	838	1,751	262	192	127	2,332	652	556	432	351	
					101	104	84	45	35	42	411	839	149	92	75	1,155	321	279	212	162	
{ East.. .. South West .. Wales .. Wales I .. " II .. }	{ M. F. P. } { M. F. P. } { M. F. P. } { M. F. P. } { M. F. P. }	34 47	249 251	283 298	76	76	51	38	23	20	284	567	86	57	43	753	206	142	123	94	
					93	80	52	36	22	17	300	598	80	61	38	777	188	114	91	101	
					156	153	96	54	29	32	520	956	167	104	69	1,296	379	281	212	156	
{ Density Summaries— County Boroughs .. Other Urban Districts .. Rural Districts .. }	{ M. F. P. } { M. F. P. } { M. F. P. }	348 278 194	1,969 1,751 983	2,317 2,029 1,177	715	602	423	247	158	152	2,297	4,614	739	562	440	6,355	2,167	2,051	1,465	1,022	
					655	618	430	247	166	149	2,265	4,294	693	458	296	5,741	1,540	1,200	933	715	
					370	303	224	126	109	76	1,208	2,385	373	250	163	3,171	828	572	416	402	
{ England and and Wales. }	{ M. F. P. } { M. F. P. } { M. F. P. }	244 276 239	1,471 1,384 1,371	1,715 1,660 1,610	586	548	376	191	168	144	2,013	3,728	642	460	329	5,159	1,716	1,642	1,209	978	
					555	478	316	201	120	110	1,780	3,440	544	427	309	4,720	1,476	1,184	869	644	
					470	330	252	145	116	93	1,406	3,016	423	260	218	3,917	1,035	848	610	434	
{ March Quarter June .. September .. December .. }	{ M. F. P. } { M. F. P. } { M. F. P. }	245	1,377	1,622	488	424	311	182	133	102	1,640	3,262	510	374	226	4,372	1,494	1,370	912	586	

* For constitution of Geographical Regions, see note on first page of Table 17.

TABLE 14.—INFANT MORTALITY (DEATHS UNDER 1 YEAR AND VARIOUS SUB-DIVISIONS OF THE FIRST YEAR PER 1,000 LIVE BIRTHS), 1937.

By Sex, Age, Cause and Legitimacy—England and Wales.

By Age, Cause and Legitimacy—Greater London, Aggregates of County Boroughs, Other Urban Districts and Rural Districts.

NOTE.—Rates based upon less than 20 deaths are distinguished by *italic type* (see note to Table 17, page 71).

	All Infants.						Legitimate Infants.						Illegitimate Infants.					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
All Causes—																		
England and Wales ..	{ M 64.67 F 50.16 P 57.61	32.79	11.05	9.43	6.59	4.81	63.31	32.18	10.65	9.11	6.56	4.81	95.85	46.89	20.20	16.75	7.27	4.74
Greater London ..	{ M 53.86 F 65.91 P 55.41	23.69	9.68	9.97	6.42	4.11	51.02	22.65	8.78	9.30	6.22	4.07	114.58	45.79	29.01	24.27	10.58	4.93
County Boroughs ..	{ M 32.07 F 31.40 P 29.60	32.07	10.94	10.35	7.39	5.16	34.98	31.53	10.66	10.18	7.45	5.16	86.76	44.15	17.12	14.16	6.14	5.19
Other Urban Districts ..	{ M 55.41 F 50.30 P 59.17	31.40	8.42	6.56	5.10	3.91	54.54	30.91	8.26	6.40	5.06	3.92	77.36	43.96	12.58	10.84	6.22	3.76
Rural Districts ..	{ M 29.60 F 29.79 P 29.79	29.60	7.73	5.34	3.88	3.75	49.24	28.85	7.57	5.08	3.95	3.80	74.69	46.74	11.40	11.40	2.46	2.68
All Urban Districts ..	{ M 59.17 F 65.91 P 55.41	29.79	9.72	8.88	6.32	4.45	57.79	29.15	9.33	8.59	6.28	4.44	90.95	44.52	18.74	15.72	7.33	4.65
I. Common Infectious Diseases (6-10, 44 : 4)	{ M 1.89 F 2.01 P 1.95	0.02	0.34	0.42	0.51	0.60	1.89	0.02	0.34	0.42	0.52	0.59	1.99	0.08	0.23	0.54	0.31	0.84
England and Wales ..	{ M 1.89 F 2.01 P 1.95	0.02	0.34	0.42	0.51	0.60	1.89	0.02	0.34	0.42	0.52	0.59	1.99	0.08	0.23	0.54	0.31	0.84
Greater London ..	{ M 1.99 F 2.38 P 1.73	0.02	0.33	0.62	0.51	0.51	1.96	0.02	0.33	0.61	0.50	0.50	2.74	—	0.18	0.91	0.91	0.73
County Boroughs ..	{ M 2.38 F 1.73 P 1.50	0.06	0.35	0.46	0.72	0.78	2.43	0.06	0.36	0.47	0.74	0.80	1.18	—	0.24	0.24	0.35	0.35
Other Urban Districts ..	{ M 1.73 F 1.50 P 2.05	0.04	0.34	0.37	0.43	0.55	1.73	0.03	0.35	0.36	0.44	0.54	1.74	0.14	0.14	0.43	0.14	0.87
Rural Districts ..	{ M 1.50 F 2.05 P 2.05	0.03	0.37	0.26	0.37	0.47	1.51	0.03	0.38	0.24	0.39	0.47	1.34	—	0.22	0.67	—	0.45
All Urban Districts ..	{ M 2.05 F 2.38 P 1.73	0.04	0.34	0.47	0.56	0.63	2.06	0.04	0.35	0.47	0.57	0.63	1.77	0.05	0.19	0.48	0.43	0.62
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

TABLE 14—continued.

	All Infants.						Legitimate Infants.						Illegitimate Infants.					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
II. Tuberculous Diseases (23-32)																		
England and Wales ..	0.69	0.01	0.05	0.17	0.22	0.25	0.70	0.01	0.05	0.17	0.22	0.25	0.54	—	0.08	0.15	0.15	0.15
{ M ..	0.58	0.00	0.04	0.16	0.19	0.20	0.58	0.00	0.04	0.16	0.19	0.19	0.49	—	—	0.08	0.08	0.33
{ F ..	0.64	0.01	0.04	0.16	0.20	0.22	0.64	0.01	0.04	0.17	0.21	0.22	0.51	—	0.04	0.12	0.12	0.24
{ P ..																		
Greater London ..	0.52	0.01	0.02	0.16	0.18	0.16	0.53	0.01	0.02	0.15	0.19	0.16	0.36	—	—	0.18	—	0.18
County Boroughs ..	0.77	0.01	0.03	0.21	0.28	0.24	0.78	0.01	0.03	0.21	0.29	0.24	0.59	—	—	0.12	0.12	0.35
Other Urban Districts ..	0.62	0.01	0.05	0.14	0.20	0.22	0.61	0.01	0.06	0.14	0.19	0.22	0.72	—	—	0.14	0.29	0.29
Rural Districts ..	0.55	—	0.08	0.13	0.08	0.25	0.56	—	0.08	0.14	0.09	0.26	0.22	—	0.22	—	—	—
All Urban Districts ..	0.66	0.01	0.04	0.17	0.23	0.21	0.66	0.01	0.04	0.17	0.23	0.21	0.58	—	—	0.14	0.14	0.29
III. Diarrhoea and Enteritis (119)																		
England and Wales ..	5.94	0.55	1.74	2.04	1.12	0.48	5.59	0.54	1.60	1.88	1.11	0.47	14.00	0.92	5.13	5.89	1.38	0.69
{ M ..	4.12	0.33	1.08	1.37	0.93	0.41	3.83	0.32	0.97	1.24	0.91	0.40	10.84	0.65	3.67	4.48	1.55	0.49
{ F ..	5.05	0.44	1.42	1.72	1.03	0.44	4.73	0.43	1.29	1.57	1.01	0.44	12.47	0.79	4.42	5.21	1.46	0.59
{ P ..																		
Greater London ..	8.90	0.41	2.30	3.14	2.14	0.91	7.97	0.38	1.92	2.73	2.06	0.89	28.64	1.09	10.40	12.04	3.83	1.28
County Boroughs ..	5.70	0.51	1.62	2.04	1.12	0.41	5.49	0.51	1.53	1.95	1.12	0.40	10.27	0.71	3.66	4.13	1.06	0.71
Other Urban Districts ..	3.24	0.45	0.97	1.01	0.55	0.26	3.11	0.43	0.92	0.96	0.54	0.26	6.65	0.87	2.46	2.31	0.87	0.14
Rural Districts ..	2.56	0.35	0.80	0.70	0.42	0.29	2.42	0.34	0.77	0.58	0.43	0.29	5.81	0.45	1.57	3.35	0.22	0.22
All Urban Districts ..	5.59	0.46	1.55	1.93	1.16	0.47	5.23	0.45	1.40	1.78	1.14	0.47	13.90	0.86	5.03	5.61	1.73	0.67
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

IV. Developmental and Wasting

Diseases(157-9,161 (a)&(b))
 England and Wales ..

Greater London ..
 County Boroughs ..
 Other Urban Districts ..
 Rural Districts ..
 All Urban Districts ..

V. Miscellaneous Diseases

(remainder)
 England and Wales ..

Greater London ..
 County Boroughs ..
 Other Urban Districts ..
 Rural Districts ..
 All Urban Districts ..

Measles (7)

England and Wales ..

Greater London ..
 County Boroughs ..
 Other Urban Districts ..
 Rural Districts ..
 All Urban Districts ..

Whooping cough (9)

England and Wales ..

Greater London ..
 County Boroughs ..
 Other Urban Districts ..
 Rural Districts ..
 All Urban Districts ..

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
30.61	25.15	3.99	0.97	0.32	0.18	30.18	24.84	3.89	0.95	0.32	0.18	40.70	32.28	6.43	1.30	0.38	0.31
25.05	20.95	2.77	0.90	0.29	0.14	24.61	20.66	2.64	0.88	0.29	0.14	35.29	27.88	5.79	1.39	0.16	0.08
27.91	23.11	3.40	0.94	0.30	0.16	27.47	22.80	3.28	0.92	0.31	0.16	38.08	30.15	6.12	1.34	0.28	0.20
22.17	17.73	3.01	1.04	0.31	0.07	21.57	17.38	2.80	1.00	0.32	0.07	35.03	25.36	7.66	1.82	—	0.18
30.09	24.84	3.80	0.95	0.31	0.20	29.65	24.55	3.64	0.95	0.30	0.20	39.78	31.16	7.20	0.83	0.47	0.12
29.56	24.80	3.34	0.97	0.30	0.16	29.26	24.55	3.31	0.94	0.30	0.16	37.30	31.09	4.05	1.59	0.43	0.14
27.62	23.18	3.20	0.74	0.30	0.21	27.09	22.76	3.11	0.71	0.31	0.19	39.80	32.65	5.37	1.34	—	0.45
27.97	23.09	3.44	0.98	0.31	0.15	27.55	22.81	3.32	0.96	0.30	0.15	37.71	29.61	6.28	1.34	0.34	0.14
25.53	7.07	4.92	5.82	4.42	3.30	24.96	6.78	4.77	5.69	4.39	3.33	38.63	13.62	8.34	8.87	5.05	2.75
18.39	5.20	3.36	4.16	3.21	2.47	17.82	4.81	3.29	4.05	3.20	2.46	31.79	14.26	4.89	6.60	3.42	2.61
22.06	6.16	4.16	5.01	3.83	2.90	21.49	5.82	4.05	4.89	3.81	2.91	35.32	13.93	6.67	7.77	4.26	2.68
20.28	5.52	4.03	5.01	3.27	2.45	18.99	4.87	3.71	4.81	3.15	2.44	47.80	19.34	10.76	9.30	5.84	2.55
26.98	6.66	5.14	6.69	4.97	3.53	26.63	6.41	5.10	6.60	5.00	3.52	34.94	12.28	6.02	8.85	4.13	3.66
20.26	6.12	3.71	4.08	3.63	2.72	19.84	5.89	3.63	3.99	3.59	2.74	30.94	11.86	5.93	6.36	4.48	2.31
18.07	6.05	3.27	3.51	2.71	2.54	17.66	5.72	3.23	3.40	2.73	2.58	27.50	13.64	4.03	6.04	2.24	1.57
22.91	6.18	4.35	5.33	4.07	2.97	22.30	5.85	4.23	5.21	4.04	2.98	36.99	13.99	7.24	8.15	4.70	2.92
0.39	0.01	0.02	0.04	0.13	0.19	0.39	0.01	0.02	0.04	0.13	0.19	0.38	—	0.08	0.03	—	0.23
0.38	0.01	0.04	0.05	0.13	0.15	0.39	0.01	0.04	0.05	0.13	0.16	0.16	—	—	—	0.08	0.08
0.38	0.01	0.03	0.04	0.13	0.17	0.39	0.01	0.03	0.04	0.13	0.17	0.28	—	0.04	0.04	0.04	0.16
0.08	—	0.02	—	0.02	0.04	0.09	—	0.02	—	0.03	0.04	—	—	—	—	—	—
0.70	0.01	0.05	0.09	0.24	0.32	0.71	0.01	0.04	0.09	0.24	0.33	0.35	—	0.12	—	0.12	0.12
0.33	0.02	0.03	0.03	0.10	0.15	0.32	0.02	0.03	0.03	0.11	0.14	0.58	—	—	0.14	—	0.43
0.22	—	0.01	0.03	0.08	0.10	0.23	—	0.01	0.03	0.09	0.11	—	—	—	—	—	—
0.42	0.01	0.03	0.05	0.14	0.19	0.42	0.01	0.03	0.05	0.14	0.19	0.34	—	0.05	0.05	0.05	0.19
1.31	0.01	0.29	0.35	0.33	0.34	1.31	0.00	0.30	0.35	0.34	0.33	1.30	0.08	0.15	0.38	0.23	0.46
1.51	0.04	0.31	0.36	0.41	0.38	1.53	0.05	0.32	0.36	0.42	0.39	1.06	—	0.16	0.41	0.33	0.16
1.41	0.02	0.30	0.36	0.37	0.36	1.42	0.02	0.31	0.35	0.38	0.36	1.18	0.04	0.16	0.39	0.28	0.32
1.70	0.02	0.29	0.58	0.46	0.36	1.68	0.02	0.29	0.57	0.44	0.36	2.19	—	0.18	0.73	0.91	0.36
1.47	0.04	0.28	0.34	0.44	0.38	1.52	0.04	0.28	0.35	0.45	0.39	0.47	—	0.12	0.12	0.12	0.12
1.26	0.02	0.30	0.31	0.30	0.34	1.27	0.01	0.30	0.31	0.31	0.34	1.16	0.14	0.14	0.29	0.14	0.43
1.20	0.02	0.36	0.21	0.27	0.35	1.20	0.02	0.37	0.19	0.28	0.34	1.34	—	0.22	0.67	—	0.45
1.45	0.03	0.29	0.39	0.39	0.36	1.47	0.02	0.29	0.39	0.40	0.36	1.15	0.05	0.14	0.34	0.34	0.29

TABLE 14—continued.

	All Infants.						Legitimate Infants.						Illegitimate Infants.					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
Diphtheria (10)																		
England and Wales ..	0.17	0.01	0.03	0.03	0.05	0.06	0.17	0.01	0.03	0.03	0.05	0.06	0.15	—	—	0.08	0.08	—
Greater London ..	0.19	—	0.02	0.04	0.03	0.09	0.19	—	0.03	0.03	0.03	0.09	0.18	—	—	0.18	—	—
County Boroughs ..	0.17	0.01	0.03	0.03	0.05	0.07	0.17	0.01	0.03	0.02	0.04	0.07	0.24	—	—	0.12	0.12	—
Other Urban Districts ..	0.11	0.01	0.01	0.02	0.02	0.05	0.11	0.01	0.01	0.02	0.02	0.05	—	—	—	—	—	—
Rural Districts ..	0.04	0.01	—	0.02	—	0.01	0.04	0.01	—	0.02	—	0.01	—	—	—	—	—	—
All Urban Districts ..	0.15	0.01	0.02	0.03	0.03	0.07	0.15	0.01	0.02	0.02	0.03	0.07	0.14	—	—	0.10	0.05	—
Influenza (11)																		
England and Wales ..	0.69	0.05	0.13	0.18	0.16	0.18	0.67	0.05	0.12	0.17	0.14	0.18	1.15	—	0.23	0.31	0.46	0.15
Greater London ..	0.53	0.04	0.09	0.13	0.11	0.16	0.53	0.04	0.08	0.13	0.12	0.16	0.57	0.16	0.16	0.16	—	0.08
County Boroughs ..	0.61	0.05	0.11	0.16	0.14	0.17	0.60	0.04	0.10	0.15	0.13	0.17	0.87	0.08	0.20	0.24	0.24	0.12
Other Urban Districts ..	0.39	0.04	0.05	0.09	0.10	0.11	0.39	0.04	0.03	0.09	0.10	0.12	0.36	—	0.36	—	—	—
Rural Districts ..	0.72	0.04	0.14	0.21	0.15	0.18	0.71	0.04	0.14	0.21	0.14	0.18	0.94	0.12	—	0.35	0.35	0.12
All Urban Districts ..	0.64	0.05	0.11	0.14	0.16	0.18	0.63	0.05	0.11	0.13	0.15	0.18	1.01	0.14	0.14	0.29	0.29	0.14
England and Wales ..	0.63	0.06	0.11	0.16	0.11	0.19	0.60	0.06	0.10	0.16	0.11	0.19	1.12	—	0.45	0.22	0.22	0.22
Greater London ..	0.61	0.04	0.11	0.15	0.14	0.16	0.60	0.04	0.11	0.15	0.14	0.17	0.81	0.10	0.14	0.24	0.24	0.10
County Boroughs ..	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

Tuberculosis of nervous system (24)																	
England and Wales ..	M	F	P
Greater London	0.23	0.01	—	0.07	0.13	0.16	0.40	0.01	0.03	0.07	0.13	0.16	0.23	—	—	—	—
County Boroughs	0.43	0.01	—	0.08	0.17	0.16	0.32	0.00	0.02	0.08	0.09	0.13	0.12	0.08	0.08	0.08	0.15
Other Urban Districts	0.39	0.01	—	0.09	0.11	0.15	0.39	0.01	0.03	0.09	0.11	0.15	0.14	0.04	0.04	0.04	0.24
Rural Districts	0.34	—	0.05	0.07	0.06	0.17	0.35	—	0.03	0.07	0.06	0.18	—	—	—	—	—
All Urban Districts ..	0.37	0.01	0.02	0.08	0.13	0.14	0.36	0.01	0.02	0.08	0.13	0.13	0.38	0.05	0.10	0.10	0.24
Tuberculosis of intestines and peritoneum (25)																	
England and Wales ..	0.08	—	0.01	0.02	0.02	0.03	0.07	—	0.00	0.02	0.02	0.03	0.15	—	—	—	—
Greater London	0.05	—	0.01	0.02	0.01	0.01	0.05	—	0.01	0.02	0.01	0.01	—	—	—	—	—
County Boroughs	0.06	—	0.01	0.02	0.01	0.02	0.06	—	0.01	0.02	0.01	0.02	0.08	0.04	0.04	0.04	—
Other Urban Districts	0.02	—	—	0.01	0.01	—	0.02	—	0.01	0.01	0.01	—	—	—	—	—	—
Rural Districts	0.07	—	0.01	0.01	0.03	0.02	0.06	—	0.01	0.01	0.02	0.02	0.14	—	—	—	—
All Urban Districts ..	0.10	—	0.02	0.01	0.02	0.06	0.10	—	0.01	0.01	0.02	0.06	0.22	—	—	—	—
..	0.05	—	0.00	0.02	0.01	0.01	0.05	—	0.00	0.02	0.01	0.01	0.05	—	—	—	—
Other tuberculous diseases (23, 26-32)																	
England and Wales ..	0.22	0.00	0.02	0.08	0.07	0.06	0.22	0.00	0.02	0.07	0.07	0.06	0.15	0.15	—	—	—
Greater London	0.21	—	0.01	0.06	0.08	0.05	0.21	—	0.01	0.06	0.08	0.05	0.08	—	—	—	—
County Boroughs	0.21	0.00	0.01	0.07	0.07	0.06	0.22	0.00	0.02	0.07	0.08	0.06	0.12	0.08	0.08	0.08	0.04
Other Urban Districts	0.28	—	0.02	0.08	0.10	0.08	0.28	—	0.02	0.08	0.10	0.09	0.18	0.18	—	—	—
Rural Districts	0.28	0.01	0.01	0.09	0.11	0.07	0.28	0.01	0.01	0.09	0.11	0.07	0.12	0.12	—	—	—
All Urban Districts ..	0.16	—	0.02	0.04	0.06	0.04	0.16	—	0.02	0.05	0.06	0.04	0.14	—	—	—	—
..	0.11	—	0.02	0.06	0.01	0.03	0.12	—	0.02	0.06	0.01	0.03	—	—	—	—	—
..	0.24	0.00	0.01	0.07	0.09	0.06	0.24	0.00	0.01	0.07	0.09	0.06	0.14	0.10	0.10	0.05	—
Syphilis (34)																	
England and Wales ..	0.26	0.07	0.09	0.09	0.02	0.00	0.22	0.05	0.08	0.08	0.02	0.00	1.22	0.46	0.31	—	—
Greater London	0.19	0.06	0.08	0.03	0.01	0.01	0.17	0.05	0.07	0.03	0.01	0.01	0.65	0.16	—	—	—
County Boroughs	0.23	0.06	0.09	0.06	0.01	0.01	0.20	0.05	0.08	0.05	0.01	0.01	0.95	0.32	0.16	0.08	0.08
Other Urban Districts	0.20	0.06	0.10	0.04	0.01	—	0.18	0.05	0.09	0.03	0.01	—	0.73	0.18	0.18	—	—
Rural Districts	0.33	0.08	0.12	0.09	0.03	0.01	0.29	0.07	0.11	0.08	0.03	—	1.18	0.24	0.24	0.24	0.24
All Urban Districts ..	0.16	0.05	0.06	0.04	0.01	0.01	0.14	0.04	0.05	0.04	0.01	0.01	0.58	0.29	—	—	—
..	0.20	0.06	0.07	0.06	—	0.02	0.15	0.03	0.05	0.05	—	0.02	1.34	0.67	0.22	—	—
..	0.24	0.06	0.09	0.06	0.01	0.01	0.21	0.06	0.08	0.06	0.01	0.00	0.86	0.24	0.14	0.10	0.10

TABLE 14—*continued.*

	All Infants.						Legitimate Infants.						Illegitimate Infants.					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
Meningitis (79)																		
England and Wales ..	0.38	0.02	0.05	0.12	0.11	0.08	0.37	0.02	0.04	0.11	0.12	0.08	0.69	—	0.15	0.31	0.08	0.15
	0.30	0.02	0.04	0.10	0.08	0.06	0.30	0.02	0.04	0.10	0.08	0.05	0.49	0.08	—	0.08	0.16	0.16
	0.34	0.02	0.04	0.11	0.10	0.07	0.33	0.02	0.04	0.11	0.10	0.06	0.59	0.04	0.08	0.20	0.12	0.16
Greater London ..	0.33	0.03	0.04	0.13	0.07	0.06	0.32	0.03	0.04	0.12	0.08	0.04	0.73	—	—	0.36	—	0.36
County Boroughs ..	0.41	0.03	0.07	0.10	0.13	0.09	0.40	0.03	0.07	0.09	0.13	0.08	0.71	0.12	0.12	0.24	0.12	0.12
Other Urban Districts ..	0.32	0.02	0.03	0.11	0.10	0.07	0.31	0.02	0.02	0.11	0.10	0.06	0.72	—	0.14	0.14	0.29	0.14
Rural Districts ..	0.25	—	0.03	0.10	0.07	0.06	0.26	—	0.03	0.11	0.07	0.06	—	—	—	—	—	—
All Urban Districts ..	0.36	0.03	0.05	0.11	0.11	0.07	0.35	0.02	0.05	0.11	0.10	0.07	0.72	0.05	0.10	0.24	0.14	0.19
Convulsions (86)																		
England and Wales ..	1.53	0.69	0.33	0.27	0.15	0.09	1.50	0.68	0.33	0.27	0.14	0.08	2.29	0.99	0.38	0.46	0.31	0.15
	1.04	0.48	0.20	0.15	0.11	0.10	1.01	0.47	0.19	0.14	0.11	0.11	1.79	0.73	0.33	0.49	0.24	—
	1.29	0.59	0.27	0.21	0.13	0.09	1.26	0.57	0.26	0.20	0.12	0.10	2.05	0.87	0.36	0.47	0.28	0.08
Greater London ..	0.32	0.11	0.09	0.04	0.02	0.06	0.31	0.11	0.08	0.04	0.02	0.06	0.55	—	0.36	—	0.18	—
County Boroughs ..	1.51	0.67	0.33	0.28	0.15	0.09	1.49	0.65	0.34	0.28	0.14	0.08	1.89	1.06	0.12	0.24	0.24	0.24
Other Urban Districts ..	1.52	0.72	0.28	0.25	0.16	0.10	1.46	0.71	0.26	0.23	0.15	0.11	3.04	1.01	0.72	0.87	0.43	—
Rural Districts ..	1.63	0.76	0.34	0.22	0.18	0.14	1.59	0.73	0.34	0.19	0.18	0.15	2.68	1.34	0.22	0.89	0.22	—
All Urban Districts ..	1.22	0.55	0.25	0.21	0.12	0.09	1.19	0.54	0.25	0.21	0.11	0.08	1.92	0.77	0.38	0.38	0.29	0.10
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

Bronchitis (106)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
England and Wales ..	M 2.30 F 1.76 P 2.04	0.32 0.24 0.28	0.76 0.53 0.65	0.67 0.53 0.60	0.37 0.32 0.35	0.18 0.14 0.16	2.24 1.76 2.01	0.32 0.24 0.28	0.73 0.54 0.64	0.64 0.52 0.58	0.37 0.33 0.35	0.18 0.14 0.16	3.75 1.71 2.76	0.31 0.33 0.32	1.53 0.16 0.87	1.30 0.82 1.07	0.38 0.24 0.32	0.23 0.16 0.20
Greater London ..	1.55	0.16	0.50	0.57	0.20	0.12	1.46	0.14	0.45	0.56	0.19	0.13	3.47	0.73	1.46	0.91	0.36	—
County Boroughs ..	2.36	0.28	0.66	0.79	0.46	0.16	2.36	0.30	0.66	0.76	0.48	0.16	2.36	—	0.71	1.42	0.12	0.12
Other Urban Districts ..	2.03	0.37	0.72	0.46	0.31	0.17	1.99	0.36	0.72	0.45	0.30	0.16	3.18	0.58	0.72	0.87	0.58	0.43
Rural Districts ..	2.01	0.25	0.67	0.50	0.37	0.21	2.01	0.26	0.67	0.49	0.38	0.20	2.01	—	0.67	0.89	0.22	0.22
All Urban Districts ..	2.04	0.29	0.64	0.62	0.34	0.15	2.01	0.28	0.63	0.60	0.34	0.15	2.92	0.38	0.91	1.10	0.34	0.19

Pneumonia (107-109)

England and Wales ..	M 10.72 F 7.47 P 9.14	0.99 0.71 0.85	2.30 1.60 1.96	2.93 2.10 2.53	2.49 1.70 2.10	2.02 1.36 1.70	10.63 7.40 9.06	0.97 0.71 0.84	2.26 1.57 1.93	2.89 2.07 2.49	2.48 1.69 2.09	2.04 1.36 1.71	12.78 9.21 11.05	1.45 0.82 1.14	3.21 2.12 2.68	3.82 3.02 3.43	2.75 1.87 2.33	1.53 1.39 1.46
Greater London ..	9.09	1.00	2.11	2.69	1.82	1.46	8.70	0.97	1.97	2.60	1.71	1.45	17.33	1.64	5.29	4.56	4.20	1.64
County Boroughs ..	11.94	1.02	2.51	3.48	2.80	2.13	11.89	1.00	2.50	3.44	2.82	2.13	12.98	1.53	2.60	4.37	2.24	2.24
Other Urban Districts ..	7.83	0.66	1.63	1.94	2.05	1.55	7.85	0.66	1.61	1.93	2.07	1.57	7.37	0.58	2.02	2.31	1.59	0.87
Rural Districts ..	6.27	0.71	1.32	1.58	1.24	1.43	6.31	0.71	1.34	1.56	1.24	1.46	5.37	0.67	0.67	2.01	1.34	0.67
All Urban Districts ..	9.75	0.88	2.09	2.73	2.29	1.76	9.64	0.87	2.05	2.69	2.28	1.76	12.27	1.25	3.11	3.74	2.54	1.63

Other respiratory diseases (104, 105, 110-114)

England and Wales ..	M 0.17 F 0.14 P 0.15	0.03 0.02 0.02	0.04 0.03 0.04	0.05 0.05 0.05	0.02 0.03 0.02	0.04 0.01 0.02	0.16 0.13 0.15	0.02 0.02 0.02	0.04 0.03 0.03	0.05 0.05 0.05	0.01 0.03 0.02	0.04 0.01 0.02	0.31 0.33 0.32	0.08 0.16 0.12	0.08 0.08 0.08	0.08 0.08 0.08	0.08 — 0.04	— — —
Greater London ..	0.11	0.03	0.02	0.04	0.01	—	0.08	0.03	0.01	0.03	0.01	—	0.73	0.18	0.36	0.18	—	—
County Boroughs ..	0.21	0.02	0.06	0.08	0.03	0.03	0.22	0.02	0.06	0.08	0.03	0.03	0.12	—	—	0.12	—	—
Other Urban Districts ..	0.13	0.02	0.02	0.03	0.03	0.02	0.12	0.01	0.02	0.03	0.03	0.02	0.29	0.14	—	—	0.14	—
Rural Districts ..	0.15	0.05	0.03	0.03	0.01	0.04	0.15	0.04	0.03	0.03	0.01	0.04	0.22	0.22	—	—	—	—
All Urban Districts ..	0.15	0.02	0.04	0.05	0.02	0.02	0.15	0.02	0.04	0.05	0.02	0.02	0.34	0.10	0.10	0.10	0.05	—

Inflammation of the stomach (118:1)

England and Wales ..	M 0.22 F 0.15 P 0.18	0.04 0.03 0.03	0.07 0.03 0.05	0.07 0.06 0.07	0.04 0.02 0.03	0.00 0.01 0.01	0.21 0.15 0.18	0.04 0.03 0.03	0.06 0.03 0.04	0.07 0.06 0.07	0.04 0.02 0.03	0.00 0.01 0.01	0.31 0.16 0.24	— — —	0.23 0.08 0.16	0.08 0.08 0.08	— — —	— — —
Greater London ..	0.21	0.02	0.07	0.08	0.03	0.02	0.20	0.02	0.04	0.09	0.03	0.02	0.55	—	0.55	—	—	—
County Boroughs ..	0.18	0.04	0.06	0.06	0.03	—	0.19	0.04	0.06	0.06	0.03	—	—	—	—	—	—	—
Other Urban Districts ..	0.21	0.05	0.03	0.08	0.03	0.01	0.20	0.05	0.03	0.07	0.03	0.01	0.43	—	0.14	0.29	—	—
Rural Districts ..	0.11	0.02	0.04	0.05	0.01	—	0.12	0.02	0.04	0.05	0.01	—	—	—	—	—	—	—
All Urban Districts ..	0.20	0.04	0.05	0.07	0.03	0.01	0.19	0.04	0.05	0.07	0.03	0.01	0.29	—	0.19	0.10	—	—

TABLE 14—continued.

	All Infants.						Legitimate Infants.						Illegitimate Infants.					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
Diarrhoea and enteritis (119)																		
England and Wales ..	5.94	0.55	1.74	2.04	1.12	0.48	5.59	0.54	1.60	1.88	1.11	0.47	14.00	0.92	5.13	5.89	1.38	0.69
.. { M	4.12	0.33	1.08	1.37	0.93	0.41	3.83	0.32	0.97	1.24	0.91	0.40	10.84	0.65	3.67	4.48	1.55	0.49
.. { F	5.05	0.44	1.42	1.72	1.03	0.44	4.73	0.43	1.29	1.57	1.01	0.44	12.47	0.79	4.42	5.21	1.46	0.59
.. { P																		
Greater London ..	8.90	0.41	2.30	3.14	2.14	0.91	7.97	0.38	1.92	2.73	2.06	0.89	28.64	1.09	10.40	12.04	3.83	1.28
County Boroughs ..	5.70	0.51	1.62	2.04	1.12	0.41	5.49	0.51	1.53	1.95	1.12	0.40	10.27	0.71	3.66	4.13	1.06	0.71
Other Urban Districts ..	3.24	0.45	0.97	1.01	0.55	0.26	3.11	0.43	0.92	0.96	0.54	0.26	6.65	0.87	2.46	2.37	0.87	0.14
Rural Districts ..	2.56	0.35	0.80	0.70	0.42	0.29	2.42	0.34	0.77	0.58	0.43	0.29	5.81	0.45	1.57	3.35	0.22	0.22
All Urban Districts ..	5.59	0.46	1.55	1.93	1.16	0.47	5.23	0.45	1.40	1.78	1.14	0.47	13.90	0.86	5.03	5.61	1.73	0.67
Hernia, intestinal obstruction (122)																		
England and Wales ..	0.61	0.06	0.07	0.20	0.18	0.10	0.62	0.06	0.07	0.21	0.18	0.10	0.31	—	0.08	0.15	—	0.08
.. { M	0.32	0.02	0.03	0.12	0.11	0.04	0.32	0.02	0.03	0.11	0.12	0.04	0.33	—	—	0.24	—	0.08
.. { F	0.47	0.04	0.05	0.16	0.14	0.07	0.48	0.04	0.05	0.16	0.15	0.07	0.32	—	0.04	0.20	—	0.08
.. { P																		
Greater London ..	0.45	0.05	0.06	0.16	0.11	0.07	0.45	0.05	0.06	0.15	0.12	0.08	0.36	—	—	0.36	—	—
County Boroughs ..	0.49	0.03	0.03	0.19	0.16	0.09	0.51	0.03	0.03	0.20	0.16	0.08	0.24	—	—	0.12	—	0.12
Other Urban Districts ..	0.50	0.05	0.07	0.16	0.16	0.07	0.51	0.05	0.06	0.16	0.16	0.07	0.43	—	0.14	0.29	—	—
Rural Districts ..	0.38	0.03	0.05	0.11	0.13	0.07	0.39	0.03	0.05	0.12	0.14	0.06	0.22	—	—	—	—	0.22
All Urban Districts ..	0.49	0.04	0.05	0.17	0.15	0.08	0.49	0.04	0.05	0.17	0.15	0.08	0.34	—	0.05	0.24	—	0.05
.. { M	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

Congenital malformations (157)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
England and Wales ..	{ M F P	6.52 3.53 3.68	1.79 1.16 1.49	0.51 0.54 0.53	0.25 0.22 0.23	0.15 0.11 0.13	6.52 5.57 6.06	3.83 3.54 3.69	1.78 1.14 1.47	0.52 0.54 0.53	0.25 0.22 0.23	0.15 0.12 0.13	6.50 5.54 6.04	3.75 3.26 3.51	2.07 1.63 1.85	0.31 0.57 0.43	0.23 0.08 0.16	0.15 — 0.08
Greater London ..		5.18	1.42	0.60	0.25	0.05	5.10	2.82	1.36	0.61	0.26	0.05	6.93	3.65	2.74	0.55	—	—
County Boroughs ..		6.15	3.72	0.46	0.23	0.15	6.16	3.73	1.58	0.47	0.23	0.15	5.78	3.42	1.77	0.35	0.24	—
Other Urban Districts ..	excluding Greater London.	6.56	4.14	0.58	0.22	0.14	6.62	4.18	1.50	0.59	0.22	0.14	5.06	3.04	1.30	0.43	0.29	—
Rural Districts ..		6.04	3.79	0.46	0.22	0.20	6.00	3.77	1.35	0.46	0.23	0.19	6.93	4.25	1.79	0.45	—	0.45
All Urban Districts ..		6.06	3.66	0.54	0.23	0.12	6.07	3.67	1.49	0.55	0.23	0.12	5.85	3.35	1.87	0.43	0.19	—

Congenital debility (158)

England and Wales ..	{ M F P	2.64 1.84 2.25	0.73 0.47 0.61	0.33 0.23 0.28	0.07 0.05 0.06	0.03 0.02 0.02	2.53 1.78 2.16	1.46 1.06 1.27	0.67 0.43 0.55	0.31 0.21 0.26	0.07 0.05 0.06	0.02 0.02 0.02	5.28 3.26 4.30	2.22 0.98 1.62	2.07 1.55 1.82	0.76 0.57 0.67	0.08 0.08 0.08	0.15 0.08 0.12
Greater London ..		1.45	0.56	0.34	0.05	0.02	1.31	0.56	0.38	0.31	0.05	0.02	4.38	0.55	2.55	1.09	—	0.18
County Boroughs ..		2.14	1.15	0.30	0.06	0.04	2.07	1.16	0.53	0.30	0.05	0.03	3.78	0.83	2.12	0.47	0.24	0.12
Other Urban Districts ..	excluding Greater London.	2.66	1.62	0.69	0.07	0.02	2.55	1.56	0.67	0.24	0.07	0.02	5.64	3.18	1.45	0.87	—	0.14
Rural Districts ..		2.66	1.79	0.62	0.07	—	2.64	1.78	0.60	0.19	0.07	—	3.13	2.01	0.89	0.22	—	—
All Urban Districts ..		2.16	1.17	0.60	0.06	0.03	2.06	1.16	0.54	0.28	0.06	0.02	4.55	1.53	2.01	0.77	0.10	0.14

Premature birth (159)

England and Wales ..	{ M F P	18.44 15.46 16.99	16.97 14.30 15.67	1.32 1.01 1.17	0.13 0.13 0.13	0.01 0.02 0.01	18.10 15.08 16.63	16.67 13.97 15.36	1.29 0.96 1.13	0.13 0.12 0.13	0.01 0.02 0.01	0.01 0.01 0.01	26.16 24.37 25.29	23.79 21.84 22.85	2.07 2.28 2.17	0.23 0.24 0.24	0.08 — 0.04	— — —
Greater London ..		13.11	12.01	1.00	0.09	0.01	12.71	11.67	0.95	0.09	0.01	—	21.71	19.34	2.19	0.18	—	—
County Boroughs ..		19.08	17.42	1.44	0.18	0.02	18.69	17.09	1.38	0.19	0.02	0.02	27.74	24.91	2.83	—	—	—
Other Urban Districts ..	excluding Greater London.	17.61	16.43	1.04	0.13	—	17.36	16.19	1.04	0.12	0.01	—	24.15	22.56	1.16	0.29	0.14	—
Rural Districts ..		16.51	15.32	1.08	0.09	0.01	16.06	14.95	1.02	0.07	0.01	0.01	26.83	23.70	2.46	0.67	—	—
All Urban Districts ..		17.09	15.74	1.19	0.14	0.01	16.75	15.44	1.15	0.14	0.01	0.01	24.97	22.67	2.11	0.14	0.05	—

Injury at birth (160)

England and Wales ..	{ M F P	2.99 1.92 2.47	2.90 1.86 2.40	0.06 0.05 0.05	0.02 — 0.01	0.01 — 0.00	3.00 1.91 2.47	2.93 1.85 2.40	0.05 0.05 0.05	0.02 0.01 0.01	0.01 — 0.00	— 0.00 0.00	2.68 2.20 2.45	2.37 2.20 2.29	0.23 — 0.12	— — —	— — —	0.08 — 0.04
Greater London ..		2.25	2.17	0.07	0.01	—	2.22	2.15	0.07	0.01	—	—	2.74	2.74	—	—	—	—
County Boroughs ..		2.66	2.59	0.07	0.01	—	2.65	2.59	0.05	0.01	0.01	—	2.95	2.60	0.35	—	—	—
Other Urban Districts ..	excluding Greater London.	2.43	2.36	0.04	0.02	0.01	2.46	2.39	0.04	0.02	0.01	0.01	1.74	1.74	—	—	—	—
Rural Districts ..		2.45	2.36	0.05	0.03	—	2.45	2.38	0.05	0.03	—	—	2.24	2.01	—	—	—	0.22
All Urban Districts ..		2.48	2.41	0.06	0.01	0.00	2.48	2.41	0.05	0.01	0.00	0.00	2.49	2.35	0.14	—	—	—

Diseases of the umbilicus (161c : 1)																			(18)
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)		
England and Wales ..	M 0.15 F 0.12 P 0.14	0.13 0.10 0.12	0.02 0.02 0.02	— — —	— — —	— — —	0.14 0.12 0.13	0.13 0.09 0.11	0.02 0.02 0.02	— — —	— — —	— — —	0.38 0.16 0.28	0.31 0.16 0.24	0.08 — 0.04	— — —	— — —	— — —	
Greater London ..	0.12	0.11	0.02	—	—	—	0.12	0.10	0.02	—	—	—	0.18	0.18	—	—	—	—	
County Boroughs ..	0.14	0.11	0.03	—	—	—	0.13	0.10	0.03	—	—	—	0.35	0.35	—	—	—	—	
Other Urban Districts ..	0.13	0.12	0.01	—	—	—	0.13	0.12	0.01	—	—	—	0.29	0.14	0.14	—	—	—	
Rural Districts ..	0.16	0.13	0.03	—	—	—	0.16	0.13	0.03	—	—	—	0.22	0.22	—	—	—	—	
All Urban Districts ..	0.13	0.11	0.02	—	—	—	0.12	0.11	0.02	—	—	—	0.29	0.24	0.05	—	—	—	
Pemphigus neonatorum and other diseases under 161c (161c : 2 and 3)																			
England and Wales ..	M 0.71 F 0.58 P 0.65	0.65 0.56 0.60	0.06 0.03 0.04	— — —	— — —	— — —	0.72 0.59 0.66	0.67 0.57 0.62	0.05 0.02 0.04	— — —	— — —	— — —	0.46 0.41 0.43	0.31 0.24 0.28	0.15 0.16 0.16	— — —	— — —	— — —	
Greater London ..	0.49	0.46	0.03	—	—	—	0.48	0.46	0.02	—	—	—	0.73	0.36	0.36	—	—	—	
County Boroughs ..	0.74	0.69	0.05	—	—	—	0.75	0.71	0.04	—	—	—	0.47	0.24	0.24	—	—	—	
Other Urban Districts ..	0.66	0.62	0.04	—	—	—	0.68	0.64	0.04	—	—	—	0.14	0.14	—	—	—	—	
Rural Districts ..	0.63	0.58	0.05	—	—	—	0.63	0.58	0.05	—	—	—	0.45	0.45	—	—	—	—	
All Urban Districts ..	0.65	0.61	0.04	—	—	—	0.66	0.63	0.04	—	—	—	0.43	0.24	0.19	—	—	—	
Suffocation—in bed or not stated how (182 pt.)																			
England and Wales ..	M 0.48 F 0.32 P 0.40	0.11 0.09 0.10	0.17 0.11 0.14	0.15 0.08 0.12	0.04 0.01 0.02	0.02 0.02 0.02	0.45 0.31 0.38	0.09 0.08 0.09	0.17 0.11 0.14	0.14 0.08 0.11	0.03 0.01 0.02	0.02 0.02 0.02	1.07 0.65 0.87	0.46 0.24 0.36	0.15 0.24 0.20	0.38 0.08 0.24	0.08 — 0.04	— 0.08 0.04	
Greater London ..	0.35	0.08	0.16	0.07	0.03	0.01	0.35	0.08	0.16	0.07	0.03	0.01	0.36	0.18	—	0.18	—	—	
County Boroughs ..	0.44	0.11	0.15	0.14	0.02	0.02	0.44	0.10	0.16	0.14	0.02	0.02	0.47	0.35	—	0.12	—	—	
Other Urban Districts ..	0.43	0.09	0.15	0.13	0.02	0.03	0.38	0.09	0.13	0.13	0.02	0.03	1.59	0.29	0.72	0.29	0.14	0.14	
Rural Districts ..	0.35	0.09	0.10	0.10	0.03	0.02	0.31	0.07	0.11	0.09	0.03	0.02	1.12	0.67	—	0.45	—	—	
All Urban Districts ..	0.41	0.10	0.15	0.12	0.02	0.02	0.40	0.09	0.15	0.12	0.02	0.02	0.81	0.29	0.24	0.19	0.05	0.05	
Other causes																			
England and Wales ..	M 4.35 F 3.56 P 3.97	1.02 0.98 1.00	0.78 0.53 0.66	1.08 0.79 0.94	0.85 0.70 0.78	0.61 0.56 0.59	4.05 3.15 3.61	0.77 0.63 0.70	0.76 0.50 0.63	1.06 0.76 0.91	0.85 0.70 0.78	0.62 0.56 0.59	11.40 13.20 12.27	6.88 8.97 7.89	1.38 1.22 1.30	1.68 1.55 1.62	0.92 0.90 0.91	0.54 0.57 0.55	
Greater London ..	4.44	1.20	0.72	1.09	0.87	0.56	3.74	0.64	0.68	1.03	0.85	0.55	19.34	13.14	1.64	2.55	1.09	0.91	
County Boroughs ..	4.88	0.95	0.87	1.27	1.02	0.76	4.63	0.74	0.85	1.25	1.02	0.77	10.39	5.67	1.42	1.65	1.06	0.59	
Other Urban Districts ..	3.29	0.94	0.54	0.71	0.59	0.53	3.02	0.70	0.53	0.69	0.57	0.53	10.12	6.80	0.72	1.01	1.01	0.58	
Rural Districts ..	2.90	0.96	0.40	0.58	0.58	0.38	2.57	0.68	0.35	0.55	0.59	0.40	10.51	7.38	1.57	1.34	0.22	—	
All Urban Districts ..	4.20	1.01	0.71	1.02	0.82	0.63	3.83	0.70	0.69	0.99	0.81	0.63	12.65	8.00	1.25	1.68	1.05	0.67	

TABLE 15. INFANT MORTALITY FROM CERTAIN CAUSES, 1937. (Deaths under 1 year and various sub-divisions of the first year per 1,000 live births.)

NOTE.—Rates based upon less than 20 deaths are distinguished by *italic type* (see note to Table 17, page 71).

England and Wales, Geographical Regions. (See note on first page of Table 17.)

Area.	All Causes.						I.—Common Infectious Diseases (6-10, 44 : 4).						II.—Tuberculous Diseases (23-32).					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
England and Wales	57.61	29.76	9.37	8.26	5.90	4.33	1.95	0.04	0.35	0.43	0.53	0.60	0.64	0.01	0.04	0.16	0.20	0.22
South East ..	49.66	24.09	8.55	8.15	5.32	3.55	1.70	0.02	0.32	0.47	0.43	0.46	0.52	0.00	0.02	0.14	0.19	0.17
Greater London	53.86	23.69	9.68	9.97	6.42	4.11	1.99	0.02	0.33	0.62	0.51	0.51	0.52	0.01	0.02	0.16	0.18	0.16
Remainder of South East ..	43.34	24.70	6.84	5.41	3.67	2.72	1.26	0.04	0.32	0.23	0.29	0.38	0.53	—	0.02	0.11	0.21	0.18
North ..	67.69	34.34	11.04	9.95	7.15	5.21	2.33	0.04	0.42	0.48	0.66	0.73	0.66	0.01	0.04	0.18	0.20	0.22
North I ..	74.07	36.50	12.96	11.62	7.91	5.08	2.58	0.03	0.56	0.65	0.67	0.67	0.83	—	0.05	0.27	0.27	0.24
North II ..	66.52	32.79	12.62	9.08	6.66	5.36	2.33	—	0.37	0.47	0.51	0.98	0.65	—	0.05	0.09	0.28	0.23
North III ..	60.22	33.26	9.08	7.38	5.68	4.82	1.59	0.02	0.41	0.21	0.45	0.50	0.64	0.02	0.06	0.12	0.14	0.31
North IV ..	69.58	34.44	10.99	10.91	7.79	5.45	2.65	0.07	0.37	0.58	0.81	0.83	0.60	0.01	0.02	0.21	0.20	0.16
Midland ..	57.30	30.97	8.64	7.42	5.72	4.56	1.76	0.05	0.20	0.40	0.52	0.59	0.85	—	0.09	0.20	0.27	0.29
Midland I ..	57.16	30.83	8.62	7.35	5.71	4.64	1.96	0.05	0.17	0.45	0.58	0.71	0.89	—	0.08	0.21	0.32	0.28
Midland II ..	57.60	31.25	8.69	7.55	5.74	4.38	1.35	0.05	0.27	0.30	0.38	0.35	0.78	—	0.11	0.19	0.16	0.32
East ..	48.57	27.75	7.59	5.23	4.53	3.46	1.70	0.04	0.55	0.18	0.52	0.41	0.63	—	0.07	0.11	0.18	0.26
South West ..	46.11	28.19	6.82	4.14	3.30	3.66	1.49	—	0.29	0.25	0.29	0.65	0.54	0.04	0.04	0.07	0.11	0.29
Wales ..	62.52	34.86	10.20	7.56	5.70	4.20	2.39	0.08	0.46	0.35	0.65	0.86	0.56	—	0.05	0.19	0.13	0.19
Wales I ..	63.20	34.52	10.20	8.27	5.82	4.39	2.45	0.04	0.40	0.48	0.69	0.84	0.69	—	0.07	0.22	0.18	0.22
Wales II ..	60.62	35.80	10.17	5.59	5.39	3.66	2.24	0.20	0.61	—	0.51	0.92	0.20	—	—	0.10	—	0.10
III.—Diarrhoea and Enteritis (119).							IV.—Developmental and Wasting Diseases (157-9, 161a & b).						V.—Miscellaneous Diseases (Remainder).					
England and Wales	5.05	0.44	1.42	1.72	1.03	0.44	27.91	23.11	3.40	0.94	0.30	0.16	22.06	6.16	4.16	5.01	3.83	2.90
South East ..	6.59	0.34	1.78	2.28	1.51	0.68	22.47	18.30	2.89	0.91	0.27	0.10	18.37	5.43	3.53	4.35	2.92	2.15
Greater London	8.90	0.41	2.30	3.14	2.14	0.91	22.17	17.73	3.01	1.04	0.31	0.07	20.28	5.52	4.03	5.01	3.27	2.45
Remainder of South East ..	3.13	0.23	1.01	0.98	0.58	0.33	22.92	19.15	2.71	0.72	0.21	0.13	15.50	5.29	2.78	3.36	2.38	1.69
North ..	5.10	0.58	1.50	1.71	0.93	0.37	32.03	26.51	3.90	1.10	0.31	0.19	27.58	7.20	5.18	6.46	5.05	3.69
North I ..	7.45	1.32	2.12	2.23	1.26	0.51	32.25	27.22	3.42	1.18	0.24	0.19	30.96	7.93	6.80	7.29	5.46	3.47
North II ..	5.17	0.42	1.54	1.82	1.07	0.33	32.00	25.99	4.43	0.93	0.47	0.19	26.36	6.38	6.24	5.78	4.33	3.63
North III ..	3.72	0.23	1.24	1.30	0.62	0.33	30.51	26.25	3.02	0.76	0.29	0.19	23.77	6.74	4.36	5.00	4.18	3.49
North IV ..	4.90	0.51	1.39	1.71	0.94	0.35	32.80	26.50	4.48	1.31	0.32	0.20	28.64	7.35	4.73	7.11	5.53	3.91
Midland ..	4.17	0.44	1.09	1.57	0.78	0.28	29.17	24.53	3.37	0.74	0.35	0.18	21.35	5.94	3.88	4.50	3.81	3.22
Midland I ..	4.05	0.37	1.07	1.48	0.83	0.29	28.98	24.35	3.24	0.82	0.32	0.25	21.29	6.06	4.06	4.39	3.66	3.12
Midland II ..	4.44	0.60	1.14	1.76	0.68	0.27	29.55	24.89	3.65	0.57	0.41	0.03	21.48	5.71	3.52	4.73	4.11	3.41
East ..	2.36	0.15	0.66	0.85	0.52	0.18	28.01	22.96	3.76	0.85	0.33	0.11	15.88	4.61	2.54	3.24	2.98	2.51
South West ..	1.63	0.40	0.51	0.36	0.11	0.25	26.95	22.75	3.12	0.54	0.22	0.33	15.49	5.01	2.87	2.90	2.58	2.14
Wales ..	3.55	0.54	1.18	0.75	0.73	0.35	32.17	27.06	3.42	1.10	0.38	0.22	23.83	7.18	5.08	5.16	3.82	2.58
Wales I ..	3.69	0.51	1.28	0.80	0.80	0.29	32.11	27.17	3.22	1.17	0.33	0.22	24.25	6.80	5.23	5.60	3.80	2.82
Wales II ..	3.15	0.61	0.92	0.61	0.51	0.51	32.34	26.75	3.97	0.92	0.51	0.20	22.68	8.24	4.68	3.97	3.86	1.93
Measles (7).							Whooping cough (9).						Syphilis (34).					
England and Wales	0.38	0.01	0.03	0.04	0.13	0.17	1.41	0.02	0.30	0.36	0.37	0.36	0.23	0.06	0.09	0.06	0.01	0.01
South East ..	0.09	—	0.01	0.01	0.02	0.04	1.45	0.02	0.28	0.43	0.37	0.34	0.20	0.06	0.09	0.04	0.00	—
Greater London	0.08	—	0.02	—	0.02	0.04	1.70	0.02	0.29	0.58	0.46	0.36	0.20	0.06	0.10	0.04	0.01	—
Remainder of South East ..	0.11	—	0.01	0.02	0.02	0.05	1.07	0.04	0.28	0.20	0.23	0.32	0.18	0.07	0.07	0.04	—	—
North ..	0.56	0.01	0.05	0.07	0.18	0.25	1.58	0.02	0.34	0.37	0.45	0.40	0.30	0.08	0.10	0.09	0.02	0.01
North I ..	0.59	0.03	0.03	0.11	0.19	0.24	1.78	—	0.48	0.48	0.46	0.35	0.40	0.13	0.11	0.08	0.05	0.03
North II ..	1.02	—	—	0.09	0.37	0.56	1.12	—	0.33	0.37	0.14	0.28	0.23	0.09	0.05	0.05	0.05	—
North III ..	0.37	0.02	0.08	0.06	0.12	0.10	1.08	—	0.33	0.15	0.27	0.33	0.33	0.10	0.14	0.08	0.02	—
North IV ..	0.56	—	0.07	0.07	0.16	0.26	1.88	0.05	0.28	0.45	0.61	0.49	0.26	0.04	0.10	0.11	—	0.01
Midland ..	0.52	0.01	0.02	0.05	0.20	0.25	1.07	0.04	0.18	0.32	0.28	0.26	0.19	0.04	0.06	0.05	0.02	0.02
Midland I ..	0.56	—	0.01	0.05	0.20	0.29	1.19	0.04	0.15	0.38	0.33	0.29	0.20	0.04	0.07	0.05	0.01	0.03
Midland II ..	0.46	0.03	0.03	0.05	0.19	0.16	0.84	0.03	0.24	0.19	0.19	0.19	0.16	0.03	0.05	0.05	0.03	—
East ..	0.37	—	0.07	0.04	0.07	0.18	1.29	—	0.48	0.15	0.44	0.22	0.07	—	0.04	—	—	0.04
South West ..	0.15	—	—	0.04	0.04	0.07	1.27	—	0.25	0.22	0.25	0.54	0.25	—	0.11	0.15	—	—
Wales ..	0.73	0.03	—	0.05	0.32	0.32	1.48	0.03	0.46	0.24	0.30	0.46	0.24	0.13	0.11	—	—	—
Wales I ..	0.91	—	—	0.07	0.40	0.44	1.35	—	0.40	0.33	0.29	0.33	0.15	0.07	0.07	—	—	—
Wales II ..	0.20	0.10	—	—	0.10	—	1.83	0.10	0.61	—	0.31	0.81	0.51	0.31	0.20	—	—	—

TABLE 15—continued.

Area.	Meningitis (79).						Convulsions (86).						Bronchitis (106).					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
England and Wales	0.34	0.02	0.04	0.11	0.10	0.07	1.29	0.59	0.27	0.21	0.13	0.09	2.04	0.28	0.65	0.60	0.35	0.16
South East ..	0.34	0.02	0.04	0.15	0.06	0.06	0.43	0.20	0.08	0.07	0.02	0.05	1.35	0.16	0.46	0.46	0.18	0.10
Greater London	0.33	0.03	0.04	0.13	0.07	0.06	0.32	0.11	0.09	0.04	0.02	0.06	1.55	0.16	0.50	0.57	0.20	0.12
Remainder of South East ..	0.34	—	0.05	0.17	0.05	0.07	0.59	0.34	0.07	0.12	0.01	0.04	1.05	0.15	0.39	0.29	0.15	0.07
North ..	0.37	0.02	0.06	0.10	0.11	0.07	2.05	0.97	0.42	0.35	0.20	0.11	2.86	0.40	0.87	0.85	0.50	0.24
North I ..	0.30	—	0.05	0.11	0.08	0.05	3.17	1.59	0.59	0.62	0.24	0.13	5.27	0.83	1.86	1.40	0.86	0.32
North II ..	0.61	—	0.19	0.14	0.14	0.14	2.00	1.02	0.51	0.28	0.19	—	3.49	0.33	1.30	1.21	0.37	0.28
North III ..	0.35	0.01	—	0.15	0.10	0.06	1.63	0.89	0.33	0.14	0.19	0.08	1.94	0.39	0.60	0.45	0.35	0.15
North IV ..	0.35	0.03	0.07	0.05	0.13	0.07	1.84	0.76	0.38	0.37	0.19	0.14	2.25	0.24	0.52	0.77	0.48	0.24
Midland ..	0.36	0.04	0.04	0.09	0.10	0.10	1.13	0.44	0.25	0.18	0.13	0.12	1.78	0.20	0.63	0.52	0.30	0.12
Midland I ..	0.41	0.03	0.05	0.11	0.12	0.11	0.97	0.36	0.20	0.22	0.09	0.09	1.64	0.21	0.61	0.42	0.28	0.12
Midland II ..	0.27	0.05	0.03	0.05	0.05	0.08	1.46	0.62	0.35	0.08	0.22	0.19	2.06	0.19	0.68	0.70	0.35	0.14
East ..	0.33	—	—	0.11	0.15	0.07	0.77	0.33	0.15	0.11	0.11	0.07	1.81	0.33	0.44	0.37	0.44	0.22
South West ..	0.29	—	—	0.11	0.18	—	0.83	0.36	0.11	0.15	0.15	0.07	1.16	0.15	0.36	0.25	0.36	0.04
Wales ..	0.22	—	0.03	0.03	0.11	0.05	3.17	1.37	0.70	0.51	0.38	0.22	2.93	0.62	0.89	0.67	0.51	0.24
Wales I ..	0.26	—	0.04	—	0.15	0.07	2.96	1.39	0.51	0.51	0.33	0.22	3.33	0.73	1.02	0.77	0.59	0.22
Wales II ..	0.10	—	—	0.10	—	—	3.76	1.32	1.22	0.51	0.51	0.20	1.83	0.31	0.51	0.41	0.31	0.31
Area.	Pneumonia (107-109).						Congenital malformations (157).						Congenital debility (158).					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
England and Wales	9.14	0.85	1.96	2.53	2.10	1.70	6.06	3.68	1.49	0.53	0.23	0.13	2.25	1.28	0.61	0.28	0.06	0.02
South East ..	7.72	0.86	1.77	2.26	1.65	1.18	5.23	3.01	1.38	0.53	0.23	0.08	1.51	0.68	0.48	0.30	0.03	0.01
Greater London	9.09	1.00	2.11	2.69	1.82	1.46	5.18	2.86	1.42	0.60	0.25	0.05	1.45	0.56	0.47	0.34	0.05	0.02
Remainder of South East ..	5.67	0.65	1.25	1.63	1.39	0.75	5.30	3.24	1.31	0.42	0.20	0.13	1.62	0.87	0.49	0.25	0.01	—
North ..	11.65	0.96	2.41	3.15	2.83	2.30	6.75	4.17	1.63	0.57	0.23	0.15	2.78	1.59	0.74	0.32	0.08	0.04
North I ..	12.40	0.78	3.07	3.44	2.90	2.21	6.27	3.87	1.40	0.67	0.22	0.11	3.09	2.15	0.62	0.22	0.03	0.08
North II ..	11.23	0.93	2.75	2.56	2.75	2.24	6.43	3.73	1.82	0.37	0.37	0.14	2.79	1.26	0.93	0.47	0.09	0.05
North III ..	10.32	0.81	2.15	2.48	2.38	2.50	6.16	4.11	1.30	0.41	0.19	0.15	2.54	1.70	0.56	0.14	0.10	0.04
North IV ..	12.19	1.12	2.22	3.55	3.06	2.23	7.35	4.43	1.86	0.68	0.22	0.16	2.78	1.37	0.85	0.44	0.09	0.03
Midland ..	8.93	0.97	1.68	2.36	2.13	1.79	6.39	4.00	1.52	0.46	0.27	0.14	2.03	1.30	0.52	0.15	0.05	0.02
Midland I ..	8.57	0.87	1.76	2.23	1.96	1.75	6.60	4.15	1.55	0.49	0.21	0.20	1.85	1.11	0.46	0.19	0.07	0.03
Midland II ..	9.69	1.16	1.52	2.62	2.49	1.89	5.95	3.68	1.46	0.41	0.38	0.03	2.41	1.68	0.62	0.08	0.03	—
East ..	6.01	0.55	1.25	1.55	1.40	1.25	6.15	3.50	1.84	0.52	0.22	0.07	3.02	2.14	0.59	0.22	0.07	—
South West ..	5.22	0.25	1.31	1.20	1.09	1.38	6.09	3.85	1.38	0.40	0.15	0.33	2.07	1.49	0.40	0.11	0.07	—
Wales ..	9.15	0.54	2.34	2.77	1.88	1.61	5.76	3.79	1.02	0.54	0.22	0.19	3.66	2.10	1.00	0.46	0.11	—
Wales I ..	9.69	0.51	2.41	3.11	1.83	1.83	5.78	3.88	0.91	0.62	0.18	0.18	3.51	2.08	0.91	0.44	0.07	—
Wales II ..	7.63	0.61	2.14	1.83	2.03	1.02	5.70	3.56	1.32	0.31	0.31	0.20	4.07	2.14	1.22	0.51	0.20	—
Area.	Premature birth (159).						Injury at birth (160).						Suffocation—in bed or not stated how (182 pt.).					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
England and Wales	16.99	15.67	1.17	0.13	0.01	0.01	2.47	2.40	0.05	0.01	0.00	0.00	0.40	0.10	0.14	0.12	0.02	0.02
South East ..	13.37	12.36	0.93	0.08	0.00	—	2.33	2.25	0.07	0.01	—	0.00	0.39	0.09	0.15	0.10	0.02	0.02
Greater London	13.11	12.01	1.00	0.09	0.01	—	2.25	2.17	0.07	0.01	—	—	0.35	0.08	0.16	0.07	0.03	0.01
Remainder of South East ..	13.76	12.89	0.81	0.06	—	—	2.47	2.37	0.07	0.01	—	0.01	0.44	0.11	0.13	0.15	0.01	0.04
North ..	19.73	18.11	1.41	0.21	0.00	—	2.65	2.56	0.06	0.02	0.01	0.00	0.43	0.09	0.16	0.13	0.02	0.01
North I ..	20.39	18.75	1.34	0.30	—	—	2.26	2.12	0.11	0.03	—	—	0.43	0.13	0.19	0.05	0.03	0.03
North II ..	19.94	18.26	1.58	0.09	—	—	2.28	2.14	0.05	0.05	—	0.05	0.70	0.09	0.33	0.23	0.05	—
North III ..	18.83	17.55	1.07	0.21	—	—	2.50	2.42	0.04	0.02	0.02	—	0.54	0.10	0.15	0.25	0.02	0.02
North IV ..	19.92	18.14	1.58	0.20	0.01	—	2.98	2.91	0.05	0.01	0.01	—	0.29	0.07	0.12	0.08	0.02	0.01
Midland ..	18.12	16.74	1.21	0.12	0.03	0.02	2.49	2.44	0.04	—	—	—	0.41	0.12	0.12	0.12	0.03	0.04
Midland I ..	18.15	16.82	1.12	0.15	0.04	0.03	2.70	2.64	0.05	—	—	—	0.40	0.13	0.15	0.05	0.03	0.04
Midland II ..	18.05	16.59	1.38	0.08	—	—	2.06	2.03	0.03	—	—	—	0.43	0.08	0.05	0.24	0.03	0.03
East ..	16.33	14.96	1.18	0.11	0.04	0.04	1.77	1.70	0.07	—	—	—	0.52	0.11	0.07	0.22	0.07	0.04
South West ..	16.00	14.87	1.09	0.04	—	—	2.72	2.68	—	0.04	—	—	0.36	0.04	0.18	0.15	—	—
Wales ..	19.80	18.40	1.21	0.11	0.05	0.03	2.53	2.50	—	0.03	—	—	0.27	0.13	0.11	0.03	—	—
Wales I ..	19.93	18.51	1.21	0.11	0.07	0.04	2.27	2.23	—	0.04	—	—	0.26	0.11	0.15	—	—	—
Wales II ..	19.43	18.10	1.22	0.10	—	—	3.25	3.25	—	—	—	—	0.31	0.20	—	0.10	—	—

TABLE 16.—INFANT MORTALITY (ALL INFANTS AND ILLEGITIMATE INFANTS). NUMBERS AND DEATH-RATES PER 1,000 LIVE BIRTHS, 1937.

England and Wales, Geographical Regions.*

London and Metropolitan Boroughs, County Boroughs.

Aggregates of Urban and of Rural Districts in each Administrative County.

NOTE.—Rates based upon less than 20 deaths are distinguished by *italic type* (see note to Table 17, page 71).

ALL INFANTS.												ILLEGITIMATE INFANTS.									
DEATHS.								Deaths per 1,000 Live Births.		Area.	Deaths per 1,000 Live Births.		DEATHS.								
Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	Total under 1 year.		Under 4 weeks.	Total under 1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	
6607	6839	4722	5721	5044	3600	2642	35175	30	58	England and Wales..	45	88	529	337	272	442	379	164	109	2232	
1863	1846	1206	1744	1662	1085	725	10131	24	50	SOUTH-EAST ..	42	97	188	106	86	208	184	72	36	880	
1084	1069	748	1186	1221	786	503	6597	24	54	Greater London ..	46	115	131	64	56	159	133	58	27	628	
779	777	458	558	441	299	222	3534	25	43	Remainder of S.E.	35	69	57	42	30	49	51	14	9	252	
678	701	464	637	523	350	219	3572	24	46	Midland Section ..	39	93	52	25	29	69	49	20	8	252	
1185	1145	742	1107	1139	735	506	6559	24	52	Southern Section..	43	98	136	81	57	139	135	52	28	628	
2386	2640	1914	2231	2010	1445	1053	13679	34	68	NORTH ..	48	93	171	119	106	144	118	56	49	763	
416	484	457	482	432	294	189	2754	36	74	North I..	54	95	24	24	24	22	16	7	10	127	
254	266	184	271	195	143	115	1428	33	67	North II..	39	81	20	18	7	19	15	5	9	93	
613	707	397	469	381	293	249	3109	33	60	North III..	48	87	50	33	19	27	28	14	12	183	
1103	1183	876	1009	1002	715	500	6388	34	70	North IV ..	49	100	77	44	56	76	59	30	18	360	
1341	1249	897	973	835	644	513	6452	31	57	MIDLAND ..	46	77	94	52	39	46	43	23	10	307	
913	838	581	652	556	432	351	4323	31	57	Midland I ..	45	77	55	36	26	30	28	16	8	199	
428	411	316	321	279	212	162	2129	31	58	Midland II ..	48	76	39	16	13	16	15	7	2	108	
283	284	186	206	142	123	94	1318	28	49	EAST ..	38	61	20	15	16	14	12	3	3	83	
298	300	179	188	114	91	101	1271	28	46	SOUTH-WEST ..	40	64	22	16	10	14	7	2	5	76	
436	520	340	379	281	212	156	2324	35	63	WALES ..	53	84	34	29	15	16	15	8	6	123	
321	371	252	279	226	159	120	1728	35	63	Wales I ..	53	84	20	17	11	10	11	3	4	76	
115	149	88	100	55	53	36	596	36	61	Wales II ..	54	85	14	12	4	6	4	5	2	47	
Summary of Areas Outside Greater London.																					
2317	2297	1741	2167	2051	1465	1022	13060	32	66	County Boroughs ..	44	87	181	96	97	145	120	52	44	735	
2029	2265	1447	1540	1200	933	715	10129	31	55	Other Urban Districts	44	77	127	103	74	87	75	43	26	535	
1177	1208	786	828	572	416	402	5389	30	50	Rural Districts ..	47	75	90	74	45	51	51	11	12	334	
494	470	297	585	722	450	291	3309	23	60	LONDON Ad. Co...	48	119	84	41	28	88	87	34	15	377	
—	—	2	—	—	—	—	2	41	41	City of London	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	Inner and Middle	—	—	—	—	—	—	—	—	—	—	
23	23	16	24	29	23	13	151	29	70	Temple.	—	—	—	—	—	—	—	—	—	—	
14	5	6	15	24	10	10	84	18	59	Battersea ..	35	70	2	—	1	2	—	1	—	6	
13	8	4	9	12	15	7	68	20	54	Bermondsey ..	125	188	3	—	1	1	—	—	1	6	
22	25	12	37	46	22	21	185	19	58	Bethnal Green ..	75	200	1	1	1	1	3	1	—	8	
3	5	1	8	11	4	4	36	15	59	Camberwell ..	15	96	2	—	—	8	2	—	1	13	
12	10	8	9	15	4	8	66	21	45	Chelsea ..	18	105	1	—	—	2	3	—	—	6	
8	8	3	8	17	9	5	58	23	71	Deptford ..	48	48	1	1	—	—	—	—	—	2	
20	17	7	17	23	15	10	109	23	56	Finsbury ..	73	146	2	1	—	2	—	—	1	6	
10	15	8	10	15	3	6	67	25	50	Fulham ..	7	52	1	—	—	3	2	1	—	7	
17	21	12	23	24	15	12	124	17	43	Greenwich ..	56	83	1	1	—	—	1	—	—	3	
19	19	8	22	28	19	15	130	24	68	Hackney ..	29	67	—	1	2	1	2	—	1	7	
14	7	4	7	14	7	2	55	25	54	Hammersmith ..	30	119	1	2	1	3	4	5	—	16	
5	3	3	5	2	3	1	22	39	79	Hampstead ..	121	202	8	3	1	2	3	3	—	20	
35	57	33	38	60	50	29	302	28	67	Holborn ..	75	75	2	—	1	—	—	—	—	3	
21	22	14	36	50	22	12	177	27	83	Islington ..	57	123	7	5	2	2	11	2	1	30	
48	31	26	53	56	38	14	266	27	69	Kensington ..	60	181	5	6	3	9	15	3	1	42	
23	22	14	29	32	12	9	141	20	47	Lambeth ..	41	127	7	1	2	8	7	5	1	31	
23	14	13	24	27	17	7	125	26	66	Lewisham ..	31	83	2	—	1	1	4	—	—	8	
12	14	9	28	27	22	17	129	17	61	Paddington ..	31	87	8	1	—	11	2	3	—	25	
14	11	7	9	8	6	8	63	37	73	Poplar ..	45	136	2	—	—	2	2	—	—	6	
15	24	9	29	35	26	16	154	20	65	St. Marylebone ..	91	173	6	1	3	4	—	2	3	19	
7	7	5	11	19	7	10	66	16	54	St. Pancras ..	43	121	5	5	—	3	10	3	2	28	
21	19	9	27	32	25	7	140	23	65	Shoreditch ..	64	85	1	2	—	—	1	—	—	4	
20	18	20	25	39	24	20	166	21	60	Southwark ..	31	83	1	1	1	1	3	1	—	8	
3	9	2	4	6	1	3	28	19	37	Stepney ..	82	133	2	2	4	3	2	—	—	13	
42	40	27	47	47	27	21	251	28	64	Stoke Newington ..	31	125	1	—	—	2	1	—	—	4	
11	4	9	11	10	13	—	58	23	56	Wandsworth..	64	162	8	4	1	9	5	3	3	33	
19	12	6	20	14	11	4	86	17	40	Westminster..	46	99	2	2	3	4	4	—	—	15	
										Woolwich ..	46	123	2	1	—	4	—	1	—	8	

* The counties included in the several Geographical Regions are shown on the first page of Table 17.

TABLE 16—continued.

ALL INFANTS.										Deaths per 1,000 Live Births.		Area.	Deaths per 1,000 Live Births.		ILLEGITIMATE INFANTS.									
DEATHS.								DEATHS.																
Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	Total under 1 year.			Under 4 weeks.	Total under 1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 ye ar.			
COUNTY BOROUGH.																								
305	2253	1746	2177	2074	1493	1035	13083	32	66	ENGLAND (exclud-		44	89	178	91	103	149	129	56	50	756			
13	11	5	14	11	7	5	66	25	57	ing Monmouth).		22	67	—	1	—	1	1	—	—	3			
10	11	11	18	9	7	6	72	32	72	Barnsley		73	98	—	1	2	—	1	—	—	4			
5	8	3	9	2	2	3	32	20	40	Barrow-in-Furness ..		29	59	1	—	—	—	1	—	—	2			
32	27	19	25	39	20	23	185	33	78	Bath		29	69	1	1	1	1	2	1	—	7			
247	160	115	167	135	115	72	1011	31	60	Birkenhead		51	92	19	7	6	9	10	4	3	58			
										Birmingham														
25	18	12	10	10	11	7	93	41	69	Blackburn		65	97	4	—	—	1	1	—	—	6			
19	16	10	15	8	5	2	75	36	60	Blackpool		54	118	3	1	1	3	3	—	—	11			
24	27	16	21	17	21	8	134	31	62	Bolton		50	100	2	1	1	2	1	1	—	8			
24	12	12	24	29	16	10	127	29	77	Bootle		95	143	2	3	1	2	1	—	—	9			
12	17	6	6	7	8	6	62	26	46	Bournemouth		9	18	—	—	1	—	1	—	—	2			
64	40	35	48	45	27	20	279	35	70	Bradford		47	107	6	3	1	3	5	2	3	23			
26	12	16	15	10	13	9	101	28	52	Brighton		58	103	4	2	3	4	1	1	1	16			
54	72	48	40	32	15	16	277	29	46	Bristol		31	52	4	—	2	2	1	—	1	10			
18	17	13	11	10	6	4	79	46	75	Burnley		130	174	2	2	2	2	—	—	—	8			
8	6	8	3	2	6	2	35	32	51	Burton-on-Trent ..		40	40	1	—	—	—	—	—	—	1			
14	4	3	6	7	5	4	43	28	57	Bury		—	42	—	—	—	—	1	—	—	1			
3	4	—	—	2	2	—	11	19	30	Canterbury		71	71	1	—	—	—	—	—	—	1			
18	9	7	4	8	3	1	50	36	53	Carlisle		82	98	5	—	—	—	1	—	—	6			
6	6	6	8	4	6	3	39	27	59	Chester		65	65	2	—	—	—	—	—	—	2			
29	28	28	20	34	9	11	159	27	50	Coventry		79	109	3	3	2	2	1	—	—	11			
47	21	23	34	28	27	16	196	28	60	Croydon		40	193	3	—	3	7	8	4	4	29			
9	12	11	13	8	7	7	67	28	59	Darlington		19	57	—	—	1	1	1	—	—	3			
30	29	22	24	11	10	5	131	39	63	Derby		83	97	5	1	—	—	1	—	—	7			
10	9	10	7	8	3	3	50	36	62	Dewsbury		68	91	—	2	1	—	—	—	1	4			
9	18	7	10	7	6	8	65	32	61	Doncaster		27	108	1	—	—	—	1	1	1	4			
9	23	10	19	15	10	6	92	36	80	Dudley		—	95	—	—	—	1	—	1	—	2			
8	4	1	2	1	2	1	19	21	31	Eastbourne		27	27	—	1	—	—	—	—	—	1			
15	16	18	15	10	14	7	95	25	49	East Ham		40	80	1	—	1	—	—	1	1	4			
8	10	16	11	3	2	5	55	35	56	Exeter		43	64	—	1	1	—	—	—	1	3			
13	35	25	24	27	25	12	161	35	77	Gateshead		27	107	—	—	2	4	1	—	1	8			
11	1	6	7	12	7	2	46	19	49	Gloucester		88	147	3	—	—	2	—	—	—	5			
5	4	6	5	4	3	2	29	20	39	Gt. Yarmouth		—	24	—	—	—	—	1	—	—	1			
25	7	9	9	17	11	8	86	27	57	Grimsby		11	43	1	—	—	1	1	—	1	4			
20	15	9	10	8	11	7	80	35	64	Halifax		59	88	3	1	—	1	1	—	—	6			
13	3	1	7	5	3	2	34	24	48	Hastings		—	19	—	—	—	—	1	—	—	1			
28	26	15	10	7	3	5	94	44	61	Huddersfield		104	130	6	2	—	1	—	1	—	10			
7	14	5	6	5	5	2	44	19	32	Ipswich		14	28	—	1	—	—	—	—	—	2			
73	64	47	88	76	57	42	447	32	77	Kingston-upon-Hull ..		37	101	2	6	2	8	5	2	2	27			
71	116	56	82	80	50	36	491	33	67	Leeds		47	91	10	6	3	6	7	5	—	37			
45	38	35	33	35	30	22	238	31	63	Leicester		49	71	6	2	1	1	1	—	2	13			
12	11	10	9	8	3	5	58	39	69	Lincoln		104	125	2	1	2	—	1	—	—	6			
143	181	173	249	285	196	148	1375	30	82	Liverpool		49	120	12	6	19	22	19	6	7	91			
130	140	111	140	149	96	57	823	35	76	Manchester		39	102	11	4	5	15	11	3	4	53			
30	38	32	50	43	29	26	248	37	91	Middlesbrough		34	109	2	1	1	3	3	1	2	13			
45	55	72	87	99	53	26	437	36	91	Newcastle-upon-Tyne ..		46	121	1	5	2	5	4	3	1	21			
12	14	8	10	6	7	2	59	28	49	Northampton		—	—	—	—	—	—	—	—	—	—			
20	13	10	19	11	7	8	88	26	52	Norwich		24	60	1	—	1	1	1	—	1	5			
42	54	58	60	78	47	19	358	35	80	Nottingham		45	79	4	3	5	4	2	3	—	21			
26	25	10	25	12	8	10	116	36	69	Oldham		23	80	1	—	1	3	1	—	1	7			
13	13	8	4	6	2	3	49	25	36	Oxford		40	40	—	—	2	—	—	—	—	2			
24	24	18	30	19	11	15	141	21	46	Plymouth		29	44	3	—	1	2	—	—	—	6			
17	37	34	34	24	13	8	167	23	44	Portsmouth		11	37	—	2	—	2	3	—	—	7			
18	27	17	18	24	11	8	123	39	77	Preston		22	54	1	—	1	—	3	—	—	5			
11	19	8	13	20	5	5	81	24	52	Reading		42	99	1	2	—	—	3	—	1	7			
13	11	8	9	4	8	5	58	29	53	Rochdale		—	57	—	—	—	2	—	1	1	4			
9	12	6	7	10	14	5	63	21	49	Rotherham		—	—	—	—	—	—	—	—	—	—			
38	32	30	22	21	19	13	175	50	88	St. Helens		93	93	2	—	2	—	—	—	—	4			
53	42	34	43	37	27	21	257	42	84	Salford		65	113	1	3	4	3	2	—	1	14			
88	99	58	56	49	37	50	437	31	55	Sheffield		43	64	7	2	1	1	—	2	2	15			
4	11	11	13	9	10	4	62	22	52	Smethwick		53	79	1	—	1	—	1	—	—	3			
19	25	24	22	18	21	9	138	24	49	Southampton		43	51	—	3	2	—	—	1	—	6			
17	12	3	17	11	5	7	72	21	46	Southend-on-Sea		63	138	4	—	1	4	2	—	—	11			
14	11	9	3	10	6	3	56	41	67	Southport		60	120	3	—	—	2	—	1	—	6			
21	27	24	27	26	14	8	147	39	80	South Shields		42	56	2	—	1	1	—	—	—	4			
22	24	20	13	9	16	3	107	35	57	Stockport		24	35	1	1	—	—	—	1					

TABLE 16—continued.

ALL INFANTS.										ILLEGITIMATE INFANTS.										
DEATHS.							Deaths per 1,000 Live Births.			Area.	Deaths per 1,000 Live Births.			DEATHS.						
Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	Total under 1 year.		Under 4 weeks.	Total under 1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.
46	55	42	60	55	32	18	308	40	85	Sunderland	47	125	2	1	3	6	2	—	2	16
7	5	9	15	16	10	10	72	19	65	Tynemouth	—	64	—	—	—	1	1	1	3	
15	11	5	3	4	4	3	45	38	55	Wakefield	29	29	1	—	—	—	—	—	1	
14	21	7	10	10	9	4	75	33	59	Wallasey	52	69	1	—	2	—	1	—	4	
19	16	13	22	14	11	14	109	25	57	Walsall	—	20	—	—	—	1	—	—	1	
25	21	15	17	14	13	6	111	45	82	Warrington	61	121	1	—	1	1	—	—	4	
23	15	16	15	18	11	9	107	34	68	West Bromwich ..	30	61	1	—	—	1	—	—	2	
36	32	23	57	51	34	26	259	22	62	West Ham	44	114	1	2	2	3	—	1	13	
15	17	14	9	13	10	3	81	35	63	West Hartlepool ..	44	44	—	1	1	—	—	—	2	
20	24	25	19	17	14	6	125	51	92	Wigan	73	122	2	—	1	—	2	—	5	
30	27	24	24	22	27	13	167	33	68	Wolverhampton ..	45	80	2	1	1	—	2	—	7	
14	10	3	2	3	1	7	40	33	49	Worcester	26	26	1	—	—	—	—	—	1	
16	18	4	11	8	9	5	71	26	48	York	45	121	1	2	—	1	2	1	8	
										WALES AND MONMOUTH.										
110	113	59	96	66	47	36	527	34	63	Cardiff	55	92	8	7	—	6	3	1	25	
49	45	19	44	29	17	17	220	33	65	Merthyr Tydfil ..	45	75	3	3	—	2	1	1	10	
9	14	11	12	11	10	4	71	38	79	Newport, Mon. ..	172	207	4	1	—	1	—	—	6	
20	23	16	14	11	9	5	98	37	62	Swansea	40	60	1	1	—	1	—	—	3	
32	31	13	26	15	11	10	138	31	56		33	100	—	2	—	2	2	—	6	

ADMINISTRATIVE COUNTIES.

NOTE.—The following figures relate to the aggregates of Urban Districts (including Municipal Boroughs but excluding County Boroughs) and of Rural Districts in each Administrative County.

2312	2536	1654	1863	1463	1079	792	11699	—	—	ENGLAND (excluding	—	—	156	115	89	144	100	58	28	690
060	1060	685	717	504	366	368	4760	—	—	Monmouth).	—	—	77	61	37	45	48	8	10	286
19	34	12	13	21	7	4	110	24	41	Bedford ..	U.D.	28	55	—	2	—	3	—	—	6
20	7	4	11	—	7	2	51	25	41		R.D.	23	23	1	—	—	—	—	1	
11	4	6	6	—	1	2	36	20	34	Berks.. ..	U.D.	28	69	1	—	1	—	1	5	
22	28	10	16	13	6	8	103	28	48		R.D.	33	66	1	2	2	1	—	6	
20	15	13	17	15	8	3	91	20	39	Bucks ..	U.D.	42	63	2	1	1	1	—	6	
22	26	8	15	9	4	7	91	26	42		R.D.	—	—	—	—	—	—	—	—	
10	6	2	4	4	5	1	32	21	38	Cambs ..	U.D.	88	147	2	—	1	—	1	5	
13	7	6	5	3	7	4	45	27	47		R.D.	29	59	—	—	1	1	—	2	
92	81	67	59	52	42	28	421	30	53	Cheshire ..	U.D.	35	61	3	2	3	3	2	14	
21	30	20	12	9	8	6	106	32	47		R.D.	45	76	1	2	—	1	1	5	
32	29	19	15	8	8	7	118	37	54	Cornwall ..	U.D.	64	96	1	3	2	2	—	9	
19	28	12	9	4	5	3	80	32	44		R.D.	38	63	—	3	1	1	—	5	
20	21	7	13	10	4	5	80	36	59	Cumberland ..	U.D.	43	58	—	2	1	—	1	4	
28	20	16	26	6	9	7	112	36	63		R.D.	48	71	4	1	1	3	—	9	
66	61	41	30	34	25	22	279	33	54	Derby ..	U.D.	52	105	5	3	—	3	3	16	
58	40	41	28	17	24	20	228	30	50		R.D.	66	90	7	1	3	1	2	15	
35	29	15	23	17	6	11	136	30	52	Devon ..	U.D.	19	58	2	1	—	4	1	9	
37	32	24	21	13	15	12	154	31	52		R.D.	32	54	2	1	—	1	—	5	
21	31	12	21	8	13	6	112	29	51	Dorset ..	U.D.	63	98	3	1	3	1	1	11	
13	16	6	5	4	3	1	48	28	38		R.D.	82	102	1	2	1	1	—	5	
122	139	136	113	81	64	60	715	39	71	Durham ..	U.D.	65	89	6	13	5	3	2	4	33
59	63	60	65	48	38	26	359	36	71		R.D.	60	89	4	2	4	1	4	15	
8	11	9	9	4	7	2	50	35	63	Ely, Isle of ..	U.D.	71	119	1	1	1	2	—	5	
3	8	2	3	3	5	2	26	36	51		R.D.	143	143	1	2	—	—	—	3	
152	157	118	140	120	72	54	813	25	47	Essex.. ..	U.D.	30	78	6	4	5	6	10	39	
25	18	8	19	15	3	9	97	19	36		R.D.	19	77	2	—	2	2	—	8	
16	17	13	13	10	4	8	81	29	51	Gloucester ..	U.D.	32	79	—	2	—	1	1	7	
31	38	21	19	20	9	8	146	26	42		R.D.	28	50	1	2	1	—	3	7	
4	10	2	2	3	1	1	23	26	37	Hereford ..	U.D.	23	23	—	1	—	—	—	1	
12	16	7	8	7	2	2	54	36	56		R.D.	118	145	3	4	2	—	2	11	
39	50	29	30	24	21	7	200	23	38	Hertford ..	U.D.	21	53	2	1	1	2	3	10	
17	16	8	12	5	2	3	63	24	37		R.D.	58	87	2	2	—	2	—	6	
4	5	1	6	4	2	1	20	17	49	Huntingdon ..	U.D.	36	36	—	1	—	—	—	—	
1	8	1	—	4	2	—	19	31	45		R.D.	50	100	1	—	—	—	1	—	
135	174	100	134	109	79	54	785	26	49	Kent	U.D.	44	94	12	7	8	10	12	5	
51	41	28	20	25	12	9	186	30	46		R.D.	63	103	4	6	1	5	2	5	
271	332	200	209	192	131	102	1437	36	64	Lancs.. ..	U.D.	58	103	19	15	8	13	6	7	
31	43	28	23	24	14	13	176	30	52		R.D.	57	115	2	2	1	—	3	10	
23	18	15	13	10	10	14	103	26	49	Leicester ..	U.D.	61	76	2	1	1	1	—	—	
31	20	13	16	13	6	18	117	27	49		R.D.	36	48	3	—	—	—	1	—	
3	5	4	7	3	4	2	28	21	48	Lincs, Holland	U.D.	27	27	1	—	—	—	—	—	
8	11	7	7	9	5	8	55	25	53		R.D.	26	79	—	1	—	1	—	1	
4	10	10	6	—	1	4	35	38	55	Lincs, Kesteven	U.D.	80	120	1	—	1	1	—	—	
16	8	19	8	8	5	4	68	44	70		R.D.	64	64	2	—	1	—	—	—	
32	19	7	14	8	14	6	100	28	49	Lincs, Lindsey	U.D.	9	19	—	—	1	—	—	—	
26	27	15	15	14	6	7	110	31	50		R.D.	51	77	2	3	1	—	2	1	
258	292	203	276	225	158	82	1494	25	49	Middlesex ..	U.D.	49	122	30	14	14	48	23	14	
15	8	4	6	4	1	—	38	29	41	Norfolk ..	U.D.	32	48	1	—	1	1	—	—	
35	49	28	36	19	13	13	193	28	49		R.D	31	51	1	2	3	2	—	1	

TABLE 16—continued.

ALL INFANTS.										ILLEGITIMATE INFANTS.																				
DEATHS.									Deaths per 1,000 Live Births.	Area.	DEATHS.																			
Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.			Total under 1 year.	Deaths per 1,000 Live Births.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.										
ADMINISTRATIVE COUNTIES—continued.																														
8	12	3	11	4	2	2	42	16	30	Northants ..	U.D.	—	38	—	—	—	—	—	—	2										
25	26	7	17	5	6	8	94	34	55	North'berland	R.D.	119	153	4	2	1	2	—	—	9										
58	56	51	57	50	32	14	318	34	66	North'berland	U.D.	94	129	7	2	4	1	—	—	18										
21	20	13	12	9	9	5	89	41	67	Notts..	R.D.	41	55	2	1	1	1	—	—	4										
63	72	49	53	43	31	16	327	35	63	Notts..	U.D.	23	46	1	2	1	2	—	—	8										
12	21	17	17	16	9	10	102	24	48	Oxford ..	R.D.	47	78	1	1	1	2	—	—	5										
7	4	1	2	2	5	2	23	21	40	Oxford ..	U.D.	30	61	1	—	—	1	—	—	2										
18	9	8	9	9	8	3	64	24	43	Peterborough,	R.D.	—	20	—	—	—	—	—	—	1										
11	5	4	7	6	5	4	42	31	65	Peterborough,	U.D.	33	100	1	—	—	1	1	—	3										
2	1	3	2	1	—	—	9	41	61	Soke of	R.D.	—	—	—	—	—	—	—	—	—										
—	1	—	2	—	—	—	3	18	54	Rutland ..	U.D.	—	—	—	—	—	—	—	—	—										
2	3	—	—	1	2	2	10	26	52	Rutland ..	R.D.	71	71	—	1	—	—	—	—	—										
28	27	12	14	11	11	8	111	34	57	Salop ..	U.D.	72	103	2	3	2	—	—	—	1										
24	24	6	11	7	5	6	83	30	46	Salop ..	R.D.	42	63	1	1	2	—	—	—	10										
29	24	11	8	11	4	7	94	27	40	Somerset ..	U.D.	68	97	4	3	—	—	—	—	6										
34	27	23	25	15	7	8	139	28	46	Somerset ..	R.D.	17	26	1	—	1	1	2	—	10										
35	55	24	19	21	11	10	175	25	38	Southampton	U.D.	26	46	1	4	—	3	1	—	3										
47	28	17	21	15	9	12	149	28	45	Southampton	R.D.	64	113	5	3	1	3	4	—	16										
119	145	85	92	74	71	59	645	35	64	Staffs..	U.D.	47	81	3	6	2	3	2	3	19										
38	35	22	19	14	7	9	144	34	51	Staffs..	R.D.	63	116	4	1	1	3	2	—	11										
9	16	7	9	4	8	5	58	24	44	Suffolk, East	U.D.	68	102	2	—	2	1	1	—	6										
7	19	13	12	3	5	5	64	24	39	Suffolk, East	R.D.	26	39	—	2	—	—	—	—	3										
10	5	4	3	1	—	—	23	35	42	Suffolk, West	U.D.	53	53	1	—	—	—	—	—	1										
8	9	7	6	1	2	3	36	27	40	Suffolk, West	R.D.	—	51	—	—	—	—	—	—	2										
139	112	85	116	76	43	35	606	24	42	Surrey ..	U.D.	33	61	12	2	5	8	7	1	35										
23	11	13	7	4	4	2	64	28	38	Surrey ..	R.D.	32	48	1	1	—	1	—	—	3										
16	15	8	11	4	5	5	64	22	36	Sussex, East..	U.D.	21	52	2	—	—	1	1	—	5										
11	16	14	10	9	5	5	70	23	39	Sussex, East..	R.D.	28	83	—	1	1	2	1	1	6										
27	17	13	15	7	7	2	88	30	46	Sussex, West	U.D.	45	89	3	—	2	3	1	—	10										
15	19	7	10	11	5	10	77	24	45	Sussex, West	R.D.	59	103	1	2	1	1	—	1	7										
40	37	37	28	20	11	19	192	30	50	Warwick ..	U.D.	9	26	—	1	—	1	—	—	3										
23	14	13	20	11	13	16	110	23	51	Warwick ..	R.D.	17	67	—	—	1	2	—	—	4										
2	4	1	3	4	1	2	17	18	44	Westmorland	U.D.	63	125	1	1	—	—	—	1	4										
4	7	6	6	—	—	1	24	34	48	Westmorland	R.D.	33	33	1	—	—	—	—	—	1										
3	9	6	4	2	4	4	32	21	36	Wight, Isle of	U.D.	45	91	—	2	—	—	—	—	4										
—	4	1	—	—	—	1	6	28	33	Wight, Isle of	R.D.	—	—	—	—	—	—	—	—	—										
25	22	8	5	5	9	10	84	28	43	Wilts ..	U.D.	66	79	3	1	1	—	—	—	6										
16	20	12	6	5	6	13	78	21	34	Wilts ..	R.D.	11	22	1	—	—	—	—	—	2										
42	44	26	33	25	22	20	212	30	57	Worcester ..	U.D.	9	27	1	—	—	—	—	—	3										
11	8	10	8	5	1	6	49	22	37	Worcester ..	R.D.	68	68	1	1	1	—	—	—	3										
7	15	14	5	13	7	6	67	28	52	Yorks, E.R. ..	U.D.	17	67	1	—	—	—	2	—	4										
16	17	8	16	5	4	7	73	30	53	Yorks, E.R. ..	R.D.	53	80	4	2	—	2	—	—	9										
26	44	27	40	18	21	9	185	31	59	Yorks, N.R. ..	U.D.	20	61	—	2	1	2	1	—	9										
30	27	19	20	12	8	9	125	34	56	Yorks, N.R. ..	R.D.	32	56	—	3	1	1	2	—	7										
199	237	133	147	90	81	67	954	36	60	Yorks, W.R. ..	U.D.	53	87	10	12	9	10	6	2	51										
71	95	54	64	54	41	35	414	32	59	Yorks, W.R. ..	R.D.	41	79	5	2	4	3	5	—	21										
208	256	178	171	147	115	86	1161	—	—	WALES AND MONMOUTH.										—	—	13	9	7	4	9	4	4	50	
118	151	103	112	68	50	34	636	—	—	Anglesey ..										U.D.	—	—	13	13	8	6	3	3	2	48
3	3	—	3	1	—	2	12	27	53	Anglesey ..	R.D.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
1	2	8	8	3	8	1	31	27	75	Brecon ..	U.D.	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
6	2	2	1	3	1	1	16	51	81	Brecon ..	R.D.	143	143	—	—	—	—	—	—	—	—	—	—	—	—					
4	6	4	4	1	1	2	22	26	41	Caernarvon ..	U.D.	40	40	—	—	1	—	—	—	—	—	—	—	—	1					
10	19	6	11	5	6	1	58	42	69	Caernarvon ..	R.D.	106	106	3	2	—	—	—	—	—	—	—	—	—	5					
4	15	8	10	2	5	5	49	35	63	Cardigan ..	U.D.	63	104	1	1	1	—	—	—	—	—	—	—	—	5					
3	3	—	2	3	1	—	12	37	74	Cardigan ..	R.D.	250	250	1	1	—	—	—	—	—	—	—	—	—	2					
7	2	3	5	5	2	3	27	27	62	Carmarthen ..	U.D.	70	116	2	—	1	1	1	—	—	—	—	—	—	5					
13	5	5	6	11	3	8	51	23	50	Carmarthen ..	R.D.	—	69	—	—	—	—	2	—	—	—	—	—	—	2					
15	22	11	17	13	3	6	87	33	59	Carmarthen ..	R.D.	82	110	1	4	1	1	—	—	—	—	—	—	—	8					
13	15	11	4	4	5	6	58	43	64	Denbigh ..	U.D.	26	53	1	—	—	—	—	—	—	—	—	—	—	2					
16	21	12	12	11	2	4	78	35	56	Denbigh ..	R.D.	27	54	1	1	—	—	—	—	—	—	—	—	—	4					
13	11	9	10	5	9	2	59	32	57	Flint ..	U.D.	31	94	—	—	1	—	—	—	—	—	—	—	—	3					
12	18	7	11	5	5	4	62	39	65	Flint ..	R.D.	21	43	—	1	—	—	—	—	—	—	—	—	—	2					
81	124	87	83	75	59	40	549	35	66	Glamorgan	U.D.	47	82	6	3	3	2	5	—	—	—	—	—	—	21					
34	34	31	23	23	16	4	165	38	63	Glamorgan	R.D.	104	117	4	1	3	—	1	—	—	—	—	—	—	9					
3	4	1	—	5	—	2	15	32	59	Merioneth ..	U.D.	71	214	—	1	—	—	2	—	—	—	—	—	—	3					
4	4	5	3	3	2	1	22	44	75	Merioneth ..	R.D.	200	300	1	1	—	—	—	—	—	—	—	—	—	3					
51	59	49	44																											

TABLE 17. POPULATION, BIRTHS, DEATHS } England and Wales, Regions,
AND INFANT MORTALITY, 1937. } Counties, Boroughs, Urban Dis-
tricts and Rural Districts.

NOTES.

Column 2: The estimates of *resident* populations have been derived from the 1931 Census returns after allowances for (a) the difference between resident and enumerated populations and (b) the changes due to births, deaths and migration which have occurred between the date of the Census and the middle of the current year. (See note on the next page re changes in boundaries.)

Columns 3-7: Live births are those *registered* during the calendar year and are classified according to the area of residence of the mother. The average time lag between occurrence and registration is usually about a month.

Columns 9-11: Deaths are those *registered* during the calendar year and are classified according to the area of residence of the deceased. The time lag between occurrence and registration is usually only a day or two.

Columns 13-14: Mortality comparisons yielded by the crude death rates (col. 12) alone are vitiated by reason of the fact that the areal populations on which they are based may be of widely differing age constitutions. With a view to eliminating this element of variation, a comparability factor is provided in column 13 for each area and this, when multiplied by the crude death rate of the area, produces an adjusted death rate which may be regarded as comparable from a mortality point of view with the corresponding adjusted rate for any other area or with the crude death rate for England and Wales as a whole (where the comparability factor is unity). A guide to the relative incidence of mortality in different areas is provided by column 14 which expresses each local adjusted rate as a ratio of the national rate. For a fuller description of the Comparability Factor, reference should be made to the Text portion of the Statistical Review.

Columns 17-19: (Shewn only for the Regional Summary on page 72): The rates of increase and decrease are in respect of the areas as constituted after all changes of boundaries which occurred during the year.

Regions: The constitution of the Regions shewn in the summary on page 72 is as follows:—

<p><i>Greater London.</i> The area coincident with the City of London and Metropolitan Police Districts — approximately 15 miles radius from Charing Cross.</p> <p><i>South East.</i> Bedfordshire Berkshire. Buckinghamshire. Essex. Hertfordshire. Kent. London. Middlesex. Oxfordshire. Southampton. Surrey. Sussex, East. " West. Wight, Isle of.</p>	<p><i>North I.</i> Durham. Northumberland.</p> <p><i>North II.</i> Cumberland. Westmorland. Yorkshire, East Riding. " North Riding.</p> <p><i>North III.</i> Yorkshire, West Riding York C.B.</p> <p><i>North IV.</i> Cheshire. Lancashire.</p> <p><i>Midland I.</i> Gloucestershire. Herefordshire. Shropshire. Staffordshire. Warwickshire. Worcestershire.</p>	<p><i>Midland II.</i> Derbyshire. Leicestershire. Northamptonshire. Nottinghamshire. Peterborough, Soke of.</p> <p><i>East.</i> Cambridgeshire. Ely, Isle of. Huntingdonshire. Lincolnshire— Parts of Holland. " Kesteven. " Lindsey.</p> <p>Norfolk. Rutlandshire. Suffolk, East. " West.</p> <p><i>South West.</i> Cornwall. Devonshire. Dorsetshire. Somersetshire. Wiltshire.</p>	<p><i>Wales I.</i> Brecknockshire. Carmarthenshire. Glamorganshire. Monmouthshire.</p> <p><i>Wales II.</i> Anglesey. Caernarvonshire. Cardiganshire. Denbighshire. Flintshire. Merionethshire. Montgomeryshire. Pembrokeshire. Radnorshire.</p>
---	---	---	---

With a view to maintaining continuity with the Divisions in use prior to 1931, two supplementary sub-divisions of the current South-East region are shewn in the Table. The former Midland division corresponds to the aggregate of the current Midland and East and Midland section of the South-East Region; the former South (including London) corresponds to the current South-West and the Southern section of the South-East Region; North and Wales are identical in the two arrangements.

Changes in boundaries. Areas marked $\left\{ \begin{array}{l} * \text{ have been altered} \\ \dagger \text{ „ „ created} \\ \ddagger \text{ „ „ abolished} \end{array} \right\}$ during the year. Unless

otherwise indicated, statistics of areas created or abolished refer only to the portion of the year of their existence, while statistics of areas whose boundaries have been altered are composite figures combining the “before change” and “after change” position for the respective periods involved. The population of each area as constituted after change will be found in the Appendix to this volume (pages 405–406), the population shown in column 2 of this Table being a constructed figure appropriate for use with the partial or mixed records of births and deaths of the current year.

Standardization of Local Death Rates.—The A.C.F. shewn for each area in col. 13, the use of which is explained in the above note on cols. 13–14, may be regarded as an index of the relationship of the sex-age distribution of the local population to that of the total national population as disclosed by the 1931 census. Strictly it applies only to the year 1931, but it may, in practice, be used for adjacent years on either side and will continue to be so used—in the absence of any better index—until fresh factors are available from the next census, on the assumption that age changes known to be taking place from time to time in the national population are more or less paralleled by corresponding types of change in most local areas, in which event the relationship between them expressed by the A.C.F. will be subject to little alteration from year to year. The current A.C.F. is only reviewed and revised, if necessary, upon a change in boundary.

While the use of the A.C.F. alone suffices to standardize, for the purpose of valid comparison, the mortalities of different areas in the same period of time it does not suffice for the comparison of mortalities at different periods of time, either of the same or of different areas. For the latter purpose, an analogous time comparability factor (T.C.F.) must be introduced, so constructed as to eliminate the effect of sex-age changes in population taking place from time to time. For the country as a whole, such T.C.F.s are available from the ratios of standardized to crude death rates (all causes, persons) set out in Tables 7 and 8, and for recent years are as follows:—1929, .853; 1930, .838; 1931, .820; 1932, .808; 1933, .796; 1934, .790; 1935, .768; 1936, .759; 1937, .746; Upon the assumption of a similarity of temporal age trends in national and local populations, the national T.C.F.s for successive years can be used in conjunction with the A.C.F.s of local areas, the product of an A.C.F. and a T.C.F. yielding a combined comparability factor (C.C.F.) which, when multiplied by the crude death rate to which it applies, may be regarded as producing a standardized death rate comparable with the correspondingly treated crude death rate of any other place and time or with the national standardized rates shewn in Table 3 of Part I. Statistical Review.

It is to be observed that the A.C.F.s and T.C.F.s now provided apply only to total mortalities from all causes. They are not appropriate for use with selected diseases or causes.

For a fuller description of the standardizing processes, reference should be made to the Text portion of the Statistical Review for 1934.

Rates based upon less than 20 births or deaths are distinguished by *italic* type as a warning to the user that the smallness of the experience may affect its significance.

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Increase or Decrease (—) of Population per cent. Census 1931— Mid. 1937.				
		Legitimate.			Illegitimate.			TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 Live Births.	Total.	By Births and Deaths.	By Migration.
		M.	F.	M.	F.	6														
							3	4	5	7	8	9	10	11	12	13	14	15	16	17
		Col. 1	2																	
ENGLAND AND WALES	41,031,000	300,546	284,670	13,072	12,269	610,557	14.9	260,057	249,517	509,574	12.4	1.00	1.00	35,175	58	2.70	1.76	0.94		
REGIONAL SUMMARY:																				
South East ..	14,371,700	100,179	94,711	4,726	4,393	204,009	14.2	82,325	82,122	164,447	11.4	0.97	0.89	10,131	50	6.63	1.78	4.85		
Greater London ..	8,655,000	60,167	56,827	2,858	2,623	122,475	14.2	48,470	47,913	96,383	11.1	1.04	0.93	6,597	54	5.21	1.97	3.24		
Remainder of South East	5,716,700	40,012	37,884	1,868	1,770	81,534	14.3	33,855	34,209	68,064	11.9	0.88	0.84	3,534	43	8.84	1.47	7.37		
North ..	13,108,000	99,293	94,567	4,211	4,006	202,077	15.4	89,783	84,716	174,499	13.3	1.08	1.16	13,679	68	0.04	1.67	-1.63		
North I ..	2,206,600	18,432	17,405	667	675	37,179	16.8	15,188	13,282	28,470	12.9	1.12	1.17	2,754	74	1.81	3.17	-4.98		
North II ..	1,293,300	10,333	9,984	593	558	21,468	16.6	8,900	8,129	17,029	13.2	0.98	1.04	1,428	67	1.26	2.38	-1.12		
North III ..	3,455,100	25,401	24,109	1,124	990	51,624	14.9	23,090	21,854	44,944	13.0	1.07	1.12	3,109	60	0.11	1.38	-1.27		
North IV ..	6,153,000	45,127	43,069	1,827	1,783	91,806	14.9	42,605	41,451	84,056	13.7	1.08	1.19	6,388	70	0.42	1.14	-0.72		
Midland ..	7,151,400	55,848	52,745	2,013	1,989	112,595	15.7	44,825	41,869	86,694	12.1	1.02	1.00	6,452	57	3.53	2.36	1.17		
Midland I ..	4,706,700	37,585	35,469	1,300	1,281	75,635	16.1	29,715	27,667	57,382	12.2	1.02	1.00	4,323	57	3.67	2.44	1.23		
Midland II ..	2,444,700	18,263	17,276	713	708	36,960	15.1	15,110	14,202	29,312	12.0	1.02	0.99	2,129	58	3.27	2.22	1.05		
East ..	1,844,200	13,331	12,449	719	637	27,136	14.7	11,671	11,169	22,840	12.4	0.86	0.86	1,318	49	1.30	1.64	-0.34		
South West ..	2,076,700	13,461	12,917	630	557	27,565	13.3	13,827	14,070	27,897	13.4	0.83	0.90	1,271	46	1.24	0.39	0.85		
Wales ..	2,479,000	18,434	17,281	773	687	37,175	15.0	17,626	15,571	33,197	13.4	1.05	1.13	2,324	63	-4.35	1.64	-5.99		
Wales I ..	1,795,500	13,638	12,801	489	415	27,343	15.2	12,563	10,547	23,110	12.9	1.12	1.17	1,728	63	-5.54	2.18	-7.72		
Wales II ..	683,500	4,796	4,480	284	272	9,832	14.4	5,063	5,024	10,087	14.8	0.89	1.06	596	61	-1.07	0.18	-1.25		
DENSITY SUMMARY OF ALL AREAS OUTSIDE GREATER LONDON:																				
*County Boroughs ..	12,774,739	97,312	92,352	4,343	4,129	198,136	15.5	86,136	81,756	167,892	13.1	1.06	1.12	13,060	66	-0.20	1.75	-1.95		
*Urban Districts ..	12,361,196	90,182	85,718	3,592	3,324	182,816	14.8	78,835	76,387	155,222	12.6	0.99	1.01	10,129	55	3.26	1.48	1.78		
*Rural Districts ..	7,240,065	52,885	49,773	2,279	2,193	107,130	14.8	46,616	43,461	90,077	12.4	0.89	0.89	5,389	50	4.10	2.00	2.10		
SUPPLEMENTARY SUB-DIVISIONS OF SOUTH EAST REGION:																				
Midland Section ..	5,178,960	38,314	36,117	1,411	1,312	77,154	14.9	27,079	26,869	53,948	10.4	1.01	0.85	3,572	46	15.03	2.83	12.20		
Southern Section ..	9,192,740	61,865	58,594	3,315	3,081	126,855	13.8	55,246	55,253	110,499	12.0	0.85	0.82	6,559	52	2.41	1.25	1.16		

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS						DEATHS						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
ENGLAND (exclud- ing Monmouth)															
BEDFORDSHIRE :															
ADMINISTRATIVE COUNTY.	253,860	2,016	1,779	79	73	3,947	15.5	1,483	1,437	2,920	11.5	0.91	0.84	161	41
URBAN DISTRICTS	173,300	1,397	1,209	60	49	2,715	15.7	973	964	1,937	11.2	0.96	0.87	110	41
Ampthill ..	2,334	14	21	1	1	37	15.9	13	16	29	12.4	0.69	0.69	—	—
Bedford M.B. ..	45,250	307	268	11	21	607	13.4	275	259	534	11.8	0.88	0.84	26	43
Biggleswade ..	5,932	43	32	2	—	77	13.0	38	41	79	13.3	0.84	0.90	7	91
Dunstable M.B.	13,450	103	107	7	2	219	16.3	70	81	151	11.2	0.94	0.85	7	32
Kempston ..	6,720	61	47	3	1	112	16.7	38	29	67	10.0	0.95	0.77	5	45
Leighton Buzzard	7,004	51	37	2	1	91	13.0	57	45	102	14.6	0.85	1.00	6	66
Luton M.B. ..	89,360	798	675	34	23	1,530	17.1	461	474	935	10.5	1.06	0.90	57	37
Sandy ..	3,250	20	22	—	—	42	12.9	21	19	40	12.3	0.82	0.81	2	48
RURAL DISTRICTS	80,560	619	570	19	24	1,232	15.3	510	473	983	12.2	0.83	0.82	51	41
Ampthill ..	18,550	153	133	4	6	296	16.0	124	128	252	13.6	0.78	0.86	15	51
Bedford ..	23,900	198	161	4	3	366	15.3	158	141	299	12.5	0.79	0.80	21	57
Biggleswade ..	23,250	144	136	5	7	292	12.6	136	113	249	10.7	0.87	0.75	6	21
Luton ..	14,860	124	140	6	8	278	18.7	92	91	183	12.3	0.90	0.89	9	32
BERKSHIRE ..	326,660	2,373	2,143	122	112	4,750	14.5	1,994	2,049	4,043	12.4	0.85	0.85	220	46
COUNTY BORO' :															
Reading ..	100,200	760	724	36	35	1,555	15.5	629	673	1,302	13.0	0.89	0.93	81	52
ADMINISTRATIVE COUNTY.	226,460	1,613	1,419	86	77	3,195	14.1	1,365	1,376	2,741	12.1	0.84	0.82	139	44
URBAN DISTRICTS	79,660	541	443	40	32	1,056	13.3	508	540	1,048	13.2	0.83	0.88	36	34
Abingdon M.B.	7,920	56	46	2	—	104	13.1	43	44	87	11.0	0.85	0.75	1	10
Maidenhead M.B.	23,010	157	118	13	12	300	13.0	139	166	305	13.3	0.88	0.94	9	30
Newbury M.B...	14,680	93	84	7	7	191	13.0	105	101	206	14.0	0.79	0.89	10	52
New Windsor M.B.	19,400	147	121	10	8	286	14.7	133	120	253	13.0	0.90	0.94	12	42
Wallingford M.B.	3,017	16	15	1	1	33	10.9	18	14	32	10.6	0.76	0.65	1	30
Wantage ..	4,148	25	22	4	1	52	12.5	21	40	61	14.7	0.85	1.01	2	38
Wokingham M.B.	7,485	47	37	3	3	90	12.0	49	55	104	13.9	0.72	0.81	1	11
RURAL DISTRICTS	146,800	1,072	976	46	45	2,139	14.6	857	836	1,693	11.5	0.84	0.78	103	48
Abingdon ..	15,270	156	139	5	5	305	20.0	69	71	140	9.2	0.92	0.68	9	30
Bradfield ..	14,930	82	85	4	6	177	11.9	70	86	156	10.4	0.83	0.70	4	23
Cookham ..	10,340	71	73	2	2	148	14.3	70	69	139	13.4	0.88	0.95	10	68
Easthampstead	19,300	116	106	3	6	231	12.0	115	102	217	11.2	0.87	0.79	15	65
Faringdon ..	9,200	77	56	5	2	140	15.2	70	61	131	14.2	0.81	0.93	5	36
Hungerford ..	8,610	61	49	3	1	114	13.2	76	55	131	15.2	0.79	0.97	8	70
Newbury ..	11,720	70	66	1	1	138	11.8	62	69	131	11.2	0.81	0.73	9	65
Wallingford ..	11,640	96	108	7	3	214	18.4	53	49	102	8.8	0.91	0.65	16	75
Wantage ..	11,630	87	81	5	6	179	15.4	66	66	132	11.3	0.81	0.74	5	28
Windsor ..	9,300	56	62	6	5	129	13.9	48	62	110	11.8	0.84	0.80	5	39
Wokingham ..	24,860	200	151	5	8	364	14.6	158	146	304	12.2	0.84	0.83	17	47

TABLE 17—continued. (See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
BUCKINGHAMSHIRE :															
ADMINISTRATIVE COUNTY.	304,100	2,265	2,087	76	78	4,506	14·8	1,708	1,729	3,437	11·3	0·91	0·83	182	40
URBAN DISTRICTS.	151,400	1,154	1,101	43	52	2,350	15·5	852	790	1,642	10·8	0·96	0·84	91	39
Aylesbury M.B.	14,190	111	96	5	4	216	15·2	91	74	165	11·6	0·92	0·86	9	42
Beaconsfield ..	5,381	32	31	—	3	66	12·3	34	31	65	12·1	1·04	1·01	5	76
Bletchley ..	7,381	64	66	2	3	135	18·3	52	38	90	12·2	0·89	0·88	9	67
Buckingham M.B.	3,291	23	23	—	—	46	14·0	20	16	36	10·9	0·78	0·69	—	—
Chepping Wy- combe M.B.	33,650	264	270	10	13	557	16·6	153	154	307	9·1	1·04	0·76	14	25
Chesham ..	10,320	68	64	—	—	132	12·8	64	59	123	11·9	0·91	0·87	6	45
Eton ..	3,968	12	13	1	—	26	6·6	15	25	40	10·1	1·26	1·03	1	38
Linslade ..	2,684	15	18	—	—	33	12·3	30	37	67	25·0	0·80	1·61	2	61
Marlow ..	5,355	42	37	1	1	81	15·1	37	34	71	13·3	0·91	0·98	4	49
Newport Pagnell	4,050	25	21	1	2	49	12·1	30	37	67	16·5	0·75	1·00	2	41
Slough ..	48,300	436	392	19	25	872	18·1	230	211	441	9·1	1·08	0·79	36	41
Wolverton ..	12,830	62	70	4	1	137	10·7	96	74	170	13·3	0·85	0·91	3	22
RURAL DISTRICTS.	152,700	1,111	986	33	26	2,156	14·1	856	939	1,795	11·8	0·87	0·83	91	42
Amersham ..	31,510	252	210	5	8	475	15·1	156	168	324	10·3	0·95	0·79	20	42
Aylesbury ..	26,460	166	144	6	2	318	12·0	136	148	284	10·7	0·88	0·76	10	31
Buckingham ..	7,596	43	44	1	3	91	12·0	34	52	86	11·3	0·76	0·69	7	77
Eton ..	31,690	257	208	11	5	481	15·2	177	200	377	11·9	0·97	0·93	23	48
Newport Pagnell	12,820	95	62	2	1	160	12·5	101	103	204	15·9	0·75	0·96	8	50
Wing ..	6,662	39	57	—	1	97	14·6	44	47	91	13·7	0·75	0·83	4	41
Winslow ..	6,512	33	32	3	—	68	10·4	45	51	96	14·7	0·71	0·84	2	29
Wycombe ..	29,450	226	229	5	6	466	15·8	163	170	333	11·3	0·89	0·81	17	36
CAMBRIDGESHIRE :															
ADMINISTRATIVE COUNTY.	148,460	899	837	35	33	1,804	12·2	815	848	1,663	11·2	0·84	0·76	77	43
URBAN DISTRICT : Cambridge M.B.	77,430	409	399	18	16	842	10·9	354	398	752	9·7	0·93	0·73	32	38
RURAL DISTRICTS :	71,030	490	438	17	17	962	13·5	461	450	911	12·8	0·76	0·78	45	47
Chesterton ..	30,930	202	189	10	9	410	13·3	188	190	378	12·2	0·78	0·77	19	46
Newmarket ..	18,880	157	133	3	4	297	15·7	118	108	226	12·0	0·81	0·78	15	51
South Cambridgeshire	21,220	131	116	4	4	255	12·0	155	152	307	14·5	0·70	0·82	11	43
*CHESHIRE :	1,139,820	8,177	7,693	290	281	16,441	14·4	7,245	7,234	14,479	12·7	1·03	1·05	933	57
*COUNTY BORO'S	418,720	3,113	2,814	149	127	6,203	14·8	2,805	2,852	5,657	13·5	1·05	1·14	406	65
Birkenhead ..	145,500	1,190	1,087	55	47	2,379	16·4	955	934	1,889	13·0	1·09	1·14	185	78
Chester ..	44,610	315	310	15	16	656	14·7	315	319	634	14·2	1·04	1·19	39	59
*Stockport ..	133,700	969	836	48	37	1,890	14·1	918	946	1,864	13·9	1·05	1·18	107	57
Wallasey ..	94,910	639	581	31	27	1,278	13·5	617	653	1,270	13·4	0·98	1·06	75	59
ADMINISTRATIVE COUNTY.	721,100	5,064	4,879	141	154	10,238	14·2	4,440	4,382	8,822	12·2	1·01	0·99	527	51
URBAN DISTRICTS	561,700	3,967	3,810	115	114	8,006	14·3	3,483	3,495	6,978	12·4	1·03	1·03	421	53
Alderley Edge..	3,112	17	15	1	1	34	10·9	21	22	43	13·8	0·99	1·10	2	59
Alsager ..	2,996	29	18	2	—	49	16·4	15	22	37	12·3	0·89	0·88	1	20
Altrincham M.B.	36,810	275	241	11	7	534	14·5	212	226	438	11·9	1·06	1·02	23	43
Bebington M.B.	39,550	345	331	4	6	686	17·3	225	187	412	10·4	1·11	0·93	34	50
Bollington ..	5,081	23	38	—	—	61	12·0	25	26	51	10·0	0·96	0·77	2	33

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
CHESHIRE—contd.															
URBAN DISTRICTS—contd.															
Bowdon ..	3,146	15	12	2	—	29	9·2	21	24	45	14·3	0·89	1·03	2	69
Bredbury and Romiley.	14,940	131	120	1	3	255	17·1	84	81	165	11·0	1·02	0·90	16	63
Cheadle and Gatley.	24,870	213	175	6	5	399	16·0	121	115	236	9·5	1·04	0·80	17	43
Congleton M.B.	14,990	102	103	4	7	216	14·4	85	93	178	11·9	1·01	0·97	14	65
Crewe M.B. ..	45,960	267	275	6	11	559	12·2	316	309	625	13·6	1·04	1·14	32	57
Dukinfield M.B.	18,830	146	118	5	4	273	14·5	144	126	270	14·3	1·15	1·33	13	48
Ellesmere Port..	25,610	242	229	6	6	483	18·9	123	131	254	9·9	1·26	1·01	32	66
Hale	11,680	68	52	—	—	120	10·3	51	71	122	10·4	1·00	0·84	2	17
Hazel Grove and Bramhall.	15,940	128	127	2	7	264	16·6	94	101	195	12·2	0·99	0·97	17	64
Hoole	7,363	64	55	3	5	127	17·2	34	52	86	11·7	0·98	0·92	8	63
Hoylake	22,600	143	121	6	2	272	12·0	114	141	255	11·3	0·92	0·84	9	33
Hyde M.B. ..	31,740	168	178	6	5	357	11·2	209	227	436	13·7	1·03	1·14	18	50
Knutsford ..	6,343	32	36	1	1	70	11·0	34	35	69	10·9	0·86	0·76	1	14
Longdendale ..	4,720	23	22	—	1	46	9·7	30	28	58	12·3	0·91	0·90	2	43
Lymm	5,899	44	38	—	—	82	13·9	48	44	92	15·6	0·99	1·25	4	49
Macclesfield M.B.	36,340	215	216	10	6	447	12·3	253	259	512	14·1	0·95	1·08	32	72
Marple	11,660	69	61	4	3	137	11·7	80	97	177	15·2	0·90	1·10	5	36
Middlewich ..	5,992	48	51	—	1	100	16·7	37	23	60	10·0	1·07	0·86	7	70
Nantwich	8,453	44	44	3	2	93	11·0	69	62	131	15·5	0·92	1·15	5	54
Neston	8,527	80	58	3	1	142	16·7	49	43	92	10·8	1·03	0·90	6	42
Northwich ..	19,510	124	120	4	5	253	13·0	126	116	242	12·4	1·05	1·05	16	63
Runcorn	23,220	158	201	3	—	362	15·6	165	141	306	13·2	1·12	1·19	24	66
Sale M.B. ..	36,310	292	269	7	6	574	15·8	243	212	455	12·5	1·04	1·05	25	44
Sandbach	8,328	52	56	1	2	111	13·3	56	48	104	12·5	0·97	0·98	2	18
Stalybridge M.B.	23,690	134	152	5	9	300	12·7	181	199	380	16·0	1·07	1·38	25	83
Wilmslow	14,240	113	91	2	2	208	14·6	79	78	157	11·0	0·94	0·83	7	34
Winsford	11,140	54	89	3	3	149	13·4	78	73	151	13·6	1·00	1·10	12	81
Wirral	12,110	109	98	4	3	214	17·7	61	83	144	11·9	1·01	0·97	6	28
RURAL DISTRICTS	159,400	1,097	1,069	26	40	2,232	14·0	957	887	1,844	11·6	0·95	0·89	106	47
Bucklow	9,213	64	66	2	5	137	14·9	51	44	95	10·3	0·95	0·79	8	58
Chester	16,810	113	101	3	3	220	13·1	82	71	153	9·1	0·94	0·69	6	27
Congleton	11,700	89	71	4	—	164	14·0	72	62	134	11·5	0·96	0·89	9	55
Disley	2,896	12	20	—	—	32	11·0	25	11	36	12·4	0·98	0·98	—	—
Macclesfield ..	18,840	115	120	2	2	239	12·7	112	114	226	12·0	1·00	0·97	16	67
Nantwich	24,870	172	158	4	12	346	13·9	150	170	320	12·9	0·92	0·96	12	35
Northwich	28,390	210	213	6	7	436	15·4	175	165	340	12·0	0·98	0·95	26	60
Runcorn	31,290	209	204	4	5	422	13·5	193	163	356	11·4	0·96	0·88	18	43
Tarvin	14,160	106	110	1	6	223	15·7	91	82	173	12·2	0·90	0·89	10	45
Tintwistle	1,231	7	6	—	—	13	10·6	6	5	11	8·9	0·94	0·67	1	77

TABLE 17—continued. (See notes on first page of Table)

AREA.	Estimated Resident Population (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
CORNWALL:															
ADMINISTRATIVE COUNTY.	310,600	1,950	1,890	90	84	4,014	12·9	2,164	2,341	4,505	14·5	0·80	0·94	198	49
URBAN DISTRICTS.	171,200	1,064	1,017	47	47	2,175	12·7	1,194	1,330	2,524	14·7	0·80	0·95	118	54
Bodmin M.B. ..	5,401	31	30	1	—	62	11·5	20	32	52	9·6	0·72	0·56	1	16
Bude—Stratton	4,456	32	18	1	1	52	11·7	22	34	56	12·6	0·79	0·80	3	58
Camborne—Redruth ...	35,100	243	220	14	10	487	13·9	253	327	580	16·5	0·84	1·12	29	60
Falmouth M.B.	15,130	116	104	5	6	231	15·3	120	101	221	14·6	0·87	1·02	12	52
Fowey M.B. ..	2,279	9	12	1	—	22	9·7	9	17	26	11·4	0·80	0·74	—	—
Helston M.B. ..	4,935	34	23	3	—	60	12·2	24	32	56	11·3	0·72	0·66	1	17
Launceston M.B.	4,287	29	26	1	—	56	13·1	36	40	76	17·7	0·75	1·07	4	71
Liskeard M.B. ..	4,138	24	15	2	1	42	10·1	33	30	63	15·2	0·72	0·88	3	71
Looe ..	3,059	16	12	1	—	29	9·5	23	17	40	13·1	0·73	0·77	2	69
Lostwithiel M.B.	1,904	12	10	—	1	23	12·1	19	15	34	17·9	0·72	1·04	2	87
Newquay ..	7,815	37	42	2	1	82	10·5	43	46	89	11·4	0·81	0·74	2	24
Padstow ..	2,331	15	10	1	—	26	11·2	19	18	37	15·9	0·82	1·05	1	38
Penryn M.B. ..	3,813	28	22	1	1	52	13·6	23	29	52	13·6	0·89	0·98	2	38
Penzance M.B.	19,160	103	111	4	4	222	11·6	143	146	289	15·1	0·77	0·94	12	54
St. Austell ..	22,340	140	141	2	11	294	13·2	163	165	328	14·7	0·83	0·98	14	48
St. Ives M.B. ..	7,936	39	37	1	2	79	10·0	47	72	119	15·0	0·70	0·85	5	63
St. Just ..	4,130	31	37	—	2	70	16·9	37	42	79	19·1	0·84	1·29	8	114
Saltash M.B. ..	6,611	35	39	1	1	76	11·5	55	52	107	16·2	0·79	1·03	9	118
Torpoint ..	3,735	22	31	1	2	56	15·0	23	34	57	15·3	0·87	1·07	1	18
Truro M.B. ..	12,640	68	77	5	4	154	12·2	82	81	163	12·9	0·84	0·87	7	45
RURAL DISTRICTS.	139,400	886	873	43	37	1,839	13·2	970	1,011	1,981	14·2	0·80	0·92	80	44
Camelford ..	7,133	38	50	3	1	92	12·9	46	57	103	14·4	0·81	0·94	4	43
Kerrier ..	18,460	131	133	9	4	277	15·0	122	152	274	14·8	0·78	0·93	11	40
Launceston ..	6,408	36	40	3	4	83	13·0	51	35	86	13·4	0·80	0·86	1	12
Liskeard ..	13,410	64	73	2	5	144	10·7	99	94	193	14·4	0·78	0·91	6	42
St. Austell ..	19,360	143	126	8	3	280	14·5	101	121	222	11·5	0·88	0·82	12	43
St. Germans ..	15,480	89	72	1	1	163	10·5	119	99	218	14·1	0·80	0·91	9	55
Scilly, Isles of ..	1,606	13	7	—	1	21	13·1	10	11	21	13·1	0·82	0·87	1	48
Stratton ..	4,653	30	37	—	1	68	14·6	27	33	60	12·9	0·90	0·94	3	44
Truro ..	23,760	149	138	8	10	305	12·8	194	186	380	16·0	0·74	0·95	18	59
Wadebridge ..	12,560	80	80	4	2	166	13·2	76	81	157	12·5	0·80	0·81	3	18
West Penwith ..	16,570	113	117	5	5	240	14·5	125	142	267	16·1	0·77	1·00	12	50
CUMBERLAND: ..	255,590	1,939	1,878	135	121	4,073	15·9	1,888	1,704	3,592	14·1	0·96	1·09	242	59
COUNTY BORO':															
Carlisle ..	59,510	427	454	26	35	942	15·8	403	383	786	13·2	1·03	1·10	50	53
ADMINISTRATIVE COUNTY.	196,080	1,512	1,424	109	86	3,131	16·0	1,485	1,321	2,806	14·3	0·94	1·08	192	61

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
CUMBERLAND—cont.															
URBAN DISTRICTS	79,780	697	583	38	31	1,349	16.9	576	527	1,103	13.8	1.01	1.12	80	59
Cockermouth ..	4,833	34	31	1	2	68	14.1	33	37	70	14.5	0.84	0.98	5	74
Keswick ..	4,437	31	20	—	2	53	11.9	35	40	75	16.9	0.80	1.09	3	57
Maryport ..	11,470	99	83	9	3	194	16.9	90	82	172	15.0	0.99	1.20	14	72
Penrith ..	9,280	74	72	6	4	156	16.8	68	65	133	14.3	0.87	1.00	9	58
Whitehaven M.B.	22,380	217	171	14	9	411	18.4	162	132	294	13.1	1.12	1.18	23	56
Workington M.B.	27,380	242	206	8	11	467	17.1	188	171	359	13.1	1.07	1.13	26	56
RURAL DISTRICTS	116,300	815	841	71	55	1,782	15.3	909	794	1,703	14.6	0.91	1.07	112	63
Alston with Garrigill.	2,390	16	25	4	—	45	18.8	13	16	29	12.1	0.90	0.88	1	22
Border	25,610	158	173	19	12	362	14.1	206	158	364	14.2	0.82	0.94	17	47
Cockermouth ..	17,790	125	126	11	10	272	15.3	125	121	246	13.8	0.96	1.07	18	66
Ennerdale ..	26,710	225	196	13	9	443	16.6	239	179	418	15.6	1.05	1.32	38	86
Millom ..	11,560	84	84	8	7	183	15.8	94	81	175	15.1	0.87	1.06	8	44
Penrith ..	11,320	52	79	4	3	138	12.2	82	74	156	13.8	0.89	0.99	8	58
Wigton ..	20,920	155	158	12	14	339	16.2	150	165	315	15.1	0.84	1.02	22	65
DERBYSHIRE:															
COUNTY BORO':	764,400	5,925	5,475	202	189	11,791	15.4	4,741	4,257	8,998	11.8	1.07	1.02	638	54
Derby ..	139,700	1,035	958	41	31	2,065	14.8	966	839	1,805	12.9	1.04	1.08	131	63
ADMINISTRATIVE COUNTY.	624,700	4,890	4,517	161	158	9,726	15.6	3,775	3,418	7,193	11.5	1.08	1.00	507	52
URBAN DISTRICTS	339,400	2,606	2,392	78	75	5,151	15.2	2,147	1,928	4,075	12.0	1.09	1.05	279	54
Alfreton ..	21,950	156	152	6	5	319	14.5	131	104	235	10.7	1.13	0.98	18	56
Ashbourne ..	4,807	48	41	2	2	93	19.3	32	32	64	13.3	0.93	1.00	4	43
Bakewell ..	3,161	23	14	—	1	38	12.0	25	19	44	13.9	0.89	1.00	1	26
Belper ..	14,540	105	96	4	4	209	14.4	82	87	169	11.6	1.00	0.94	8	38
Bolsover ..	10,110	98	75	1	2	176	17.4	54	46	100	9.9	1.21	0.97	7	40
Buxton M.B. ..	16,650	114	108	2	9	233	14.0	77	112	189	11.4	0.99	0.91	11	47
Chesterfield M.B.	64,550	507	459	11	17	994	15.4	422	366	788	12.2	1.14	1.12	53	53
Clay Cross ..	8,200	61	57	2	1	121	14.8	61	42	103	12.6	1.15	1.17	7	58
Dronfield ..	6,540	53	42	5	1	101	15.4	41	41	82	12.5	1.09	1.10	7	69
Glossop M.B. ..	18,500	86	93	2	3	184	9.9	147	145	292	15.8	0.98	1.25	9	49
Heanor ..	22,590	173	184	6	6	369	16.3	123	137	260	11.5	1.17	1.09	19	51
Ilkeston M.B. ..	32,310	296	246	10	6	558	17.3	226	152	378	11.7	1.19	1.12	37	66
Long Eaton ..	26,040	215	204	4	4	427	16.4	169	144	313	12.0	1.08	1.05	22	52
Matlock ..	16,580	120	119	3	3	245	14.8	109	96	205	12.4	0.91	0.91	12	49
New Mills ..	8,293	54	59	—	—	113	13.6	55	52	107	12.9	0.99	1.03	6	53
Ripley ..	17,490	137	118	4	2	261	14.9	94	94	188	10.7	1.13	0.98	21	80
Staveley ..	16,970	130	128	5	3	266	15.7	101	78	179	10.5	1.27	1.08	12	45
Swadlincote District.	20,450	161	136	10	2	309	15.1	124	119	243	11.9	1.13	1.08	16	52
Whaley Bridge	4,980	32	29	1	2	64	12.9	40	35	75	15.1	0.95	1.16	3	47
Wirksworth ..	4,689	37	32	—	2	71	15.1	34	27	61	13.0	0.94	0.99	6	85

TABLE 17—continued. (See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
DERBYSHIRE—cont.															
RURAL DISTRICTS	285,300	2,284	2,125	83	83	4,575	16.0	1,628	1,490	3,118	10.9	1.06	0.93	228	50
Ashbourne ..	11,160	92	73	5	3	173	15.5	73	72	145	13.0	0.91	0.95	4	23
Bakewell ..	18,850	120	100	7	9	236	12.5	111	122	233	12.4	0.92	0.92	7	30
Belper ..	25,440	204	170	7	6	387	15.2	115	127	242	9.5	1.01	0.77	12	31
Blackwell ..	42,850	353	304	13	15	685	16.0	258	192	450	10.5	1.28	1.08	40	58
Chapel-en-le- Frith.	18,060	122	125	2	10	259	14.3	116	97	213	11.8	0.99	0.94	12	46
Chesterfield ..	69,360	560	555	21	17	1,153	16.6	392	358	750	10.8	1.12	0.98	61	53
Clowne ..	17,840	158	127	2	3	290	16.3	93	80	173	9.7	1.15	0.90	10	34
Repton ..	27,480	196	157	8	3	364	13.2	177	152	329	12.0	1.01	0.98	28	77
Shardlow ..	54,260	479	514	18	17	1,028	18.9	293	290	583	10.7	1.02	0.88	54	53
DEVONSHIRE:															
*COUNTY BORO'S	739,500	4,702	4,530	229	202	9,663	13.1	5,047	5,139	10,186	13.8	0.84	0.93	486	50
*Exeter ..	279,700	1,958	1,912	100	83	4,053	14.5	1,818	1,837	3,655	13.1	0.95	1.00	196	48
Plymouth ..	69,240	470	463	27	20	980	14.2	416	469	885	12.8	0.87	0.90	55	56
	210,460	1,488	1,449	73	63	3,073	14.6	1,402	1,368	2,770	13.2	0.98	1.04	141	46
*ADMINISTRATIVE COUNTY.	459,800	2,744	2,618	129	119	5,610	12.2	3,229	3,302	6,531	14.2	0.78	0.89	290	52
URBAN DISTRICTS	232,400	1,278	1,207	88	67	2,640	11.4	1,657	1,842	3,499	15.1	0.75	0.91	136	52
Ashburton ..	2,436	13	11	2	—	26	10.7	18	20	38	15.6	0.79	0.99	1	38
Axminster ..	2,333	16	15	3	1	35	15.0	21	16	37	15.9	0.81	1.04	4	114
Barnstaple M.B.	14,710	86	86	7	2	181	12.3	115	108	223	15.2	0.80	0.98	17	94
Bideford M.B. ..	9,361	65	49	3	4	121	12.9	64	72	136	14.5	0.77	0.90	7	58
Brixham ..	8,212	56	59	6	4	125	15.2	64	67	131	16.0	0.80	1.03	5	40
Buckfastleigh ..	2,447	10	9	—	1	20	8.2	21	12	33	13.5	0.79	0.86	1	50
Budleigh															
Salterton.	3,334	14	16	—	—	30	9.0	27	27	54	16.2	0.71	0.93	4	133
Crediton ..	3,718	19	29	3	—	51	13.7	23	31	54	14.5	0.69	0.81	1	20
Dartmouth M.B.	5,911	47	25	1	1	74	12.5	38	36	74	12.5	0.90	0.91	4	54
Dawlish ..	5,390	26	24	—	2	52	9.6	47	50	97	18.0	0.71	1.03	2	38
Exmouth ..	15,260	81	77	6	2	166	10.9	115	133	248	16.3	0.67	0.88	6	36
Great Torrington M.B.	2,794	19	15	1	2	37	13.2	18	22	40	14.3	0.77	0.89	4	108
Holsworthy ..	1,342	8	9	—	1	18	13.4	10	9	19	14.2	0.82	0.94	2	111
Honiton M.B. ..	3,195	24	16	—	—	40	12.5	18	26	44	13.8	0.79	0.88	2	50
Ilfracombe ..	8,328	51	40	1	3	95	11.4	55	74	129	15.5	0.69	0.86	4	42
Kingsbridge ..	3,032	15	16	—	1	32	10.6	24	24	48	15.8	0.72	0.92	—	—
Lynton ..	1,823	7	9	1	—	17	9.3	9	19	28	15.4	0.84	1.04	2	118
Newton Abbot..	14,660	69	70	6	6	151	10.3	101	128	229	15.6	0.76	0.96	10	66
Northam ..	5,270	24	28	1	—	53	10.1	27	47	74	14.0	0.81	0.91	3	57
Okehampton M.B.	3,587	18	16	3	—	37	10.3	26	20	46	12.8	0.84	0.87	2	54
Ottery St. Mary	3,564	22	24	2	1	49	13.7	27	35	62	17.4	0.77	1.08	2	41
Paignton ..	21,400	121	100	5	7	233	10.9	163	173	336	15.7	0.74	0.94	5	21
Salcombe ..	2,229	10	9	2	1	22	9.9	18	18	36	16.2	0.70	0.91	—	—
Seaton ..	2,481	8	11	1	—	20	8.1	11	10	21	8.5	0.68	0.47	2	100
Sidmouth ..	8,337	28	48	1	—	77	9.2	60	69	129	15.5	0.74	0.93	8	104
South Molton M.B.	2,795	15	16	1	—	32	11.4	13	21	34	12.2	0.76	0.75	3	94
Tavistock ..	5,540	32	26	3	2	63	11.4	40	45	85	15.3	0.71	0.88	1	16
Teignmouth ..	9,774	45	43	3	2	93	9.5	69	100	169	17.3	0.68	0.95	4	43
Tiverton M.B. ..	9,880	59	55	—	2	116	11.7	66	56	122	12.3	0.79	0.78	4	34
Torquay M.B. ..	44,630	238	225	25	19	507	11.4	319	345	664	14.9	0.76	0.91	23	45
Totnes M.B. ..	4,627	32	31	1	3	67	14.5	30	29	59	12.8	0.76	0.78	3	45

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Population (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
DEVONSHIRE—cont.															
*RURAL DISTRICTS	227,400	1,466	1,411	41	52	2,970	13·1	1,572	1,460	3,032	13·3	0·81	0·87	154	52
Axminster ..	10,090	64	55	3	4	126	12·5	70	72	142	14·1	0·77	0·88	4	32
Barnstaple ..	18,760	117	118	1	6	242	12·9	135	127	262	14·0	0·77	0·87	19	79
Bideford ..	5,030	36	41	1	1	79	15·7	30	17	47	9·3	0·81	0·61	1	13
Broadwood ..	1,995	18	12	—	1	31	15·5	12	14	26	13·0	0·91	0·95	1	32
Widger. Credition ..	9,426	72	58	2	4	136	14·4	71	73	144	15·3	0·78	0·96	4	29
Holsworthy ..	6,247	38	32	3	3	76	12·2	42	39	81	13·0	0·82	0·86	7	92
Honiton ..	6,784	44	57	—	1	102	15·0	39	54	93	13·7	0·79	0·87	7	69
Kingsbridge ..	10,580	65	48	3	3	119	11·2	82	73	155	14·7	0·77	0·91	4	34
Newton Abbot..	21,490	141	153	2	1	297	13·8	173	143	316	14·7	0·81	0·96	18	61
Okehampton ..	11,890	64	64	1	4	133	11·2	81	69	150	12·6	0·81	0·82	7	53
Plymouth St. Mary.	33,840	250	214	7	4	475	14·0	224	202	426	12·6	0·88	0·89	21	44
*St. Thomas ..	29,230	177	190	7	5	379	13·0	188	180	368	12·6	0·80	0·81	19	50
South Molton ..	9,113	60	64	2	2	128	14·0	76	61	137	15·0	0·83	1·00	5	39
Tavistock ..	13,870	89	68	1	6	164	11·8	101	90	191	13·8	0·83	0·92	8	49
Tiverton ..	19,130	121	129	4	7	261	13·6	127	124	251	13·1	0·82	0·87	17	65
Torrington ..	7,495	41	46	2	—	89	11·9	48	52	100	13·3	0·80	0·86	2	22
Totnes ..	12,430	69	62	2	—	133	10·7	73	70	143	11·5	0·78	0·72	10	75
DORSETSHIRE:															
ADMINISTRATIVE COUNTY.	249,840	1,689	1,604	90	71	3,454	13·8	1,619	1,556	3,175	12·7	0·84	0·86	160	46
URBAN DISTRICTS	155,900	1,056	1,016	62	50	2,184	14·0	984	1,003	1,987	12·7	0·87	0·89	112	51
Blandford Forum M.B.	3,348	22	18	—	1	41	12·2	29	33	62	18·5	0·77	1·15	2	49
Bridport M.B.	5,791	24	27	3	1	55	9·5	55	54	109	18·8	0·78	1·18	6	109
Dorchester M.B.	10,190	78	68	2	4	152	14·9	51	68	119	11·7	0·86	0·81	10	66
Lyme Regis M.B.	2,657	22	24	1	—	47	17·7	23	17	40	15·1	0·70	0·85	—	—
Poole M.B. ..	67,990	489	460	29	30	1,008	14·8	395	436	831	12·2	0·89	0·88	46	46
Portland ..	11,550	87	80	5	1	173	15·0	55	51	106	9·2	1·14	0·85	11	64
Shaftesbury M.B.	3,069	23	22	—	1	46	15·0	16	18	34	11·1	0·69	0·62	—	—
Sherborne ..	6,394	33	30	—	3	66	10·3	47	46	93	14·5	0·93	1·09	4	61
Swanage ..	5,989	36	27	—	—	63	10·5	41	32	73	12·2	0·82	0·81	2	32
Wareham M.B.	2,476	10	19	4	1	34	13·7	18	16	34	13·7	0·83	0·92	3	88
Weymouth and Melcombe Regis M.B.	32,350	213	214	15	7	449	13·9	225	205	430	13·3	0·84	0·90	28	62
Wimborne Min- ster.	4,096	19	27	3	1	50	12·2	29	27	56	13·7	0·73	0·81	—	—
URAL DISTRICTS	93,940	633	588	28	21	1,270	13·5	635	553	1,188	12·6	0·81	0·82	48	38
Beaminster ..	7,719	57	44	2	—	103	13·3	56	49	105	13·6	0·81	0·89	6	58
Blandford ..	7,328	47	43	2	4	96	13·1	48	45	93	12·7	0·77	0·79	2	21
Bridport ..	6,877	32	36	2	—	70	10·2	47	52	99	14·4	0·74	0·86	3	43
Dorchester ..	15,510	94	91	6	6	197	12·7	115	93	208	13·4	0·82	0·89	8	41
Shaftesbury ..	8,347	62	62	2	2	128	15·3	53	58	111	13·3	0·77	0·83	3	23
Sherborne ..	5,052	33	30	2	—	65	12·9	38	26	64	12·7	0·80	0·82	5	77
Sturminster ..	8,107	57	42	2	1	102	12·6	59	56	115	14·2	0·73	0·84	3	29
Wareham and Purbeck.	16,740	114	124	5	4	247	14·8	92	77	169	10·1	0·97	0·79	12	49
Wimborne and Cranborne.	18,260	137	116	5	4	262	14·3	127	97	224	12·3	0·77	0·76	6	23

TABLE 17—continued. (See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
DURHAM	1,443,420	12,516	11,703	457	452	25,128	17.4	9,938	8,647	18,585	12.9	1.14	1.19	1,838	73
COUNTY BORO'S	557,220	5,010	4,588	181	191	9,970	17.9	4,008	3,549	7,557	13.6	1.11	1.22	764	77
Darlington ..	75,620	540	550	21	32	1,143	15.1	523	450	973	12.9	1.05	1.09	67	59
Gateshead ..	117,600	1,089	927	41	34	2,091	17.8	859	752	1,611	13.7	1.13	1.25	161	77
South Shields ..	111,000	945	815	34	37	1,831	16.5	774	713	1,487	13.4	1.12	1.21	147	80
Sunderland ..	182,900	1,820	1,661	65	63	3,609	19.7	1,337	1,225	2,562	14.0	1.12	1.26	308	85
West Hartlepool	70,100	616	635	20	25	1,296	18.5	515	409	924	13.2	1.11	1.18	81	63
ADMINISTRATIVE COUNTY.	886,200	7,506	7,115	276	261	15,158	17.1	5,930	5,098	11,028	12.4	1.16	1.16	1,074	71
*URBAN DISTRICTS	591,830	5,002	4,709	200	169	10,080	17.0	3,992	3,408	7,400	12.5	1.15	1.16	715	71
†Annfield Plain..	3,669	27	31	—	1	59	16.1	22	33	55	15.0	1.17	1.42	6	102
Barnard Castle..	3,934	22	32	3	1	58	14.7	38	40	78	19.8	0.81	1.29	3	52
†Benfieldside ..	2,350	17	21	—	—	38	16.2	15	16	31	13.2	1.16	1.23	1	26
Billingham ..	20,310	182	195	7	5	389	19.2	69	76	145	7.1	1.40	0.80	26	67
*Bishop Auckland	29,650	255	228	18	14	515	17.4	203	176	379	12.8	1.09	1.13	32	62
*Blaydon ..	31,150	272	236	13	9	530	17.0	238	164	402	12.9	1.18	1.23	54	102
Boldon ..	16,740	124	103	2	5	234	14.0	114	88	202	12.1	1.13	1.10	19	81
*Brandon and Byshottles.	19,210	166	165	1	4	336	17.5	134	111	245	12.8	1.15	1.19	18	54
*Chester-le-Street	17,000	150	124	5	3	282	16.6	104	109	213	12.5	1.12	1.13	17	60
*Consett ..	31,010	277	282	7	7	573	18.5	194	165	359	11.6	1.19	1.11	39	68
†Crook ..	2,650	15	20	1	—	36	13.6	22	18	40	15.1	1.16	1.41	2	56
†Crook and Will- ington	21,480	156	146	6	5	313	14.6	111	116	227	10.6	1.12	0.96	17	54
Durham M.B. ..	19,310	130	147	6	5	288	14.9	123	126	249	12.9	1.01	1.05	14	49
Felling ..	25,830	237	183	4	7	431	16.7	207	171	378	14.6	1.17	1.38	32	74
Hartlepool M.B.	18,180	164	186	6	—	356	19.6	120	105	225	12.4	1.15	1.15	24	67
Hebburn ..	22,700	176	190	9	8	383	16.9	173	115	288	12.7	1.22	1.25	26	68
*Hetton ..	19,130	179	166	2	7	354	18.5	127	93	220	11.5	1.19	1.10	23	65
*Houghton-le- Spring.	24,790	199	222	7	8	436	17.6	153	124	277	11.2	1.18	1.07	25	57
Jarrow M.B. ..	31,210	259	250	15	8	532	17.0	250	212	462	14.8	1.15	1.37	39	73
†Leadgate ..	1,506	21	7	—	—	28	18.6	12	17	29	19.3	1.20	1.87	5	179
Ryton ..	13,470	99	84	7	5	195	14.5	92	56	148	11.0	1.17	1.04	19	97
*Seaham ..	26,620	224	217	10	7	458	17.2	152	124	276	10.4	1.22	1.02	38	83
*Shildon ..	13,345	114	105	8	3	230	17.2	117	82	199	14.9	1.08	1.30	18	78
*Spennymoor ..	18,490	160	148	5	5	318	17.2	125	111	236	12.8	1.16	1.20	24	75
†Stanhope ..	385	2	3	—	—	5	13.0	1	3	4	10.4	0.95	0.80	—	—
*Stanley ..	43,720	374	320	14	9	717	16.4	296	252	548	12.5	1.19	1.20	43	60
Stockton-on- Tees M.B.	67,170	616	534	30	32	1,212	18.0	438	402	840	12.5	1.11	1.12	86	71
†Tanfield ..	2,234	18	20	—	1	39	17.5	23	26	49	21.9	1.10	1.94	6	154
Tow Law ..	3,280	20	23	1	3	47	14.3	25	28	53	16.2	1.06	1.38	4	85
*Washington ..	16,980	156	141	6	3	306	18.0	136	96	232	13.7	1.22	1.35	25	82
*Whickham ..	22,200	182	165	5	3	355	16.0	136	130	266	12.0	1.15	1.11	28	79
†Willington ..	2,127	9	15	2	1	27	12.7	22	23	45	21.2	1.11	1.90	2	74
*RURAL DISTRICTS	294,370	2,504	2,406	76	92	5,078	17.3	1,938	1,690	3,628	12.3	1.16	1.15	359	71
†Auckland ..	12,110	103	85	3	5	196	16.2	112	96	208	17.2	1.11	1.54	20	102
*Barnard Castle	15,480	102	102	5	6	215	13.9	113	89	202	13.0	1.00	1.05	12	56
*Chester-le-Street	43,970	341	330	14	9	694	15.8	261	260	521	11.8	1.19	1.13	49	71
*Darlington ..	8,878	54	59	3	6	122	13.7	64	54	118	13.3	1.00	1.07	9	74
*Durham ..	30,650	240	263	5	11	519	16.9	223	179	402	13.1	1.15	1.21	33	64
*Easington ..	82,790	828	812	19	24	1,683	20.3	530	404	934	11.3	1.24	1.13	117	70
†Hartlepool ..	566	2	2	—	—	4	7.1	5	5	10	17.7	1.13	1.61	1	250
†Houghton-le- Spring.	6,540	67	63	1	4	135	20.6	41	43	84	12.8	1.18	1.22	19	141
*Lanchester ..	19,630	158	141	8	9	316	16.1	122	119	241	12.3	1.11	1.10	17	54
*Sedgefield ..	34,300	286	258	11	12	567	16.5	208	193	401	11.7	1.17	1.10	42	74
*Stockton ..	7,046	39	58	1	2	100	14.2	57	37	94	13.3	1.06	1.14	5	50
*Sunderland ..	23,610	209	182	5	2	398	16.9	141	146	287	12.2	1.18	1.16	32	80
*Weardale ..	8,800	75	51	1	2	129	14.7	61	65	126	14.3	0.98	1.13	3	23

TABLE 17—continued. (See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
LY, ISLE OF :															
ADMINISTRATIVE COUNTY.	81,590	649	591	28	35	1,303	16.0	506	481	987	12.1	0.89	0.87	76	58
URBAN DISTRICTS	49,550	397	359	15	27	798	16.1	311	315	626	12.6	0.87	0.88	50	63
Chatteris ..	5,093	41	30	—	2	73	14.3	33	40	73	14.3	0.85	0.98	6	82
Ely ..	8,335	56	48	4	4	112	13.4	57	53	110	13.2	0.84	0.89	4	36
March ..	12,300	99	99	4	3	205	16.7	73	72	145	11.8	0.93	0.89	10	49
Whittlesey ..	8,152	70	70	3	2	145	17.8	39	42	81	9.9	0.89	0.71	9	62
Wisbech M.B. ..	15,670	131	112	4	16	263	16.8	109	108	217	13.8	0.84	0.93	21	80
RURAL DISTRICTS	32,040	252	232	13	8	505	15.8	195	166	361	11.3	0.91	0.83	26	51
Ely ..	13,100	97	91	4	4	196	15.0	86	66	152	11.6	0.83	0.78	8	41
North Witchford	4,956	29	31	1	1	62	12.5	35	33	68	13.7	0.90	0.99	3	48
Thorney ..	2,304	18	15	1	—	34	14.8	15	9	24	10.4	1.12	0.94	3	88
Wisbech ..	11,680	108	95	7	3	213	18.2	59	58	117	10.0	0.98	0.79	12	56
SSEX															
ADMINISTRATIVE COUNTY BORO'S :	1,905,700	13,727	13,108	439	411	27,685	14.5	10,355	9,955	20,310	10.7	1.02	0.88	1,336	48
County Boro's :	528,000	3,779	3,671	131	113	7,694	14.6	3,201	3,153	6,354	12.0	1.07	1.04	426	55
East Ham ..	131,100	969	933	30	20	1,952	14.9	736	686	1,422	10.8	1.10	0.96	95	49
Southend-on-Sea	137,400	731	743	40	40	1,554	11.3	836	989	1,825	13.3	0.91	0.98	72	46
West Ham ..	259,500	2,079	1,995	61	53	4,188	16.1	1,629	1,478	3,107	12.0	1.15	1.11	259	62
ADMINISTRATIVE COUNTY.	1,377,700	9,948	9,437	308	298	19,991	14.5	7,154	6,802	13,956	10.1	1.00	0.81	910	46
URBAN DISTRICTS	1,184,000	8,593	8,208	262	240	17,303	14.6	5,854	5,613	11,467	9.7	1.05	0.82	813	47
Barking M.B. ..	76,470	541	574	8	10	1,133	14.8	324	276	600	7.8	1.25	0.79	61	54
Bentley ..	15,710	96	81	7	7	191	12.2	99	90	189	12.0	0.83	0.80	13	68
Billericay ..	34,560	210	222	9	11	452	13.1	225	185	410	11.9	0.89	0.85	25	55
Braintree and Bocking ..	14,650	109	98	5	1	213	14.5	101	70	171	11.7	0.90	0.85	4	19
Brentwood ..	27,300	154	127	11	5	297	10.9	123	126	249	9.1	0.93	0.68	11	37
Brightlingsea ..	4,222	21	30	1	2	54	12.8	32	32	64	15.2	0.66	0.81	1	19
Burnham-on- Crouch ..	3,530	26	20	1	—	47	13.3	22	21	43	12.2	0.75	0.74	1	21
Canvey Island ..	6,485	36	44	3	1	84	13.0	47	35	82	12.6	0.91	0.92	11	131
Chelmsford M.B.	30,760	216	208	8	6	438	14.2	146	126	272	8.8	1.00	0.71	16	37
Chigwell ..	22,510	167	146	3	3	319	14.2	109	93	202	9.0	0.96	0.70	8	25
Chingford ..	35,970	306	268	10	6	590	16.4	133	143	276	7.7	1.16	0.72	26	44
Clacton ..	23,420	96	121	8	7	232	9.9	122	142	264	11.3	0.84	0.77	9	39
Colchester M.B.	51,820	398	377	19	14	808	15.6	251	290	541	10.4	0.94	0.79	33	41
Dagenham ..	105,500	994	945	15	19	1,973	18.7	361	297	658	6.2	1.53	0.77	104	53
Epping ..	5,770	57	38	—	—	95	16.5	24	31	55	9.5	0.75	0.57	2	21
Frinton and Walton ..	7,287	45	32	2	5	84	11.5	45	58	103	14.1	0.83	0.94	5	60
Halstead ..	5,859	40	35	1	—	76	13.0	40	47	87	14.8	0.81	0.97	3	39
Harwich M.B. ..	12,690	94	85	4	5	188	14.8	82	62	144	11.3	1.04	0.95	6	32
Hornchurch ..	72,010	676	664	16	17	1,373	19.1	333	290	623	8.7	1.11	0.78	71	52
Ilford M.B. ..	163,000	1,134	1,068	28	33	2,263	13.9	718	739	1,457	8.9	1.10	0.79	95	42
Leyton M.B. ..	118,100	735	654	12	19	1,420	12.0	684	665	1,349	11.4	0.97	0.89	75	53
Maldon M.B. ..	9,020	50	47	3	1	101	11.2	47	62	109	12.1	0.83	0.81	2	20
Rayleigh ..	7,501	46	49	1	2	98	13.1	52	37	89	11.9	0.89	0.85	5	51
Romford M.B. ..	51,830	421	387	22	17	847	16.3	265	237	502	9.7	1.08	0.84	45	53
Saffron Walden M.B. ..	6,286	32	28	2	4	66	10.5	46	55	101	16.1	0.71	0.92	2	30

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
ESSEX—cont.															
URBAN DISTRICTS —cont.															
Thurrock	67,170	567	598	20	14	1,199	17.9	342	297	639	9.5	1.11	0.85	51	43
Waltham Holy Cross.	7,098	58	44	3	—	105	14.8	46	38	84	11.8	0.97	0.92	5	48
Walthamstow M.B.	131,900	827	807	25	16	1,675	12.7	710	733	1,443	10.9	1.11	0.98	87	52
Wanstead and Woodford M.B.	53,840	363	333	11	13	720	13.4	258	264	522	9.7	0.97	0.76	29	40
West Mersea ..	2,400	10	14	—	—	24	10.0	13	22	35	14.6	0.68	0.80	2	83
Witham ..	7,162	54	52	3	2	111	15.5	32	33	65	9.1	1.01	0.74	2	18
Wivenhoe ..	2,170	14	12	1	—	27	12.4	22	17	39	18.0	0.73	1.06	3	111
RURAL DISTRICTS	193,700	1,355	1,229	46	58	2,688	13.9	1,300	1,189	2,489	12.8	0.80	0.83	97	36
Braintree ..	15,660	116	104	5	7	232	14.8	123	99	222	14.2	0.77	0.88	12	52
Chelmsford ..	29,960	224	219	7	10	460	15.4	190	180	370	12.3	0.85	0.84	17	37
Dunmow ..	16,170	109	102	2	5	218	13.5	123	104	227	14.0	0.79	0.89	6	28
Epping ..	15,040	126	101	2	3	232	15.4	91	96	187	12.4	0.89	0.89	8	34
Halstead ..	15,620	92	78	3	3	176	11.3	112	132	244	15.6	0.73	0.92	6	34
Lexden and Winstree.	19,840	143	144	10	5	302	15.2	131	122	253	12.8	0.77	0.79	9	30
Maldon ..	13,560	80	80	2	3	165	12.2	87	83	170	12.5	0.75	0.76	3	18
Ongar ..	12,590	101	94	3	7	205	16.3	65	63	128	10.2	0.90	0.74	6	29
Rochford ..	16,650	112	87	4	7	210	12.6	99	99	198	11.9	0.79	0.76	18	86
Saffron Walden	15,770	87	71	4	2	164	10.4	113	85	198	12.6	0.74	0.75	5	30
Tendring ..	22,840	165	149	4	6	324	14.2	166	126	292	12.8	0.81	0.84	7	22
GLOUCESTERSHIRE:	810,670	5,943	5,633	226	203	12,005	14.8	5,032	5,105	10,137	12.5	0.91	0.92	550	46
COUNTY BORO'S:	471,670	3,439	3,280	123	102	6,944	14.7	2,764	2,791	5,555	11.8	0.97	0.92	323	47
Bristol ..	415,100	2,982	2,828	108	83	6,001	14.5	2,376	2,419	4,795	11.6	0.98	0.92	277	46
Gloucester ..	56,570	457	452	15	19	943	16.7	388	372	760	13.4	0.92	0.99	46	49
ADMINISTRATIVE COUNTY.	339,000	2,504	2,353	103	101	5,061	14.9	2,268	2,314	4,582	13.5	0.83	0.90	227	45
URBAN DISTRICTS	115,400	775	759	34	29	1,597	13.8	765	875	1,640	14.2	0.80	0.92	81	51
Charlton Kings	5,017	42	38	—	1	81	16.1	34	35	69	13.8	0.78	0.87	4	49
Cheltenham M.B.	51,420	325	311	23	22	681	13.2	371	461	832	16.2	0.74	0.97	38	56
Cirencester ..	7,988	37	49	1	1	88	11.0	48	65	113	14.1	0.78	0.89	5	57
Kingswood ..	15,270	137	122	3	2	264	17.3	72	86	158	10.3	1.04	0.86	14	53
Mangotsfield ..	14,000	116	112	4	1	233	16.6	93	99	192	13.7	0.98	1.08	11	47
Nailsworth ..	3,248	19	19	—	1	39	12.0	20	27	47	14.5	0.78	0.91	—	—
Stroud ..	14,100	78	78	3	1	160	11.3	81	80	161	11.4	0.78	0.72	6	38
Tewkesbury M.B.	4,357	21	30	—	—	51	11.7	46	22	68	15.6	0.83	1.04	3	59
RURAL DISTRICTS	223,600	1,729	1,594	69	72	3,464	15.5	1,503	1,439	2,942	13.2	0.85	0.90	146	42
Cheltenham ..	15,130	102	96	7	7	212	14.0	98	113	211	13.9	0.79	0.89	9	42
Cirencester ..	11,790	89	75	7	3	174	14.8	71	80	151	12.8	0.82	0.85	4	23
Dursley ..	14,400	117	130	3	1	251	17.4	107	106	213	14.8	0.84	1.00	12	48
East Dean ..	19,170	143	162	4	4	313	16.3	149	125	274	14.3	0.92	1.06	19	61
Gloucester ..	22,840	181	161	10	12	364	15.9	125	137	262	11.5	0.78	0.72	12	33
Lydney ..	10,610	81	68	1	2	152	14.3	71	69	140	13.2	1.02	1.09	4	26
Newent ..	7,220	64	44	3	2	113	15.7	60	47	107	14.8	0.78	0.93	6	53
North Cotswold	15,220	117	94	7	4	222	14.6	105	122	227	14.9	0.81	0.97	11	50
Northleach ..	7,292	48	45	3	2	98	13.4	47	32	79	10.8	0.81	0.71	2	20
Sodbury ..	27,380	241	219	6	6	472	17.2	161	148	309	11.3	0.89	0.81	14	30
Stroud ..	21,460	144	151	3	7	305	14.2	142	178	320	14.9	0.76	0.91	11	36
Tetbury ..	5,915	52	35	4	2	93	15.7	33	33	66	11.2	0.91	0.82	5	54
Thornbury ..	18,530	132	139	4	12	287	15.5	136	108	244	13.2	0.85	0.90	14	49
Warmley ..	9,133	77	61	3	1	142	15.5	60	41	101	11.1	0.96	0.86	6	42
West Dean ..	17,510	141	114	4	7	266	15.2	138	100	238	13.6	0.98	1.07	17	64

TABLE 17—continued. (See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
HEREFORDSHIRE :															
ADMINISTRATIVE COUNTY.	109,150	751	718	53	66	1,588	14·5	743	725	1,468	13·4	0·80	0·86	77	48
URBAN DISTRICTS	42,350	299	280	18	25	622	14·7	294	284	578	13·6	0·83	0·91	23	37
Bromyard ..	1,522	13	12	1	1	27	17·7	12	8	20	13·1	0·83	0·88	2	74
Hereford M.B. . .	25,580	175	151	12	16	354	13·8	169	155	324	12·7	0·87	0·89	15	42
Kington ..	1,760	14	18	1	—	33	18·8	13	14	27	15·3	0·76	0·94	1	30
Ledbury ..	3,253	21	24	2	—	47	14·4	28	31	59	18·1	0·75	1·09	1	21
Leominster M.B.	5,590	41	42	1	4	88	15·7	32	34	66	11·8	0·79	0·75	—	—
Ross-on-Wye ..	4,645	35	33	1	4	73	15·7	40	42	82	17·7	0·77	1·10	4	55
RURAL DISTRICTS	66,800	452	438	35	41	966	14·5	449	441	890	13·3	0·78	0·84	54	56
Bromyard ..	6,997	45	54	5	3	107	15·3	50	54	104	14·9	0·80	0·96	5	47
Dore and Bredwardine	7,273	50	49	4	6	109	15·0	58	52	110	15·1	0·77	0·94	8	73
Hereford ..	13,190	89	80	8	10	187	14·2	83	76	159	12·1	0·80	0·78	11	59
Kington ..	4,573	39	26	2	3	70	15·3	32	38	70	15·3	0·77	0·95	4	57
Ledbury ..	8,323	52	62	2	4	120	14·4	55	54	109	13·1	0·79	0·83	11	92
Leominster and Wigmore.	9,883	68	48	7	3	126	12·7	71	64	135	13·7	0·75	0·83	6	48
St. Andrew's and Whit- church.	10,920	74	69	7	9	159	14·6	60	69	129	11·8	0·80	0·76	5	31
Weobley ..	5,641	35	50	—	3	88	15·6	40	34	74	13·1	0·80	0·85	4	45
HERTFORDSHIRE :															
ADMINISTRATIVE COUNTY.	474,700	3,497	3,201	136	123	6,957	14·7	2,385	2,437	4,822	10·2	0·94	0·77	263	38
URBAN DISTRICTS	350,400	2,598	2,445	93	97	5,233	14·9	1,733	1,813	3,546	10·1	0·96	0·78	200	38
Baldock ..	3,784	27	26	2	—	55	14·5	20	18	38	10·0	0·94	0·76	—	—
Barnet ..	20,750	154	154	4	7	319	15·4	93	110	203	9·8	0·89	0·70	8	25
Berkhamsted	10,180	56	52	2	1	111	10·9	45	55	100	9·8	0·89	0·70	4	36
Bishop's Stortford	10,790	68	69	2	7	146	13·5	56	69	125	11·6	0·85	0·80	5	34
Bushey ..	12,420	83	67	1	—	151	12·2	54	61	115	9·3	1·10	0·83	4	26
Cheshunt ..	16,620	150	141	7	3	301	18·1	97	78	175	10·5	0·98	0·83	15	50
Chorleywood ..	3,514	21	17	—	—	38	10·8	16	21	37	10·5	0·94	0·80	2	53
East Barnet ..	31,340	257	213	2	8	480	15·3	141	151	292	9·3	1·01	0·76	22	46
Harpenden ..	11,270	69	77	5	3	154	13·7	53	64	117	10·4	0·96	0·81	4	26
Hemel Hemp- stead M.B.	18,570	130	118	12	7	267	14·4	86	88	174	9·4	0·94	0·71	11	41
Hertford M.B. . .	12,970	67	76	4	4	151	11·6	66	69	135	10·4	0·95	0·80	10	66
Hitchin ..	16,830	131	137	7	3	278	16·5	92	102	194	11·5	0·90	0·83	12	43
Hoddesdon ..	11,780	90	80	2	2	174	14·8	85	63	148	12·6	0·94	0·96	13	75
Letchworth ..	15,650	112	104	2	1	219	14·0	67	90	157	10·0	1·09	0·88	6	27
Rickmansworth	17,430	164	138	3	7	312	17·9	67	51	118	6·8	1·01	0·55	10	32
Royston ..	3,867	23	22	1	1	47	12·2	20	34	54	14·0	0·69	0·78	1	21
St. Albans M.B.	35,840	247	250	13	18	528	14·7	190	208	398	11·1	0·91	0·81	21	40
Sawbridgeworth	2,992	17	15	2	1	35	11·7	19	25	44	14·7	0·83	0·98	4	114
Stevenage ..	5,666	38	42	—	—	80	14·1	34	30	64	11·3	0·88	0·80	2	25
Tring ..	4,448	38	28	1	3	70	15·7	26	33	59	13·3	0·75	0·80	1	14
Ware ..	7,439	59	44	1	1	105	14·1	41	46	87	11·7	0·85	0·80	5	48
Watford M.B. . .	64,880	475	461	16	16	968	14·9	320	310	630	9·7	1·01	0·79	28	29
Welwyn Garden City.	11,370	122	114	4	4	244	21·5	45	37	82	7·2	1·26	0·73	12	49

TABLE 17—continued. (See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
HERTFORDSHIRE —cont.															
RURAL DISTRICTS:	124,300	899	756	43	26	1,724	13·9	652	624	1,276	10·3	0·91	0·76	63	37
Barnet	8,650	68	49	1	3	121	14·0	33	30	63	7·3	1·13	0·67	4	33
Berkhamsted ..	4,272	30	27	1	1	59	13·8	28	25	53	12·4	0·85	0·85	2	34
Braughing ...	8,870	61	31	4	1	97	10·9	66	67	133	15·0	0·75	0·91	8	82
Hatfield	15,720	135	121	6	4	266	16·9	64	67	131	8·3	0·99	0·66	7	26
Hemel Hempstead.	8,653	59	54	3	1	117	13·5	47	42	89	10·3	0·92	0·76	4	34
Hertford	6,961	47	48	1	1	97	13·9	43	41	84	12·1	0·88	0·86	3	31
Hitchin.. ..	18,860	115	107	5	5	232	12·3	119	108	227	12·0	0·84	0·81	11	47
St. Albans ..	20,260	162	121	8	6	297	14·7	74	82	156	7·7	0·93	0·58	6	20
Ware	9,612	61	63	5	3	132	13·7	53	40	93	9·7	0·83	0·65	4	30
Watford	18,420	116	122	7	1	246	13·4	101	94	195	10·6	1·05	0·90	11	45
Welwyn	4,022	45	13	2	—	60	14·9	24	28	52	12·9	0·99	1·03	3	50
HUNTINGDONSHIRE:															
ADMINISTRATIVE COUNTY.	56,380	392	391	22	26	831	14·7	391	365	756	13·4	0·83	0·90	39	47
URBAN DISTRICTS	26,300	189	192	16	12	409	15·6	168	176	344	13·1	0·89	0·94	20	49
Godmanchester M.B.	2,025	19	14	—	3	36	17·8	20	15	35	17·3	0·79	1·10	—	—
Huntingdon M.B.	4,669	35	31	4	2	72	15·4	26	27	53	11·4	0·81	0·74	—	—
Old Fletton ..	7,726	61	58	5	2	126	16·3	49	45	94	12·2	1·08	1·06	12	95
Ramsey	5,135	41	41	4	3	89	17·3	27	39	66	12·9	0·95	0·99	7	79
St. Ives M.B. ..	2,635	9	24	3	—	36	13·7	17	16	33	12·5	0·77	0·78	—	—
St. Neots	4,110	24	24	—	2	50	12·2	29	34	63	15·3	0·79	0·97	1	20
RURAL DISTRICTS	30,080	203	199	6	14	422	14·0	223	189	412	13·7	0·79	0·87	19	45
Huntingdon ..	6,939	41	44	1	3	89	12·8	52	38	90	13·0	0·78	0·82	3	34
Norman Cross ..	7,028	57	54	2	3	116	16·5	41	41	82	11·7	0·89	0·84	5	43
St. Ives.. ..	9,614	65	65	2	5	137	14·3	77	75	152	15·8	0·75	0·96	10	73
St. Neots	6,499	40	36	1	3	80	12·3	53	35	88	13·5	0·75	0·82	1	13
KENT:	1,392,130	10,051	9,564	416	381	20,412	14·7	8,005	7,766	15,771	11·3	0·90	0·82	982	48
COUNTY BORO':															
Canterbury ..	25,530	189	165	9	5	368	14·4	158	174	332	13·0	0·83	0·87	11	30
ADMINISTRATIVE COUNTY	1,366,600	9,862	9,399	407	376	20,044	14·7	7,847	7,592	15,439	11·3	0·91	0·83	971	48

TABLE 17—continued. (See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
KENT—cont.															
URBAN DISTRICTS	1,085,500	7,857	7,541	315	293	16,006	14.7	6,089	6,017	12,106	11.2	0.92	0.83	785	49
Ashford. . .	22,510	155	130	6	7	298	13.2	144	137	281	12.5	0.85	0.86	17	57
Beckenham M.B.	69,580	460	445	14	11	930	13.4	315	306	621	8.9	0.98	0.70	33	35
*Bexley. . .	74,350	648	643	17	11	1,319	17.7	353	296	649	8.7	1.07	0.75	59	45
Broadstairs and St. Peters.	13,230	57	52	5	4	118	8.9	64	94	158	11.9	0.83	0.80	3	25
Bromley M.B. . .	58,700	373	366	14	25	778	13.3	291	314	605	10.3	0.97	0.81	37	48
Chatham M.B. . .	44,970	329	346	26	26	727	16.2	314	245	559	12.4	0.98	0.98	48	66
*Chislehurst and Sidcup	58,670	504	467	9	15	995	17.0	263	252	515	8.8	0.95	0.67	47	47
Crayford. . .	23,710	184	178	6	4	372	15.7	126	97	223	9.4	1.20	0.91	17	46
Dartford M.B. . .	34,510	270	247	8	5	530	15.4	166	146	312	9.0	0.99	0.72	26	49
Deal M.B. . .	23,530	209	200	9	15	433	18.4	146	141	287	12.2	0.83	0.82	21	48
Dover M.B. . .	40,500	303	262	11	9	585	14.4	250	251	501	12.4	0.92	0.92	33	56
*Erith. . .	38,240	301	295	4	5	605	15.8	249	166	415	10.9	1.07	0.94	28	46
Faversham M.B.	12,180	83	71	5	3	162	13.3	79	89	168	13.8	0.78	0.87	9	56
Folkestone M.B.	45,400	298	273	12	10	593	13.1	226	290	516	11.4	0.89	0.82	29	49
Gillingham M.B.	69,320	544	492	13	15	1,064	15.3	401	369	770	11.1	1.04	0.93	56	53
Gravesend M.B.	39,460	286	293	10	10	599	15.2	251	215	466	11.8	1.00	0.95	32	53
Herne Bay. . .	16,030	82	60	6	6	154	9.6	113	133	246	15.3	0.74	0.91	7	45
Hythe M.B. . .	8,752	47	58	2	1	108	12.3	61	37	98	11.2	0.81	0.73	3	28
Lydd M.B. . .	2,853	19	17	2	—	38	13.3	17	10	27	9.5	1.02	0.78	2	53
Maidstone M.B.	47,290	330	277	22	17	646	13.7	292	278	570	12.1	0.92	0.90	39	60
Margate M.B. . .	39,620	203	196	14	10	423	10.7	213	292	505	12.7	0.90	0.92	22	52
New Romney M.B.	1,891	15	10	—	1	26	13.7	12	10	22	11.6	0.90	0.84	1	38
Northfleet. . .	17,930	154	155	1	3	313	17.5	105	93	198	11.0	1.02	0.90	16	51
Orpington. . .	43,610	365	390	20	11	786	18.0	207	171	378	8.7	0.92	0.65	41	52
Penge. . .	25,560	190	202	13	9	414	16.2	141	191	332	13.0	0.92	0.96	24	58
Queenborough M.B.	2,951	17	29	1	2	49	16.6	16	12	28	9.5	1.18	0.90	1	20
Ramsgate M.B.	34,460	207	258	15	10	490	14.2	241	239	480	13.9	0.85	0.95	25	51
Rochester M.B.	36,530	303	288	7	7	605	16.6	220	196	416	11.4	0.93	0.86	32	53
Royal Tunbridge Wells M.B.	32,970	205	182	12	11	410	12.4	207	295	502	15.2	0.73	0.89	19	46
Sandwich M.B.	3,899	31	24	—	—	55	14.1	27	21	48	12.3	0.82	0.81	1	13
Sevenoaks. . .	12,590	61	72	4	1	138	11.0	63	75	138	11.0	0.87	0.77	4	29
Sheerness. . .	16,450	128	99	3	6	236	14.3	81	87	168	10.2	1.01	0.83	7	30
Sittingbourne and Milton.	20,880	174	148	5	8	335	16.0	121	123	244	11.7	0.93	0.88	11	33
Southborough. . .	7,645	58	36	4	3	101	13.2	36	60	96	12.6	0.73	0.74	2	20
Swanscombe. . .	8,273	57	71	1	3	132	16.0	50	41	91	11.0	1.04	0.92	6	45
Tenterden M.B.	3,386	13	26	2	—	41	12.1	30	35	65	19.2	0.76	1.18	2	49
Tonbridge. . .	17,530	113	108	7	5	233	13.3	102	111	213	12.2	0.90	0.89	16	69
Whitstable. . .	15,540	81	75	5	4	165	10.6	96	99	195	12.5	0.72	0.73	9	55
RURAL DISTRICTS	281,100	2,005	1,858	92	83	4,038	14.4	1,758	1,575	3,333	11.9	0.85	0.82	186	46
Bridge-Blean. . .	15,560	112	134	5	4	255	16.4	100	79	179	11.5	0.80	0.74	8	31
Cranbrook. . .	13,290	84	83	4	3	174	13.1	102	90	192	14.4	0.78	0.91	6	34
Dartford. . .	32,510	260	230	11	8	509	15.7	141	181	322	9.9	1.03	0.82	19	37

TABLE 17—continued. (See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
KENT—cont.															
RURAL DISTRICTS —cont.															
Dover	9,324	65	69	6	5	145	15·6	58	47	105	11·3	0·87	0·79	10	69
East Ashford ..	9,033	54	55	2	2	113	12·5	71	51	122	13·5	0·77	0·84	7	62
Eastry	23,580	164	145	8	8	325	13·8	111	106	217	9·2	0·87	0·65	17	52
Elham	8,908	57	56	2	1	116	13·0	52	49	101	11·3	0·71	0·65	6	52
Hollingbourne ..	13,930	80	78	2	6	166	11·9	85	96	181	13·0	0·83	0·87	9	54
Maidstone	15,510	122	96	4	7	229	14·8	106	94	200	12·9	0·79	0·82	6	26
Malling	30,630	238	208	10	5	461	15·1	191	145	336	11·0	0·88	0·78	14	30
Romney Marsh ..	3,398	25	15	3	1	44	12·9	27	10	37	10·9	0·84	0·74	6	136
Sevenoaks	27,950	210	187	14	5	416	14·9	188	167	355	12·7	0·85	0·87	19	46
Sheppey	8,115	61	58	1	3	123	15·2	40	39	79	9·7	0·88	0·69	4	33
Strood	17,490	127	119	3	7	256	14·6	121	113	234	13·4	0·92	0·99	19	74
Swale	17,900	125	118	4	9	256	14·3	136	99	235	13·1	0·85	0·90	11	43
Tenterden	6,313	48	42	3	2	95	15·0	46	33	79	12·5	0·74	0·75	4	42
Tonbridge	19,180	122	111	5	5	243	12·7	124	111	235	12·3	0·81	0·80	12	49
West Ashford ..	8,479	51	54	5	2	112	13·2	59	65	124	14·6	0·76	0·89	9	80
*LANCASHIRE :	5,013,180	36,950	35,376	1,537	1,502	75,365	15·0	35,360	34,217	69,577	13·9	1·09	1·22	5,455	72
*COUNTY BORO'S	3,153,980	24,211	23,238	1,119	1,108	49,676	15·8	22,809	22,043	44,852	14·2	1·11	1·27	3,842	77
Barrow-in-Furness.	65,810	492	469	19	22	1,002	15·2	481	447	928	14·1	1·09	1·24	72	72
Blackburn	114,000	635	646	25	37	1,343	11·8	822	931	1,753	15·4	1·03	1·28	93	69
Blackpool	123,800	629	529	37	56	1,251	10·1	972	1,081	2,053	16·6	0·91	1·22	75	60
Bolton	170,400	1,110	980	49	31	2,170	12·7	1,203	1,218	2,421	14·2	1·09	1·25	134	62
Bootle	74,690	796	781	32	31	1,640	22·0	494	455	949	12·7	1·18	1·21	127	77
Burnley	89,670	514	490	29	17	1,050	11·7	718	675	1,393	15·5	1·08	1·35	79	75
*Bury	59,620	394	333	14	10	751	12·6	461	461	922	15·5	1·01	1·26	43	57
Liverpool	836,300	8,075	7,893	376	384	16,728	20·0	6,007	5,468	11,475	13·7	1·15	1·27	1,375	82
Manchester	736,500	5,264	5,004	258	260	10,786	14·6	5,130	5,086	10,216	13·9	1·14	1·28	823	76
Oldham	127,800	832	766	45	42	1,685	13·2	1,036	992	2,028	15·9	1·12	1·44	116	69
Preston	113,600	805	693	49	43	1,590	14·0	774	842	1,616	14·2	1·11	1·27	123	77
Rochdale	91,940	518	505	42	28	1,093	11·9	715	700	1,415	15·4	1·05	1·30	58	53
St. Helens	107,400	975	978	23	20	1,996	18·6	718	585	1,303	12·1	1·23	1·20	175	88
Salford	201,800	1,460	1,469	62	62	3,053	15·1	1,539	1,404	2,943	14·6	1·18	1·39	257	84
Southport	78,960	365	422	23	27	837	10·6	566	700	1,266	16·0	0·83	1·07	56	67
Warrington	78,500	675	639	19	14	1,347	17·2	538	447	985	12·5	1·20	1·21	111	82
Wigan	83,190	672	641	17	24	1,354	16·3	635	551	1,186	14·3	1·20	1·38	125	92
*ADMINISTRATIVE COUNTY.	1,859,200	12,739	12,138	418	394	25,689	13·8	12,551	12,174	24,725	13·3	1·06	1·14	1,613	63
*URBAN DISTRICTS	1,616,700	11,028	10,527	369	356	22,280	13·8	11,037	10,743	21,780	13·5	1·07	1·16	1,437	64
Abram	6,307	45	50	3	—	98	15·5	41	32	73	11·6	1·23	1·15	4	41
Accrington M.B.	39,860	202	186	7	7	402	10·1	297	328	625	15·7	1·00	1·27	23	57
Adlington	4,032	28	21	1	1	51	12·6	23	21	44	10·9	1·11	0·98	1	20
Ashton-in-Makerfield.	19,620	156	136	4	5	301	15·3	161	122	283	14·4	1·19	1·38	21	70
Ashton-under-Lyne M.B.	48,810	296	290	16	18	620	12·7	404	390	794	16·3	1·07	1·41	39	63
Aspull	6,628	52	56	—	2	110	16·6	53	37	90	13·6	1·21	1·33	9	82
Atherton	20,620	150	139	—	1	290	14·1	116	117	233	11·3	1·14	1·04	15	52

TABLE 17—continued. (See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
CASHIRE—cont.															
MAN DISTRICTS —cont.															
Studenshaw ..	11,460	72	83	1	2	158	13·8	69	44	113	9·9	1·09	0·87	2	13
Acup M.B. ..	19,760	118	121	6	2	247	12·5	154	157	311	15·7	1·08	1·37	15	61
Arrowford ..	4,960	22	17	—	—	39	7·9	32	33	65	13·1	0·99	1·05	1	26
Billinge and Winstanley.	5,632	33	40	1	1	75	13·3	31	32	63	11·2	1·01	0·91	5	67
Blackrod ..	3,284	24	17	—	1	42	12·8	20	22	42	12·8	1·05	1·08	3	71
Brierfield ..	7,257	47	33	1	3	84	11·6	43	56	99	13·6	1·06	1·16	5	60
Barnforth ..	3,123	17	13	—	—	30	9·6	32	18	50	16·0	0·94	1·21	2	67
Badderton ..	29,510	201	226	9	4	440	14·9	164	194	358	12·1	1·20	1·17	30	68
Horley M.B. ..	29,830	204	191	11	4	410	13·7	212	220	432	14·5	1·12	1·31	25	61
Church ..	5,564	28	25	2	1	56	10·1	35	32	67	12·0	1·09	1·05	3	54
Clayton-le-Moors	7,162	51	36	1	2	90	12·6	58	49	107	14·9	1·10	1·32	6	67
Litheroe M.B. .	11,300	55	55	1	2	113	10·0	60	89	149	13·2	1·00	1·06	7	62
Colne M.B. ..	22,170	121	112	6	5	244	11·0	170	156	326	14·7	1·06	1·26	14	57
Crompton ..	13,430	84	80	4	—	168	12·5	123	86	209	15·6	1·15	1·45	12	71
Crosby, M.B. ..	55,580	427	389	16	7	839	15·1	359	352	711	12·8	1·03	1·06	47	56
Calton-in- Furness.	10,380	71	70	1	6	148	14·3	103	84	187	18·0	0·95	1·38	9	61
Barwen M.B. ..	32,280	152	197	6	10	365	11·3	261	279	540	16·7	1·02	1·37	20	55
Benton ..	21,090	174	168	4	5	351	16·6	137	127	264	12·5	1·03	1·04	20	57
Broylsden ..	21,490	206	199	5	4	414	19·3	129	119	248	11·5	1·13	1·05	27	65
Becles M.B. ..	42,560	296	315	10	5	626	14·7	300	273	573	13·5	1·08	1·18	41	65
Bailsworth ..	17,370	136	126	3	7	272	15·7	105	117	222	12·8	1·21	1·25	19	70
Barnworth ..	27,920	178	166	5	3	352	12·6	186	181	367	13·1	1·08	1·14	30	85
Fleetwood M.B.	24,330	203	214	10	8	435	17·9	138	115	253	10·4	1·21	1·01	23	53
Bormby ..	8,529	57	46	2	2	107	12·5	55	48	103	12·1	0·94	0·92	12	112
Bulwood ..	10,690	64	67	2	5	138	12·9	71	69	140	13·1	0·87	0·92	5	36
Bolborne ..	14,000	115	99	3	4	221	15·8	104	76	180	12·9	1·14	1·19	23	104
Grange ..	2,365	10	6	—	—	16	6·8	21	23	44	18·6	0·68	1·02	1	63
Great Crosby ..															
Great Harwood	11,150	67	59	2	2	130	11·7	86	76	162	14·5	1·07	1·25	9	69
Haslingden M.B.	15,400	84	76	3	1	164	10·6	122	116	238	15·5	1·00	1·25	10	61
Haydock ..	10,750	104	73	2	1	180	16·7	74	46	120	11·2	1·24	1·12	12	67
Heywood M.B.	25,400	164	143	11	9	327	12·9	200	195	395	15·6	1·08	1·36	32	98
Hindley ..	20,440	133	139	5	2	279	13·6	148	143	291	14·2	1·17	1·34	23	82
Horwich ..	14,940	85	86	3	2	176	11·8	95	100	195	13·1	1·08	1·14	21	119
Huyton with Roby.	22,420	278	235	12	7	532	23·7	114	124	238	10·6	1·07	0·91	48	90
ence in Maker- field.	20,960	204	168	3	7	382	18·2	167	133	300	14·3	1·25	1·44	31	81
Orlam ..	14,360	138	108	1	1	248	17·3	79	53	132	9·2	1·32	0·98	14	56
Kearsley ..	10,750	64	71	1	—	136	12·7	69	69	138	12·8	1·10	1·14	4	29
Kirkham ..	4,173	26	29	—	1	56	13·4	46	30	76	18·2	1·03	1·51	6	107
Lancaster M.B.	47,220	308	319	16	16	659	14·0	298	293	591	12·5	0·99	1·00	44	67
Lees ..	4,273	30	20	—	1	51	11·9	29	41	70	16·4	1·07	1·42	4	78
Leigh M.B. ..	46,100	327	280	7	12	626	13·6	349	319	668	14·5	1·19	1·39	44	70
Leyland ..	11,860	96	81	1	2	180	15·2	74	71	145	12·2	1·13	1·11	3	17
Litherland ..	18,860	195	184	5	6	390	20·7	104	106	210	11·1	1·24	1·11	21	54
Littleborough ..	11,230	70	63	2	6	141	12·6	82	91	173	15·4	1·06	1·32	11	78
Little Lever ..	4,814	32	34	1	—	67	13·9	30	44	74	15·4	1·14	1·42	3	45

(a) Created 9th November, 1937 by the amalgamation of Great Crosby U.D. and Waterloo with Seaforth U.D. Figures are shown from 1st January, 1937.
(b) Abolished 9th November, 1937. Figures included with those of Crosby M.B. from 1st January, 1937.

TABLE 17—continued. (See notes on first page of Table 17.)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
LANCASHIRE—cont.															
URBAN DISTRICTS—cont.															
Longridge ..	3,991	30	29	2	2	63	15·8	22	37	59	14·8	1·04	1·24	5	7
Lytham ..	25,280	96	106	6	4	212	8·4	183	235	418	16·5	0·80	1·06	12	5
St. Anne's M.B.															
Middleton M.B.	29,040	170	204	6	6	386	13·3	198	177	375	12·9	1·07	1·11	20	5
Milnrow ..	8,058	48	45	1	2	96	11·9	57	60	117	14·5	1·01	1·18	4	4
Morecambe and Heysham M.B.	29,840	142	145	7	8	302	10·1	239	278	517	17·3	0·75	1·05	20	6
Mossley M.B. ..	11,030	79	86	5	2	172	15·6	77	101	178	16·1	1·08	1·40	8	4
Nelson M.B. ..	35,670	144	166	9	7	326	9·1	249	242	491	13·8	1·07	1·19	10	3
Newton-in- Makerfield.	20,520	166	167	5	4	342	16·7	138	106	244	11·9	1·12	1·07	31	9
Ormskirk ..	18,300	118	105	6	3	232	12·7	125	93	218	11·9	0·97	0·93	16	6
Orrell ..	8,349	71	63	2	2	138	16·5	60	55	115	13·8	1·15	1·28	9	6
Oswaldtwistle ..	12,720	70	49	2	3	124	9·7	95	89	184	14·5	1·06	1·24	5	4
Padiham ..	10,610	46	69	2	5	122	11·5	80	88	168	15·8	1·02	1·30	5	4
Poulton le Fylde	6,113	31	36	1	1	69	11·3	48	37	85	13·9	0·90	1·01	2	2
Preesall..	2,027	13	14	—	—	27	13·3	15	14	29	14·3	0·88	1·01	2	7
Prescot ..	11,450	88	67	1	3	159	13·9	92	79	171	14·9	1·16	1·39	12	7
Prestwich ..	31,710	230	221	3	5	459	14·5	137	175	312	9·8	1·04	0·82	26	5
Radcliffe M.B...	27,100	159	163	1	5	328	12·1	175	188	363	13·4	1·11	1·20	22	6
Rainford ..	3,635	25	19	1	4	49	13·5	23	17	40	11·0	1·12	0·99	8	16
Ramsbottom ..	15,030	98	74	3	3	178	11·8	95	90	185	12·3	1·02	1·01	10	5
Rawtenstall M.B.	27,300	139	118	5	4	266	9·7	196	215	411	15·1	1·01	1·23	19	7
Rishton ..	5,937	34	35	—	2	71	12·6	36	48	84	14·1	1·06	1·21	4	5
Royton ..	15,650	107	100	6	3	216	13·8	123	121	244	15·6	1·16	1·46	10	4
Skelmersdale ..	6,177	43	40	3	2	88	14·2	30	35	65	10·5	1·19	1·01	5	5
Standish with Langtree.	8,169	61	68	1	2	132	16·2	40	42	82	10·0	1·20	0·97	7	5
Stretford M.B...	59,690	363	353	21	22	759	12·7	369	360	729	12·2	1·10	1·08	45	5
Swinton and Pen- dlebury M.B.	39,690	272	274	6	3	555	14·0	259	229	488	12·3	1·20	1·19	34	6
Thornton Cleveleys.	12,490	68	71	2	4	145	11·6	90	85	175	14·0	0·95	1·07	12	8
Tottington ..	6,122	37	25	1	—	63	10·3	48	57	105	17·2	1·02	1·41	7	11
Trawden ..	2,322	10	7	1	1	19	8·2	17	18	35	15·1	1·10	1·34	—	—
Turton ..	11,260	57	61	1	1	120	10·7	73	81	154	13·7	0·99	1·09	4	3
Tyldesley ..	18,740	131	118	4	3	256	13·7	123	130	253	13·5	1·20	1·31	17	6
Ulverston ..	9,299	45	65	2	3	115	12·4	84	70	154	16·6	0·89	1·19	9	7
Upholland ..	6,026	50	59	3	—	112	18·6	43	35	78	12·9	1·22	1·27	6	5
Urmston ..	30,500	282	237	7	3	529	17·3	150	154	304	10·0	1·09	0·88	31	5
Walton le Dale	13,360	105	85	2	3	195	14·6	80	106	186	13·9	1·06	1·19	10	5
Wardle ..	4,299	13	16	1	3	33	7·7	46	32	78	18·1	0·76	1·11	3	9
†Waterloo with Seaforth.															
Westhoughton..	15,110	110	99	4	2	215	14·2	84	80	164	10·9	1·15	1·01	13	6
*Whitefield ..	12,040	93	93	1	2	194	16·1	72	66	138	11·5	1·10	1·02	5	2
Whitworth ..	7,625	56	47	2	2	107	14·0	50	59	109	14·3	1·06	1·22	7	6
Widnes M.B. ..	43,140	420	419	12	15	866	20·1	284	231	515	11·9	1·20	1·15	80	9
Withnell ..	2,778	21	14	—	—	35	12·6	20	17	37	13·3	1·12	1·20	2	5
Worsley ..	24,500	182	138	5	4	329	13·4	179	163	342	14·0	1·08	1·22	21	6

(a) Abolished 9th November 1937. Figures included with those of Crosby M.B. from 1st January, 1937.

TABLE 17—continued. (See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
LANCASHIRE—cont.															
RURAL DISTRICTS	242,500	1,711	1,611	49	38	3,409	14.1	1,514	1,431	2,945	12.1	0.99	0.97	176	52
Blackburn ..	12,600	67	61	1	3	132	10.5	60	70	130	10.3	1.02	0.85	4	30
Burnley ..	17,720	96	81	3	—	180	10.2	126	115	241	13.6	1.05	1.15	8	44
Chorley..	24,130	180	168	2	4	354	14.7	138	177	315	13.1	1.06	1.12	9	25
Clitheroe ..	8,994	36	23	—	—	59	6.6	39	34	73	8.1	1.29	0.84	—	—
Fylde ..	9,460	81	88	2	4	175	18.5	85	68	153	16.2	0.99	1.29	11	63
Garstang ..	11,750	66	74	1	2	143	12.2	77	73	150	12.8	0.96	0.99	4	28
Lancaster ..	9,842	65	70	5	2	142	14.4	76	71	147	24.9	0.86	1.03	7	49
Limehurst ..	8,006	37	56	—	—	93	11.6	53	49	102	12.7	1.09	1.12	6	65
Lunesdale ..	6,329	47	41	1	1	90	14.2	47	39	86	13.6	0.89	0.98	4	44
Preston..	33,360	249	260	4	4	517	15.5	192	174	366	11.0	0.96	0.85	33	64
Ulverston ..	15,990	107	88	9	8	212	13.3	123	131	254	15.9	0.83	1.06	12	57
Warrington ..	19,500	136	142	5	2	285	14.6	107	83	190	9.7	1.02	0.80	14	49
West Lancashire	32,350	255	227	9	3	494	15.3	193	196	389	12.0	1.02	0.99	29	59
Whiston ..	25,320	227	184	6	2	419	16.5	142	110	252	10.0	0.96	0.77	24	57
Wigan ..	7,149	62	48	1	3	114	15.9	56	41	97	13.6	1.06	1.16	11	96
LEICESTERSHIRE :															
COUNTY BORO' :															
Leicester ..	262,900	1,815	1,810	89	93	3,807	14.5	1,641	1,634	3,275	12.5	1.02	1.03	238	63
ADMINISTRATIVE COUNTY.	300,700	2,221	2,117	63	87	4,488	14.9	1,790	1,787	3,577	11.9	0.99	0.95	220	49
URBAN DISTRICTS	141,300	1,041	1,011	29	37	2,118	15.0	837	815	1,652	11.7	1.04	0.98	103	49
Ashby de la Zouch.	5,890	38	30	2	2	72	12.2	52	36	88	14.9	0.90	1.08	8	111
Ashby Woulds..	3,270	17	18	—	1	36	11.0	19	19	38	11.6	1.16	1.09	3	83
Coalville ..	24,110	172	172	6	2	352	14.6	154	123	277	11.5	1.13	1.05	19	54
Hinckley ..	33,710	294	288	7	10	599	17.8	190	160	350	10.4	1.11	0.93	29	48
Loughborough M.B.	30,200	174	179	7	7	367	12.2	184	183	367	12.2	1.03	1.01	16	44
Market Harborough	9,424	52	50	—	2	104	11.0	59	70	129	13.7	0.92	1.02	4	38
Melton Mowbray	11,230	113	82	3	4	202	18.0	57	61	118	10.5	0.96	0.81	8	40
Oadby ..	5,203	32	27	1	1	61	11.7	29	38	67	12.9	1.02	1.06	2	33
Shepshed ..	5,693	31	38	1	2	72	12.6	40	47	87	15.3	0.98	1.21	4	56
Wigston ..	12,570	118	127	2	6	253	20.1	53	78	131	10.4	1.02	0.86	10	40
RURAL DISTRICTS															
Ashby de la Zouch.	13,900	106	104	1	5	216	15.5	107	67	174	12.5	1.07	1.08	13	60
Barrow upon Soar.	38,340	290	269	12	13	584	15.2	220	210	430	11.2	0.97	0.88	20	34
Billesdon ..	6,199	52	34	1	4	91	14.7	46	36	82	13.2	0.87	0.93	5	55
Blaby ..	32,230	213	249	6	9	477	14.8	141	170	311	9.6	0.96	0.74	22	46
Castle Donington	8,113	61	57	4	2	124	15.3	46	74	120	14.8	0.91	1.09	4	32

TABLE 17—continued. (See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
LEICESTERSHIRE —cont.															
RURAL DISTRICTS —cont.															
Lutterworth ..	10,510	93	56	3	5	157	14.9	67	82	149	14.2	0.83	0.95	7	45
Market Bosworth	24,360	190	177	2	3	372	15.3	138	154	292	12.0	1.04	1.01	26	70
Market Harboro'	8,688	55	50	2	4	111	12.8	74	54	128	14.7	0.85	1.01	5	45
Melton and Belvoir	17,060	120	110	3	5	238	14.0	114	125	239	14.0	0.82	0.93	15	63
LINCOLNSHIRE : PARTS OF HOLLAND.															
ADMINISTRATIVE COUNTY.	95,490	823	722	39	36	1,620	17.0	633	520	1,153	12.1	0.90	0.88	83	51
URBAN DISTRICTS	36,480	276	268	18	19	581	15.9	253	236	489	13.4	0.87	0.94	28	48
Boston M.B. ..	23,160	177	167	8	9	361	15.6	156	173	329	14.2	0.86	0.98	19	53
Spalding ..	13,320	99	101	10	10	220	16.5	97	63	160	12.0	0.87	0.84	9	41
RURAL DISTRICTS	59,010	547	454	21	17	1,039	17.6	380	284	664	11.3	0.92	0.84	55	53
Boston	19,020	168	159	11	7	345	18.1	130	84	214	11.3	0.91	0.83	17	49
East Elloe ..	22,460	219	174	8	4	405	18.0	135	109	244	10.9	0.93	0.82	21	52
Spalding ..	17,530	160	121	2	6	289	16.5	115	91	206	11.8	0.93	0.89	17	59
LINCOLNSHIRE : PARTS OF KESTEVEN.															
ADMINISTRATIVE COUNTY.	113,520	794	742	43	29	1,608	14.2	690	694	1,384	12.2	0.86	0.85	103	64
URBAN DISTRICTS	42,050	318	290	15	10	633	15.1	263	269	532	12.7	0.87	0.89	35	55
Bourne	4,663	38	32	2	—	72	15.4	32	33	65	13.9	0.79	0.89	3	42
Grantham M.B.	19,950	160	125	6	8	299	15.0	138	141	279	14.0	0.89	1.00	14	47
Sleaford	7,307	54	65	2	—	121	16.6	37	39	76	10.4	0.83	0.70	8	66
Stamford M.B..	10,130	66	68	5	2	141	13.9	56	56	112	11.1	0.93	0.83	10	71
RURAL DISTRICTS	71,470	476	452	28	19	975	13.6	427	425	852	11.9	0.84	0.81	68	70
East Kesteven..	21,060	128	140	6	5	279	13.2	97	104	201	9.5	0.95	0.73	17	61
North Kesteven	21,130	166	132	10	4	312	14.8	149	123	272	12.9	0.80	0.83	31	99
South Kesteven	13,760	89	93	4	7	193	14.0	94	105	199	14.5	0.80	0.94	12	62
West Kesteven	15,520	93	87	8	3	191	12.3	87	93	180	11.6	0.84	0.79	8	42
LINCOLNSHIRE : PARTS OF LINDSEY.															
COUNTY BORO'S.	155,840	1,175	1,041	77	65	2,358	15.1	1,043	901	1,944	12.5	1.02	1.03	144	61
Grimsby	92,760	759	663	52	42	1,516	16.3	601	466	1,067	11.5	1.07	0.99	86	57
Lincoln	63,080	416	378	25	23	842	13.3	442	435	877	13.9	0.97	1.09	58	69
ADMINISTRATIVE COUNTY.	270,700	2,076	1,947	116	107	4,246	15.7	1,711	1,565	3,276	12.1	0.90	0.88	210	49

TABLE 17—continued. (See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
LINCOLNSHIRE —cont.															
PTS. OF LINDSEY —cont.															
URBAN DISTRICTS	130,100	1,018	929	59	47	2,053	15·8	798	767	1,565	12·0	0·98	0·95	100	49
Alford	2,242	14	16	1	1	32	14·3	15	16	31	13·8	0·65	0·72	1	31
Barton-upon- Humber.	6,227	36	47	1	3	87	14·0	42	44	86	13·8	0·95	1·06	2	23
Brigg	4,243	36	25	1	1	63	14·8	29	27	56	13·2	0·88	0·94	3	48
Cleethorpes M.B.	28,890	219	186	15	9	429	14·8	153	148	301	10·4	1·08	0·91	13	30
Gainsborough ..	17,000	108	116	6	5	235	13·8	135	114	249	14·6	0·94	1·11	17	72
Horncastle ..	3,475	14	18	—	—	32	9·2	29	28	57	16·4	0·68	0·90	1	31
Louth M.B. ..	9,744	58	70	4	3	135	13·9	75	88	163	16·7	0·75	1·01	13	96
Mablethorpe and Sutton.	4,446	23	26	2	—	51	11·5	24	33	57	12·8	0·76	0·78	4	78
Market Rasen ..	1,985	17	8	1	—	26	13·1	22	23	45	22·7	0·68	1·24	1	38
Scunthorpe M.B.	40,270	414	357	21	20	812	20·2	215	179	394	9·8	1·28	1·01	38	47
Skegness ..	10,120	69	56	7	5	137	13·5	49	54	103	10·2	0·97	0·80	6	44
Woodhall Spa ..	1,458	10	4	—	—	14	9·6	10	13	23	15·8	0·62	0·79	1	71
RURAL DISTRICTS															
Caistor	12,110	91	81	8	5	185	15·3	97	69	166	13·7	0·79	0·87	8	43
Gainsborough ..	10,180	65	69	5	2	141	13·9	68	60	128	12·6	0·82	0·83	5	35
Glanford Brigg	30,390	264	244	10	17	535	17·6	171	174	345	11·4	0·93	0·86	29	54
Grimsby	11,610	89	80	1	7	177	15·2	54	60	114	9·8	1·00	0·79	7	40
Horncastle ..	11,230	72	75	7	2	156	13·9	82	65	147	13·1	0·77	0·81	6	38
Isle of Axholme	13,080	112	106	5	6	229	17·5	97	62	159	12·2	0·86	0·85	18	79
Louth	16,720	99	115	7	6	227	13·6	107	115	222	13·3	0·78	0·84	7	31
Spilsby	23,220	192	156	8	11	367	15·8	158	128	286	12·3	0·79	0·78	20	54
Welton	12,060	74	92	6	4	176	14·6	79	65	144	11·9	0·83	0·80	10	57
LONDON:															
	4,094,500	26,696	25,143	1,655	1,517	55,011	13·4	25,908	25,369	51,277	12·5	1·02	1·03	3,309	60
City of London															
Inner and Middle Temples.	8,980 400	24 2	19 1	5 —	1 1	49 4	5·5 10·0	61 2	40 5	101 7	11·2 17·5	1·11 0·83	1·00 1·17	2 —	41 —
METROPOLITAN BOROUGHES:															
Battersea ..	143,500	1,058	1,000	42	44	2,144	14·9	947	903	1,850	12·9	0·99	1·03	151	70
Bermondsey ..	98,790	732	657	15	17	1,421	14·4	649	562	1,211	12·3	1·14	1·13	84	59
Bethnal Green..	94,560	635	583	15	25	1,258	13·3	627	560	1,187	12·6	1·13	1·15	68	54
Camberwell ..	224,800	1,577	1,452	68	68	3,165	14·1	1,393	1,491	2,884	12·8	1·00	1·03	185	58
Chelsea	56,510	279	274	26	31	610	10·8	389	407	796	14·1	0·85	0·97	36	59

TABLE 17—continued. (See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000
		M	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
LONDON—cont.															
METROPOLITAN BORO'S—cont.															
Deptford ..	96,580	724	696	25	17	1,462	15·1	624	515	1,139	11·8	1·04	0·99	66	45
Finsbury ..	58,700	373	398	23	18	812	13·8	439	418	857	14·6	1·09	1·28	58	71
Fulham ..	138,900	891	907	74	61	1,933	13·9	908	909	1,817	13·1	1·01	1·07	109	56
Greenwich ..	95,990	623	669	22	14	1,328	13·8	581	570	1,151	12·0	1·02	0·99	67	50
Hackney ..	206,700	1,430	1,323	56	49	2,858	13·8	1,137	1,170	2,307	11·2	1·05	0·95	124	43
Hammersmith ..	126,500	912	866	63	72	1,913	15·1	802	791	1,593	12·6	1·03	1·05	130	68
Hampstead ..	90,690	480	436	51	48	1,015	11·2	496	564	1,060	11·7	0·94	0·89	55	54
Holborn ..	34,600	128	112	19	21	280	8·1	217	193	410	11·8	1·07	1·02	22	79
Islington ..	295,400	2,238	2,034	126	118	4,516	15·3	1,884	1,981	3,865	13·1	1·01	1·07	302	67
Kensington ..	175,600	998	895	117	115	2,125	12·1	1,036	1,309	2,345	13·4	0·94	1·02	177	83
Lambeth ..	273,800	1,833	1,796	142	102	3,873	14·1	1,839	1,777	3,616	13·2	0·99	1·05	266	69
Lewisham ..	226,000	1,511	1,412	52	44	3,019	13·4	1,185	1,270	2,455	10·9	1·01	0·89	141	47
Paddington ..	138,300	792	810	157	129	1,888	13·7	900	906	1,806	13·1	0·99	1·05	125	66
Poplar ..	136,800	1,049	1,022	21	23	2,115	15·5	935	793	1,728	12·6	1·11	1·13	129	61
St. Marylebone	92,110	379	370	50	60	859	9·3	577	625	1,202	13·0	0·99	1·04	63	73
St. Pancras ..	181,900	1,150	1,004	129	103	2,386	13·1	1,241	1,088	2,329	12·8	1·02	1·05	154	65
Shoreditch ..	82,240	604	571	20	27	1,222	14·9	530	496	1,026	12·5	1·10	1·11	66	54
Southwark ..	147,400	1,062	1,009	60	36	2,167	14·7	1,187	887	2,074	14·1	1·07	1·22	140	65
Stepney ..	203,100	1,383	1,278	56	42	2,759	13·6	1,364	1,115	2,479	12·2	1·17	1·15	166	60
Stoke Newington	50,250	394	321	9	23	747	14·9	294	337	631	12·6	0·96	0·98	28	37
Wandsworth ..	341,700	1,912	1,815	94	110	3,931	11·5	2,052	2,191	4,243	12·4	0·93	0·93	251	64
Westminster ..	124,300	445	431	86	65	1,027	8·3	750	698	1,448	11·6	1·03	0·96	58	56
Woolwich ..	149,400	1,078	982	32	33	2,125	14·2	862	798	1,660	11·1	1·06	0·95	86	40
MIDDLESEX:															
ADMINISTRATIVE COUNTY.	2,014,500	15,150	14,339	613	563	30,665	15·2	9,822	9,959	19,781	9·8	1·07	0·85	1,494	49
URBAN DISTRICTS	2,014,500	15,150	14,339	613	563	30,665	15·2	9,822	9,959	19,781	9·8	1·07	0·85	1,494	49
Acton M.B. ..	69,100	422	424	22	18	886	12·8	401	349	750	10·9	1·08	0·95	51	58
Brentford and Chiswick M.B.	62,020	366	383	9	14	772	12·4	359	355	714	11·5	1·02	0·95	40	52
*Ealing M.B. ..	156,070	1,153	1,076	43	48	2,320	14·9	718	784	1,502	9·6	1·01	0·78	106	46
Edmonton M.B.	101,600	821	727	23	24	1,595	15·7	525	465	990	9·7	1·07	0·84	81	51
Enfield ..	87,200	765	716	22	20	1,523	17·5	439	474	913	10·5	1·02	0·86	67	44
*Feltham ..	28,700	303	353	7	10	673	23·4	106	127	233	8·1	1·14	0·74	34	51
*Finchley M.B. ..	64,676	439	417	22	17	895	13·8	322	382	704	10·9	0·98	0·86	36	46
*Friern Barnet ..	26,624	152	168	3	6	329	12·4	132	115	247	9·3	0·98	0·74	9	27
†Hampton ..	3,575	25	28	1	1	55	15·4	23	26	49	13·7	0·96	1·06	3	52
†Hampton Wick	780	6	5	—	1	12	15·4	13	7	20	25·6	0·95	1·96	1	83
Harrow ..	174,800	1,565	1,443	55	35	3,098	17·7	639	709	1,348	7·7	1·17	0·73	110	36
Hayes and Harlington.	39,770	435	391	17	9	852	21·4	163	153	316	7·9	1·36	0·87	57	67
Hendon M.B. ..	143,800	876	828	44	44	1,792	12·5	618	673	1,291	9·0	1·18	0·86	81	45
Heston and Isleworth M.B.	99,420	753	682	28	20	1,483	14·9	426	469	895	9·0	1·05	0·76	59	40
*Hornsey M.B. ..	96,520	561	555	22	27	1,165	12·1	570	583	1,153	11·9	0·91	0·87	53	45
Potters Bar ..	11,160	97	92	4	5	198	17·7	46	38	84	7·5	1·05	0·64	11	56
Ruislip ..	36,270	357	342	6	9	714	19·7	166	132	298	8·2	1·10	0·73	34	48
Northwood.	51,560	393	383	16	22	814	15·8	244	230	474	9·2	1·14	0·85	48	59
Southall M.B. ..	66,230	316	318	6	18	658	9·9	346	370	716	10·8	0·98	0·85	28	43
Southgate M.B.	28,850	323	260	18	23	624	21·6	150	130	280	9·7	0·95	0·74	34	52

§ The 36 deaths under 1 year include 1 which occurred in a home for destitute children and which necessarily has to be assigned to the area where death occurred, although the birth presumably occurred elsewhere.

TABLE 17—continued. (See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
MIDDLESEX—cont.															
URBAN DISTRICTS—cont.															
*Sunbury-on-Thames.	15,940	130	107	7	3	247	15.5	93	89	182	11.4	1.00	0.92	10	40
*Teddington ..	5,895	36	37	3	3	79	13.4	32	64	96	16.3	0.98	1.29	4	51
*Tottenham M.B.	146,200	983	927	38	25	1,973	13.5	830	787	1,617	11.1	1.13	1.01	126	64
*Twickenham M.B.	83,980	646	569	27	23	1,265	15.1	434	446	880	10.5	0.99	0.84	42	33
Uxbridge ..	41,950	344	346	19	6	715	17.0	234	201	435	10.4	1.08	0.91	41	57
Wembley M.B...	114,700	941	869	26	21	1,857	16.2	421	417	838	7.3	1.26	0.74	81	44
*Willesden M.B.	188,030	1,488	1,431	109	97	3,125	16.6	1,004	1,000	2,004	10.7	1.09	0.94	199	64
Wood Green M.B.	53,510	332	306	9	12	659	12.3	285	308	593	11.1	1.01	0.90	32	49
Yiewsley and West Drayton.	15,570	122	156	7	2	287	18.4	83	76	159	10.2	1.17	0.96	16	56
FORFOLK	502,170	3,544	3,379	197	185	7,305	14.5	3,184	3,151	6,335	12.6	0.82	0.83	348	48
COUNTY BORO'S :	177,220	1,210	1,092	61	64	2,427	13.7	1,053	1,141	2,194	12.4	0.90	0.90	117	48
Great Yarmouth	54,220	363	345	19	23	750	13.8	379	387	766	14.1	0.87	0.99	29	39
Norwich ..	123,000	847	747	42	41	1,677	13.6	674	754	1,428	11.6	0.92	0.86	88	52
ADMINISTRATIVE COUNTY.	324,950	2,334	2,287	136	121	4,878	15.0	2,131	2,010	4,141	12.7	0.78	0.80	231	47
URBAN DISTRICTS	65,150	421	448	37	25	931	14.3	417	442	859	13.2	0.80	0.85	38	41
Cromer.. ..	4,013	24	21	—	2	47	11.7	30	30	60	15.0	0.88	1.06	2	43
Diss	3,318	10	16	4	1	31	9.3	26	34	60	18.1	0.75	1.09	1	32
Downham Market	2,529	14	13	2	1	30	11.9	16	22	38	15.0	0.71	0.86	2	67
East Dereham ..	5,820	27	45	1	—	73	12.5	42	26	68	11.7	0.80	0.75	3	41
Kings Lynn M.B.	24,110	186	185	17	11	399	16.5	146	146	292	12.1	0.88	0.86	14	35
New Hunstanton	2,780	14	13	2	3	32	11.5	11	21	32	11.5	0.77	0.71	1	31
North Walsham	4,237	29	29	2	—	60	14.2	27	29	56	13.2	0.74	0.79	5	83
Sheringham ..	4,140	19	28	2	1	50	12.1	22	27	49	11.8	0.74	0.70	—	—
Swaffham ..	2,632	15	15	2	—	32	12.2	21	19	40	15.2	0.68	0.83	2	63
Thetford M.B...	3,962	28	27	2	2	59	14.9	30	33	63	15.9	0.75	0.96	3	51
Wells	2,461	16	18	2	1	37	15.0	21	21	42	17.1	0.69	0.95	3	81
Wymondham ..	5,148	39	38	1	3	81	15.7	25	34	59	11.5	0.84	0.78	2	25
RURAL DISTRICTS	259,800	1,913	1,839	99	96	3,947	15.2	1,714	1,568	3,282	12.6	0.77	0.78	193	49
Blofield and Flegg	28,480	227	192	6	16	441	15.5	165	153	318	11.2	0.79	0.71	24	54
Depwade ..	17,120	139	118	4	2	263	15.4	130	105	235	13.7	0.73	0.81	12	46
Docking ..	16,440	126	98	8	5	237	14.4	132	122	254	15.5	0.74	0.93	8	34
Downham ..	20,400	155	166	4	5	330	16.2	140	116	256	12.5	0.80	0.81	20	61
Erpingham ..	17,200	99	122	9	7	237	13.8	109	114	223	13.0	0.78	0.82	7	30
Forehoe and Henstead.	19,840	158	154	12	9	333	16.8	134	113	247	12.4	0.78	0.78	13	39
Freebridge Lynn	9,827	64	66	5	3	138	14.0	69	58	127	12.9	0.73	0.76	3	22

TABLE 17—continued. (See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
NORFOLK—cont.															
RURAL DISTRICTS —cont.															
Loddon ..	11,630	76	91	6	5	178	15.3	73	64	137	11.8	0.76	0.72	6	34
Marshland ..	15,290	123	125	5	9	262	17.1	82	71	153	10.0	0.88	0.71	11	42
Mitford and Launditch.	16,680	127	118	9	6	260	15.6	112	93	205	12.3	0.75	0.74	15	58
St. Faiths and Aylsham.	30,360	234	235	12	11	492	16.2	165	184	349	11.5	0.81	0.75	32	65
Smallburgh ..	15,860	102	109	6	8	225	14.2	97	112	209	13.2	0.76	0.81	15	67
Swaffham ..	7,613	47	45	3	3	98	12.9	50	55	105	13.8	0.79	0.88	6	61
Walsingham ..	16,910	103	93	5	3	204	12.1	126	112	238	14.1	0.77	0.88	8	39
Wayland ..	16,150	133	107	5	4	249	15.4	130	96	226	14.0	0.73	0.82	13	52
NORTHAMPTON- SHIRE.	316,760	2,123	2,023	75	80	4,301	13.6	1,986	1,932	3,918	12.4	0.90	0.90	195	45
COUNTY BORO':															
Northampton ..	96,360	579	575	23	20	1,197	12.4	587	642	1,229	12.8	0.96	0.99	59	49
ADMINISTRATIVE COUNTY.	220,400	1,544	1,448	52	60	3,104	14.1	1,399	1,290	2,689	12.2	0.87	0.86	136	44
URBAN DISTRICTS	107,700	695	658	24	29	1,406	13.1	624	574	1,198	11.1	0.95	0.85	42	30
Brackley M.B. . .	2,257	13	8	1	1	23	10.2	11	18	29	12.8	0.70	0.72	—	—
Burton Latimer	3,439	15	16	—	2	33	9.6	23	13	36	10.5	1.01	0.86	3	91
Daventry M.B.	3,671	32	22	1	—	55	15.0	39	24	63	17.2	0.78	1.08	1	18
Desborough ..	4,395	29	30	—	1	60	13.7	24	19	43	9.8	1.04	0.82	3	50
Higham Ferrers M.B.	3,076	20	27	1	1	49	15.9	14	20	34	11.1	0.94	0.84	2	41
Irthlingborough	4,484	35	29	2	1	67	14.9	30	24	54	12.0	1.02	0.99	2	30
Kettering ..	33,650	238	215	10	12	475	14.1	191	145	336	10.0	0.99	0.80	13	27
Oundle ..	2,728	7	8	—	—	15	5.5	18	23	41	15.0	0.87	1.05	—	—
Raunds..	4,423	31	31	1	2	65	14.7	32	35	67	15.1	0.91	1.11	1	15
Rothwell ..	4,507	32	31	1	—	64	14.2	26	31	57	12.6	0.96	0.98	4	63
Rushden ..	14,890	93	93	3	2	191	12.8	74	81	155	10.4	0.99	0.83	6	31
Wellingborough	26,180	150	148	4	7	309	11.8	142	141	283	10.8	0.92	0.80	7	23
RURAL DISTRICTS	112,700	849	790	28	31	1,698	15.1	775	716	1,491	13.2	0.81	0.86	94	55
Brackley ..	8,180	55	60	6	3	124	15.2	78	65	143	17.5	0.77	1.09	5	40
Brixworth ..	14,990	107	93	4	4	208	13.9	101	92	193	12.9	0.80	0.83	12	58
Daventry ..	15,090	109	88	3	3	203	13.5	101	100	201	13.3	0.82	0.88	9	44
Kettering ..	17,080	195	218	3	2	418	24.5	99	83	182	10.7	0.89	0.77	28	67
Northampton ..	15,600	106	72	6	6	190	12.2	91	79	170	10.9	0.83	0.73	8	42
Oundle and Thrapston.	16,410	126	97	2	6	231	14.1	107	127	234	14.3	0.78	0.90	16	69
Towcester ..	12,900	79	87	2	2	170	13.2	104	93	197	15.3	0.77	0.95	9	53
Wellingborough	12,450	72	75	2	5	154	12.4	94	77	171	13.7	0.87	0.96	7	45

TABLE 17—continued. (See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
NORTHUMBERLAND	763,180	5,916	5,702	210	223	12,051	15.8	5,250	4,635	9,885	13.0	1.09	1.14	916	76
COUNTY BORO'S.	357,280	2,894	2,782	111	110	5,897	16.5	2,588	2,154	4,742	13.3	1.12	1.20	509	86
Newcastle-upon- Tyne.	290,400	2,355	2,267	86	88	4,796	16.5	2,098	1,779	3,877	13.4	1.13	1.22	437	91
Tynemouth ..	66,880	539	515	25	22	1,101	16.5	490	375	865	12.9	1.11	1.15	72	65
ADMINISTRATIVE COUNTY.	405,900	3,022	2,920	99	113	6,154	15.2	2,662	2,481	5,143	12.7	1.06	1.09	407	66
URBAN DISTRICTS	311,100	2,396	2,299	59	80	4,834	15.5	2,026	1,856	3,882	12.5	1.10	1.11	318	66
Alnwick ..	6,888	50	45	1	4	100	14.5	65	60	125	18.1	0.87	1.27	4	40
Amble ..	4,321	33	43	2	1	79	18.3	25	30	55	12.7	1.01	1.03	2	25
Ashington ..	29,940	261	228	11	6	506	16.9	199	153	352	11.8	1.23	1.17	37	73
Bedlingtonshire	27,570	235	239	7	9	490	17.8	174	178	352	12.8	1.16	1.20	40	82
Berwick-upon- Tweed M.B.	12,130	84	90	4	5	183	15.1	98	78	176	14.5	0.87	1.02	6	33
Blyth M.B. ..	34,570	289	267	5	5	566	16.4	213	204	417	12.1	1.13	1.10	40	71
Gosforth ..	19,840	116	134	2	4	256	12.9	113	114	227	11.4	1.03	0.95	11	43
Hexham ..	9,146	63	52	2	4	121	13.2	80	65	145	15.9	0.92	1.18	16	132
Longbenton ..	21,420	196	175	4	3	378	17.6	142	137	279	13.0	1.07	1.12	33	87
Morpeth M.B. ..	9,458	86	65	—	3	154	16.3	68	45	113	11.9	0.94	0.90	7	45
Newbiggin by the Sea.	8,888	81	71	—	1	153	17.2	46	52	98	11.0	1.18	1.05	8	52
Newburn ..	19,270	156	140	4	5	305	15.8	106	96	202	10.5	1.15	0.97	14	46
Prudhoe ..	8,869	81	61	1	3	146	16.5	55	50	105	11.8	1.21	1.15	11	75
Seaton Valley..	27,700	191	203	3	9	406	14.7	173	152	325	11.7	1.13	1.07	21	52
Wallsend M.B...	43,850	342	365	7	12	726	16.6	297	245	542	12.4	1.21	1.21	52	72
Whitley and Monkseaton.	27,240	132	121	6	6	265	9.7	172	197	369	13.5	0.97	1.06	16	60
RURAL DISTRICTS :	94,800	626	621	40	33	1,320	13.9	636	625	1,261	13.3	0.95	1.02	89	67
Alnwick ..	12,080	61	88	5	3	157	13.0	75	66	141	11.7	0.95	0.90	14	89
Belford ..	4,675	35	37	2	4	78	16.7	44	33	77	16.5	0.87	1.16	4	51
Bellingham ..	4,932	37	35	1	2	75	15.2	36	37	73	14.8	0.87	1.04	7	93
Castle Ward ..	12,560	79	79	5	1	164	13.1	69	56	125	10.0	1.06	0.85	9	55
Glendale ..	7,526	38	48	3	5	94	12.5	58	56	114	15.1	0.88	1.07	4	43
Haltwhistle ..	7,899	48	44	4	2	98	12.4	52	75	127	16.1	0.98	1.27	5	51
Hexham ..	19,860	140	111	9	4	264	13.3	139	142	281	14.1	0.91	1.03	16	61
Morpeth ..	15,040	123	115	5	9	252	16.8	94	90	184	12.2	1.09	1.07	24	95
Newcastle-upon- Tyne (Moot Hall and precincts)	3	—	—	—	—	—	—	—	—	—	—	2.69	—	—	—
Norham and Islandshires	4,596	26	27	3	2	58	12.6	29	33	62	13.5	0.82	0.89	4	69
Rothbury ..	5,629	39	37	3	1	80	14.2	40	37	77	13.7	0.88	0.97	2	25
NOTTINGHAMSHIRE:	744,600	5,792	5,482	264	239	11,777	15.8	4,614	4,233	8,847	11.9	1.06	1.02	787	67
COUNTY BORO':															
Nottingham ..	278,800	2,125	2,069	141	124	4,459	16.0	1,948	1,799	3,747	13.4	1.03	1.11	358	80
ADMINISTRATIVE COUNTY.	465,800	3,667	3,413	123	115	7,318	15.7	2,666	2,434	5,100	10.9	1.08	0.95	429	59

TABLE 17—continued. (See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
NOTTINGHAMSHIRE —cont.															
URBAN DISTRICTS:	326,100	2,600	2,428	91	83	5,202	16.0	1,887	1,684	3,571	11.0	1.12	0.99	327	63
Arnold	17,450	138	128	3	4	273	15.6	99	98	197	11.3	1.04	0.95	12	44
Beeston and Stapleford	37,420	360	326	17	7	710	19.0	214	205	419	11.2	1.05	0.95	35	49
Carlton	28,960	221	213	6	7	447	15.4	147	171	318	11.0	1.10	0.98	37	83
East Retford M.B.	15,090	125	95	5	5	230	15.2	100	94	194	12.9	0.94	0.98	14	61
Eastwood ..	9,040	76	70	—	1	147	16.3	63	46	109	12.1	1.10	1.07	11	75
Hucknall ..	19,480	171	144	6	7	328	16.8	121	109	230	11.8	1.12	1.07	26	79
Kirkby-in- Ashfield.	18,490	165	164	3	5	337	18.2	107	112	219	11.8	1.23	1.17	23	68
Mansfield M.B.	47,080	340	319	13	12	684	14.5	250	194	444	9.4	1.19	0.90	56	82
Mansfield Woodhouse.	14,700	131	138	7	2	278	18.9	98	78	176	12.0	1.29	1.25	14	50
Newark M.B. ..	20,230	141	145	5	10	301	14.9	120	106	226	11.2	1.00	0.90	10	33
Sutton-in- Ashfield.	38,510	301	278	12	9	600	15.6	242	180	422	11.0	1.22	1.08	42	70
Warsop	10,880	96	90	2	4	192	17.6	52	42	94	8.6	1.43	0.99	17	89
West Bridgford	20,970	102	103	—	—	205	9.8	133	128	261	12.4	0.92	0.92	7	34
Worksop M.B. . .	27,800	233	215	12	10	470	16.9	141	121	262	9.4	1.14	0.86	23	49
RURAL DISTRICTS	139,700	1,067	985	32	32	2,116	15.1	779	750	1,529	10.9	1.00	0.88	102	48
Basford	42,560	362	318	8	8	696	16.4	235	212	447	10.5	1.04	0.88	40	57
Bingham	16,100	100	83	5	5	193	12.0	96	122	218	13.5	0.82	0.89	5	26
East Retford ..	19,790	125	130	3	4	262	13.2	120	129	249	12.6	0.88	0.89	17	65
Newark	9,326	67	60	3	2	132	14.2	71	60	131	14.0	0.88	0.99	1	8
Nottingham (Shire Hall)	4	—	—	—	—	—	—	—	—	—	—	2.44	—	—	—
Southwell ..	37,160	266	257	10	9	542	14.6	188	175	363	9.8	1.09	0.86	25	46
Worksop	14,760	147	137	3	4	291	19.7	69	52	121	8.2	1.33	0.88	14	48
OXFORDSHIRE:	226,100	1,659	1,603	68	64	3,394	15.0	1,326	1,352	2,678	11.8	0.86	0.82	136	40
COUNTY BORO'															
Oxford	92,440	643	650	25	25	1,343	14.5	469	484	953	10.3	0.96	0.80	49	36
ADMINISTRATIVE COUNTY.	133,660	1,016	953	43	39	2,051	15.3	857	868	1,725	12.9	0.81	0.84	87	42
URBAN DISTRICTS:	38,930	282	260	18	15	575	14.8	228	257	485	12.5	0.83	0.84	23	40
Banbury M.B. . .	15,190	113	116	6	6	241	15.9	94	101	195	12.8	0.90	0.93	8	33
Bicester	3,303	35	29	1	3	68	20.6	18	25	43	13.0	0.76	0.80	4	59
Chipping Norton M.B.	3,391	15	13	—	1	29	8.6	23	21	44	13.0	0.72	0.75	1	34

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
OXFORDSHIRE —cont.															
URBAN DISTRICTS —cont.															
Henley-on- Thames M.B.	7,028	39	38	6	3	86	12.2	37	47	84	12.0	0.82	0.79	3	35
Thame	3,051	22	16	1	1	40	13.1	19	25	44	14.4	0.70	0.81	2	50
Witney	5,355	45	31	2	1	79	14.8	27	30	57	10.6	0.92	0.79	5	63
Woodstock M.B.	1,612	13	17	2	—	32	19.9	10	8	18	11.2	0.68	0.61	—	—
RURAL DISTRICTS:	94,730	734	693	25	24	1,476	15.6	629	611	1,240	13.1	0.81	0.86	64	43
Banbury ..	12,870	101	115	2	6	224	17.4	90	96	186	14.5	0.74	0.87	12	54
Bullington ..	23,610	204	202	6	7	419	17.7	147	129	276	11.7	0.82	0.77	19	45
Chipping Norton	14,330	107	87	2	—	196	13.7	81	82	163	11.4	0.82	0.75	4	20
Henley	14,400	92	82	5	1	180	12.5	100	91	191	13.3	0.85	0.91	8	44
Ploughley ..	13,610	120	104	5	4	233	17.1	92	86	178	13.1	0.82	0.87	11	47
Witney	15,910	110	103	5	6	224	14.1	119	127	246	15.5	0.79	0.99	10	45
PETERBOROUGH, SOKE OF: ADMINISTRATIVE COUNTY.	55,340	387	369	20	20	796	14.4	338	359	697	12.6	0.89	0.90	51	64
URBAN DISTRICT: Peterborough M.B.	46,550	314	304	14	16	648	13.9	298	302	600	12.9	0.90	0.94	42	65
RURAL DISTRICTS:	8,790	73	65	6	4	148	16.8	40	57	97	11.0	0.86	0.76	9	61
Barnack ..	2,510	16	13	1	—	30	12.0	12	19	31	12.4	0.90	0.90	3	100
Peterborough ..	6,280	57	52	5	4	118	18.8	28	38	66	10.5	0.84	0.71	6	51
RUTLANDSHIRE: ADMINISTRATIVE COUNTY.	17,610	132	100	9	9	250	14.2	139	114	253	14.4	0.78	0.91	13	52
URBAN DISTRICT: Oakham ..	3,320	30	22	3	1	56	16.9	28	12	40	12.0	0.77	0.75	3	54
RURAL DISTRICTS:	14,290	102	78	6	8	194	13.6	111	102	213	14.9	0.78	0.94	10	52
Ketton	2,661	27	20	2	1	50	18.8	13	17	30	11.3	0.87	0.79	—	—
Oakham	5,865	38	37	2	2	79	13.5	46	41	87	14.8	0.83	0.99	9	114
Uppingham ..	5,764	37	21	2	5	65	11.3	52	44	96	16.7	0.77	1.04	1	15
SHROPSHIRE: ADMINISTRATIVE COUNTY.	240,800	1,874	1,712	103	90	3,779	15.7	1,633	1,553	3,236	13.4	0.88	0.95	194	51
URBAN DISTRICTS:	122,800	992	866	55	42	1,955	15.9	901	824	1,725	14.0	0.89	1.00	111	57
Bishops Castle M.B.	1,312	4	11	—	1	16	12.2	8	11	19	14.5	0.74	0.87	—	—
Bridgnorth M.B.	5,243	52	44	3	1	100	19.1	41	33	74	14.1	0.80	0.91	4	40
Church Stretton	2,222	22	10	—	—	32	14.4	13	25	38	17.1	0.73	1.01	2	63
Dawley	7,680	74	57	3	2	136	17.7	53	48	101	13.2	0.93	0.99	8	59
Ellesmere ..	1,890	13	8	—	1	22	11.6	13	13	26	13.8	0.81	0.90	3	136

TABLE 17—continued. (See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
SHROPSHIRE—cont.															
URBAN DISTRICTS															
<i>—cont.</i>															
Ludlow M.B. ..	5,729	41	32	1	1	75	13·1	43	41	84	14·7	0·77	0·91	4	53
Market Drayton	4,865	50	40	3	7	100	20·6	49	37	86	17·7	0·83	1·18	9	90
Newport ..	3,473	33	27	4	2	66	19·0	20	19	39	11·2	0·84	0·76	3	45
Oakengates ..	10,710	80	63	3	3	149	13·9	89	54	143	13·4	0·99	1·07	7	47
Oswestry M.B. . .	9,778	69	73	2	5	149	15·2	85	71	156	16·0	0·87	1·12	12	81
Shrewsbury M.B.	38,120	312	253	12	10	587	15·4	245	245	490	12·9	0·95	0·99	24	41
Wellington ..	9,619	61	69	5	1	136	14·1	63	58	121	12·6	0·94	0·96	11	81
Wem ..	2,209	23	11	1	1	36	16·3	21	24	45	20·4	0·75	1·23	2	56
Wenlock M.B. . .	13,640	116	123	9	2	250	18·3	109	90	199	14·6	0·87	1·02	17	68
Whitchurch ..	6,310	42	45	9	5	101	16·0	49	55	104	16·5	0·87	1·16	5	50
RURAL DISTRICTS:	118,000	882	846	48	48	1,824	15·5	782	729	1,511	12·8	0·86	0·89	83	46
Atcham. . .	18,450	158	142	14	9	323	17·5	108	106	214	11·6	0·84	0·79	10	31
Bridgnorth ..	11,860	88	95	4	5	192	16·2	57	71	128	10·8	0·90	0·78	9	47
Clun ..	9,959	75	63	3	6	147	14·8	68	75	143	14·4	0·83	0·96	5	34
Drayton ..	8,228	60	65	2	1	128	15·6	73	59	132	16·0	0·83	1·07	7	55
Ellesmere ..	6,971	49	51	—	—	100	14·3	42	30	72	10·3	0·87	0·72	4	40
Ludlow ..	13,680	95	85	7	8	195	14·3	91	83	174	12·7	0·87	0·89	10	51
Oswestry ..	15,560	98	96	3	8	205	13·2	97	90	187	12·0	0·90	0·87	9	44
Shifnal ..	7,573	65	63	2	3	133	17·6	38	51	89	11·8	0·84	0·80	4	30
Wellington ..	15,930	133	121	4	7	265	16·6	148	101	249	15·6	0·88	1·11	21	79
Wem ..	9,789	61	65	9	1	136	13·9	60	63	123	12·6	0·86	0·87	4	29
*SOMERSETSHIRE:	471,803	3,014	2,897	140	112	6,163	13·1	3,092	3,381	6,473	13·7	0·81	0·89	265	43
COUNTY BORO':															
Bath ..	67,760	420	354	18	16	808	11·9	492	551	1,043	15·4	0·73	0·91	32	40
*ADMINISTRATIVE COUNTY.	404,043	2,594	2,543	122	96	5,355	13·3	2,600	2,830	5,430	13·4	0·82	0·89	233	44
URBAN DISTRICTS	182,900	1,117	1,129	53	50	2,349	12·8	1,145	1,318	2,463	13·5	0·82	0·89	94	40
Bridgwater M.B.	18,080	145	154	8	10	317	17·5	127	132	259	14·3	0·88	1·01	8	25
Burnham-on-Sea	7,764	49	48	5	3	105	13·5	46	62	108	13·9	0·71	0·80	7	67
Chard M.B. ..	4,330	29	22	2	1	54	12·5	27	36	63	14·5	0·77	0·90	3	56
Clevedon ..	7,764	36	33	—	2	71	9·1	55	79	134	17·3	0·63	0·88	3	42
Crewkerne ..	3,466	20	16	1	—	37	10·7	20	34	54	15·6	0·83	1·04	2	54
Frome ..	10,360	60	48	—	3	111	10·7	60	78	138	13·3	0·79	0·85	2	18
Glastonbury M.B.	4,462	24	36	—	—	60	13·4	24	27	51	11·4	0·88	0·81	—	—
Ilminster ..	2,166	13	8	1	1	23	10·6	15	23	38	17·5	0·85	1·20	1	43
Minehead ..	6,356	25	25	3	1	54	8·5	35	51	86	13·5	0·77	0·84	2	37
Norton-Radstock	11,170	78	82	1	1	162	14·5	60	68	128	11·5	0·95	0·88	6	37
Portishead ..	3,808	22	17	1	—	40	10·5	23	27	50	13·1	0·81	0·86	2	50

TABLE 17—continued. (See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
SOMERSETSHIRE —cont.															
URBAN DISTRICTS —cont.															
Shepton Mallet	4,296	33	26	—	1	60	14.0	33	24	57	13.3	0.83	0.89	4	67
Street ..	4,531	26	24	—	—	50	11.0	24	27	51	11.3	0.89	0.81	2	40
Taunton M.B. ..	27,510	164	173	14	8	359	13.0	183	170	353	12.8	0.87	0.90	18	50
Watchet ..	2,197	13	21	1	1	36	16.4	17	20	37	16.8	0.79	1.07	2	56
Wellington ..	6,619	41	38	3	—	82	12.4	60	53	113	17.1	0.75	1.03	5	61
Wells M.B. ..	5,241	38	34	—	2	74	14.1	31	36	67	12.8	0.75	0.77	5	68
Weston-super- Mare M.B.	32,680	156	175	6	10	347	10.6	195	265	460	14.1	0.76	0.86	14	40
Yeovil M.B. ..	20,100	145	149	7	6	307	15.3	110	106	216	10.7	1.03	0.89	8	26
*RURAL DISTRICTS :	221,143	1,477	1,414	69	46	3,006	13.6	1,455	1,512	2,967	13.4	0.82	0.89	139	46
Axbridge ..	22,060	140	157	10	2	309	14.0	145	157	302	13.7	0.78	0.86	13	42
Bathavon ..	23,110	177	142	7	2	328	14.2	138	164	302	13.1	0.84	0.89	16	49
Bridgwater ..	16,470	112	112	7	8	239	14.5	110	112	222	13.5	0.77	0.84	13	54
Chard ..	11,110	67	64	5	—	136	12.2	100	89	189	17.0	0.82	1.12	11	81
Clutton ..	15,830	114	109	3	3	229	14.5	119	107	226	14.3	0.86	0.99	16	70
Dulverton ..	4,449	24	35	4	3	66	14.8	19	30	49	11.0	0.86	0.76	2	30
*Frome ..	9,516	78	54	2	4	138	14.5	68	54	122	12.8	0.83	0.86	7	51
Langport ..	12,090	72	66	4	3	145	12.0	82	106	188	15.6	0.77	0.97	8	55
Long Ashton ..	19,540	145	124	5	2	276	14.1	99	125	224	11.5	0.88	0.82	11	40
Shepton Mallet	9,630	65	73	4	2	144	15.0	65	70	135	14.0	0.82	0.93	4	28
Taunton ..	16,580	91	98	5	6	200	12.1	97	105	202	12.2	0.79	0.78	11	55
Wellington ..	7,213	43	51	2	2	98	13.6	53	54	107	14.8	0.79	0.94	2	20
Wells ..	9,365	60	63	2	2	127	13.6	63	51	114	12.2	0.81	0.80	7	55
Williton ..	11,860	67	75	2	2	146	12.3	80	64	144	12.1	0.78	0.76	5	34
Wincanton ..	15,770	100	78	5	2	185	11.7	105	103	208	13.2	0.83	0.88	4	22
Yeovil ..	16,550	122	113	2	3	240	14.5	112	121	233	14.1	0.85	0.97	9	37
SOUTHAMPTON	1,066,100	7,681	7,477	383	371	15,912	14.9	6,422	6,047	12,469	11.7	0.92	0.87	691	43
COUNTY BORO'S.	555,900	3,849	3,733	216	201	7,999	14.4	3,515	3,412	6,927	12.5	0.93	0.94	367	46
Bournemouth ..	121,000	649	590	62	50	1,351	11.2	780	983	1,763	14.6	0.75	0.88	62	46
Portsmouth ..	256,200	1,863	1,761	96	92	3,812	14.9	1,520	1,427	2,947	11.5	0.99	0.92	167	44
Southampton ..	178,700	1,337	1,382	58	59	2,836	15.9	1,215	1,002	2,217	12.4	0.99	0.99	138	49
ADMINISTRATIVE COUNTY.	510,200	3,832	3,744	167	170	7,913	15.5	2,907	2,635	5,542	10.9	0.92	0.81	324	41
URBAN DISTRICTS :	287,400	2,233	2,149	102	94	4,578	15.9	1,566	1,496	3,062	10.7	0.96	0.83	175	38
Aldershot M.B.	34,170	265	269	15	12	561	16.4	114	115	229	6.7	1.38	0.75	18	32
Alton ..	7,695	57	48	5	4	114	14.8	45	54	99	12.9	0.83	0.86	3	26
Andover M.B. ..	11,800	103	102	10	6	221	18.7	62	65	127	10.8	0.93	0.81	8	36
Basingstoke M.B.	14,460	95	91	3	2	191	13.2	77	70	147	10.2	1.00	0.82	—	—
Christchurch M.B.	13,540	94	96	7	4	201	14.8	84	86	170	12.6	0.80	0.81	9	45
Eastleigh ..	25,810	223	195	4	6	428	16.6	162	125	287	11.1	1.00	0.90	20	47
Fareham ..	28,600	258	264	13	12	547	19.1	173	155	328	11.5	0.88	0.82	26	48
Farnborough ..	20,330	150	167	9	6	332	16.3	97	65	162	8.0	1.28	0.83	10	30

TABLE 17—continued. (See notes on first page of Table)

AREA.	Estimated Resident Population (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
SOUTHAMPTON—cont.															
URBAN DISTRICTS—cont.															
Fleet	7,863	63	54	3	2	122	15·5	35	42	77	9·8	0·86	0·68	4	33
Gosport M.B. ..	44,210	424	385	10	18	837	18·9	235	229	464	10·5	1·02	0·86	33	39
Havant and Waterloo.	25,040	175	171	5	5	356	14·2	149	154	303	12·1	0·80	0·78	9	25
Lymington M.B.	17,660	108	105	7	8	228	12·9	107	114	221	12·5	0·80	0·81	20	88
Petersfield ..	5,975	37	33	2	1	73	12·2	44	42	86	14·4	0·77	0·89	2	27
Romsey M.B. ..	5,727	43	34	—	3	80	14·0	39	33	72	12·6	0·82	0·83	3	38
Winchester M.B.	24,520	138	135	9	5	287	11·7	143	147	290	11·8	0·83	0·79	10	35
RURAL DISTRICTS:															
Alton	20,740	172	146	6	13	337	16·2	114	111	225	10·8	0·98	0·85	19	56
Andover ..	15,360	119	89	7	2	217	14·1	69	57	126	8·2	1·09	0·72	10	46
Basingstoke ..	14,610	86	100	4	7	197	13·5	88	68	156	10·7	0·82	0·71	9	46
Droxford ..	18,050	114	116	6	6	242	13·4	94	94	188	10·4	0·78	0·65	12	50
Hartley Wintney	16,610	106	113	12	5	236	14·2	114	68	182	11·0	0·84	0·75	8	34
Kingsclere and Whitchurch.	15,120	82	100	3	3	188	12·4	78	79	157	10·4	0·81	0·68	10	53
New Forest ..	36,130	288	323	10	20	641	17·7	214	188	402	11·1	0·90	0·81	26	41
Petersfield ..	15,600	112	119	5	2	238	15·3	114	98	212	13·6	0·84	0·92	16	67
Ringwood and Fordingbridge.	18,690	132	117	4	7	260	13·9	115	106	221	11·8	0·77	0·73	6	23
Romsey and Stockbridge.	18,960	144	130	1	7	282	14·9	119	87	206	10·9	0·86	0·76	12	43
Winchester ..	32,930	244	242	7	4	497	15·1	222	183	405	12·3	0·89	0·88	21	42
STAFFORDSHIRE:															
STAFFORDSHIRE:	1,475,310	12,698	11,803	359	361	25,221	17·1	9,578	8,398	17,976	12·2	1·11	1·09	1,637	65
COUNTY BORO'S:															
Burton - upon - Trent.	47,100	346	322	16	9	693	14·7	317	279	596	12·7	0·98	1·00	35	51
Smethwick ..	80,380	594	549	19	19	1,181	14·7	490	441	931	11·6	1·14	1·07	62	52
Stoke-on-Trent	272,800	2,257	2,127	78	78	4,540	16·6	1,879	1,695	3,574	13·1	1·22	1·29	368	81
Walsall ..	106,800	941	921	19	31	1,912	17·9	662	621	1,283	12·0	1·12	1·08	109	57
West Bromwich	82,330	797	736	20	13	1,566	19·0	539	477	1,016	12·3	1·14	1·13	107	68
Wolverhampton	144,000	1,246	1,110	45	43	2,444	17·0	898	810	1,708	11·9	1·08	1·04	167	68
ADMINISTRATIVE COUNTY.															
ADMINISTRATIVE COUNTY.	741,900	6,517	6,038	162	168	12,885	17·4	4,793	4,075	8,868	12·0	1·08	1·05	789	61

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
STAFFORDSHIRE —cont.															
URBAN DISTRICTS:	562,800	5,112	4,719	118	117	10,066	17·9	3,644	3,039	6,683	11·9	1·12	1·07	645	64
Aldridge ..	17,890	169	154	3	6	332	18·6	99	91	190	10·6	1·14	0·97	24	72
Amblecote ..	2,933	20	12	1	1	34	11·6	20	22	42	14·3	0·97	1·12	1	29
Biddulph ..	9,741	88	89	1	4	182	18·7	61	47	108	11·1	1·13	1·01	8	44
Bilston M.B. ..	31,400	302	288	7	5	602	19·2	206	185	391	12·5	1·22	1·23	41	68
Brierley Hill ..	45,880	414	374	12	4	804	17·5	289	225	514	11·2	1·10	0·99	57	71
Brownhills ..	19,540	182	173	3	3	361	18·5	141	97	238	12·2	1·16	1·14	31	86
Cannock ..	36,490	349	327	12	11	699	19·2	248	162	410	11·2	1·11	1·00	38	54
Coseley ..	28,120	277	264	5	3	549	19·5	167	146	313	11·1	1·16	1·04	35	64
*Darlaston ..	20,050	195	181	3	3	382	19·1	132	116	248	12·4	1·24	1·24	12	31
Kidsgrove ..	14,620	113	106	2	5	226	15·5	87	69	156	10·7	1·15	0·99	12	53
Leek ..	19,380	113	116	8	4	241	12·4	113	119	232	12·0	1·04	1·01	15	62
Lichfield M.B. ..	8,710	82	63	2	2	149	17·1	57	60	117	13·4	0·87	0·94	14	94
Newcastle-under- Lyme M.B.	62,540	541	527	19	15	1,102	17·6	416	375	791	12·6	1·12	1·14	77	70
Rowley Regis M.B.	43,550	410	401	3	5	819	18·8	290	231	521	12·0	1·19	1·15	53	65
Rugeley ..	7,528	69	56	1	1	127	16·9	55	35	90	12·0	1·02	0·99	9	71
Sedgley ..	20,210	155	134	2	1	292	14·4	119	103	222	11·0	1·08	0·96	15	51
Stafford M.B. ..	31,680	239	214	4	10	467	14·7	201	162	363	11·5	1·03	0·96	14	30
Stone ..	6,376	40	38	—	1	79	12·4	39	30	69	10·8	0·90	0·78	6	76
Tamworth M.B.	11,950	91	75	2	6	174	14·6	67	75	142	11·9	0·98	0·94	8	46
Tettenhall ..	6,656	50	43	2	1	96	14·4	34	36	70	10·5	0·91	0·77	2	21
Tipton ..	36,670	402	379	10	10	801	21·8	254	219	473	12·9	1·18	1·23	63	79
Uttoxeter ..	6,776	60	52	3	1	116	17·1	35	43	78	11·5	1·00	0·93	8	69
Wednesbury M.B.	33,130	321	268	5	7	601	18·1	235	182	417	12·6	1·15	1·17	37	62
Wednesfield ..	12,960	150	128	2	5	285	22·0	77	59	136	10·5	1·17	0·99	22	77
*Willenhall ..	28,020	280	257	6	3	546	19·5	202	150	352	12·6	1·19	1·21	43	79
RURAL DISTRICTS:	179,100	1,405	1,319	44	51	2,819	15·7	1,149	1,036	2,185	12·2	0·98	0·96	144	51
Cannock ..	21,620	156	187	6	8	357	16·5	134	127	261	12·1	1·07	1·04	17	48
Cheadle ..	30,280	250	232	12	12	506	16·7	214	161	375	12·4	1·05	1·05	34	67
Leek ..	15,970	122	92	2	7	223	14·0	100	94	194	12·1	0·99	0·97	5	22
Lichfield ..	31,680	253	237	5	5	500	15·8	195	158	353	11·1	1·04	0·93	22	44
Newcastle-under- Lyme.	16,220	103	113	3	2	221	13·6	110	111	221	13·6	0·99	1·09	11	50
Seisdon ..	16,160	139	126	6	5	276	17·1	96	93	189	11·7	0·88	0·83	20	72
Stafford ..	13,290	133	98	3	5	239	18·0	91	76	167	12·6	0·88	0·89	16	67
Stone ..	12,180	83	86	4	3	176	14·4	58	67	125	10·3	0·92	0·76	1	6

TABLE 17—continued. (See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
STAFFORDSHIRE —cont.															
RURAL DISTRICTS —cont.															
Tutbury ..	12,100	97	99	1	3	200	16.5	81	85	166	13.7	0.89	0.98	11	55
Uttoxeter ..	9,600	69	49	2	1	121	12.6	70	64	134	14.0	0.88	0.99	7	58
SUFFOLK EAST:	299,550	2,147	2,005	124	83	4,359	14.6	1,840	1,853	3,693	12.3	0.86	0.85	166	38
COUNTY BORO':															
Ipswich.. ..	93,870	696	627	41	31	1,395	14.9	483	533	1,016	10.8	0.94	0.82	44	32
ADMINISTRATIVE COUNTY.	205,680	1,451	1,378	83	52	2,964	14.4	1,357	1,320	2,677	13.0	0.83	0.87	122	41
URBAN DISTRICTS:	92,080	643	620	38	21	1,322	14.4	564	574	1,138	12.4	0.89	0.89	58	44
Aldeburgh M.B.	2,443	16	13	1	1	31	12.7	14	21	35	14.3	0.80	0.92	—	—
Beccles M.B. ..	6,426	39	43	3	2	87	13.5	57	54	111	17.3	0.79	1.10	2	23
Bungay.. ..	3,071	25	24	2	1	52	16.9	17	23	40	13.0	0.80	0.84	1	19
Eye M.B.	1,656	8	9	1	—	18	10.9	14	8	22	13.3	0.66	0.71	3	167
Felixstowe ..	12,560	70	69	2	4	145	11.5	73	87	160	12.7	0.89	0.91	7	48
Halesworth ..	2,159	13	15	—	—	28	13.0	15	8	23	10.7	0.77	0.66	1	36
Leiston cum Sizewell.	3,986	32	15	3	3	53	13.3	26	25	51	12.8	0.86	0.89	2	38
Lowestoft M.B.	44,440	339	342	20	8	709	16.0	261	246	507	11.4	0.97	0.89	33	47
Saxmundham ..	1,361	8	10	—	—	18	13.2	7	9	16	11.8	0.77	0.73	—	—
Southwold M.B.	2,696	12	7	—	—	19	7.0	18	19	37	13.7	0.70	0.77	2	105
Stowmarket ..	6,431	51	42	3	—	96	14.9	39	32	71	11.0	0.94	0.83	4	42
Woodbridge ..	4,851	30	31	3	2	66	13.6	23	42	65	13.4	0.77	0.83	3	45
RURAL DISTRICTS:	113,600	808	758	45	31	1,642	14.5	793	746	1,539	13.5	0.79	0.86	64	39
Blyth	18,510	116	141	7	2	266	14.4	133	138	271	14.6	0.74	0.87	12	45
Deben	24,070	185	147	7	6	345	14.3	151	164	315	13.1	0.80	0.85	13	38
Gipping	18,140	119	124	10	7	260	14.3	124	110	234	12.9	0.83	0.86	13	50
Hartismere ..	17,400	140	122	11	7	280	16.1	133	136	269	15.5	0.78	0.98	8	29
Lothingland ..	14,420	115	99	3	3	220	15.3	99	80	179	12.4	0.78	0.78	10	45
Samford	14,670	80	76	7	4	167	11.4	99	68	167	11.4	0.85	0.78	4	24
Wainford	6,390	53	49	—	2	104	16.3	54	50	104	16.3	0.77	1.01	4	38

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
SUFFOLK WEST:															
ADMINISTRATIVE COUNTY.	102,890	700	694	29	29	1,452	14·1	719	677	1,396	13·6	0·77	0·84	59	41
URBAN DISTRICTS:	39,490	259	271	8	11	549	13·9	242	248	490	12·4	0·81	0·81	23	42
Bury St. Edmunds M.B.	16,810	124	149	4	4	281	16·7	92	105	197	11·7	0·85	0·80	7	25
Hadleigh ..	2,872	18	13	—	—	31	10·8	18	18	36	12·5	0·82	0·83	4	129
Haverhill ..	3,758	27	27	—	—	54	14·4	26	29	55	14·6	0·76	0·89	4	74
Newmarket ..	9,330	52	46	3	5	106	11·4	52	55	107	11·5	0·88	0·82	3	28
Sudbury M.B. ..	6,720	38	36	1	2	77	11·5	54	41	95	14·1	0·70	0·80	5	65
RURAL DISTRICTS:	63,400	441	423	21	18	903	14·2	477	429	906	14·3	0·75	0·86	36	40
Clare	8,060	46	40	2	2	90	11·2	61	57	118	14·6	0·68	0·80	3	33
Cosford	8,912	52	53	2	2	109	12·2	70	75	145	16·3	0·74	0·97	4	37
Melford	11,110	75	63	6	5	149	13·4	102	91	193	17·4	0·71	1·00	9	60
Mildenhall ..	12,370	111	110	4	3	228	18·4	98	67	165	13·3	0·82	0·88	14	61
Thedwastre ..	7,688	60	40	3	2	105	13·7	52	49	101	13·1	0·74	0·78	2	19
Thingoe	15,260	97	117	4	4	222	14·5	94	90	184	12·1	0·77	0·75	4	18
SURREY:	1,403,300	9,511	8,940	423	366	19,240	13·7	7,049	7,409	14,458	10·3	0·96	0·80	866	45
COUNTY BORO':															
Croydon	242,300	1,584	1,529	70	80	3,263	13·5	1,324	1,476	2,800	11·6	0·96	0·90	196	60
ADMINISTRATIVE COUNTY.	1,161,000	7,927	7,411	353	286	15,977	13·8	5,725	5,933	11,658	10·0	0·96	0·77	670	42
URBAN DISTRICTS:	1,042,600	7,100	6,613	322	254	14,289	13·7	5,052	5,242	10,294	9·9	0·97	0·77	606	42
Banstead	26,900	205	170	5	3	383	14·2	99	100	199	7·4	0·97	0·58	15	39
Barnes M.B. ..	41,100	178	159	12	16	365	8·9	224	245	469	11·4	1·00	0·92	13	36
Beddington and Wallington M.B.	30,590	190	189	10	6	395	12·9	150	156	306	10·0	0·98	0·79	23	58
Carshalton ..	58,030	435	416	16	7	874	15·1	188	200	388	6·7	1·11	0·60	35	39
Caterham and Warlingham.	26,190	223	184	12	3	422	16·1	114	105	219	8·4	1·05	0·71	15	36
Chertsey	21,080	165	187	6	4	362	17·2	126	118	244	11·6	0·93	0·87	24	66
Coulsdon and Purley.	53,920	355	311	17	9	692	12·8	223	235	458	8·5	0·98	0·67	24	35
Dorking	16,910	110	113	7	6	236	14·0	97	89	186	11·0	0·84	0·75	5	21
Egham	18,490	116	119	4	5	244	13·2	97	95	192	10·4	0·91	0·76	8	33
Epsom & Ewell M.B.	56,830	386	344	21	14	765	13·5	221	173	394	6·9	0·86	0·48	27	35
Esher	41,450	273	288	18	11	590	14·2	222	207	429	10·3	0·97	0·81	21	36
Farnham	20,430	130	128	8	10	276	13·5	113	134	247	12·1	0·84	0·82	14	51
Frimley and Camberley.	18,600	154	125	10	7	296	15·9	101	101	202	10·9	1·09	0·96	20	68
Godalming M.B.	12,980	114	82	2	4	202	15·6	81	76	157	12·1	0·88	0·86	7	35
Guildford M.B.	39,320	253	258	17	17	545	13·9	207	246	453	11·5	0·89	0·83	13	24
Haslemere ..	9,530	60	41	2	—	103	10·8	59	65	124	13·0	0·85	0·89	6	58
Kingston - on- Thames M.B.	39,850	276	238	15	10	539	13·5	255	284	539	13·5	0·88	0·96	28	52
Leatherhead ..	20,500	142	151	11	4	308	15·0	96	102	198	9·7	0·94	0·74	8	26
Malden and Coombe. M.B.	37,270	259	295	5	6	565	15·2	167	158	325	8·7	1·06	0·74	21	37
Merton and Morden.	65,530	418	373	11	10	812	12·4	262	225	487	7·4	1·21	0·72	32	39

a A considerable proportion of the population of this area was enumerated in Mental Hospitals, the deaths in which are allocated to the areas in which the deceased patients had resided before admission.

TABLE 17—continued. (See notes on first page of Table.

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
SURREY—cont.															
URBAN DISTRICTS —cont.															
Mitcham M.B...	65,620	477	441	18	8	944	14·4	283	277	560	8·5	1·22	0·84	41	43
Reigate M.B. ..	36,360	218	233	12	12	475	13·1	230	217	447	12·3	0·83	0·82	19	40
Richmond M.B.	38,350	202	163	13	11	389	10·1	235	266	501	13·1	0·86	0·91	15	39
Surbiton M.B.	44,830	389	357	19	20	785	17·5	229	220	449	10·0	0·98	0·79	33	42
Sutton and Cheam M.B.	74 530	597	528	19	16	1,160	15·6	320	357	677	9·1	1·05	0·77	58	50
Walton and Weybridge	29,000	191	182	9	9	391	13·5	164	178	342	11·8	0·91	0·87	14	36
Wimbledon M.B.	58,440	306	277	12	13	608	10·4	321	433	754	12·9	0·90	0·94	41	67
Woking.. ..	39,970	278	261	11	13	563	14·1	168	180	348	8·7	0·95	0·67	26	46
RURAL DISTRICTS:	118,400	827	798	31	32	1,688	14·3	673	691	1,364	11·5	0·89	0·83	64	38
Bagshot ..	11,840	91	100	4	7	202	17·1	59	75	134	11·3	0·92	0·84	7	35
Dorking and Horley.	20,340	134	128	8	7	277	13·6	132	108	240	11·8	0·88	0·84	9	32
Godstone ..	26,510	189	155	6	3	353	13·3	149	139	288	10·9	0·87	0·76	12	34
Guildford ..	33,530	285	252	9	9	555	16·6	190	204	394	11·8	0·93	0·89	23	41
Hambledon ..	26,180	128	163	4	6	301	11·5	143	165	308	11·8	0·84	0·80	13	43
SUSSEX EAST:	564,460	3,288	3,150	211	202	6,851	12·1	3,654	4,188	7,842	13·9	0·78	0·87	238	42
COUNTY BORO's:	265,760	1,547	1,479	125	119	3,270	12·3	1,794	2,088	3,882	14·6	0·78	0·92	154	47
Brighton ..	146,700	903	882	78	77	1,940	13·2	970	1,061	2,031	13·8	0·82	0·91	101	52
Eastbourne ..	55,610	294	285	16	21	616	11·1	353	431	784	14·1	0·80	0·91	19	31
Hastings ..	63,450	350	312	31	21	714	11·3	471	596	1,067	16·8	0·67	0·91	34	48
ADMINISTRATIVE COUNTY.	298,700	1,741	1,671	86	83	3,581	12·0	1,860	2,100	3,960	13·3	0·79	0·85	134	37
URBAN DISTRICTS:	154,700	864	827	48	49	1,788	11·6	953	1,225	2,178	14·1	0·76	0·86	64	36
Bexhill M.B. ..	23,100	123	115	10	7	255	11·0	154	184	338	14·6	0·77	0·91	8	31
Burgess Hill ..	6,777	48	47	2	2	99	14·6	39	39	78	11·5	0·77	0·71	1	10
Cuckfield ..	13,320	74	75	4	5	158	11·9	57	83	140	10·5	0·74	0·63	8	51
East Grinstead	9,519	55	58	2	4	119	12·5	49	77	126	13·2	0·80	0·85	2	17
Hove M.B. ..	58,410	275	254	23	18	570	9·8	404	586	990	16·9	0·70	0·95	19	33
Lewes M.B. ..	11,920	73	78	2	5	158	13·3	83	78	161	13·5	0·80	0·87	7	44
Newhaven ..	6,989	51	53	2	—	106	15·2	32	40	72	10·3	0·92	0·76	7	66
Portslade-by-Sea	11,680	93	77	2	4	176	15·1	58	66	124	10·6	0·99	0·85	6	34
Rye M.B. ..	4,060	26	25	—	2	53	13·1	30	32	62	15·3	0·75	0·93	3	57
Seaford	8,925	46	45	1	2	94	10·5	47	40	87	9·7	0·98	0·77	3	32
RURAL DISTRICTS:	144,000	877	844	38	34	1,793	12·5	907	875	1,782	12·4	0·81	0·81	70	39
Battle	29,090	188	168	4	8	368	12·7	187	173	360	12·4	0·76	0·76	17	46
Chailley	17,240	111	96	5	7	219	12·7	95	89	184	10·7	0·81	0·70	11	50
Cuckfield	24,220	147	158	8	3	316	13·0	147	160	307	12·7	0·84	0·86	11	35

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Estimated Resident Population (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
SUSSEX EAST —cont.															
RURAL DISTRICTS —cont.															
Hailsham ..	34,970	221	204	8	9	442	12·6	215	197	412	11·8	0·83	0·79	16	36
Uckfield ..	38,480	210	218	13	7	448	11·6	263	256	519	13·5	0·81	0·88	15	33
SUSSEX WEST :															
ADMINISTRATIVE COUNTY.	259,900	1,729	1,711	77	103	3,620	13·9	1,589	1,784	3,373	13·0	0·79	0·83	165	46
URBAN DISTRICTS	142,900	922	870	49	63	1,904	13·3	892	1,092	1,984	13·9	0·76	0·85	88	46
Arundel M.B. ..	2,414	15	14	—	—	29	12·0	15	22	37	15·3	0·73	0·90	—	—
Bognor Regis ..	19,560	119	116	6	7	248	12·7	125	157	282	14·4	0·83	0·96	11	44
Chichester M.B.	16,370	115	113	5	6	239	14·6	90	77	167	10·2	0·81	0·67	10	42
Horsham ..	14,770	107	108	4	2	221	15·0	99	111	210	14·2	0·80	0·92	12	54
Littlehampton..	11,130	87	75	4	3	169	15·2	56	80	136	12·2	0·85	0·84	6	36
Shoreham-by-Sea	10,790	79	68	5	6	158	14·6	62	65	127	11·8	0·86	0·82	7	44
Southwick ..	9,266	57	74	4	4	139	15·0	58	51	109	11·8	0·83	0·79	9	65
Worthing M.B.	58,600	343	302	21	35	701	12·0	387	529	916	15·6	0·69	0·87	33	47
RURAL DISTRICTS	117,000	807	841	28	40	1,716	14·7	697	692	1,389	11·9	0·82	0·79	77	45
Chancetonbury	17,090	151	117	5	6	279	16·3	104	97	201	11·8	0·79	0·75	15	54
Chichester ..	32,620	227	242	10	14	493	15·1	173	180	353	10·8	0·84	0·73	14	28
Horsham ..	22,430	127	139	4	4	274	12·2	155	147	302	13·5	0·82	0·89	12	44
Midhurst ..	14,350	98	91	3	5	197	13·7	81	101	182	12·7	0·79	0·81	11	56
Petworth ..	8,160	52	56	1	5	114	14·0	59	42	101	12·4	0·79	0·79	6	53
Worthing ..	22,350	152	196	5	6	359	16·1	125	125	250	11·2	0·84	0·76	19	53
WARWICKSHIRE ..	1,625,100	12,871	12,257	449	456	26,033	16·0	9,871	9,079	18,950	11·7	1·08	1·02	1,472	57
COUNTY BORO'S.	1,234,400	9,911	9,407	358	371	20,047	16·2	7,518	6,851	14,369	11·6	1·12	1·05	1,170	58
Birmingham ..	1,029,700	8,280	7,941	309	319	16,849	16·4	6,382	5,827	12,209	11·9	1·10	1·06	1,011	60
Coventry ..	204,700	1,631	1,466	49	52	3,198	15·6	1,136	1,024	2,160	10·6	1·21	1·03	159	50
ADMINISTRATIVE COUNTY	390,700	2,960	2,850	91	85	5,986	15·3	2,353	2,228	4,581	11·7	0·97	0·92	302	50
URBAN DISTRICTS	249,100	1,902	1,793	63	53	3,811	15·3	1,440	1,442	2,882	11·6	0·99	0·93	192	50
Bedworth ..	18,300	158	152	4	5	319	17·4	96	88	184	10·1	1·27	1·03	19	60
Kenilworth ..	8,640	62	57	4	—	123	14·2	51	45	96	11·1	1·02	0·91	5	41
Nuneaton M.B.	48,430	406	376	6	9	797	16·5	270	229	499	10·3	1·18	0·98	41	51
Royal Leamington Spa M.B.	30,000	199	172	7	7	385	12·8	181	302	483	16·1	0·78	1·01	12	31
Rugby M.B. ..	37,260	233	253	6	6	498	13·4	237	183	420	11·3	1·00	0·91	20	40
Solihull ..	45,360	425	397	18	9	849	18·7	226	217	443	9·8	0·98	0·77	51	60
Stratford-on-Avon M.B.	12,090	82	70	—	5	157	13·0	88	81	169	14·0	0·81	0·91	8	51

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
WARWICKSHIRE —cont.															
URBAN DISTRICTS —cont.															
Sutton Coldfield M.B.	35,050	219	221	9	6	455	13.0	208	195	403	11.5	0.98	0.91	21	46
Warwick M.B...	13,970	118	95	9	6	228	16.3	83	102	185	13.2	0.91	0.97	15	66
RURAL DISTRICTS	141,600	1,058	1,057	28	32	2,175	15.4	913	786	1,699	12.0	0.94	0.91	110	51
Alcester ..	11,650	76	84	5	4	169	14.5	97	79	176	15.1	0.84	1.02	10	59
Atherstone ..	21,730	177	165	4	4	350	16.1	124	101	225	10.4	1.12	0.94	22	63
Meriden ..	27,540	217	236	7	4	464	16.8	157	137	294	10.7	1.02	0.88	21	45
Rugby ..	18,310	145	137	5	7	294	16.1	114	105	219	12.0	1.01	0.98	12	41
Shipston-on- Stour.	7,490	38	44	1	2	85	11.3	41	51	92	12.3	0.73	0.72	2	24
Southam ..	11,060	85	73	—	3	161	14.6	94	72	166	15.0	0.80	0.97	6	37
Stratford-on- Avon.	14,800	113	97	2	2	214	14.5	118	96	214	14.5	0.80	0.94	9	42
Tamworth ..	14,240	117	125	4	4	250	17.6	80	74	154	10.8	1.08	0.94	15	60
Warwick ..	14,780	90	96	—	2	188	12.7	88	71	159	10.8	0.90	0.78	13	69
WESTMORLAND:															
ADMINISTRATIVE COUNTY.	63,770	445	377	37	25	884	13.9	418	471	889	13.9	0.88	0.99	41	46
URBAN DISTRICTS:	30,220	183	170	16	16	385	12.7	179	239	418	13.8	0.87	0.97	17	44
Appleby M.B. ..	1,618	7	10	2	2	21	13.0	20	10	30	18.5	0.83	1.24	1	48
Kendal M.B. ..	17,450	115	109	13	12	249	14.3	96	142	238	13.6	0.93	1.02	14	56
The Lakes ..	5,220	33	16	1	—	50	9.6	39	46	85	16.3	0.82	1.08	2	40
Windermere ..	5,932	28	35	—	2	65	11.0	24	41	65	11.0	0.80	0.71	—	—
RURAL DISTRICTS	33,550	262	207	21	9	499	14.9	239	232	471	14.0	0.88	0.99	24	48
North Westmorland	16,910	139	112	12	7	270	16.0	116	107	223	13.2	0.88	0.94	11	41
South Westmorland	16,640	123	95	9	2	229	13.8	123	125	248	14.9	0.88	1.06	13	57
WIGHT, ISLE OF:															
ADMINISTRATIVE COUNTY.	85,690	536	466	28	29	1,059	12.4	625	641	1,266	14.8	0.75	0.90	38	36
URBAN DISTRICTS:	69,960	447	387	23	21	878	12.6	513	537	1,050	15.0	0.75	0.91	32	36
Cowes	15,380	105	104	3	4	216	14.0	116	103	219	14.2	0.79	0.90	7	32
Newport M.B. ..	19,830	154	117	11	7	289	14.6	137	118	255	12.9	0.81	0.84	14	48

TABLE 17—continued. (See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
WIGHT, ISLE OF —cont.															
URBAN DISTRICTS —cont.															
Ryde M.B. ..	17,790	108	92	3	8	211	11·9	154	160	314	17·7	0·69	0·98	7	33
Sandown- Shanklin	10,900	46	47	5	2	100	9·2	69	98	167	15·3	0·73	0·90	2	20
Ventnor ..	6,060	34	27	1	—	62	10·2	37	58	95	15·7	0·71	0·90	2	32
RURAL DISTRICT:															
Isle of Wight ..	15,730	89	79	5	8	181	11·5	112	104	216	13·7	0·73	0·81	6	33
WILTSHIRE:															
*ADMINISTRATIVE COUNTY.	304,957	2,106	1,996	81	88	4,271	14·0	1,905	1,653	3,558	11·7	0·87	0·82	162	38
URBAN DISTRICTS:															
Bradford-on-Avon	4,759	24	40	2	1	67	14·1	31	26	57	12·0	0·84	0·81	2	30
Calne M.B. ..	4,808	34	40	3	1	78	16·2	30	33	63	13·1	0·80	0·84	2	26
Chippenham M.B.	9,805	81	68	1	1	151	15·4	51	46	97	9·9	0·82	0·65	5	33
Devizes M.B. ..	6,988	55	45	6	1	107	15·3	48	34	82	11·7	0·78	0·74	3	28
Malmesbury M.B.	2,275	16	11	—	2	29	12·7	19	15	34	14·9	0·71	0·85	3	103
Marlborough M.B.	4,668	30	24	1	1	56	12·0	29	23	52	11·1	0·96	0·86	—	—
Melksham ..	5,076	33	28	—	2	63	12·4	27	25	52	10·2	0·93	0·76	1	16
Salisbury M.B.	28,170	176	192	9	15	392	13·9	192	144	336	11·9	0·87	0·83	18	46
Swindon M.B. ..	60,170	364	359	16	9	748	12·4	388	285	673	11·2	1·01	0·91	36	48
Trowbridge ..	12,410	88	72	—	2	162	13·1	71	91	162	13·1	0·81	0·86	7	43
Warminster ..	5,494	29	27	—	2	58	10·6	36	41	77	14·0	0·80	0·90	3	52
Westbury ..	4,164	17	19	—	1	37	8·9	21	18	39	9·4	0·87	0·66	1	27
Wilton M.B. ..	2,313	13	14	—	—	27	11·7	10	21	31	13·4	0·77	0·83	3	111
*RURAL DISTRICTS															
Amesbury ..	17,600	148	170	3	4	325	18·5	78	55	133	7·6	1·29	0·79	7	22
Bradford and Melksham.	8,422	58	58	1	1	118	14·0	58	46	104	12·3	0·81	0·80	4	34
Calne and Chippenham	18,000	130	122	7	3	262	14·6	120	127	247	13·7	0·79	0·87	5	19
Cricklade and Wootton Bas- sett.	11,210	85	96	4	6	191	17·0	84	64	148	13·2	0·84	0·89	7	37
Devizes.. ..	12,300	86	73	6	6	171	13·9	58	58	116	9·4	0·75	0·57	5	29
Highworth ..	16,770	127	106	5	5	243	14·5	97	87	184	11·0	0·88	0·78	8	33
Malmesbury ..	8,017	59	49	3	3	114	14·2	51	49	100	12·5	0·76	0·77	8	70
Marlborough & Ramsbury.	9,641	59	49	2	4	114	11·8	63	50	113	11·7	0·81	0·76	5	44
Mere and Tisbury	10,470	77	66	1	1	145	13·8	78	89	167	16·0	0·75	0·97	8	55
Pewsey	14,060	122	100	6	11	239	17·0	84	68	152	10·8	0·97	0·84	7	29
Salisbury and Wilton.	15,710	119	94	3	3	219	13·9	111	87	198	12·6	0·81	0·82	11	50

TABLE 17—continued. (See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
WILTSHIRE—cont.															
RURAL DISTRICTS —cont.															
*Warminster and Westbury	11,657	76	74	2	3	155	13·3	70	71	141	12·1	0·76	0·74	3	19
WORCESTERSHIRE	445,670	3,448	3,346	110	105	7,009	15·7	2,808	2,807	5,615	12·6	0·95	0·97	393	56
COUNTY BORO'S.	114,190	985	935	33	27	1,980	17·3	735	758	1,493	13·1	1·02	1·08	132	67
Dudley	61,140	573	562	12	9	1,156	18·9	378	368	746	12·2	1·16	1·14	92	80
Worcester	53,050	412	373	21	18	824	15·5	357	390	747	14·1	0·89	1·01	40	49
ADMINISTRATIVE COUNTY.	331,480	2,463	2,411	77	78	5,029	15·2	2,073	2,049	4,122	12·4	0·93	0·93	261	52
URBAN DISTRICTS	237,500	1,820	1,788	54	57	3,719	15·7	1,414	1,482	2,896	12·2	0·99	0·97	212	57
Bewdley M.B. ..	4,271	34	38	—	2	74	17·3	26	30	56	13·1	0·92	0·97	8	108
Bromsgrove ..	23,180	186	178	5	9	378	16·3	127	140	267	11·5	0·96	0·89	19	50
Droitwich M.B.	4,650	36	33	1	3	73	15·7	32	34	66	14·2	0·76	0·87	2	27
Evesham M.B.	10,910	83	81	5	2	171	15·7	66	53	119	10·9	0·96	0·84	6	35
Halesowen M.B.	35,150	271	273	5	4	553	15·7	196	181	377	10·7	1·16	1·00	33	60
Kidderminster M.B.	32,410	258	239	8	13	518	16·0	186	244	430	13·3	0·91	0·98	29	56
Malvern	17,420	95	79	3	3	180	10·3	111	143	254	14·6	0·70	0·82	16	89
Oldbury M.B. ..	44,450	419	407	10	6	842	18·9	251	243	494	11·1	1·22	1·09	55	65
Redditch	22,450	170	165	6	9	350	15·6	160	156	316	14·1	0·99	1·13	15	43
Stourbridge M.B.	34,900	213	236	7	5	461	13·2	207	206	413	11·8	1·04	0·99	22	48
Stourport-on- Severn	7,709	55	59	4	1	119	15·4	52	52	104	13·5	0·96	1·05	7	59
RURAL DISTRICTS	93,980	643	623	23	21	1,310	13·9	659	567	1,226	13·0	0·82	0·86	49	37
Bromsgrove ..	19,620	142	127	4	5	278	14·2	118	101	219	11·2	0·90	0·81	9	32
Droitwich ..	11,000	79	99	—	3	181	16·5	90	70	160	14·5	0·80	0·94	7	39
Evesham	13,930	93	83	1	4	181	13·0	98	82	180	12·9	0·86	0·89	8	44
Kidderminster..	7,740	52	53	1	1	107	13·8	61	50	111	14·3	0·83	0·96	5	47
Martley	10,520	75	74	6	1	156	14·8	62	66	128	12·2	0·82	0·81	6	38
Pershore	13,170	83	92	4	2	181	13·7	98	91	189	14·4	0·82	0·95	5	28
Tenbury	5,310	50	35	3	2	90	16·9	45	32	77	14·5	0·78	0·91	1	11
Upton on Severn	12,690	69	60	4	3	136	10·7	87	75	162	12·8	0·70	0·72	8	59

TABLE 17—continued. (See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
YORKSHIRE, EAST RIDING.	501,240	4,081	3,935	214	226	8,456	16.9	3,344	2,998	6,342	12.7	1.00	1.02	587	69
COUNTY BORO :															
Kingston-upon- Hull.	319,400	2,826	2,705	124	143	5,798	18.2	2,135	1,876	4,011	12.6	1.10	1.12	447	77
ADMINISTRATIVE COUNTY.	181,840	1,255	1,230	90	83	2,658	14.6	1,209	1,122	2,331	12.8	0.86	0.89	140	53
URBAN DISTRICTS :	86,190	615	602	30	30	1,277	14.8	588	552	1,140	13.2	0.84	0.89	67	52
Beverley M.B. . .	14,150	111	103	7	9	230	16.3	97	90	187	13.2	0.85	0.90	10	43
Bridlington M.B.	21,460	138	113	9	7	267	12.4	172	184	356	16.6	0.80	1.07	19	71
Driffield ..	6,131	35	54	2	3	94	15.3	46	44	90	14.7	0.77	0.91	4	43
Filey ..	4,307	25	24	2	1	52	12.1	32	23	55	12.8	0.83	0.86	4	77
Haltemprice ..	25,870	216	229	5	4	454	17.5	136	125	261	10.1	0.90	0.73	19	42
Hedon M.B. ..	1,765	16	16	2	2	36	20.4	13	13	26	14.7	0.80	0.95	2	56
Hornsea ..	4,522	22	20	1	2	45	10.0	35	27	62	13.7	0.85	0.94	4	89
Norton ..	4,143	38	22	1	2	63	15.2	30	14	44	10.6	0.91	0.78	1	16
Withernsea ..	3,842	14	21	1	—	36	9.4	27	32	59	15.4	0.83	1.03	4	111
RURAL DISTRICTS :	95,650	640	628	60	53	1,381	14.4	621	570	1,191	12.5	0.87	0.88	73	53
Beverley ..	16,810	112	117	11	5	245	14.6	118	92	210	12.5	0.93	0.94	17	69
Bridlington ..	8,350	52	48	8	8	116	13.9	43	48	91	10.9	0.87	0.76	3	26
Derwent ..	11,630	96	63	3	5	167	14.4	74	52	126	10.8	0.94	0.82	11	66
Driffield ..	10,130	62	83	12	9	166	16.4	65	61	126	12.4	0.84	0.84	6	36
Holderness ..	17,250	117	112	9	10	248	14.4	111	95	206	11.9	0.85	0.82	18	73
Howden ..	11,300	76	77	8	10	171	15.1	78	76	154	13.6	0.85	0.93	7	41
Norton ..	7,430	50	53	4	2	109	14.7	47	44	91	12.2	0.89	0.88	4	37
Pocklington ..	12,750	75	75	5	4	159	12.5	85	102	187	14.7	0.82	0.97	7	44
YORKSHIRE, NORTH RIDING.	472,700	3,868	3,794	207	186	8,055	17.0	3,250	2,956	6,206	13.1	1.00	1.06	558	69
COUNTY BORO' :															
Middlesbrough..	139,600	1,314	1,286	55	64	2,719	19.5	1,081	846	1,927	13.8	1.18	1.31	248	91
ADMINISTRATIVE COUNTY.	333,100	2,554	2,508	152	122	5,336	16.0	2,169	2,110	4,279	12.8	0.94	0.97	310	58
URBAN DISTRICTS :	185,800	1,510	1,463	82	66	3,121	16.8	1,250	1,206	2,456	13.2	0.97	1.03	185	59
Eston ..	30,540	323	289	6	12	630	20.6	240	176	416	13.6	1.21	1.33	46	73
Guisborough ..	8,034	76	59	4	3	142	17.7	47	39	86	10.7	0.95	0.82	5	35
Loftus ..	7,620	48	60	1	1	110	14.4	54	49	103	13.5	1.10	1.20	15	136
Malton ..	4,143	34	28	1	2	65	15.7	26	24	50	12.1	0.81	0.79	2	31
Northallerton ..	4,941	37	40	5	2	84	17.0	28	26	54	10.9	0.95	0.84	4	48
Pickering ..	3,891	23	22	1	1	47	12.1	31	25	56	14.4	0.80	0.93	3	64
Redcar M.B. ..	23,050	164	164	10	7	345	15.0	137	140	277	12.0	1.09	1.05	18	52

TABLE 17—continued. (See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
YORKSHIRE, NORTH RIDING—cont.															
URBAN DISTRICTS —cont.															
Richmond M.B.	5,473	56	62	3	1	122	22·3	23	28	51	9·3	1·03	0·77	7	57
Saltburn and Marske by the Sea.	6,635	43	46	7	4	100	15·1	42	39	81	12·2	0·89	0·88	3	30
Scalby	4,343	35	40	3	1	79	18·2	21	31	52	12·0	0·74	0·72	2	25
Scarborough M.B.	40,910	252	251	18	18	539	13·2	285	353	638	15·6	0·80	1·01	30	56
Skelton and Brotton.	12,850	106	102	2	6	216	16·8	101	93	194	15·1	1·02	1·24	22	102
Thornaby-on- Tees M.B.	21,740	222	214	16	3	455	20·9	137	102	239	11·0	1·17	1·04	18	40
Whitby.. ..	11,630	91	86	5	5	187	16·1	78	81	159	13·7	0·84	0·93	10	53
RURAL DISTRICTS:	147,300	1,044	1,045	70	56	2,215	15·0	919	904	1,823	12·4	0·90	0·90	125	56
Aysgarth	3,780	23	16	3	4	46	12·2	28	39	67	17·7	0·80	1·14	2	43
Bedale	6,470	51	55	3	3	112	17·3	37	41	78	12·1	0·79	0·77	6	54
Croft	2,051	7	15	3	1	26	12·7	13	13	26	12·7	0·94	0·96	1	38
Easingwold ..	9,663	52	61	5	6	124	12·8	59	54	113	11·7	0·81	0·76	3	24
Flaxton.. ..	13,950	128	125	1	3	257	18·4	71	66	137	9·8	0·97	0·77	14	54
Helmsley	5,195	28	36	4	1	69	13·3	43	23	66	12·7	0·94	0·96	5	72
Kirkby Moorside	4,850	39	29	1	4	73	15·1	35	32	67	13·8	0·86	0·96	7	96
Leyburn	6,811	44	48	5	1	98	14·4	47	46	93	13·7	0·92	1·02	11	112
Malton	5,598	38	41	2	4	85	15·2	47	43	90	16·1	0·83	1·08	6	71
Masham	1,878	14	8	1	—	23	12·2	10	15	25	13·3	0·86	0·92	3	130
Northallerton ..	7,572	61	54	8	3	126	16·6	47	63	110	14·5	0·88	1·03	6	48
Pickering	5,431	35	24	3	2	64	11·8	38	31	69	12·7	0·78	0·80	2	31
Reeth	2,191	17	9	1	—	27	12·3	16	21	37	16·9	0·77	1·05	—	—
Richmond	19,670	169	125	4	5	303	15·4	88	56	144	7·3	1·42	0·84	15	50
Scarborough ..	6,763	42	51	2	2	97	14·3	41	53	94	13·9	0·82	0·92	7	72
Startforth	4,051	24	34	2	1	61	15·1	20	25	45	11·1	0·89	0·80	3	49
Stokesley	15,410	113	119	6	6	244	15·8	87	96	183	11·9	0·90	0·86	10	41
Thirsk	11,950	72	114	8	3	197	16·5	90	85	175	14·6	0·83	0·98	15	76
Wath	2,446	16	21	3	4	44	18·0	16	9	25	10·2	0·90	0·74	3	68
Whitby.. ..	11,570	71	60	5	3	139	12·0	86	93	179	15·5	0·80	1·00	6	43
*YORKSHIRE, WEST RIDING.	3,357,404	24,673	23,435	1,090	958	50,156	14·9	22,509	21,267	43,776	13·0	1·07	1·12	3,038	61
*COUNTY BORO'S:	1,846,873	13,409	12,576	640	553	27,178	14·7	12,718	11,832	24,550	13·3	1·07	1·15	1,670	61
Barnsley	69,470	558	550	25	20	1,153	16·6	469	424	893	12·9	1·16	1·21	66	57
*Bradford	289,360	1,941	1,852	119	95	4,007	13·8	2,101	2,164	4,265	14·7	1·00	1·19	279	70
Dewsbury	53,050	403	358	27	17	805	15·2	398	387	785	14·8	1·03	1·23	50	62
Doncaster	71,280	514	509	18	19	1,060	14·9	456	369	825	11·6	1·08	1·01	65	61
Halifax.. ..	97,490	619	566	37	31	1,253	12·9	702	726	1,428	14·6	0·98	1·15	80	64
*Huddersfield ..	121,173	761	715	35	42	1,553	12·8	840	891	1,731	14·3	1·04	1·20	94	61
*Leeds	491,860	3,572	3,303	202	203	7,280	14·8	3,435	3,140	6,575	13·4	1·07	1·16	491	67
Rotherham	75,740	634	619	21	13	1,287	17·0	483	382	865	11·4	1·15	1·06	63	49
Sheffield	518,200	3,990	3,737	135	99	7,961	15·4	3,477	3,021	6,498	12·5	1·13	1·14	437	55
Wakefield	59,250	417	367	21	14	819	13·8	357	328	685	11·6	1·08	1·01	45	55
*ADMINISTRATIVE COUNTY.	1,510,531	11,264	10,859	450	405	22,978	15·2	9,791	9,435	19,226	12·7	1·07	1·10	1,368	60

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
YORKSHIRE, WEST RIDING—cont.															
URBAN DISTRICTS:	1,085,356	7,805	7,607	308	281	16,001	14.7	7,294	7,138	14,432	13.3	1.06	1.14	954	60
Adwick-le-Street	19,330	156	153	8	6	323	16.7	99	74	173	8.9	1.49	1.07	18	56
Aireborough ..	17,250	103	94	10	4	211	12.2	96	80	176	10.2	0.98	0.81	15	71
Altofts ..	4,598	30	27	1	—	58	12.6	34	22	56	12.2	1.11	1.09	1	17
Ardley East and West.	2,440	19	23	—	1	43	17.6	24	12	36	14.8	1.18	1.41	1	23
Baildon ..	9,712	68	60	—	1	129	13.3	51	70	121	12.5	1.00	1.01	9	70
Barkisland ..	342	1	4	—	—	5	14.6	2	3	5	14.6	0.99	1.17	1	200
Barnoldswick ..	10,520	58	40	4	2	104	9.9	82	81	163	15.5	1.03	1.29	9	87
Batley M.B. ..	40,060	273	268	7	4	552	13.8	295	298	593	14.8	1.07	1.28	26	47
Bentley with Arksey.	17,550	155	151	6	5	317	18.1	106	83	189	10.8	1.39	1.21	20	63
Bingley ..	21,860	170	131	10	7	318	14.5	136	157	293	13.4	0.95	1.03	18	57
Birkenshaw ..	837	11	8	—	—	19	22.7	2	6	8	9.6	1.01	0.78	2	105
Birstal ..															
Bolton-upon- Dearne.	3,350	37	28	2	—	67	20.0	27	17	44	13.1	1.35	1.43	4	60
Brighouse M.B.	27,450	180	170	8	1	359	13.1	196	194	390	14.2	0.99	1.13	16	45
Burley-in- Wharfedale.	1,006	2	7	—	—	9	8.9	9	9	18	17.9	0.88	1.27	—	—
Calverley ..	1,215	8	6	—	—	14	11.5	5	3	8	6.6	0.93	0.50	—	—
Castleford ..	19,810	156	157	5	11	329	16.6	141	112	253	12.8	1.17	1.21	18	55
Clayton West ..	1,755	12	13	—	—	25	14.2	16	8	24	13.7	1.04	1.15	1	40
Colne Valley ..	17,280	95	97	2	7	201	11.6	109	124	233	13.5	1.06	1.15	12	60
Conisbrough ..	17,190	157	174	5	7	343	20.0	98	99	197	11.5	1.31	1.21	23	67
Cudworth ..	8,502	85	99	5	1	190	22.3	54	44	98	11.5	1.34	1.24	11	58
Darfield ..	5,701	51	53	1	—	105	18.4	30	26	56	9.8	1.16	0.92	10	95
Darton ..	13,050	132	112	3	2	249	19.1	75	69	144	11.0	1.24	1.10	18	72
Dearne ..	18,270	168	161	6	9	344	18.8	97	68	165	9.0	1.40	1.02	25	73
Denby and Cumberworth.	3,306	25	13	2	2	42	12.7	21	24	45	13.6	1.02	1.12	2	48
Denholme ..	2,518	13	20	1	—	34	13.5	15	22	37	14.7	0.86	1.02	—	—
Dodworth ..	4,065	64	43	4	2	113	27.8	28	20	48	11.8	1.25	1.19	6	53
Drighlington ..	1,010	6	8	—	—	14	13.9	15	9	24	23.8	0.99	1.90	—	—
Earby ..	4,818	22	16	1	1	40	8.3	32	33	65	13.5	1.10	1.20	2	50
Elland ..	16,960	86	95	3	6	190	11.2	125	121	246	14.5	0.98	1.15	13	68
Emley ..	1,485	9	10	—	—	19	12.8	6	14	20	13.5	1.10	1.20	—	—
Farsley ..	1,739	12	10	—	—	22	12.7	22	15	37	21.3	0.98	1.68	1	45
Featherstone ..	13,830	127	112	4	2	245	17.7	104	79	183	13.2	1.21	1.29	20	82
Flockton ..	1,390	17	4	1	1	23	16.5	16	7	23	16.5	1.24	1.65	3	130
Garforth ..	3,779	27	38	2	—	67	17.7	31	34	65	17.2	1.03	1.43	5	75
Gildersome ..	844	4	2	—	—	6	7.1	4	7	11	13.0	1.03	1.08	—	—
Golcar ..	2,385	12	15	—	1	28	11.7	16	21	37	15.5	1.04	1.30	2	71
Goole M.B. ..	19,670	152	141	13	6	312	15.9	137	113	250	12.7	1.07	1.10	22	71
Greetland ..	1,078	10	11	—	—	21	19.5	16	11	27	25.0	0.96	1.94	1	48
Guisley ..	1,502	9	6	1	—	16	10.7	11	14	25	16.6	1.04	1.39	—	—
Gunthwaite and Ingbirchworth	304	1	2	—	—	3	9.9	—	1	1	3.3	1.08	0.29	—	—
Harrogate M.B.	39,110	233	211	13	13	470	12.0	239	320	559	14.3	0.84	0.97	24	51
Haworth ..	5,568	31	35	3	1	70	12.6	50	48	98	17.6	0.92	1.31	5	71
Hebden Royd formerly Hebden Bridge	10,500	46	68	1	1	116	11.0	77	96	173	16.5	0.91	1.21	5	43

(a) Abolished 1st April 1937. Figures are included in those of Batley M.B. as from 1st January, 1937.

TABLE 17—continued.

(See notes on first page of Table 17.)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	
		M.	F.	M.	F.									Number.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE WEST RIDING—cont.														
URBAN DISTRICTS—cont.														
Heckmondwike	8,848	53	49	3	3	108	12.2	71	66	137	15.5	1.00	1.25	8
Hemsworth ..	12,780	123	128	4	2	257	20.1	84	56	140	11.0	1.21	1.07	17
†Hipperholme ..	1,384	4	8	—	—	12	8.7	15	11	26	18.8	0.91	1.38	—
Holme ..	318	2	3	—	—	5	15.7	2	—	2	6.3	0.81	0.41	—
Holmfirth ..	9,773	60	55	4	2	121	12.4	43	67	110	11.3	0.98	0.89	6
Honley ..	4,462	32	30	—	—	62	13.9	25	37	62	13.9	1.02	1.14	3
Horbury ..	7,679	68	45	—	1	114	14.8	47	39	86	11.2	1.05	0.95	4
*Horsforth ..	12,080	77	72	—	4	153	12.7	68	79	147	12.2	1.00	0.98	5
Hoyland Nether	14,600	101	116	7	5	229	15.7	103	81	184	12.6	1.16	1.18	14
Hoyland Swaine	721	4	5	—	—	9	12.5	4	7	11	15.3	1.04	1.28	2
†Hunsworth ..	654	6	7	—	—	13	19.9	3	7	10	15.3	0.98	1.21	1
*Ilkley ..	14,200	69	72	5	6	152	10.7	89	110	199	14.0	0.88	0.99	10
Keighley M.B. ..	39,070	215	208	8	13	444	11.4	288	272	560	14.3	1.02	1.18	24
Kirkburton ..	3,110	21	19	1	2	43	13.8	21	25	46	14.8	0.98	1.17	5
*Kirkheaton ..	2,439	23	16	1	2	42	17.2	16	19	35	14.4	1.05	1.22	6
Knaresborough	6,221	47	44	3	3	97	15.6	41	44	85	13.7	0.81	0.89	6
*Knottingley ..	8,526	85	93	3	4	185	21.7	57	57	114	13.4	1.15	1.24	14
*Lepton ..	3,129	16	23	—	—	39	12.5	19	25	44	14.1	1.03	1.17	3
†Linthwaite ..	2,368	11	15	—	—	26	11.0	22	31	53	22.4	1.11	2.01	2
†Luddenden Foot	695	1	4	—	—	5	7.2	7	8	15	21.6	0.96	1.67	—
*Maltby ..	10,740	118	120	4	7	249	23.2	69	44	113	10.5	1.48	1.25	21
†Marsden ..	1,329	3	8	—	—	11	8.3	9	9	18	13.5	1.10	1.20	—
Meltham ..	4,711	23	30	1	1	55	11.7	31	46	77	16.3	0.95	1.25	3
†Methley ..	1,128	6	14	—	—	20	17.7	9	8	17	15.1	1.14	1.39	3
Mexborough ..	15,780	116	115	4	6	241	15.3	111	93	204	12.9	1.19	1.24	16
Midgley ..	1,695	9	12	—	—	21	12.4	14	12	26	15.3	0.96	1.18	1
Mirfield ..	11,870	64	71	3	4	142	12.0	77	101	178	15.0	1.01	1.22	7
*Morley M.B. ..	34,920	239	222	11	4	476	13.6	210	267	477	13.7	1.06	1.17	23
a†Mytholmroyd ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
New Mill ..	4,142	25	33	2	1	61	14.7	36	31	67	16.2	1.14	1.49	3
Normanton ..	14,650	146	87	3	2	238	16.2	91	75	166	11.3	1.19	1.08	15
Oakworth ..	3,763	24	27	1	1	53	14.1	31	32	63	16.7	0.98	1.32	4
Ossett M.B. ..	14,320	121	105	2	5	233	16.3	121	108	229	16.0	1.08	1.39	16
*Otley ..	11,095	59	69	4	1	133	12.0	79	80	159	14.3	1.01	1.16	8
Oxenhope ..	2,119	14	9	—	—	23	10.9	24	16	40	18.9	0.95	1.45	1
Penistone ..	3,114	17	16	—	1	34	10.9	21	19	40	12.8	1.02	1.05	2
*Pontefract M.B.	20,850	190	206	8	7	411	19.7	129	113	242	11.6	1.10	1.03	26
*Pudsey M.B. ..	24,390	160	170	5	3	338	13.9	175	171	346	14.2	0.98	1.12	16
b†Queensbury ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
†Queensbury and Shelf ..	8,641	58	77	3	2	140	16.2	73	68	141	16.3	0.94	1.24	5
†Rawdon ..	1,310	12	12	—	1	25	19.1	8	6	14	10.7	0.98	0.85	1
Rawmarsh ..	18,230	161	141	5	6	313	17.2	115	94	209	11.5	1.17	1.09	24
Ripon M.B. ..	8,542	64	62	5	5	136	15.9	68	69	137	16.0	0.84	1.08	8
†Ripponden ..	3,936	25	23	1	—	49	12.4	27	33	60	15.2	0.93	1.14	1
†Rishworth ..	213	—	—	—	—	—	—	2	1	3	14.1	1.16	1.32	—
*Rothwell ..	22,170	176	138	5	1	320	14.4	103	132	235	10.6	1.09	0.93	19
Royston ..	7,759	63	70	3	4	140	18.0	44	33	77	9.9	1.23	0.98	3
*Saddleworth ..	17,300	104	105	2	4	215	12.4	110	121	231	13.4	1.00	1.08	7
†Scammonden ..	83	—	2	—	—	2	24.1	—	1	1	12.0	0.95	0.92	—
Selby ..	10,100	68	59	4	2	133	13.2	82	60	142	14.1	1.02	1.16	11
b†Shelf ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—

(a) Abolished 1st April, 1937. Figures are included in those of Hebden Royd as from 1st January, 1937.
(b) Abolished 1st April, 1937. Figures are included in those of Queensbury and Shelf as from 1st January, 1937.

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
ARKSHIRE, WEST RIDING—cont.															
BAN DISTRICTS —cont.															
Shelley	1,457	11	10	—	—	21	14·4	5	14	19	13·0	0·99	1·04	1	48
Shepley	1,572	10	5	1	—	16	10·2	9	16	25	15·9	0·99	1·27	1	63
Shipley	30,930	214	219	11	9	453	14·6	227	235	462	14·9	1·04	1·25	29	64
Wilsden	4,981	28	28	—	2	58	11·6	34	39	73	14·7	0·99	1·17	2	34
Kelkmanthorpe	3,473	15	19	—	—	34	9·8	22	29	51	14·7	1·14	1·35	4	118
Skipton	12,770	66	80	1	2	149	11·7	92	92	184	14·4	1·02	1·18	13	87
Slaithwaite ..	1,215	10	7	—	—	17	14·0	8	13	21	17·3	1·00	1·40	2	118
South Crosland	2,939	19	21	—	—	40	13·6	18	20	38	12·9	0·98	1·02	4	100
Southowram ..	654	6	8	—	—	14	21·4	8	5	13	19·9	1·18	1·89	1	71
Sowerby Bridge	16,920	127	104	4	2	237	14·0	136	141	277	16·4	0·99	1·31	12	51
Soyland	758	8	5	1	—	14	18·5	7	10	17	22·4	0·86	1·55	2	143
Spenborough ..	34,660	239	222	4	8	473	13·6	245	237	482	13·9	1·02	1·14	36	76
Springhead ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stainland	999	6	8	—	—	14	14·0	7	13	20	20·0	0·98	1·58	—	—
Stanley	15,090	98	96	5	5	204	13·5	98	89	187	12·4	1·14	1·14	6	29
Stocksbridge ..	9,533	69	86	1	1	157	16·5	66	44	110	11·5	1·20	1·11	7	45
Swinton	13,590	104	116	4	6	230	16·9	95	79	174	12·8	1·15	1·19	11	48
Thurstone	2,422	10	14	—	—	24	9·9	13	21	34	14·0	1·00	1·13	1	42
Thurnscoe	2,693	32	27	3	1	63	23·4	18	13	31	11·5	1·47	1·36	7	111
Thurstonland and Farnley Tyas	3,742	5	12	2	—	19	5·1	28	21	49	13·1	0·89	0·94	2	105
Tickhill	2,306	17	16	—	—	33	14·3	10	7	17	7·4	0·92	0·55	1	30
Todmorden M.B.	21,400	125	96	7	4	232	10·8	168	166	334	15·6	0·95	1·20	12	52
Wath upon Dearn	13,520	127	141	5	2	275	20·3	77	79	156	11·5	1·22	1·13	11	40
Whitley Upper	805	3	4	—	2	9	11·2	4	6	10	12·4	1·12	1·12	1	111
Whitwood	7,077	61	61	—	—	122	17·2	42	40	82	11·6	1·35	1·26	10	82
Wombwell	17,710	134	155	8	7	304	17·2	117	74	191	10·8	1·24	1·08	12	39
Worsborough ..	13,190	133	127	4	8	272	20·6	69	64	133	10·1	1·22	0·99	19	70
Yeadon	2,054	12	9	—	3	24	11·7	28	19	47	22·9	1·03	1·90	4	167
RURAL DISTRICTS	425,175	3,459	3,252	142	124	6,977	16·4	2,497	2,297	4,794	11·3	1·10	1·00	414	59
Barnsley	5,535	56	57	—	—	113	20·4	28	26	54	9·8	1·15	0·91	4	35
Bishopthorpe ..	889	6	5	1	—	12	13·5	4	8	12	13·5	0·94	1·02	1	83
Bowland	5,026	32	31	—	—	63	12·5	34	36	70	13·9	0·99	1·11	2	32
Doncaster	49,430	437	429	15	20	901	18·2	243	189	432	8·7	1·34	0·94	50	55
Goole	8,621	61	52	6	1	120	13·9	61	52	113	13·1	0·97	1·02	9	75
Great Ouseburn	8,966	53	71	4	4	132	14·7	65	57	122	13·6	0·96	1·05	7	53
Halifax	1,455	7	14	1	—	22	15·1	14	14	28	19·2	1·01	1·56	—	—
Hemsworth	48,410	507	465	24	18	1,014	20·9	257	217	474	9·8	1·30	1·03	69	68
Hunslet	1,054	7	4	—	—	11	10·4	8	5	13	12·3	1·20	1·19	2	182
Keighley	9,825	60	57	2	3	122	12·4	48	66	114	11·6	0·98	0·92	7	57
Kiveton Park ..	16,290	117	119	6	3	245	15·0	93	75	168	10·3	1·20	1·00	13	53
Knarborough	10,270	62	46	3	4	115	11·2	47	63	110	10·7	0·89	0·77	1	9
Pateley Bridge	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Penistone	5,145	43	45	—	2	90	17·5	28	31	59	11·5	1·05	0·97	1	11
Pontefract	22,910	186	186	8	8	388	16·9	134	116	250	10·9	1·19	1·05	24	62
Ripon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ripon and Pateley Bridge	11,080	66	87	3	1	157	14·2	88	83	171	15·4	0·84	1·04	2	13
Rotherham	39,470	410	358	13	14	795	20·1	230	195	425	10·8	1·24	1·08	60	75
Sedburgh	3,921	25	14	1	—	40	10·2	25	26	51	13·0	0·84	0·88	—	—

(a) Abolished 1st April 1937. Figures included in those of Saddleworth U.D. as from 1st January, 1937.
(b) Abolished 1st April, 1937. Figures included in those of Ripon and Pateley Bridge R.D. as from 1st January, 1937.
(c) A considerable proportion of the population of this area was enumerated in a Mental Hospital, the deaths in which are allocated to the areas in which the deceased patients had resided before admission.

TABLE 17—continued.

(See notes on first page of Table

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
YORKSHIRE WEST RIDING—cont.															
RURAL DISTRICTS—cont.															
*Selby	5,757	44	35	2	2	83	14·4	33	36	69	12·0	0·86	0·83	1	12
Settle	13,950	97	91	3	1	192	13·8	91	110	201	14·4	0·91	1·06	11	57
*Skipton	18,030	99	93	5	5	202	11·2	162	152	314	17·4	0·92	1·29	6	30
*Tadcaster	32,360	236	226	7	9	478	14·8	182	203	385	11·9	1·05	1·01	30	63
Thorne	30,760	283	287	20	16	606	19·7	143	144	287	9·3	1·33	1·00	56	92
*Todmorden	4,376	24	21	—	—	45	10·3	37	28	65	14·9	0·92	1·11	2	44
*Wakefield	17,580	175	126	7	2	310	17·6	117	85	202	11·5	1·19	1·10	22	71
*Wetherby	16,900	104	112	7	5	228	13·5	112	123	235	13·9	0·88	0·99	12	53
*Wharfedale	6,845	51	48	1	1	101	14·8	45	34	79	11·5	1·06	0·98	4	40
*Wortley	30,320	211	173	3	5	392	12·9	168	123	291	9·6	1·06	0·82	18	46
COUNTY BORO':	97,696	728	674	34	32	1,468	15·0	581	587	1,168	12·0	1·01	0·98	71	48
*York															
WALES AND MONMOUTH															
ANGLESEY: ADMINISTRATIVE COUNTY.															
	46,720	332	254	26	25	637	13·6	363	404	767	16·4	0·80	1·06	43	68
URBAN DISTRICTS															
	17,530	121	91	8	6	226	12·9	134	173	307	17·5	0·86	1·21	12	53
Amlwch	2,524	23	14	1	3	41	16·2	18	30	48	19·0	0·78	1·20	1	24
Beaumaris M.B.	1,574	10	7	—	—	17	10·8	20	17	37	23·5	0·69	1·31	3	176
Holyhead	10,020	63	48	7	1	119	11·9	66	95	161	16·1	0·94	1·22	4	34
Llangefni	1,752	19	13	—	1	33	18·8	17	9	26	14·8	0·89	1·06	4	121
Menai Bridge	1,660	6	9	—	1	16	9·6	13	22	35	21·1	0·77	1·31	—	—
RURAL DISTRICTS															
	29,190	211	163	18	19	411	14·1	229	231	460	15·8	0·77	0·98	31	75
Aethwy	10,230	65	64	3	4	136	13·3	93	81	174	17·0	0·76	1·04	14	103
Twrcelyn	8,440	78	47	8	8	141	16·7	57	82	139	16·5	0·75	1·00	8	57
Valley	10,520	68	52	7	7	134	12·7	79	68	147	14·0	0·80	0·90	9	67
BRECKNOCKSHIRE: ADMINISTRATIVE COUNTY.															
	53,500	364	338	18	14	734	13·7	388	324	712	13·3	0·97	1·04	38	52
URBAN DISTRICTS															
	15,400	88	103	5	2	198	12·9	128	101	229	14·9	0·95	1·14	16	81
Brecknock M.B.	5,130	21	34	1	1	57	11·1	35	39	74	14·4	0·92	1·07	3	53
Brynmawr	6,692	41	54	2	—	97	14·5	67	39	106	15·8	1·11	1·41	12	124
Builth Wells	1,537	17	10	1	—	28	18·2	13	12	25	16·3	0·84	1·10	—	—
Hay	1,371	8	4	1	1	14	10·2	10	8	18	13·1	0·75	0·79	1	71
Llanwrtyd	670	1	1	—	—	2	3·0	3	3	6	9·0	0·75	0·54	—	—
RURAL DISTRICTS															
	38,100	276	235	13	12	536	14·1	260	223	483	12·7	0·97	0·99	22	41
Brecknock:—															
Defynnock & Llangorse Div.	5,652	44	25	1	4	74	13·1	37	46	83	14·7	0·84	1·00	1	14
Merthyr Cynog Div.	1,887	20	14	3	—	37	19·6	14	13	27	14·3	0·92	1·06	1	27
Builth	3,813	32	23	5	—	60	15·7	30	21	51	13·4	0·85	0·92	5	83
Crickhowell	6,566	42	39	—	2	83	12·6	59	38	97	14·8	0·87	1·04	7	84
Hay	3,526	23	22	—	1	46	13·0	21	20	41	11·6	0·89	0·83	1	22
Vaynor and Penderyn.	5,276	29	34	2	3	68	12·9	39	34	73	13·8	1·02	1·14	1	15

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
RECKNOCKSHIRE —cont.															
RURAL DISTRICTS —cont.															
Ystradgynlais ..	11,380	86	78	2	2	168	14.8	60	51	111	9.8	1.27	1.00	6	36
CAERNARVONSHIRE : ADMINISTRATIVE COUNTY.	118,880	777	743	50	45	1,615	13.6	941	912	1,853	15.6	0.86	1.08	107	66
URBAN DISTRICTS :	66,440	413	376	27	20	836	12.6	492	456	948	14.3	0.90	1.04	58	69
Bangor M.B. ..	12,380	82	73	8	1	164	13.2	81	68	149	12.0	0.96	0.93	6	37
Bethesda ..	4,509	32	25	2	1	60	13.3	39	53	92	20.4	0.84	1.38	7	117
Bettws y Coed ..	765	4	7	—	1	12	15.7	13	9	22	28.8	0.79	1.83	1	83
Caernarvon M.B.	8,672	65	63	2	4	134	15.5	75	80	155	17.9	0.89	1.28	12	90
Conway M.B. ..	8,960	59	51	3	4	117	13.1	55	55	110	12.3	0.96	0.95	8	68
Criccieth ..	1,469	6	7	1	—	14	9.5	19	13	32	21.8	0.69	1.21	3	214
Llandudno ..	15,090	78	71	8	8	165	10.9	101	88	189	12.5	0.92	0.93	12	73
Llanfairfechan ..	3,074	15	14	—	—	29	9.4	26	16	42	13.7	0.88	0.97	3	103
Penmaenmawr ..	3,889	14	20	—	—	34	8.7	23	17	40	10.3	0.87	0.72	3	88
Portmadoc ..	4,060	36	24	1	1	62	15.3	33	33	66	16.3	0.83	1.09	2	32
Pwllheli M.B. ..	3,572	22	21	2	—	45	12.6	27	24	51	14.3	0.82	0.95	1	22
RURAL DISTRICTS :	52,440	364	367	23	25	779	14.9	449	456	905	17.3	0.82	1.14	49	63
Gwyrfaï ..	23,790	178	160	8	12	358	15.0	212	207	419	17.6	0.84	1.19	32	89
Lleyn ..	17,310	109	114	11	9	243	14.0	148	151	299	17.3	0.79	1.10	9	37
Nant Conway ..	6,330	51	50	2	1	104	16.4	51	54	105	16.6	0.85	1.14	6	58
Ogwen ..	5,010	26	43	2	3	74	14.8	38	44	82	16.4	0.84	1.11	2	27
RDIGANSHIRE : ADMINISTRATIVE COUNTY.	52,770	286	263	32	19	600	11.4	408	465	873	16.5	0.77	1.02	39	65
URBAN DISTRICTS :	17,170	84	70	5	3	162	9.4	116	142	258	15.0	0.83	1.00	12	74
Aberayron ..	1,172	8	6	1	—	15	12.8	14	16	30	25.6	0.64	1.32	2	133
Aberystwyth M.B.	9,547	45	37	2	—	84	8.8	59	58	117	12.3	0.90	0.89	4	48
Cardigan M.B. ...	3,173	15	16	1	3	35	11.0	20	33	53	16.7	0.82	1.10	5	143
Lampeter M.B.	2,209	14	5	—	—	19	8.6	13	22	35	15.8	0.82	1.04	1	53
New Quay ..	1,069	2	6	1	—	9	8.4	10	13	23	21.5	0.63	1.09	—	—
RURAL DISTRICTS ..	35,600	202	193	27	16	438	12.3	292	323	615	17.3	0.75	1.05	27	62
Aberayron ..	9,235	54	56	8	6	124	13.4	59	79	138	14.9	0.73	0.88	11	89
Aberystwyth															
North ..	6,604	40	40	4	3	87	13.2	53	71	124	18.8	0.75	1.14	2	23
South ..	4,206	16	22	2	3	43	10.2	36	39	75	17.8	0.72	1.03	1	23

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
CARDIGANSHIRE —cont.															
RURAL DISTRICTS —cont.															
Teifiside ..	10,010	59	49	7	3	118	11·8	87	75	162	16·2	0·79	1·03	10	85
Tregaron ..	5,545	33	26	6	1	66	11·9	57	59	116	20·9	0·73	1·23	3	45
CARMARTHENSHIRE: ADMINISTRATIVE COUNTY.	174,090	1,266	1,118	59	43	2,486	14·3	1,160	1,078	2,238	12·9	1·06	1·10	138	56
URBAN DISTRICTS	73,090	505	488	16	13	1,022	14·0	466	436	902	12·3	1·09	1·08	51	50
Ammanford ..	6,958	34	50	2	1	87	12·5	53	43	96	13·8	1·20	1·34	5	57
Burry Port ..	5,408	46	27	1	—	74	13·7	32	27	59	10·9	1·12	0·98	—	—
Carmarthen M.B.	10,950	63	88	3	3	157	14·3	67	78	145	13·2	0·94	1·00	7	45
Cwmamman ..	4,962	27	25	2	2	56	11·3	27	22	49	9·9	1·25	1·00	3	54
Kidwelly M.B...	2,960	26	18	1	—	45	15·2	20	32	52	17·6	1·13	1·60	3	67
Llandilo ..	1,909	12	11	3	1	27	14·1	16	17	33	17·3	0·81	1·13	2	74
Llandovery M.B.	2,032	11	5	—	—	16	7·9	10	9	19	9·4	0·96	0·73	—	—
Llanelly M.B. ..	37,120	280	262	4	6	552	14·9	235	202	437	11·8	1·13	1·08	31	56
Newcastle Emlyn	791	6	2	—	—	8	10·1	6	6	12	15·2	0·85	1·04	—	—
RURAL DISTRICTS:	101,000	761	630	43	30	1,464	14·5	694	642	1,336	13·2	1·04	1·11	87	59
Carmarthen ..	28,180	225	194	11	11	441	15·6	223	221	444	15·8	0·97	1·24	30	68
Llandilo ..	27,750	189	192	12	9	402	14·5	165	164	329	11·9	1·02	0·98	18	45
Llanelly ..	36,420	275	198	14	6	493	13·5	231	179	410	11·3	1·24	1·13	28	57
Newcastle Emlyn	8,650	72	46	6	4	128	14·8	75	78	153	17·7	0·78	1·11	11	86
DENBIGHSHIRE:															
ADMINISTRATIVE COUNTY.	156,950	1,142	1,045	52	60	2,299	14·6	1,143	1,034	2,177	13·9	0·96	1·08	136	59
URBAN DISTRICTS:	69,240	454	417	17	21	909	13·1	488	477	965	13·9	0·90	1·01	58	64
Abergele ..	6,336	42	34	1	4	81	12·8	49	45	94	14·8	0·81	0·97	7	86
Colwyn Bay M.B.	21,320	105	106	4	3	218	10·2	126	167	293	13·7	0·79	0·87	10	46
Denbigh M.B. ..	7,630	59	38	2	2	101	13·2	45	45	90	11·8	0·90	0·86	6	59
Llangollen ..	2,932	12	18	—	—	30	10·2	26	23	49	16·7	0·81	1·09	2	67
Llanrwst ..	2,377	21	19	1	1	42	17·7	23	14	37	15·6	0·89	1·12	2	48
Ruthin M.B. ..	3,175	26	20	1	1	48	15·1	18	25	43	13·5	0·87	0·95	3	63
Wrexham M.B.	25,470	189	182	8	10	389	15·3	201	158	359	14·1	1·08	1·23	28	72
RURAL DISTRICTS:	87,710	688	628	35	39	1,390	15·8	655	557	1,212	13·8	1·00	1·11	78	56
Aled ..	6,350	38	49	2	1	90	14·2	44	39	83	13·1	0·95	1·00	7	78
Ceiriog ..	7,016	49	49	1	4	103	14·7	45	45	90	12·8	0·94	0·97	5	49
Hiræthog ..	5,508	42	26	3	5	76	13·8	46	37	83	15·1	0·87	1·06	4	53

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
NORTHGLOUCESTERSHIRE															
—cont.															
RURAL DISTRICTS															
—cont.															
Ruthin	8,716	43	59	7	5	114	13.1	71	55	126	14.5	0.87	1.02	9	79
Vrexham	60,120	516	445	22	24	1,007	16.7	449	381	830	13.8	1.06	1.18	53	53
SOUTHGLOUCESTERSHIRE :															
ADMINISTRATIVE COUNTY.	119,540	948	962	37	42	1,989	16.6	819	708	1,527	12.8	0.97	1.00	121	61
RURAL DISTRICTS :	60,160	466	531	13	19	1,029	17.1	371	338	709	11.8	0.99	0.94	59	57
St. Asaph	7,078	58	64	—	2	124	17.5	54	33	87	12.3	1.03	1.02	11	89
Donnagh's Quay ..	6,281	50	59	—	1	110	17.5	40	20	60	9.6	1.23	0.95	8	73
Flint M.B.	12,890	119	135	1	6	261	20.2	64	55	119	9.2	1.15	0.85	13	50
Colwyn	6,121	71	74	3	1	149	24.3	31	41	72	11.8	0.91	0.87	8	54
Col	5,680	65	63	3	3	134	23.6	38	39	77	13.6	1.11	1.22	6	45
Prestatyn	6,570	28	24	1	—	53	8.1	35	40	75	11.4	0.73	0.67	4	75
Chyl	15,540	75	112	5	6	198	12.7	109	110	219	14.1	0.92	1.05	9	45
RURAL DISTRICTS :	59,380	482	431	24	23	960	16.2	448	370	818	13.8	0.95	1.06	62	65
St. Asaph	27,180	217	198	8	7	430	15.8	202	153	355	13.1	1.08	1.14	36	84
Colwyn	20,560	165	169	6	11	351	17.1	146	144	290	14.1	0.90	1.02	17	48
Verdon	4,324	41	29	4	3	77	17.8	39	33	72	16.7	0.84	1.13	4	52
St. Asaph (Flint)	7,316	59	35	6	2	102	13.9	61	40	101	13.8	0.80	0.89	5	49
SOUTHGLOUCESTERSHIRE :															
ADMINISTRATIVE COUNTY.	1,159,400	8,757	8,376	304	251	17,688	15.3	8,151	6,835	14,986	12.9	1.14	1.19	1,143	65
RURAL BORO'S :	445,200	3,337	3,187	121	101	6,746	15.2	3,081	2,677	5,758	12.9	1.09	1.13	429	64
St. Asaph	220,200	1,662	1,605	77	56	3,400	15.4	1,504	1,285	2,789	12.7	1.06	1.09	220	65
St. Asaph Tydfil ..	63,250	442	425	11	18	896	14.2	479	427	906	14.3	1.12	1.29	71	79
St. Asaph	161,750	1,233	1,157	33	27	2,450	15.1	1,098	965	2,063	12.8	1.12	1.16	138	56
ADMINISTRATIVE COUNTY.	714,200	5,420	5,189	183	150	10,942	15.3	5,070	4,158	9,228	12.9	1.17	1.22	714	65
RURAL DISTRICTS :	535,400	4,115	3,965	142	114	8,336	15.6	3,902	3,184	7,086	13.2	1.17	1.25	549	66
St. Asaph	43,510	300	292	8	5	605	13.9	366	278	644	14.8	1.14	1.36	44	73
St. Asaph	35,950	246	236	8	5	495	13.8	264	216	480	13.4	1.07	1.16	29	59
St. Asaph	10,330	70	82	4	3	159	15.4	70	66	136	13.2	0.98	1.04	11	69
St. Asaph	32,560	320	279	12	9	620	19.0	231	215	446	13.7	1.21	1.34	43	69
St. Asaph M.B. ..	1,002	8	5	—	—	13	13.0	9	10	19	19.0	0.75	1.15	1	77
St. Asaph	37,060	310	336	18	11	675	18.2	236	185	421	11.4	1.28	1.18	26	39
St. Asaph	9,715	109	84	2	1	196	20.2	64	43	107	11.0	1.33	1.18	13	66
St. Asaph	25,860	191	179	4	1	375	14.5	163	138	301	11.6	1.26	1.18	26	69
St. Asaph	22,660	200	178	7	6	391	17.3	162	122	284	12.5	1.24	1.25	25	64

TABLE 17—continued. (See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
GLAMORGANSHIRE —cont.															
URBAN DISTRICTS —cont.															
Mountain Ash ..	34,070	279	259	9	7	554	16.3	256	234	490	14.4	1.18	1.37	47	85
Neath M.B. ..	31,760	215	244	7	4	470	14.8	212	193	405	12.8	1.13	1.17	27	57
Ogmore and Garw ..	24,240	175	181	6	6	368	15.2	176	135	311	12.8	1.24	1.28	35	95
Penarth ..	16,420	106	87	5	2	200	12.2	112	97	209	12.7	1.03	1.05	16	80
Pontypridd ..	39,070	317	291	12	17	637	16.3	313	256	569	14.6	1.11	1.31	44	69
Porthcawl ..	6,693	37	34	1	2	74	11.1	29	45	74	11.1	0.89	0.80	3	41
Port Talbot M.B.	40,300	310	369	11	8	698	17.3	263	226	489	12.1	1.22	1.19	38	54
Rhondda ..	124,200	922	829	28	27	1,806	14.5	976	725	1,701	13.7	1.21	1.34	121	67
RURAL DISTRICTS:	178,800	1,305	1,224	41	36	2,606	14.6	1,168	974	2,142	12.0	1.15	1.11	165	63
Cardiff ..	31,520	173	167	4	8	352	11.2	177	164	341	10.8	1.04	0.91	20	57
Cowbridge ..	10,400	76	75	2	6	159	15.3	67	55	122	11.7	1.07	1.01	10	63
Gower ..	10,430	75	65	—	1	141	13.5	69	52	121	11.6	0.96	0.90	7	50
Llantrisant and Llantwitfardre.	24,480	206	195	9	8	418	17.1	170	146	316	12.9	1.22	1.27	29	60
Neath ..	40,100	324	308	9	2	643	16.0	264	191	455	11.3	1.25	1.14	41	62
Penybont ..	27,640	207	210	13	5	435	15.7	191	155	346	12.5	1.11	1.12	28	62
Pontardawe ..	34,230	244	204	4	6	458	13.4	230	211	441	12.9	1.22	1.27	30	60
MERIONETHSHIRE: ADMINISTRATIVE COUNTY.	40,330	266	257	9	15	547	13.6	324	352	676	16.8	0.86	1.17	37	60
URBAN DISTRICTS:	18,110	118	121	5	9	253	14.0	161	167	328	18.1	0.88	1.28	15	55
Bala ..	1,502	7	7	1	1	16	10.7	8	11	19	12.6	0.81	0.82	—	—
Barmouth ..	2,210	15	11	—	—	26	11.8	12	17	29	13.1	0.85	0.90	1	30
Dolgelley ..	2,443	21	24	2	3	50	20.5	21	21	42	17.2	0.80	1.11	—	—
Ffestiniog ..	8,602	55	62	2	2	121	14.1	94	88	182	21.2	0.99	1.69	9	74
Towyn ..	3,353	20	17	—	3	40	11.9	26	30	56	16.7	0.76	1.02	5	12
RURAL DISTRICTS:	22,220	148	136	4	6	294	13.2	163	185	348	15.7	0.84	1.06	22	73
Deudraeth ..	6,953	46	39	—	2	87	12.5	54	61	115	16.5	0.94	1.25	7	80
Dolgelley ..	7,246	45	53	2	2	102	14.1	58	62	120	16.6	0.79	1.06	10	92
Edeirnion ..	4,365	27	19	1	1	48	11.0	28	34	62	14.2	0.82	0.94	2	45
Penllyn ..	3,310	25	21	1	1	48	14.5	21	23	44	13.3	0.83	0.89	3	62
Civil Parish of Pennal ad- ministered by R. D. C. of Machynlleth (Montgomery- shire).	346	5	4	—	—	9	26.0	2	5	7	20.2	0.75	1.22	—	—
MONMOUTHSHIRE:	408,510	3,251	2,969	108	107	6,435	15.8	2,864	2,310	5,174	12.7	1.11	1.14	409	62
COUNTY BORO':															
Newport ..	96,210	795	729	30	20	1,574	16.4	693	537	1,230	12.8	1.10	1.14	98	62
ADMINISTRATIVE COUNTY.	312,300	2,456	2,240	78	87	4,861	15.6	2,171	1,773	3,944	12.6	1.12	1.14	311	62

TABLE 17—continued.

(See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
MONMOUTHSHIRE															
—cont.															
URBAN DISTRICTS:	268,100	2,162	1,993	71	70	4,296	16.0	1,906	1,548	3,454	12.9	1.16	1.21	285	66
Abercarn ..	18,750	150	138	2	4	294	15.7	121	106	227	12.1	1.22	1.19	17	58
Abergavenny M.B.	7,959	56	55	4	3	118	14.8	69	58	127	16.0	0.89	1.15	5	42
Abertillery ..	28,600	237	235	8	5	485	17.0	199	166	365	12.8	1.22	1.26	36	74
Bedwas and Machen.	8,462	72	61	2	3	138	16.3	56	36	92	10.9	1.20	1.05	11	80
Bedwellty ..	28,640	280	233	7	12	532	18.6	175	140	315	11.0	1.29	1.14	34	64
Blaenavon ..	10,000	67	60	3	4	134	13.4	91	80	171	17.1	1.10	1.52	11	82
Caerleon ..	3,347	20	15	—	—	35	10.5	28	13	41	12.2	0.80	0.79	3	86
Chepstow ..	4,130	39	31	3	1	74	17.9	23	20	43	10.4	0.88	0.74	—	—
Cwmbran ..	10,950	80	68	6	1	155	14.2	86	60	146	13.3	1.08	1.16	12	77
Ebbw Vale ..	29,850	265	246	5	5	521	17.5	240	205	445	14.9	1.21	1.45	50	96
Monmouth M.B.	4,828	38	28	5	—	71	14.7	34	26	60	12.4	0.80	0.80	2	28
Mynyddislwyn..	13,320	104	120	6	1	231	17.3	72	68	140	10.5	1.35	1.14	10	43
Nantyglo and Blaina.	11,800	84	74	1	5	164	13.9	95	73	168	14.2	1.12	1.28	9	55
Pontypool ..	40,540	304	301	8	10	623	15.4	278	252	530	13.1	1.14	1.20	37	59
Rhymney ..	9,576	83	60	1	1	145	15.1	76	54	130	13.6	1.22	1.34	16	110
Treca ..	14,990	106	101	5	6	218	14.5	121	69	190	12.7	1.18	1.21	7	32
Tredegar ..	21,140	167	157	5	9	338	16.0	138	114	252	11.9	1.16	1.11	25	74
Usk	1,218	10	10	—	—	20	16.4	4	8	12	9.9	0.77	0.61	—	—
RURAL DISTRICTS	44,200	294	247	7	17	565	12.8	265	225	490	11.1	0.91	0.81	26	46
Abergavenny ..	8,355	40	50	1	4	95	11.4	54	47	101	12.1	0.79	0.77	1	11
Chepstow ..	8,566	62	53	3	3	121	14.1	49	45	94	11.0	0.93	0.83	6	50
Magor and St. Mellons	16,030	120	92	2	4	218	13.6	92	75	167	10.4	0.99	0.83	13	60
Monmouth ..	5,900	37	33	1	4	75	12.7	40	43	83	14.1	0.86	0.98	5	67
Pontypool ..	5,349	35	19	—	2	56	10.5	30	15	45	8.4	0.92	0.62	1	18
MONTGOMERYSHIRE:															
ADMINISTRATIVE COUNTY.															
URBAN DISTRICTS:	16,300	128	110	11	8	257	15.8	119	154	273	16.7	0.84	1.13	9	35
Llanfyllin M.B.	1,333	9	6	2	1	18	13.5	10	10	20	15.0	0.78	0.94	1	56
Llanidloes M.B.	2,320	19	13	2	—	34	14.7	14	16	30	12.9	0.84	0.87	—	—
Machynlleth ..	1,826	15	10	2	2	29	15.9	10	25	35	19.2	0.92	1.42	2	69
Montgomery M.B.	836	6	4	1	1	12	14.4	7	18	25	29.9	0.69	1.66	1	83
Newtown and Llanllwchaiarn.	4,708	37	30	3	1	71	15.1	42	41	83	17.6	0.87	1.23	3	42
Welshpool M.B.	5,277	42	47	1	3	93	17.6	36	44	80	15.2	0.82	1.01	2	22
RURAL DISTRICTS:	28,970	181	185	18	14	398	13.7	201	205	406	14.0	0.85	0.96	21	53
Forden	4,930	33	28	1	1	63	12.8	29	44	73	14.8	0.79	0.94	4	63
Llanfyllin ..	10,990	67	72	5	6	150	13.6	79	82	161	14.6	0.86	1.01	7	47
Machynlleth ..	3,326	21	16	3	2	42	12.6	26	29	55	16.5	0.84	1.12	2	48
Newtown and Llanidloes.	9,724	60	69	9	5	143	14.7	67	50	117	12.0	0.87	0.84	8	56

TABLE 17—continued. (See notes on first page of Table)

AREA.	Esti- mated Resident Popula- tion (Middle 1937).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.	
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Comparability Factor.	Ratio of local ad- justed death rate to National Rate.	Number.	Rate per 1,000 births.
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
PEMBROKESHIRE :															
ADMINISTRATIVE COUNTY.	83,270	587	533	33	37	1,190	14·3	593	639	1,232	14·8	0·90	1·07	66	55
URBAN DISTRICTS :	39,730	285	280	13	16	594	15·0	269	296	565	14·2	0·95	1·09	34	57
Fishguard and Goodwick.	4,727	27	23	—	3	53	11·2	37	33	70	14·8	1·03	1·23	4	75
Haverfordwest M.B.	6,354	54	40	4	2	100	15·7	31	41	72	11·3	0·95	0·87	4	40
Milford Haven..	10,310	79	92	3	6	180	17·5	53	57	110	10·7	1·28	1·10	9	50
Narberth ..	990	6	3	—	—	9	9·1	6	7	13	13·1	0·84	0·89	1	111
Neyland ..	2,078	14	13	1	—	28	13·5	12	13	25	12·0	0·93	0·90	1	36
Pembroke M.B.	11,590	81	85	5	2	173	14·9	100	97	197	17·0	0·80	1·10	12	69
Tenby M.B. ..	3,681	24	24	—	3	51	13·9	30	48	78	21·2	0·78	1·33	3	59
RURAL DISTRICTS :	43,540	302	253	20	21	596	13·7	324	343	667	15·3	0·87	1·07	32	54
Cemaes ..	9,000	64	51	2	4	121	13·4	67	87	154	17·1	0·79	1·09	7	58
Haverfordwest	19,390	138	125	10	11	284	14·6	127	153	280	14·4	0·92	1·07	19	67
Narberth ..	10,050	70	55	5	6	136	13·5	86	69	155	15·4	0·84	1·04	6	44
Pembroke ..	5,100	30	22	3	—	55	10·8	44	34	78	15·3	0·88	1·09	—	—
RADNORSHIRE :															
ADMINISTRATIVE COUNTY.	19,770	149	128	16	7	300	15·2	152	151	303	15·3	0·85	1·05	17	57
URBAN DISTRICTS	5,470	41	33	1	3	78	14·3	43	54	97	17·7	0·80	1·14	3	38
Knighton ..	1,746	10	15	1	2	28	16·0	14	14	28	16·0	0·74	0·95	—	—
Llandrindod Wells.	2,615	22	16	—	—	38	14·5	18	30	48	18·4	0·88	1·31	2	53
Presteigne ..	1,109	9	2	—	1	12	10·8	11	10	21	18·9	0·74	1·13	1	83
RURAL DISTRICTS	14,300	108	95	15	4	222	15·5	109	97	206	14·4	0·87	1·01	14	63
Colwyn ..	1,838	16	7	—	—	23	12·5	15	12	27	14·7	0·88	1·04	—	—
Knighton ..	3,574	25	24	3	—	52	14·5	24	28	52	14·5	0·92	1·08	8	154
New Radnor ..	2,411	21	20	4	2	47	19·5	15	16	31	12·9	0·84	0·87	1	21
Paincastle ..	1,965	13	16	5	1	35	17·8	18	10	28	14·2	0·90	1·03	4	114
Rhayader ..	4,512	33	28	3	1	65	14·4	37	31	68	15·1	0·83	1·01	1	15

TABLE 18. STILLBIRTHS (LEGITIMATE AND ILLEGITIMATE) (WITH RATIO PER 1,000 TOTAL BIRTHS), 1937.

England and Wales, Geographical Regions*
London and Metropolitan Boroughs, and
County Boroughs.
Aggregates of Urban and of Rural Districts
in each Administrative County.

Note.—Stillbirths occurring away from home have been transferred to the area of usual residence of the mother.

Rates based upon less than 20 stillbirths are distinguished by *italic* type (*see* note to Table 17, page 71).

Area.	Legitimate.		Illegitimate.		Total.	Stillbirths per 1,000 Total Births.
	M.	F.	M.	F.		

SUMMARY.							
ENGLAND AND WALES	12,750	10,708	729	619	24,806	39	
SOUTH EAST	3,603	2,862	244	188	6,897	33	
Greater London	2,075	1,691	142	121	4,029	32	
Remainder of South East ..	1,528	1,171	102	67	2,868	34	
Midland Section	1,321	1,107	73	49	2,550	32	
Southern Section	2,282	1,755	171	139	4,347	33	
NORTH	4,643	4,014	262	203	9,122	43	
North I	789	733	47	27	1,596	41	
North II	471	365	20	18	874	39	
North III	1,188	1,070	73	62	2,393	44	
North IV	2,195	1,846	122	96	4,259	44	
MIDLAND	2,417	2,048	106	110	4,681	40	
Midland I	1,646	1,373	69	79	3,167	40	
Midland II	771	675	37	31	1,514	39	
EAST	520	421	28	37	1,006	36	
SOUTH WEST	552	465	31	35	1,083	38	
WALES	1,015	898	58	46	2,017	51	
Wales I	761	673	39	29	1,502	52	
Wales II	254	225	19	17	515	50	
Density summary of areas outside Greater London :—							
COUNTY BOROUGHS ..	4,334	3,553	236	211	8,334	40	
OTHER URBAN DISTRICTS..	4,080	3,497	216	182	7,975	42	
RURAL DISTRICTS	2,261	1,967	135	105	4,468	40	

* The counties included in the several Geographical Regions are shown on the first page of Table 17.

TABLE 18—continued.

Area.	Legitimate.		Illegitimate.		Total.	Still-births per 1,000 Total Births.	Area.	Legitimate.		Illegitimate.		Total.	Still-births per 1,000 Total Births.
	M.	F.	M.	F.				M.	F.	M.	F.		

LONDON, METROPOLITAN BOROUGHES AND COUNTY BOROUGHES.													
London Ad. Co. ..	942	763	86	73	1,864	33	County Boroughs						
City of London ..	1	2	—	—	3	58	—contd.						
Inner and Middle Temples.	—	—	—	—	—	—	Dudley	29	16	—	3	48	40
Metropolitan Boroughs:							Eastbourne ..	14	5	2	1	22	34
Battersea ..	33	27	2	1	63	29	East Ham ..	36	20	—	2	58	29
Bermondsey ..	26	17	1	1	45	31	Exeter	21	18	1	1	41	40
Bethnal Green ..	21	16	—	—	37	29	Gateshead ..	48	39	—	—	87	40
Camberwell ..	59	35	2	1	97	30	Gloucester ..	27	23	1	3	54	54
Chelsea	10	3	—	—	13	21	Great Yarmouth	16	13	—	2	31	40
Deptford ..	30	27	3	—	60	39	Grimsby	25	21	5	4	55	35
Finsbury ..	19	9	1	—	29	34	Halifax	32	28	5	1	66	50
Fulham ..	25	34	1	1	61	31	Hastings	9	5	1	1	16	22
Greenwich ..	19	24	1	2	46	33	Huddersfield ..	39	33	3	3	78	48
Hackney ..	48	51	2	3	104	35	Ipswich	21	18	1	4	44	31
Hammersmith ..	23	28	1	1	53	27	Kingston-upon-Hull	134	99	6	6	245	41
Hampstead ..	15	7	4	4	30	29	Leeds	155	141	7	10	313	41
Holborn ..	4	2	1	3	10	34	Leicester	55	64	7	3	129	33
Islington ..	79	48	8	9	144	31	Lincoln	25	10	—	3	38	43
Kensington ..	32	27	3	3	65	30	Liverpool	303	280	22	13	618	36
Lambeth ..	66	57	6	4	133	33	Manchester	232	208	15	13	468	42
Lewisham ..	65	47	1	6	119	38	Middlesbrough ..	52	58	2	3	115	41
Paddington ..	30	24	6	10	70	36	Newcastle-upon-Tyne.	93	86	5	5	189	38
Poplar ..	30	30	2	—	62	28	Northampton ..	36	15	1	1	53	42
St. Marylebone ..	14	15	6	1	36	40	Norwich	24	26	1	4	55	32
St. Pancras ..	42	22	6	8	78	32	Nottingham	91	57	6	4	158	34
Shoreditch ..	19	16	2	3	40	32	Oldham	49	42	1	5	97	54
Southwark ..	37	27	6	2	72	32	Oxford	19	26	4	—	49	35
Stepney ..	52	46	5	2	105	37	Plymouth	62	49	3	4	118	37
Stoke Newington	12	7	3	1	23	30	Portsmouth ..	77	62	7	2	148	37
Wandsworth ..	77	54	6	4	141	35	Preston	46	25	3	1	75	45
Westminster ..	17	16	6	2	41	38	Reading	29	20	3	1	53	33
Woolwich ..	37	45	1	1	84	38	Rochdale	25	26	2	2	55	48
County Boroughs ..	4,502	3,673	238	218	8,631	40	Rotherham	30	20	4	—	54	40
Barnsley ..	30	30	3	2	65	53	St. Helens	60	40	4	—	104	50
Barrow-in-Furness	17	16	1	—	34	33	Salford	64	59	1	4	128	40
Bath ..	11	7	1	3	22	27	Sheffield	179	147	8	7	341	41
Birkenhead ..	52	60	5	4	121	48	Smethwick	31	25	2	1	59	48
Birmingham ..	351	248	15	11	625	36	Southampton ..	69	37	2	3	111	38
Blackburn ..	36	38	—	2	76	54	Southend-on-Sea ..	21	25	3	2	51	32
Blackpool ..	49	32	5	1	87	65	Southport	18	17	—	—	35	40
Bolton ..	73	47	1	4	125	54	South Shields ..	34	33	1	2	70	37
Bootle ..	41	24	2	2	69	40	Stockport	45	33	5	6	89	45
Bournemouth ..	31	14	3	2	50	36	Stoke-on-Trent ..	125	113	6	5	249	52
Bradford ..	92	82	8	4	186	44	Sunderland	83	66	5	1	155	41
Brighton ..	38	25	2	1	66	33	Tynemouth	21	21	1	—	43	38
Bristol ..	116	108	6	8	238	38	Wakefield	25	23	—	1	49	56
Burnley ..	40	24	1	3	68	61	Wallasey	33	22	1	1	57	43
Burton-upon-Trent	18	9	1	—	28	39	Walsall	32	33	—	1	66	33
Bury ..	18	13	—	2	33	42	Warrington	28	34	—	1	63	45
Canterbury ..	11	2	—	—	13	34	West Bromwich ..	33	29	1	—	63	39
Carlisle ..	26	8	1	1	36	37	West Ham	78	61	2	4	145	33
Chester ..	17	5	2	—	24	35	West Hartlepool ..	17	18	2	—	37	28
Coventry ..	74	61	3	3	141	42	Wigan	35	34	—	—	69	48
Croydon ..	54	39	—	1	94	28	Wolverhampton ..	51	41	3	1	96	38
Darlington ..	30	18	3	2	53	44	Worcester	23	16	—	1	40	46
Derby ..	46	31	—	1	78	36	York	27	32	1	3	63	41
Dewsbury ..	22	16	2	1	41	48	Cardiff	82	50	2	4	138	39
Doncaster ..	21	31	1	2	55	49	Merthyr Tydfil ..	19	30	1	1	51	54
							Newport, Mon. ..	32	27	1	2	62	38
							Swansea	69	66	2	2	139	54

TABLE 18—continued.

Area.	Legitimate.		Illegitimate.		Total.	Still-births per 1,000 Total Births.	Area.	Legitimate.		Illegitimate.		Total.	Still-births per 1,000 Total Births.
	M.	F.	M.	F.				M.	F.	M.	F.		

ADMINISTRATIVE COUNTIES.

Note.—The following figures relate to Aggregates of Urban Districts (including Municipal Boroughs, but excluding County Boroughs) and of Rural Districts in each Administrative County.

Bedford ..	U.D.	50	46	3	4	103	37	Salop ..	U.D.	46	33	1	1	81	40
	R.D.	13	14	1	1	29	23		R.D.	40	40	—	3	83	44
Berks. . .	U.D.	29	11	4	3	47	43	Somerset ..	U.D.	42	40	3	3	88	36
	R.D.	36	27	1	1	65	29		R.D.	67	52	4	1	124	40
Bucks ..	U.D.	42	35	—	3	80	33	Southants ..	U.D.	85	85	5	8	183	38
	R.D.	30	15	3	1	49	22		R.D.	56	51	8	4	119	34
Cambs ..	U.D.	9	11	—	—	20	23	Staffs ..	U.D.	246	198	11	11	466	44
	R.D.	19	15	1	—	35	35		R.D.	57	70	2	5	134	45
Cheshire ..	U.D.	177	163	13	5	358	43	Suffolk, East	U.D.	24	19	1	—	44	32
	R.D.	66	57	7	4	134	57		R.D.	34	26	—	—	60	35
Cornwall ..	U.D.	43	46	3	4	96	42	Suffolk, West	U.D.	11	3	—	1	15	27
	R.D.	45	31	1	—	77	40		R.D.	17	22	—	3	42	44
Cumberland ..	U.D.	23	25	1	—	49	35	Surrey ..	U.D.	234	188	14	17	453	31
	R.D.	37	22	3	—	62	34		R.D.	31	21	—	1	53	30
Derby ..	U.D.	117	126	2	5	250	46	Sussex, East	U.D.	26	23	3	—	52	28
	R.D.	113	99	6	5	223	46		R.D.	45	20	2	—	67	36
Devon ..	U.D.	46	46	5	5	102	37	Sussex, West	U.D.	34	27	3	4	68	34
	R.D.	59	46	2	5	112	36		R.D.	35	30	2	3	70	39
Dorset ..	U.D.	51	37	2	1	91	40	Warwick ..	U.D.	69	61	10	5	145	37
	R.D.	17	18	5	—	40	31		R.D.	43	23	1	5	72	32
Durham ..	U.D.	237	213	16	7	473	45	Westmorland	U.D.	12	7	—	—	19	47
	R.D.	102	103	7	1	213	40		R.D.	15	6	—	1	22	42
Ely, I. of ..	U.D.	14	17	—	3	34	41	Wight, I. of	U.D.	16	12	3	1	32	35
	R.D.	9	17	1	—	27	51		R.D.	1	2	1	—	4	22
Essex. . .	U.D.	333	254	17	4	608	34	Wilts ..	U.D.	35	34	—	1	70	34
	R.D.	44	47	6	1	98	35		R.D.	53	41	1	7	102	43
Gloucester ..	U.D.	33	32	1	2	68	41	Worcester ..	U.D.	83	71	1	3	158	41
	R.D.	73	68	3	3	147	41		R.D.	24	33	1	1	59	43
Hereford ..	U.D.	8	8	—	1	17	27	Yorks, E.R.	U.D.	35	22	2	4	63	47
	R.D.	14	14	—	2	30	30		R.D.	24	28	2	—	54	38
Hertford ..	U.D.	96	68	3	6	173	32	Yorks, N.R.	U.D.	71	54	1	2	128	39
	R.D.	25	17	3	—	45	25		R.D.	42	36	2	1	81	35
Huntingdon ..	U.D.	10	2	—	—	12	29	Yorks, W.R.	U.D.	382	351	18	20	771	46
	R.D.	10	8	1	1	20	45		R.D.	154	136	13	8	311	43
Kent ..	U.D.	293	216	13	8	530	32	Anglesey ..	U.D.	8	6	2	1	17	70
	R.D.	87	70	6	4	167	40		R.D.	13	8	3	2	26	59
Lancs. . .	U.D.	579	469	27	23	1,098	47	Brecon ..	U.D.	11	2	—	1	14	66
	R.D.	92	78	4	—	174	49		R.D.	19	20	2	—	41	71
Leicester ..	U.D.	36	28	2	—	66	30	Caernarvon. . .	U.D.	25	18	2	3	48	54
	R.D.	50	53	—	1	104	42		R.D.	17	18	2	1	38	47
Lincs, Holland	U.D.	11	9	1	—	21	35	Cardigan ..	U.D.	5	7	1	—	13	74
	R.D.	18	15	1	—	34	32		R.D.	14	7	1	1	23	50
Lincs, Kesteven	U.D.	13	11	—	—	24	37	Carmarthen	U.D.	25	32	2	2	61	56
	R.D.	24	21	—	4	49	48		R.D.	51	44	2	1	98	63
Lincs, Lindsey	U.D.	46	27	5	2	80	38	Denbigh ..	U.D.	21	13	—	—	34	36
	R.D.	38	33	3	2	76	33		R.D.	35	35	—	1	71	49
Middlesex ..	U.D.	495	447	25	20	987	31	Flint ..	U.D.	27	28	1	—	56	52
Norfolk ..	U.D.	22	14	1	1	38	39		R.D.	20	22	—	—	42	42
	R.D.	77	57	6	3	143	35	Glamorgan ..	U.D.	245	212	17	8	482	55
Northants ..	U.D.	32	19	—	—	51	35		R.D.	79	49	2	2	132	48
	R.D.	31	26	2	1	60	34	Merioneth ..	U.D.	13	8	2	1	24	87
Northumberland	U.D.	109	111	7	5	232	46		R.D.	7	7	—	2	16	52
	R.D.	15	25	—	4	44	32	Monmouth ..	U.D.	117	126	8	4	255	56
Notts. . .	U.D.	110	98	5	7	220	41		R.D.	12	15	—	2	29	49
	R.D.	41	43	4	2	90	41	Montgomery	U.D.	3	3	—	—	6	23
Oxford ..	U.D.	4	9	—	—	13	22		R.D.	16	9	3	1	29	68
	R.D.	35	23	3	1	62	40	Pembroke ..	U.D.	8	8	—	2	18	29
Peterborough,	U.D.	11	12	2	—	25	37		R.D.	12	22	2	1	37	58
Soke of	R.D.	2	4	—	1	7	45	Radnor ..	U.D.	3	2	—	1	6	71
Rutland ..	U.D.	—	2	—	—	2	34		R.D.	7	4	—	—	11	47
	R.D.	3	4	—	—	7	35								

TABLE 19. DEATHS BY SEX AT EACH YEAR OF AGE (WITH THE } England and Wales.
MARITAL CONDITION FOR FEMALES), 1937.

Note.—Included in this Table are 461 cases (233 Males and 228 Females) in which the age of deceased was not definitely stated; these have been allocated to particular ages in accordance with the best available information and with due regard to the circumstances and cause of death in each case.

The deaths of 125 divorced women are included with the deaths of widows.

Age last birth-day.	Persons.	Males.	Females.				Age last birth-day.	Persons.	Males.	Females.			
			Total.	Single.	Married.	Widowed.				Total.	Single.	Married.	Widowed.
All Ages	509,574	260,057	249,517	66,522	86,951	96,044	50-54	27,455	15,333	12,122	2,046	8,116	1,960
0-4	46,486	26,372	20,114	20,114	—	—	50	4,934	2,710	2,224	375	1,525	324
0	35,175	20,281	14,894	14,894	—	—	51	4,742	2,667	2,075	346	1,431	298
1	5,476	3,009	2,467	2,467	—	—	52	5,814	3,269	2,545	438	1,710	397
2	2,474	1,280	1,194	1,194	—	—	53	5,781	3,289	2,492	419	1,651	422
3	1,798	963	835	835	—	—	54	6,184	3,398	2,786	468	1,799	519
4	1,563	839	724	724	—	—	55-59	36,381	20,683	15,698	2,564	9,809	3,325
5-9	5,459	2,930	2,529	2,529	—	—	55	6,014	3,522	2,492	397	1,608	487
5	1,544	853	691	691	—	—	56	6,907	3,909	2,998	494	1,899	605
6	1,265	666	599	599	—	—	57	7,290	4,146	3,144	484	2,000	660
7	1,035	564	471	471	—	—	58	7,739	4,331	3,408	598	2,089	721
8	865	454	411	411	—	—	59	8,431	4,775	3,656	591	2,213	852
9	750	393	357	357	—	—	60-64	49,287	27,516	21,771	3,218	12,155	6,398
10-14	3,742	1,963	1,779	1,779	—	—	60	8,666	4,756	3,910	615	2,260	1,035
10	690	372	318	318	—	—	61	8,807	4,952	3,855	576	2,217	1,062
11	649	322	327	327	—	—	62	10,162	5,733	4,429	641	2,526	1,262
12	687	369	318	318	—	—	63	10,555	5,892	4,663	657	2,579	1,427
13	811	429	382	382	—	—	64	11,097	6,183	4,914	729	2,573	1,612
14	905	471	434	434	—	—	65-69	58,003	31,192	26,811	3,978	12,240	10,593
15-19	6,590	3,552	3,038	2,956	82	—	65	10,921	5,941	4,980	762	2,461	1,757
15	1,207	650	557	557	—	—	66	10,890	5,864	5,026	754	2,477	1,795
16	1,446	766	680	678	2	—	67	11,642	6,302	5,340	805	2,441	2,094
17	1,455	796	659	650	9	—	68	12,035	6,449	5,586	831	2,463	2,292
18	1,211	651	560	534	26	—	69	12,515	6,636	5,879	826	2,398	2,655
19	1,271	689	582	537	45	—	70-74	65,342	33,118	32,224	4,810	10,740	16,674
20-24	8,791	4,583	4,208	2,872	1,322	14	70	12,529	6,525	6,004	904	2,315	2,785
20	1,511	814	697	595	101	1	71	11,998	6,227	5,771	853	2,119	2,799
21	1,677	837	840	635	202	3	72	13,380	6,717	6,663	986	2,252	3,425
22	1,828	966	862	600	260	2	73	13,671	6,795	6,876	1,017	2,085	3,774
23	1,905	975	930	564	363	3	74	13,764	6,854	6,910	1,050	1,969	3,891
24	1,870	991	879	478	396	5	75-79	61,812	29,082	32,730	4,926	7,072	20,732
25-29	9,575	4,860	4,715	1,891	2,783	41	75	12,956	6,283	6,673	995	1,797	3,881
25	1,847	947	900	462	434	4	76	13,336	6,340	6,996	1,086	1,676	4,234
26	1,883	938	945	410	527	8	77	12,626	5,983	6,643	994	1,390	4,259
27	1,907	970	937	373	561	3	78	11,681	5,442	6,239	934	1,149	4,156
28	1,978	1,011	967	323	630	14	79	11,213	5,034	6,179	917	1,060	4,202
29	1,960	994	966	323	631	12	80-84	44,205	18,650	25,555	3,968	3,073	18,514
30-34	10,372	5,354	5,018	1,472	3,450	96	80	10,597	4,603	5,994	910	905	4,179
30	1,947	1,012	935	306	616	13	81	9,393	4,103	5,290	851	700	3,739
31	1,996	1,003	993	311	665	17	82	9,123	3,797	5,326	825	621	3,880
32	2,111	1,101	1,010	292	698	20	83	7,816	3,255	4,561	678	452	3,431
33	2,135	1,110	1,025	276	725	24	84	7,276	2,892	4,384	704	395	3,285
34	2,183	1,128	1,055	287	746	22	85-89	22,412	8,206	14,206	2,107	763	11,336
35-39	11,947	6,249	5,698	1,286	4,170	242	85	6,065	2,306	3,759	546	253	2,960
35	2,219	1,180	1,039	284	720	35	86	5,608	2,127	3,481	488	211	2,782
36	2,373	1,224	1,149	248	859	42	87	4,448	1,587	2,861	428	143	2,290
37	2,438	1,254	1,184	269	874	41	88	3,446	1,199	2,247	370	91	1,786
38	2,402	1,272	1,130	251	828	51	89	2,845	987	1,858	275	65	1,518
39	2,515	1,319	1,196	234	889	73	90-94	6,656	1,962	4,694	721	126	3,847
40-44	14,270	7,540	6,730	1,402	4,875	453	90	2,076	659	1,417	194	52	1,171
40	2,542	1,341	1,201	245	899	57	91	1,587	474	1,113	177	29	907
41	2,584	1,303	1,281	269	944	68	92	1,298	382	916	135	21	760
42	3,040	1,623	1,417	300	1,015	102	93	979	266	713	117	16	580
43	3,022	1,618	1,404	297	1,003	104	94	716	181	535	98	8	429
44	3,082	1,655	1,427	291	1,014	122	95-99	1,233	305	928	153	4	771
45-49	19,456	10,586	8,870	1,713	6,171	986	95	486	122	364	69	2	293
45	3,259	1,797	1,462	316	1,028	118	96	332	84	248	30	2	216
46	3,627	1,959	1,668	353	1,157	158	97	202	48	154	30	—	124
47	3,860	2,026	1,834	352	1,292	190	98	128	29	99	11	—	88
48	4,106	2,275	1,831	332	1,256	243	99	85	22	63	13	—	50
49	4,604	2,529	2,075	360	1,438	277	100- and over	100	21	79	17	—	62

TABLE 20. DEATHS AT DIFFERENT AGES,
1937.

(Total Deaths Registered, including non-civilian deaths.)

England and Wales, Geographical Regions.*
London and Metropolitan Boroughs, County
Boroughs.Aggregates of other Urban and of Rural
Districts in each Administrative County.

Age.	Sex.	England and Wales.	SOUTH EAST.					NORTH.				
			Total.	Greater London.	Remainder.	Part formerly in " Midlands."	Part formerly in " South."	Total.	North I.	North II.	North III.	North IV.
All Ages	M	260057	82325	48470	33855	27079	55246	89783	15188	8900	23090	42605
	F	249517	82122	47913	34209	26869	55253	84716	13282	8129	21854	41451
Under 4 weeks	M	10285	2844	1675	1169	1053	1791	3874	744	411	952	1767
	F	7883	2071	1226	845	790	1281	3066	613	293	765	1395
4 weeks-3 months	M	3464	1083	737	346	392	691	1304	280	169	288	567
	F	2257	661	449	212	245	416	927	202	102	181	442
3-6 months	M	2957	988	742	246	328	660	1181	264	113	218	586
	F	2087	674	479	195	195	479	829	168	82	163	416
6-12 months	M	3575	1046	733	313	335	711	1424	275	140	320	689
	F	2667	764	556	208	234	530	1074	208	118	222	526
Total under 1 year	M	20281	5961	3887	2074	2108	3853	7783	1563	833	1778	3609
	F	14894	4170	2710	1460	1464	2706	5896	1191	595	1331	2779
1—	M	3009	706	445	261	232	474	1296	274	147	253	622
	F	2467	619	395	224	211	408	1028	209	131	223	465
2—	M	1280	312	195	117	122	190	541	99	59	123	260
	F	1194	292	175	117	111	181	491	103	62	78	248
3—	M	963	242	144	98	76	166	382	65	50	102	165
	F	835	190	112	78	72	118	392	88	41	71	192
4—	M	839	215	133	82	86	129	359	71	37	93	158
	F	724	152	97	55	57	95	327	81	26	75	145
Total under 5 years	M	26372	7436	4804	2632	2624	4812	10361	2072	1126	2349	4814
	F	20114	5423	3489	1934	1915	3508	8134	1672	855	1778	3829
5—	M	2930	803	450	353	306	497	1168	266	105	244	553
	F	2529	641	403	238	270	371	1035	224	104	232	475
10—	M	1963	587	356	231	224	363	717	169	66	161	321
	F	1779	456	288	168	164	292	694	151	85	158	300
15—	M	3552	1002	606	396	365	637	1322	287	124	330	581
	F	3038	872	569	303	308	564	1167	265	103	291	508
20—	M	4583	1471	904	567	538	933	1541	314	160	389	678
	F	4208	1270	833	437	439	831	1558	279	133	372	774
25—	M	4860	1528	940	588	539	989	1698	338	163	410	787
	F	4715	1460	968	492	526	934	1688	315	140	407	826
30—	M	5354	1692	1086	606	603	1089	1855	341	179	461	874
	F	5018	1586	952	634	565	1021	1777	279	152	446	900
35—	M	6249	1920	1199	721	688	1232	2208	390	221	545	1052
	F	5698	1768	1139	629	641	1127	2089	374	183	520	1012
40—	M	7540	2333	1463	870	819	1514	2741	461	236	663	1381
	F	6730	2094	1281	813	722	1372	2502	404	231	667	1200
45—	M	10586	3282	2090	1192	1067	2215	3910	667	313	979	1951
	F	8870	2794	1711	1083	966	1828	3157	509	269	811	1568
50—	M	15333	4922	3173	1749	1594	3328	5565	863	469	1432	2801
	F	12122	3889	2414	1475	1293	2596	4347	659	384	1159	2145
55—	M	20683	6584	4113	2471	2105	4479	7583	1121	663	2053	3746
	F	15698	5014	3002	2012	1650	3364	5695	855	471	1503	2866
60—	M	27516	8661	5284	3377	2771	5890	10075	1544	898	2743	4890
	F	21771	6721	3966	2755	2118	4603	7999	1199	693	2087	4020
65—	M	31192	9753	5848	3905	3050	6703	10884	1699	998	2912	5275
	F	26811	8602	4992	3610	2767	5835	9589	1395	872	2575	4747
70—	M	33118	10358	5772	4586	3289	7069	11315	1816	1110	2974	5415
	F	32224	10586	6036	4550	3395	7191	11085	1499	1053	2980	5553
75—	M	29082	9485	5148	4337	3060	6425	9155	1509	1030	2422	4194
	F	32730	11229	6352	4877	3491	7738	10450	1503	1018	2717	5212
80—	M	18650	6455	3344	3111	2112	4343	5260	889	681	1409	2281
	F	25555	9422	5212	4210	2987	6435	7376	1076	808	1992	3500
85—	M	10494	4053	1890	2163	1325	2728	2425	442	358	614	1011
	F	19907	8295	4306	3989	2652	5643	4374	624	575	1159	2016

* The Counties included in the several Geographical Regions are shown on the first page of Table 17.

TABLE 20—*contd.*

Age.	Sex.	MIDLAND.			EAST.	SOUTH WEST.	WALES.			Aggregates of areas outside Greater London.		
		Total.	Midland I.	Midland II.			Total.	Wales I.	Wales II.	County Boroughs.	Other Urban Districts.	Rural Districts.
All Ages ..	M	44825	29715	15110	11671	13827	17626	12563	5063	86136	78835	46616
	F	41869	27667	14202	11169	14070	15571	10547	5024	81756	76387	43461
Under 4 weeks 4 weeks—3 months 3—6 months 6—12 months	M	1973	1326	647	433	445	716	506	210	3548	3323	1739
	F	1514	1006	508	320	332	580	438	142	2807	2418	1432
	M	595	400	195	127	120	235	170	65	1275	950	502
	F	378	252	126	79	68	144	109	35	892	590	326
	M	495	329	166	70	64	159	127	32	1192	712	311
	F	340	227	113	72	50	122	99	23	859	488	261
	M	651	434	217	123	108	223	179	44	1401	954	487
	F	506	349	157	94	84	145	100	45	1086	694	331
Total under 1 year 1— 2— 3— 4—	M	3714	2489	1225	753	737	1333	982	351	7416	5939	3039
	F	2738	1834	904	565	534	991	746	245	5644	4190	2350
	M	607	440	167	111	89	200	155	45	1271	868	425
	F	503	351	152	86	62	169	122	47	1019	695	358
	M	233	158	75	51	49	94	69	25	508	377	200
	F	249	174	75	42	42	78	54	24	482	365	172
	M	191	127	64	37	41	70	54	16	381	295	143
	F	135	98	37	29	29	60	42	18	313	295	115
	M	156	100	56	21	24	64	47	17	297	285	124
	F	141	101	40	23	24	57	41	16	287	227	113
	M	4901	3314	1587	973	940	1761	1307	454	9873	7764	3931
	F	3766	2558	1208	745	691	1355	1005	350	7745	5772	3108
	M	533	383	150	104	118	204	156	48	1068	924	488
	F	491	346	145	91	81	190	141	49	974	765	387
	M	380	246	134	81	58	140	94	46	659	620	328
	F	337	231	106	77	69	146	108	38	641	524	326
	M	628	424	204	140	172	288	228	60	1167	1151	628
	F	544	387	157	100	105	250	190	60	1120	918	431
	M	821	543	278	190	221	339	255	84	1494	1347	838
	F	728	480	248	157	155	340	265	75	1583	1200	592
	M	880	594	286	174	226	354	267	87	1623	1455	842
	F	821	528	293	156	223	367	279	88	1656	1383	708
	M	995	666	329	192	236	384	282	102	1791	1596	881
	F	882	564	318	190	209	374	272	102	1751	1460	855
	M	1172	797	375	213	284	452	335	117	2189	1862	999
	F	991	642	349	214	242	394	290	104	1930	1729	900
	M	1308	905	403	276	322	560	419	141	2671	2246	1160
	F	1170	781	389	251	300	413	311	102	2347	1969	1133
	M	1814	1236	578	370	469	741	577	164	3899	3090	1507
	F	1489	998	491	363	456	611	447	164	3023	2717	1419
	M	2570	1741	829	528	675	1073	842	231	5597	4490	2073
	F	1969	1300	669	490	608	819	591	228	4093	3706	1909
	M	3440	2307	1133	767	951	1358	1022	336	7537	6117	2916
	F	2543	1648	895	609	789	1048	742	306	5343	4824	2529
	M	4569	2996	1573	1021	1363	1827	1337	490	9618	8333	4281
	F	3656	2397	1259	850	1147	1398	984	414	7447	6835	3523
	M	5268	3506	1762	1404	1750	2133	1494	639	10288	9541	5515
	F	4444	2947	1497	1104	1426	1646	1102	544	8867	8440	4512
	M	5606	3698	1908	1580	1949	2310	1627	683	10590	10331	6425
	F	5165	3358	1807	1499	1944	1945	1285	660	10383	10158	5647
	M	4989	3168	1821	1687	1852	1914	1245	669	8499	9002	6433
	F	5489	3561	1928	1595	2061	1906	1156	750	10219	9982	6177
	M	3265	2088	1177	1151	1317	1202	728	474	5082	5726	4498
	F	4166	2767	1399	1350	1847	1394	829	565	7430	7915	4998
	M	1686	1103	583	820	924	586	348	238	2491	3240	2873
	F	3218	2174	1044	1328	1717	975	550	425	5204	6090	4307

TABLE 20—*contd.*—METROPOLITAN BOROUGHES.

Age.	Sex.	London Administrative County.	City of London.	Inner and Middle Temples.	Battersea.	Bermondsey.	Bethnal Green.	Camberwell.	Chelsea.	Deptford.	Finsbury.	Fulham.	Greenwich.	Hackney.	Hammersmith.	Hampstead.
All Ages	M	25908	61	2	947	649	627	1393	389	624	439	908	581	1137	802	496
	F	25369	40	5	903	562	560	1491	407	515	418	909	570	1170	791	564
Under 4 weeks	M	725	1	—	39	17	15	30	3	13	13	19	18	29	27	15
	F	536	1	—	23	8	10	29	6	17	6	25	15	21	19	10
4 weeks—3 months	M	375	—	—	18	11	7	25	7	6	3	10	7	14	18	4
	F	210	—	—	6	4	2	12	1	3	5	7	3	9	4	3
3—6 months	M	433	—	—	18	15	6	31	7	10	8	16	5	19	19	13
	F	289	—	—	11	9	6	15	4	5	9	7	10	5	9	1
6—12 months	M	415	—	—	16	10	13	22	3	5	6	13	6	13	21	5
	F	326	—	—	20	10	9	21	5	7	8	12	3	14	13	4
Total under 1 year	M	1948	1	—	91	53	41	108	20	34	30	58	36	75	85	37
	F	1361	1	—	60	31	27	77	16	32	28	51	31	49	45	18
1—	M	241	1	—	11	3	9	24	4	3	5	6	5	8	7	—
	F	216	—	—	13	3	5	13	3	3	4	5	4	6	5	3
2—	M	92	—	—	1	2	1	7	—	1	2	3	1	5	1	1
	F	74	—	—	2	3	—	2	—	3	—	1	1	5	2	—
3—	M	75	—	—	3	2	2	6	3	1	—	3	—	5	3	1
	F	57	—	—	2	2	3	4	—	1	1	2	1	3	2	2
4—	M	59	—	—	1	1	1	4	—	—	2	2	3	—	3	—
	F	54	—	—	4	2	2	5	—	—	2	—	—	1	2	—
Total under 5 years	M	2415	2	—	107	61	54	149	27	39	39	72	45	93	99	39
	F	1762	1	—	81	41	37	101	19	39	35	59	37	64	56	23
5—	M	204	—	—	12	10	5	9	1	4	6	6	1	13	10	3
	F	175	—	—	8	6	5	12	—	2	1	7	2	10	12	1
10—	M	162	—	—	6	4	2	9	3	5	3	5	8	10	1	—
	F	141	2	—	5	7	2	8	1	1	7	5	4	5	5	2
15—	M	296	—	—	7	7	9	21	2	5	4	8	10	21	9	2
	F	288	—	—	15	11	7	24	—	7	5	8	8	17	10	4
20—	M	449	1	—	15	15	16	28	3	12	8	21	16	19	16	6
	F	439	1	—	19	15	8	29	5	13	8	13	13	18	10	5
25—	M	504	—	—	16	13	12	32	3	16	9	17	11	20	20	8
	F	499	—	—	16	9	10	27	4	8	3	19	12	29	13	8
30—	M	525	1	—	20	10	12	28	3	10	5	18	14	29	19	11
	F	448	1	—	13	12	7	27	9	4	5	21	13	24	15	13
35—	M	562	—	—	21	12	17	16	4	16	10	23	15	22	21	8
	F	535	1	—	20	11	19	34	7	6	10	19	11	28	17	12
40—	M	728	2	—	22	18	20	36	9	14	18	25	12	36	26	18
	F	649	3	2	15	14	17	30	9	12	9	24	17	27	20	20
45—	M	1143	5	—	48	38	29	51	21	25	17	43	25	48	39	18
	F	876	3	—	26	22	20	51	14	15	14	26	27	43	27	15
50—	M	1727	3	—	56	54	49	74	23	41	33	76	40	81	59	30
	F	1283	2	—	37	23	28	74	23	34	21	45	23	52	38	26
55—	M	2287	6	1	76	53	57	135	29	52	42	81	55	103	65	37
	F	1604	4	1	51	33	37	70	44	43	25	69	39	85	39	35
60—	M	2937	13	—	101	69	74	136	36	65	55	104	67	143	86	49
	F	2169	1	—	82	49	54	122	28	50	37	76	47	91	68	52
65—	M	3266	7	—	126	81	70	194	67	81	49	112	62	156	98	71
	F	2695	7	—	94	59	78	157	42	55	50	99	51	140	92	75
70—	M	3136	8	—	108	79	70	168	56	80	51	106	70	122	96	63
	F	3311	2	—	110	81	72	197	47	64	56	116	69	149	94	90
75—	M	2814	6	1	104	64	81	158	47	82	54	98	59	116	64	68
	F	3426	7	2	123	74	74	191	59	57	60	110	72	173	110	59
80—	M	1773	4	—	66	37	34	92	34	60	26	66	50	62	43	37
	F	2843	4	—	105	53	51	187	63	55	42	121	75	138	83	59
85—	M	980	3	—	36	24	16	57	21	17	10	27	21	43	31	28
	F	2226	1	—	83	42	34	150	33	50	30	72	50	77	82	65

TABLE 20—*contd.*—METROPOLITAN BOROUGH.

Age.	Sex.	Holborn.	Islington.	Kensington.	Lambeth.	Lewisham.	Paddington.	Poplar.	St. Marylebone.	St. Pancras.	Shoreditch.	Southwark.	Stepney.	Stoke Newington.	Wandsworth.	Westminster.	Woolwich.
All Ages ..	M	217	1884	1036	1839	1185	900	935	577	1241	530	1187	1364	294	2052	750	862
	F	193	1981	1309	1777	1270	906	793	625	1088	496	887	1115	337	2191	698	798
Under 4 weeks 4 weeks—3 months 3—6 months 6—12 months	M	5	72	35	58	36	31	21	18	24	11	31	34	6	65	17	22
	F	6	53	22	47	23	19	14	14	24	8	18	24	8	44	7	15
	M	2	24	23	37	17	12	14	7	18	6	18	16	2	32	6	11
	F	3	14	13	16	12	12	14	2	11	5	9	9	2	15	5	9
	M	1	31	31	31	13	20	18	4	20	10	21	18	3	29	9	7
	F	1	29	19	25	19	7	9	4	15	9	11	21	3	18	1	7
	M	3	43	19	30	12	15	22	9	21	9	20	27	4	31	6	11
	F	1	36	15	22	9	9	17	5	21	8	12	17	—	17	7	4
Total under 1 year 1— 2— 3— 4—	M	11	170	108	156	78	78	75	38	83	36	90	95	15	157	38	51
	F	11	132	69	110	63	47	54	25	71	30	50	71	13	94	20	35
	M	1	21	11	16	13	6	13	1	6	6	14	23	3	13	3	5
	F	2	22	10	16	6	8	8	—	15	5	10	17	3	18	5	4
	M	1	7	4	8	3	4	4	—	2	2	8	12	—	10	—	2
	F	—	4	2	4	3	2	5	2	8	2	4	7	2	6	2	2
	M	—	8	1	7	1	2	3	—	5	1	1	6	—	8	1	2
	F	1	3	3	4	1	2	5	1	3	1	1	1	—	5	1	2
	M	—	5	3	9	5	1	2	—	3	2	—	3	1	6	1	1
	F	1	4	2	3	2	1	3	1	2	2	3	3	—	3	3	3
	M	13	211	127	196	100	91	97	39	99	47	113	139	19	194	43	61
	F	15	165	86	137	75	60	75	29	99	40	68	99	18	126	31	46
	M	3	12	6	13	9	5	10	2	12	4	7	14	1	16	3	7
	F	1	8	6	11	14	3	10	1	7	7	7	6	2	15	5	6
	M	—	12	5	9	10	5	8	—	8	6	6	14	—	13	—	10
	F	4	5	6	14	9	2	7	1	5	5	3	9	1	6	1	9
	M	3	15	11	23	15	9	15	2	10	8	9	24	4	18	5	20
	F	1	17	8	20	18	8	6	8	12	6	16	19	3	16	7	7
	M	3	30	22	27	22	15	20	3	14	10	18	16	7	32	18	16
	F	4	29	18	30	13	17	18	12	17	12	20	22	8	37	12	13
	M	2	41	24	22	22	16	22	6	26	8	22	36	7	36	13	24
	F	5	39	23	34	18	28	17	15	24	12	25	22	4	43	14	18
	M	4	47	23	35	22	20	23	16	27	13	21	31	1	31	16	15
	F	5	29	26	33	24	16	17	9	18	9	13	11	4	38	14	18
	M	8	36	24	43	16	17	24	12	22	18	32	27	8	46	19	25
	F	4	43	29	36	29	21	15	11	15	13	24	15	12	32	26	15
	M	5	47	25	46	42	25	16	15	49	23	26	29	10	59	25	30
	F	3	47	30	41	43	21	16	15	39	11	23	42	5	43	19	32
	M	14	88	38	89	56	34	42	30	62	25	37	69	10	70	38	34
	F	7	66	46	58	49	27	29	25	43	15	26	43	5	73	26	35
	M	17	114	63	117	72	59	70	43	82	32	71	89	17	143	59	60
	F	8	113	61	93	58	33	39	39	67	30	40	54	13	121	49	39
	M	26	167	81	160	95	78	75	57	115	42	105	134	22	180	86	72
	F	11	118	84	108	83	65	46	57	64	27	54	71	20	134	41	46
	M	28	190	112	207	145	107	114	78	154	61	133	155	32	237	86	100
	F	10	175	121	150	87	81	66	60	95	47	84	96	25	178	59	78
	M	29	245	134	218	131	109	99	87	162	52	154	188	41	243	91	109
	F	26	202	126	160	120	93	73	72	110	63	97	141	27	228	71	87
	M	25	233	120	214	150	107	107	65	151	65	154	171	39	240	97	121
	F	34	253	170	239	164	136	115	77	134	54	107	164	54	287	98	78
	M	19	206	109	221	124	110	107	60	118	58	137	122	35	222	87	77
	F	17	267	175	249	182	110	99	84	150	80	133	143	46	327	97	96
	M	12	127	72	129	100	63	60	37	88	26	88	68	26	166	42	58
	F	26	208	153	206	156	103	89	55	104	43	93	98	51	260	73	89
	M	6	63	40	70	54	30	26	25	42	32	54	38	15	106	22	23
	F	12	197	141	158	128	82	56	55	85	22	54	60	39	227	55	86

TABLE 20—*contd.*—COUNTY BOROUGH.

Age.	Sex.	Barnsley.	Barrow-in-Furness.	Bath.	Birkenhead.	Birmingham.	Blackburn.	Blackpool.	Bolton.	Bootle.	Bournemouth.	Bradford.	Brighton.	Bristol.	Burnley.
All Ages	M	469	481	492	955	6382	822	972	1203	494	780	2101	970	2376	718
	F	424	447	551	934	5827	931	1081	1218	455	983	2164	1061	2419	675
Under 4 weeks	M	19	18	10	47	292	29	17	42	26	14	69	37	90	28
	F	10	14	6	31	230	26	28	25	22	21	70	17	84	20
4 weeks—3 months	M	11	6	5	12	99	7	11	13	16	3	33	9	29	9
	F	3	12	4	13	68	3	4	8	8	3	15	6	11	2
3—6 months	M	8	5	2	21	77	4	4	11	14	4	29	7	13	8
	F	3	4	—	18	58	6	4	6	15	3	16	3	19	2
6—12 months	M	9	6	3	24	92	8	4	17	10	11	29	13	16	6
	F	3	7	2	19	95	10	3	12	16	3	18	9	15	4
Total under 1 year	M	47	35	20	104	560	48	36	83	66	32	160	66	148	51
	F	19	37	12	81	451	45	39	51	61	30	119	35	129	28
1—	M	5	13	1	20	106	14	4	13	9	4	17	9	25	5
	F	8	3	1	8	66	7	4	10	4	6	17	9	18	7
2—	M	6	—	2	5	21	6	2	6	12	—	9	2	10	1
	F	2	3	1	11	35	4	1	10	5	1	11	4	7	3
3—	M	1	2	—	5	31	3	—	5	3	1	7	1	9	2
	F	2	2	2	4	21	5	2	6	3	—	7	2	3	5
4—	M	2	1	—	3	25	2	2	5	2	2	7	—	5	—
	F	—	—	1	4	27	1	—	8	4	—	6	1	5	3
Total under 5 years	M	61	51	23	137	743	73	44	112	92	39	200	78	197	59
	F	31	45	17	108	600	62	46	85	77	37	160	51	162	46
5—	M	2	3	3	19	87	9	11	12	9	8	29	8	20	11
	F	9	11	2	15	67	13	4	11	6	6	24	4	16	10
10—	M	2	3	2	14	51	6	2	9	3	6	10	3	23	6
	F	7	3	2	10	59	8	5	10	3	1	17	5	16	1
15—	M	10	8	5	15	101	5	8	15	8	6	22	8	32	6
	F	8	6	2	18	91	7	8	11	10	2	30	6	34	5
20—	M	14	10	3	15	100	5	7	18	12	12	30	8	40	11
	F	11	6	6	16	112	13	13	15	12	7	31	10	46	11
25—	M	5	9	11	15	110	11	10	26	7	7	23	7	56	13
	F	9	11	7	20	102	16	15	23	12	9	40	13	58	11
30—	M	11	11	3	22	155	19	11	25	9	10	36	13	44	9
	F	16	10	4	19	134	20	24	22	20	13	36	18	48	9
35—	M	12	13	10	17	179	29	24	24	12	14	60	17	53	17
	F	5	11	9	17	148	20	21	32	16	19	44	12	52	19
40—	M	9	10	12	30	210	25	30	40	19	13	67	29	68	23
	F	14	12	8	19	173	25	26	28	9	22	61	21	58	20
45—	M	21	27	19	44	300	37	45	51	32	45	98	32	92	35
	F	22	22	21	36	216	37	47	41	26	32	73	28	83	20
50—	M	29	44	20	62	434	56	59	77	35	37	129	52	142	48
	F	16	24	17	49	287	55	69	73	21	30	115	44	117	43
55—	M	38	41	32	97	600	71	105	105	38	50	190	83	209	72
	F	25	32	24	53	391	66	86	97	26	67	148	61	144	52
60—	M	54	58	45	94	692	94	133	150	50	87	275	105	261	101
	F	45	39	52	79	551	97	122	151	33	80	210	82	202	77
65—	M	50	62	88	108	768	96	156	160	49	79	263	123	293	80
	F	44	56	45	94	640	110	146	141	39	111	259	119	261	83
70—	M	58	50	63	108	735	125	125	172	45	126	282	149	299	97
	F	58	53	77	120	665	155	145	183	62	130	320	155	302	89
75—	M	49	45	56	85	577	89	117	118	39	108	230	121	258	73
	F	48	50	85	118	712	128	148	149	34	144	268	177	325	101
80—	M	32	24	53	41	368	45	58	62	23	74	111	77	175	42
	F	31	28	74	77	520	65	98	99	30	155	208	149	269	54
85—	M	12	12	44	32	172	27	27	27	12	59	46	57	114	15
	F	25	28	99	66	359	34	58	47	19	118	120	106	226	24

TABLE 20—*contd.*—COUNTY BOROUGH

Age.	Sex.	Burton-on-Trent.	Bury.	Canterbury.	Carlisle.	Chester.	Coventry.	Croydon.	Darlington.	Derby.	Dewsbury.	Doncaster.	Dudley.	Eastbourne.	East Ham.	Exeter.	Gateshead.	Gloucester.
All Ages ..	M	317	461	158	403	315	1136	1324	523	966	398	456	378	353	736	416	859	388
	F	279	461	174	383	319	1024	1476	450	839	387	369	368	431	686	469	752	372
Under 4 weeks	M	14	11	4	18	8	40	61	19	52	20	18	21	8	20	24	43	9
	F	8	10	3	16	10	45	30	13	29	9	16	21	5	29	10	30	9
4 weeks—3 months	M	2	4	—	3	3	10	19	7	12	4	6	10	1	8	5	18	2
	F	1	2	—	1	5	10	15	6	12	3	4	9	1	7	6	6	5
3—6 months	M	2	5	2	6	—	25	14	5	5	3	5	6	—	5	3	15	5
	F	—	2	—	2	4	9	14	3	6	5	2	9	1	5	—	12	7
6—12 months	M	4	4	1	1	6	12	26	8	9	4	10	9	1	16	4	20	9
	F	4	5	1	3	3	8	17	6	6	2	4	7	2	5	3	17	—
Total under 1 year	M	22	24	7	28	17	87	120	39	78	31	39	46	10	49	36	96	25
	F	13	19	4	22	22	72	76	28	53	19	26	46	9	46	19	65	21
1—	M	4	4	—	—	7	19	10	8	10	2	3	8	1	4	4	13	3
	F	2	7	—	4	6	11	11	5	9	6	4	10	1	3	3	12	1
2—	M	1	4	—	2	4	5	9	3	5	3	1	2	—	1	2	6	1
	F	1	3	—	3	1	5	6	3	4	3	2	7	—	2	2	5	2
3—	M	1	—	2	1	1	4	3	2	4	—	1	3	—	1	—	2	—
	F	2	1	—	2	1	4	2	3	—	2	—	6	—	—	—	3	1
4—	M	—	—	1	—	—	3	7	—	2	2	4	1	1	3	—	4	—
	F	—	1	—	—	2	5	3	1	3	1	1	2	—	1	—	3	—
Total under 5 years	M	28	32	10	31	29	118	149	52	99	38	48	60	12	58	42	121	29
	F	18	31	4	31	32	97	98	40	69	31	33	71	10	52	24	88	25
5—	M	3	4	—	4	8	14	16	11	5	6	9	7	3	7	1	15	5
	F	4	4	1	2	5	10	17	8	8	6	3	13	1	4	1	22	4
10—	M	2	2	4	4	—	12	9	5	9	3	6	1	1	3	1	8	1
	F	2	3	1	5	2	12	8	7	7	1	—	5	—	2	1	7	1
15—	M	—	4	1	2	6	17	15	6	7	3	5	4	3	6	4	19	5
	F	2	5	3	8	7	13	18	14	5	5	5	6	4	7	3	13	4
20—	M	6	3	3	3	6	27	28	6	15	11	9	4	2	9	4	16	8
	F	5	6	1	10	3	34	33	8	17	7	6	7	4	15	6	20	6
25—	M	4	9	3	9	5	25	19	11	23	9	6	7	7	17	7	19	8
	F	4	9	2	7	2	31	19	8	26	5	10	11	5	14	9	15	6
30—	M	6	4	1	9	9	26	36	17	25	5	13	7	7	18	9	24	10
	F	6	8	1	7	7	29	24	13	18	7	13	4	3	15	6	21	5
35—	M	2	6	3	17	10	50	45	15	24	10	11	14	3	25	5	23	6
	F	—	11	2	10	11	38	38	15	26	9	12	9	8	14	9	24	8
40—	M	8	13	4	12	17	33	35	18	28	13	13	17	5	11	8	30	9
	F	11	18	6	9	4	34	44	11	20	13	12	13	8	21	12	17	13
45—	M	17	26	9	10	14	65	58	18	37	16	20	24	14	28	20	41	19
	F	6	21	4	19	11	41	61	20	27	10	16	15	9	20	18	27	16
50—	M	24	21	9	23	19	99	79	41	58	22	45	27	17	46	22	53	24
	F	17	19	5	21	10	59	66	29	35	19	20	15	17	32	16	41	20
55—	M	24	46	13	38	28	85	104	58	72	42	39	27	42	55	25	54	32
	F	25	40	10	26	17	66	59	29	51	28	22	14	28	36	30	47	19
60—	M	33	67	16	47	35	133	124	58	111	47	53	37	31	93	50	92	40
	F	20	48	18	26	27	81	119	35	74	44	30	25	39	61	37	75	29
65—	M	37	65	15	54	29	127	149	56	121	57	40	35	50	98	48	94	48
	F	23	58	12	39	43	100	149	44	99	51	42	35	48	84	49	79	40
70—	M	44	71	27	57	28	125	143	58	122	48	56	31	59	95	56	114	46
	F	33	68	26	47	41	125	193	55	112	59	48	39	60	87	64	75	52
75—	M	42	53	23	43	38	80	142	50	112	40	32	41	49	66	58	70	46
	F	55	60	28	46	46	107	212	54	119	44	43	37	74	99	60	83	49
80—	M	28	31	12	27	24	67	100	30	71	18	35	25	32	74	32	43	37
	F	26	29	26	46	30	79	154	40	76	28	36	33	66	73	60	58	38
85—	M	9	4	5	13	10	33	73	13	27	10	16	10	16	27	24	23	15
	F	22	23	24	24	21	68	164	20	50	20	18	16	47	50	64	40	37

TABLE 20—*contd.*—COUNTY BOROUGH.

Age.	Sex.	Great Yarmouth.	Grimsby.	Halifax.	Hastings.	Huddersfield.	Ipswich.	Kingston-upon-Hull.	Leeds.	Leicester.	Lincoln.	Liverpool.	Manchester.	Middlesbrough.	Newcastle-upon-Tyne.	Northampton.	Norwich.	Nottingham.
All Ages	M	379	601	702	471	840	483	2135	3435	1641	442	6007	5130	1081	2098	587	674	1948
	F	387	466	726	596	891	533	1876	3140	1634	435	5468	5086	846	1779	642	754	1799
Under 4 weeks	M	8	21	25	11	35	15	107	132	71	20	269	209	56	97	15	21	88
4 weeks-3 months	F	7	20	19	6	34	11	77	111	47	13	228	172	44	75	19	22	66
3-6 months	M	2	6	8	6	7	1	52	52	21	6	143	67	32	50	5	12	34
6-12 months	F	3	3	2	1	3	5	36	30	12	3	106	73	18	37	5	7	26
	M	2	11	7	1	5	4	40	43	23	3	163	91	24	65	4	5	44
	F	2	6	1	4	2	1	36	37	12	5	122	58	19	34	2	6	34
	M	1	13	12	4	6	4	57	50	29	6	184	75	25	49	4	6	41
	F	4	6	6	1	2	3	42	36	23	2	160	78	30	30	5	9	25
Total under 1 year	M	13	51	52	22	53	24	256	277	144	35	759	442	137	261	28	44	207
	F	16	35	28	12	41	20	191	214	94	23	616	381	111	176	31	44	151
1—	M	2	9	3	2	1	3	39	41	20	6	160	78	56	32	6	3	24
	F	2	9	3	1	3	—	41	30	19	2	135	76	30	27	3	7	21
2—	M	2	9	2	3	1	2	12	22	10	3	62	37	15	5	2	4	18
	F	1	3	3	1	1	—	11	9	9	—	73	30	13	7	1	6	10
3—	M	4	3	1	—	6	2	21	9	6	1	35	26	8	6	1	3	9
	F	3	—	1	—	4	1	13	8	6	1	43	16	9	10	—	—	3
4—	M	1	2	—	1	2	1	14	13	6	—	39	14	4	7	2	2	5
	F	—	2	3	—	1	1	10	12	6	—	30	23	5	7	—	2	6
Total under 5 years	M	22	74	58	28	63	32	342	362	186	45	1055	597	220	311	39	56	263
	F	22	49	38	14	50	22	266	273	134	26	897	526	168	227	35	59	191
5—	M	3	7	3	2	7	2	41	34	14	4	106	68	18	30	2	6	20
	F	1	5	6	3	7	7	39	18	11	—	92	73	14	13	5	9	18
10—	M	2	4	2	2	4	1	17	27	17	2	58	33	14	20	3	6	11
	F	3	7	3	1	1	6	24	23	12	1	58	39	8	19	4	9	11
15—	M	3	3	11	5	13	4	26	45	18	6	84	84	24	30	11	6	21
	F	6	7	8	2	7	6	27	37	14	5	85	82	15	33	7	8	29
20—	M	3	15	4	6	14	12	48	51	29	6	126	77	25	43	11	7	34
	F	7	13	8	5	9	7	41	58	23	12	127	129	20	28	9	7	43
25—	M	6	12	6	8	13	10	37	57	23	3	132	104	20	49	6	7	36
	F	6	14	7	13	17	8	28	65	39	7	127	122	23	43	15	7	31
30—	M	6	11	15	7	15	10	48	61	35	10	150	105	31	47	14	11	42
	F	9	12	13	7	17	9	35	75	39	8	128	105	23	35	16	15	43
35—	M	12	16	15	5	22	12	69	68	44	5	143	147	25	52	10	11	53
	F	6	9	12	7	17	11	55	83	38	3	131	146	19	49	12	10	47
40—	M	7	17	22	10	21	10	64	104	43	14	197	177	34	61	16	11	49
	F	11	7	16	12	20	12	76	110	45	12	171	150	31	60	17	18	56
45—	M	9	28	32	15	43	27	80	140	68	17	269	265	55	75	19	35	89
	F	20	24	33	19	33	24	61	114	59	22	201	193	33	71	23	21	50
50—	M	21	44	43	23	45	27	135	241	103	22	389	353	76	147	33	38	117
	F	16	23	30	23	53	19	90	172	84	21	242	264	30	96	27	34	86
55—	M	30	54	61	26	73	27	176	329	140	40	520	476	84	182	47	48	155
	F	23	34	46	35	60	26	109	219	98	44	354	351	42	114	42	42	108
60—	M	30	56	88	40	116	45	234	420	172	49	613	621	111	203	68	48	233
	F	30	36	64	43	85	44	150	292	157	34	437	485	84	178	52	43	153
65—	M	54	71	109	58	133	57	240	416	186	74	657	638	100	240	64	89	200
	F	32	47	99	64	120	64	196	359	162	46	540	557	82	159	66	65	175
70—	M	50	76	104	71	95	78	228	437	204	40	666	611	94	261	81	105	239
	F	48	57	113	85	150	71	218	402	203	63	588	647	96	194	74	107	240
75—	M	56	57	88	69	100	71	178	357	189	48	494	457	82	190	79	91	205
	F	56	56	119	97	116	70	194	400	225	61	629	600	70	214	95	113	233
80—	M	42	32	28	59	51	34	110	198	108	33	250	231	43	109	61	59	123
	F	48	30	68	86	97	63	149	285	154	38	415	386	52	157	81	101	169
85—	M	23	24	13	37	12	24	62	88	62	24	98	86	25	48	23	40	58
	F	43	36	43	80	32	64	118	155	137	32	246	231	36	89	62	86	116

TABLE 20—contd.—COUNTY BOROUGH.

Age.	Sex.	Oldham.	Oxford.	Plymouth.	Portsmouth.	Preston.	Reading.	Rochdale.	Rotherham.	St. Helens.	Salford.	Sheffield.	Smethwick.	Southampton.	Southend-on-Sea.	Southport.	South Shields.	Stockport.
All Ages ..	M	1036	469	1402	1520	774	629	715	483	718	1539	3477	490	1215	836	566	774	918
	F	992	484	1368	1427	842	673	700	382	585	1404	3021	441	1002	989	700	713	946
Under 4 weeks	M	38	22	30	55	36	23	16	14	59	66	149	16	40	16	13	43	47
	F	23	12	36	33	26	15	16	13	41	63	96	10	28	16	21	29	19
	M	16	3	22	19	11	8	7	5	14	26	31	6	13	9	1	15	6
	F	9	1	8	15	7	5	2	2	8	17	25	7	9	8	2	12	7
	M	9	3	8	13	13	9	2	8	10	25	22	4	9	5	3	15	5
	F	3	3	11	11	11	11	2	2	11	12	27	5	9	6	7	11	4
	M	9	2	15	12	14	9	8	10	21	25	53	8	18	10	6	16	13
	F	9	3	11	9	5	1	5	9	11	23	34	6	12	2	3	6	6
Total under 1 year	M	72	30	75	99	74	49	33	37	104	142	255	34	80	40	23	89	71
	F	44	19	66	68	49	32	25	26	71	115	182	28	58	32	33	58	36
1—	M	11	4	14	8	14	9	7	16	16	24	35	4	13	3	2	18	15
	F	8	7	6	13	9	5	4	5	6	14	29	7	8	6	3	18	2
2—	M	3	5	4	7	5	3	2	5	5	8	15	—	6	3	1	5	5
	F	4	3	10	8	4	—	—	5	4	8	8	4	4	2	3	4	3
3—	M	2	2	10	6	3	2	2	1	1	8	20	1	4	1	—	9	4
	F	2	2	5	1	2	1	2	2	5	5	7	2	1	1	1	4	3
4—	M	7	1	2	2	4	2	3	3	3	6	7	3	3	3	1	6	5
	F	—	—	3	5	3	1	1	6	1	5	6	2	—	3	2	8	1
Total under 5 years	M	95	42	105	122	100	65	47	62	129	188	332	42	106	50	27	127	100
	F	58	31	90	95	67	39	32	44	87	147	232	43	71	44	42	92	45
5—	M	12	7	15	18	6	9	5	7	8	20	36	5	11	4	3	14	10
	F	16	8	12	5	2	7	1	7	8	15	49	7	10	3	2	17	7
10—	M	8	2	5	11	5	2	3	3	9	11	23	3	5	2	6	4	6
	F	9	4	7	5	5	5	4	2	5	10	22	2	5	4	6	5	6
15—	M	14	7	18	19	8	6	2	13	8	30	55	6	11	10	4	20	14
	F	13	3	12	10	10	8	10	8	7	20	49	4	10	9	2	25	7
20—	M	13	9	28	24	13	11	13	9	18	36	64	9	15	14	6	20	15
	F	15	5	24	20	23	11	7	11	16	32	75	12	26	11	4	18	20
25—	M	20	13	32	21	17	6	14	15	20	35	81	12	33	13	4	22	14
	F	17	13	23	27	18	10	13	7	11	37	72	6	16	14	12	21	18
30—	M	25	6	37	26	18	13	14	5	19	34	72	10	27	12	5	13	23
	F	22	11	27	25	16	9	15	10	19	32	61	11	23	14	13	18	27
35—	M	25	13	41	39	16	17	20	11	19	31	97	15	27	14	8	13	28
	F	25	10	23	26	22	16	20	9	17	31	75	8	17	16	8	28	34
40—	M	38	15	38	48	24	16	27	8	29	53	121	16	38	30	7	30	27
	F	35	6	35	36	23	14	24	13	22	37	114	11	24	29	12	27	29
45—	M	46	17	50	59	35	24	33	19	33	81	163	24	41	32	26	48	42
	F	43	18	43	45	34	24	32	10	25	57	103	20	28	35	21	28	32
50—	M	80	28	85	110	54	27	43	22	37	126	248	41	73	50	46	41	65
	F	59	11	69	70	48	26	39	20	34	54	183	23	42	60	31	28	48
55—	M	107	32	133	144	61	49	81	54	53	145	325	45	122	74	51	63	70
	F	74	25	77	98	70	33	47	24	30	113	203	32	65	67	35	45	68
60—	M	122	46	157	172	86	73	97	57	69	181	448	43	145	84	66	75	94
	F	98	37	127	128	91	65	81	35	60	146	292	61	88	75	67	50	84
65—	M	139	48	171	179	119	64	97	60	66	179	446	49	147	93	72	73	116
	F	117	54	154	157	90	54	92	46	65	162	346	45	106	122	73	70	131
70—	M	120	66	192	186	96	76	104	55	96	177	444	63	157	115	84	85	121
	F	145	57	180	179	96	98	98	48	75	199	394	48	122	145	106	77	131
75—	M	94	49	165	159	61	82	62	55	55	129	286	59	130	110	76	68	88
	F	123	70	196	212	127	85	95	42	49	153	331	44	142	126	112	83	127
80—	M	58	45	89	116	41	54	38	18	39	53	179	23	80	84	47	34	58
	F	90	63	144	138	60	85	56	31	33	101	270	32	108	110	92	57	91
85—	M	20	24	41	67	14	35	15	10	11	30	57	25	47	45	28	24	27
	F	33	58	125	151	40	84	34	15	22	58	150	32	99	105	62	24	41

TABLE 20—*contd.*—COUNTY BOROUGHES.

Age.	Sex.	Stoke-on-Trent.	Sunderland.	Tynemouth.	Wakefield.	Wallasey.	Walsall.	Warrington.	West Bromwich.	West Ham.	West Hartlepool.	Wigan.	Wolverhampton.	Worcester.	York.	Cardiff.	Merthyr Tydfil.	Newport (Mon.)	Swansea.
All Ages	M	1879	1337	490	357	617	662	538	539	1629	515	635	898	357	581	1504	479	693	1098
	F	1695	1225	375	328	653	621	447	477	1478	409	551	810	390	587	1285	427	537	965
Under 4 weeks	M	105	73	14	20	26	25	34	31	49	24	39	42	19	18	64	16	32	36
4 weeks—3 months	F	71	70	7	11	16	23	27	23	42	22	30	39	8	20	49	18	27	40
3—6 months	M	33	34	8	2	4	15	10	8	35	5	12	14	1	5	30	7	8	13
6—12 months	F	20	26	7	1	6	7	7	7	22	4	7	10	1	6	14	5	6	13
	M	29	32	11	4	7	12	9	13	35	8	11	15	1	6	18	7	7	10
	F	24	23	5	—	3	2	5	5	16	5	6	7	2	2	11	4	4	5
	M	48	24	12	4	5	15	15	9	33	6	13	22	4	7	21	9	9	13
	F	38	26	8	3	8	10	4	11	27	7	7	18	4	7	13	5	5	8
Total under 1 year	M	215	163	45	30	42	67	68	61	152	43	75	93	25	36	133	39	56	72
	F	153	145	27	15	33	42	43	46	107	38	50	74	15	35	87	32	42	66
1—	M	52	50	6	3	7	10	2	15	21	14	12	10	4	9	20	1	7	20
	F	32	32	6	3	4	17	9	20	18	8	5	17	9	7	14	7	9	12
2—	M	16	21	—	1	3	3	7	5	6	5	2	7	2	2	11	1	3	7
	F	11	18	3	2	—	11	5	6	14	2	5	14	2	1	6	1	2	2
3—	M	12	9	1	1	3	7	1	9	7	2	6	1	—	3	5	3	2	8
	F	9	9	6	—	2	6	—	3	8	4	4	2	1	2	7	2	1	2
4—	M	10	5	2	—	1	5	1	1	7	3	1	3	2	4	4	2	2	3
	F	8	4	2	4	2	2	1	2	5	3	4	4	—	1	11	2	—	3
Total under 5 years	M	305	248	54	35	56	92	79	91	193	67	96	114	33	54	173	46	70	110
	F	213	208	44	24	41	78	58	77	152	55	68	111	27	46	125	44	54	85
5—	M	30	25	6	3	7	12	8	13	20	3	13	16	6	5	16	3	4	15
	F	25	24	3	2	8	11	8	6	17	8	13	14	8	4	19	9	6	19
10—	M	17	20	6	3	3	6	4	7	10	8	9	14	4	5	9	3	6	5
	F	17	12	2	3	4	5	3	3	11	5	4	10	4	1	10	10	3	9
15—	M	36	26	5	3	5	7	13	9	27	5	12	6	2	5	24	11	8	16
	F	38	31	12	9	4	12	5	6	33	8	4	8	3	11	17	9	7	16
20—	M	40	30	12	6	10	16	13	12	46	9	10	13	5	5	24	10	18	25
	F	37	26	5	8	11	14	12	13	23	8	16	13	3	9	35	11	14	23
25—	M	37	30	6	8	8	7	9	13	32	11	15	18	6	8	30	14	14	26
	F	48	33	8	7	7	13	9	12	30	12	13	8	5	5	26	17	11	19
30—	M	44	24	9	4	9	17	12	12	42	14	7	26	9	12	27	12	9	17
	F	43	26	11	5	18	7	7	9	30	10	18	18	5	7	27	13	12	32
35—	M	50	34	7	10	14	18	13	16	38	23	20	30	9	11	44	10	23	34
	F	51	37	9	10	12	10	11	7	30	9	10	17	10	15	23	10	12	20
40—	M	70	42	10	12	16	20	18	15	46	20	27	35	11	9	60	20	17	34
	F	56	27	13	13	14	20	12	16	25	15	22	11	8	18	30	14	17	29
45—	M	103	53	26	13	28	43	23	27	63	26	28	42	8	30	64	25	27	66
	F	60	45	16	11	18	30	20	21	49	13	18	23	13	19	59	27	25	42
50—	M	124	72	36	16	33	36	26	38	115	35	45	44	22	45	109	39	47	69
	F	91	53	21	27	34	30	17	22	71	26	36	49	21	34	64	21	35	54
55—	M	168	99	56	32	59	44	43	39	115	35	57	72	16	53	119	52	56	104
	F	116	64	21	16	37	36	28	30	116	32	42	59	27	40	81	36	29	72
60—	M	205	130	49	40	67	74	71	51	170	58	67	81	39	67	167	62	66	113
	F	164	94	40	24	60	50	43	38	124	45	48	78	38	44	123	36	49	93
65—	M	221	142	63	49	88	75	63	51	198	55	67	112	47	60	153	63	84	140
	F	195	123	33	36	59	77	53	41	189	33	68	76	42	72	139	38	55	100
70—	M	197	149	54	44	90	89	68	62	176	51	64	97	50	65	201	40	87	129
	F	195	140	38	47	90	85	43	40	173	45	66	105	53	71	165	54	57	117
75—	M	133	122	43	44	67	69	50	45	156	46	54	88	44	67	130	45	76	95
	F	191	149	43	37	102	61	51	68	159	37	52	92	44	88	138	42	73	94
80—	M	73	64	30	29	36	26	18	28	123	36	29	64	26	44	112	19	52	72
	F	104	78	36	28	84	52	46	32	135	35	34	70	39	57	124	20	34	89
85—	M	26	27	18	6	21	11	7	10	59	13	15	26	20	36	42	5	29	28
	F	51	55	20	21	50	30	21	36	111	13	19	48	40	46	80	16	44	52

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Bedford-shire.		Berkshire.		Buckinghamshire.		Cambridgeshire.		Cheshire.		Cornwall.		Cumberland.		Derbyshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	973	510	508	857	852	856	354	461	3483	957	1194	970	576	909	2147	1628
	F	964	473	540	836	790	939	398	450	3495	887	1330	1011	527	794	1928	1490
Under 4 weeks 4 weeks—3 months 3—6 months 6—12 months months	M	42	15	14	32	33	34	12	15	143	35	54	24	31	41	103	70
	F	23	16	7	28	15	22	6	11	97	36	26	35	17	23	65	69
	M	10	8	5	11	12	6	2	5	31	3	10	5	7	19	18	17
	F	3	3	1	5	5	9	2	—	28	9	5	4	6	7	12	11
	M	16	—	5	7	13	4	1	2	29	5	5	2	5	2	20	12
	F	5	—	1	6	2	5	3	1	23	4	3	2	5	4	14	5
	M	6	6	—	8	7	7	4	6	39	11	11	5	4	8	27	25
	F	5	3	3	6	4	4	2	5	31	3	4	3	5	8	20	19
Total under 1 year 1— 2— 3— 4—	M	74	29	24	58	65	51	19	28	242	54	80	36	47	70	168	124
	F	36	22	12	45	26	40	13	17	179	52	38	44	33	42	111	104
	M	6	3	5	8	6	4	4	2	40	9	12	5	13	7	29	19
	F	8	5	3	7	4	5	2	1	26	6	10	5	5	9	23	24
	M	4	4	3	3	3	3	1	—	12	3	6	1	5	3	10	12
	F	4	1	5	3	1	4	1	2	15	5	5	—	7	7	11	12
	M	3	2	—	2	4	3	—	—	9	1	2	1	3	6	10	6
	F	4	—	—	1	3	1	2	—	20	3	1	3	5	3	6	6
	M	2	2	1	2	5	1	—	1	11	3	1	1	2	6	10	8
	F	2	4	1	2	1	—	—	—	7	2	1	1	2	1	4	6
	M	89	40	33	73	83	62	24	31	314	70	101	44	70	92	227	169
	F	54	32	21	58	35	50	18	20	247	68	55	53	52	62	155	152
	M	19	7	3	8	9	7	1	3	59	6	13	7	5	4	26	20
	F	25	5	2	7	6	6	4	1	42	9	3	5	6	4	26	16
	M	13	3	3	2	7	4	3	2	35	3	5	4	8	4	19	21
	F	7	5	1	5	1	6	—	3	24	6	4	3	6	5	14	8
	M	14	7	6	10	8	14	5	3	53	10	17	11	12	7	28	34
	F	9	2	3	5	13	6	2	—	34	9	12	10	13	9	26	11
	M	22	11	9	21	23	10	9	8	40	10	18	14	9	19	38	20
	F	17	12	8	11	11	9	4	2	49	7	15	11	11	10	32	26
	M	21	14	4	8	16	10	5	5	50	15	20	16	12	13	42	32
	F	17	7	8	15	22	10	6	7	65	17	22	18	7	13	32	31
	M	14	5	14	18	25	17	5	5	67	14	27	10	5	14	53	26
	F	13	10	9	19	22	16	9	4	64	21	14	15	12	12	50	33
	M	23	10	10	23	22	16	7	7	79	17	27	19	13	21	47	40
	F	23	11	14	13	23	16	11	10	63	21	25	14	14	10	38	35
	M	25	12	12	20	23	18	9	6	123	24	28	21	15	25	61	37
	F	30	10	5	25	18	30	5	11	97	25	24	22	18	20	48	44
	M	52	16	19	26	35	27	12	14	151	39	49	33	19	34	84	71
	F	39	16	24	24	28	33	10	14	114	28	49	30	12	23	71	48
	M	37	22	31	37	52	38	16	20	229	52	54	40	27	31	124	86
	F	50	19	19	41	34	36	21	18	174	40	66	42	24	46	104	62
	M	81	28	42	49	69	49	25	25	303	73	96	67	40	72	168	109
	F	66	19	30	45	52	42	13	24	251	62	69	47	21	46	122	104
	M	95	51	50	81	93	91	33	38	394	91	118	84	73	79	241	166
	F	71	35	45	56	61	78	33	44	350	71	111	75	43	83	151	133
	M	116	50	59	84	82	95	38	52	405	121	141	134	68	108	269	189
	F	87	49	53	84	95	87	41	50	393	97	142	96	59	92	238	167
	M	125	85	66	130	99	122	47	77	461	109	147	158	84	130	278	216
	F	131	66	70	94	101	136	64	68	491	125	181	149	59	101	278	204
	M	102	69	61	129	71	127	55	77	356	142	127	130	66	121	230	206
	F	131	66	87	135	88	127	71	60	448	121	189	165	83	113	242	199
	M	77	39	43	86	76	84	33	43	225	111	127	104	36	89	148	119
	F	115	47	66	105	97	131	42	51	362	90	182	133	51	94	185	138
	M	48	41	43	52	59	65	27	45	139	50	79	74	14	46	64	67
	F	79	62	75	94	83	120	44	63	227	70	167	123	36	51	116	79

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Devonshire.		Dorsetshire.		Durham.		Ely, Isle of.		Essex.		Gloucester-shire.		Hereford-shire.		Hertford-shire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages	M	1657	1572	984	635	3992	1938	311	195	5854	1300	765	1503	294	449	1733	652
	F	1842	1460	1003	553	3408	1690	315	166	5613	1189	875	1439	284	441	1813	624
Under 4 weeks	M	38	47	41	24	231	89	18	9	246	23	20	52	8	17	71	22
	F	41	46	23	11	166	93	10	4	181	28	26	38	8	18	47	19
	M	16	14	15	3	65	34	8	2	92	13	9	13	2	6	20	9
	F	7	7	6	2	48	31	1	1	48	6	4	6	—	2	10	3
	M	9	9	6	3	45	29	3	3	68	5	5	13	2	4	17	5
	F	8	4	2	1	36	19	1	—	52	10	5	7	1	3	7	—
3–6 months	M	8	15	11	1	74	37	3	4	73	8	6	11	2	3	21	2
	F	9	12	8	3	50	27	6	3	53	4	6	6	—	1	7	3
6–12 months	M	8	15	11	1	74	37	3	4	73	8	6	11	2	3	21	2
	F	9	12	8	3	50	27	6	3	53	4	6	6	—	1	7	3
Total under 1 year	M	71	85	73	31	415	189	32	18	479	49	40	89	14	30	129	38
	F	65	69	39	17	300	170	18	8	334	48	41	57	9	24	71	25
1—	M	11	8	3	3	67	30	3	5	56	13	9	18	3	2	10	5
	F	5	7	4	2	54	19	4	2	46	6	10	10	2	1	13	3
2—	M	6	2	2	6	22	15	—	—	30	4	5	5	—	5	7	1
	F	2	—	7	2	29	15	—	—	21	4	6	4	2	1	6	—
3—	M	2	4	5	1	21	7	1	2	20	4	1	1	1	1	1	1
	F	6	2	2	—	27	13	1	—	17	1	2	3	2	—	9	—
4—	M	7	1	2	2	27	12	—	—	21	1	2	2	1	1	5	—
	F	3	6	2	—	25	16	3	—	14	5	3	5	—	1	1	2
Total under 5 years	M	97	100	85	43	552	253	36	25	606	71	57	115	19	39	152	45
	F	81	84	54	21	435	233	26	10	432	64	62	79	15	27	100	30
5—	M	12	15	13	1	90	45	5	3	80	15	8	9	2	4	16	10
	F	9	5	2	3	66	43	4	3	50	10	9	8	3	5	12	11
10—	M	7	5	5	3	54	20	3	1	63	10	5	11	3	3	11	—
	F	8	9	4	2	38	25	2	1	31	6	4	7	1	4	9	2
15—	M	15	14	9	8	76	42	6	3	88	13	6	12	3	5	19	4
	F	10	9	8	6	67	29	3	—	69	13	8	7	2	4	17	5
20—	M	20	26	10	10	79	43	3	1	94	12	12	32	3	5	46	13
	F	16	10	11	2	76	40	3	1	104	12	9	10	2	6	24	7
25—	M	17	26	11	8	92	46	7	—	149	25	12	24	5	14	30	9
	F	23	26	11	6	77	46	6	4	112	12	4	34	6	12	21	11
30—	M	22	27	16	6	89	49	9	4	130	21	14	31	4	12	36	13
	F	16	26	15	9	64	43	7	7	114	24	18	29	4	9	34	19
35—	M	28	35	19	5	102	63	9	7	173	24	15	31	8	9	41	14
	F	32	25	20	10	101	50	8	7	129	18	18	19	7	5	39	14
40—	M	31	52	23	8	111	44	6	2	188	27	18	28	9	9	58	22
	F	39	50	14	15	101	60	10	7	154	27	14	33	5	8	42	20
45—	M	52	46	36	23	187	91	7	5	243	40	19	52	7	7	59	24
	F	60	40	36	19	143	60	8	6	228	34	32	43	9	19	61	26
50—	M	79	57	51	40	209	90	9	11	352	47	33	64	10	13	90	27
	F	72	54	40	32	172	79	14	6	281	55	30	67	12	17	83	26
55—	M	101	104	63	42	256	123	21	8	456	76	63	78	26	17	136	40
	F	112	93	73	38	231	101	18	3	389	50	36	71	12	15	119	34
60—	M	162	151	100	64	435	183	26	22	580	103	74	141	28	44	167	55
	F	139	113	83	37	316	134	20	11	449	80	74	116	17	33	149	49
65—	M	209	186	120	76	440	218	36	21	634	145	104	210	35	53	197	88
	F	186	147	105	63	377	190	29	17	562	125	87	141	35	44	204	68
70—	M	248	220	140	107	495	224	32	24	702	202	132	226	48	74	210	83
	F	291	189	137	85	352	194	52	26	707	184	112	189	40	60	233	77
75—	M	239	223	137	82	386	215	36	27	649	200	93	219	47	50	212	102
	F	259	223	128	78	376	159	27	17	694	180	119	219	53	74	230	72
80—	M	191	170	89	72	233	124	39	18	425	158	61	134	26	49	145	56
	F	266	190	141	60	281	129	42	17	600	146	108	190	31	54	234	88
85—	M	127	115	57	37	106	65	21	13	242	111	39	86	11	42	108	47
	F	223	167	121	67	135	75	36	23	508	149	131	177	30	45	202	65

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Huntingdon-shire.		Kent.		Lancashire.		Leicester-shire.		Lincolnshire: Parts of Holland.		Lincolnshire: Parts of Kesteven.		Lincolnshire: Parts of Lindsey.		Middlesex.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	
All Ages	M	168	223	6089	1758	11037	1514	837	953	253	380	263	427	798	913	9822	—
	F	176	189	6017	1575	10743	1431	815	972	236	284	269	425	767	798	9959	—
Under 4 weeks—3 months	M	2	10	244	73	455	56	26	32	5	18	13	27	34	39	437	—
	F	5	3	165	47	348	46	30	32	7	8	11	16	24	29	316	—
	M	3	—	87	13	124	11	7	10	5	2	2	5	11	10	160	—
	F	3	—	47	7	85	12	6	6	2	5	4	3	3	5	116	—
	M	1	2	60	10	118	14	3	9	—	5	—	3	4	6	147	—
	F	3	2	49	15	74	10	7	4	3	4	—	5	4	8	78	—
	M	3	2	76	11	149	17	13	17	3	9	3	6	10	10	131	—
	F	—	—	57	10	84	10	11	7	3	4	2	3	10	3	109	—
Total under 1 year	M	9	14	467	107	846	98	49	68	13	34	18	41	59	65	875	—
	F	11	5	318	79	591	78	54	49	15	21	17	27	41	45	619	—
	M	—	3	56	16	124	12	10	5	4	8	2	3	6	10	91	—
	F	3	—	47	11	88	14	9	6	4	1	2	3	11	7	80	—
	M	2	—	26	1	58	7	8	2	2	3	3	2	5	3	44	—
	F	—	1	26	5	42	6	7	3	1	1	—	1	3	3	45	—
	M	1	—	24	2	35	8	4	4	—	1	—	—	5	4	25	—
	F	1	—	17	3	49	6	4	4	1	1	1	—	1	3	24	—
	M	2	—	15	4	38	6	1	4	1	2	—	—	—	1	32	—
	F	—	—	13	—	38	2	2	4	—	1	—	—	3	2	18	—
	M	14	17	588	130	1101	131	72	83	20	48	23	46	75	83	1067	—
	F	15	6	421	98	808	106	76	66	21	25	20	31	59	60	786	—
	M	2	1	59	25	118	18	14	8	2	5	1	6	4	9	98	—
	F	4	2	47	6	91	9	6	10	1	6	4	2	4	5	104	—
	M	1	3	40	17	75	8	6	9	4	6	3	2	5	4	92	—
	F	—	1	43	9	64	8	6	5	1	1	—	4	4	7	74	—
Total under 5 years	M	2	2	83	21	150	15	12	11	5	8	3	7	9	14	133	—
	F	1	1	67	15	121	18	11	10	3	3	3	2	9	9	115	—
	M	2	4	98	35	163	28	15	20	4	14	6	7	12	19	211	—
	F	1	3	85	17	184	27	14	17	3	9	7	5	16	13	178	—
	M	3	1	106	24	199	26	12	24	8	9	1	9	17	11	177	—
	F	3	—	85	24	199	22	17	18	6	2	3	8	17	12	229	—
	M	4	4	123	25	217	36	20	21	3	6	6	6	19	21	250	—
	F	1	5	136	34	223	33	11	19	3	9	3	6	8	10	226	—
	M	7	6	155	35	281	39	24	31	3	6	5	1	19	13	264	—
	F	5	4	132	35	274	29	20	38	7	6	4	8	15	15	286	—
	M	2	4	191	54	342	45	21	27	7	8	6	13	31	17	318	—
	F	6	5	162	50	325	41	27	24	7	8	8	6	21	22	286	—
	M	5	5	253	64	479	62	41	32	7	8	12	17	30	22	404	—
	F	9	7	188	60	417	54	27	42	10	5	7	19	25	20	359	—
	M	11	7	336	72	705	97	42	39	12	18	16	10	43	32	652	—
	F	9	6	280	58	587	75	54	37	14	8	9	20	58	30	507	—
	M	11	12	459	107	922	122	67	61	17	21	19	28	66	53	849	—
	F	12	10	347	91	746	89	48	69	13	16	9	24	42	41	588	—
	M	17	27	624	153	1326	143	76	85	26	37	31	38	66	92	1067	—
	F	9	14	456	129	1100	126	75	81	16	23	15	29	61	74	773	—
	M	23	27	677	200	1467	176	102	113	32	33	26	42	97	97	1100	—
	F	11	24	669	161	1303	177	85	115	20	23	38	37	67	87	961	—
	M	27	37	724	242	1511	216	102	105	39	43	33	53	88	117	1090	—
	F	18	24	769	198	1536	201	95	104	24	35	34	53	111	94	1186	—
	M	16	28	700	252	1161	191	102	127	33	42	37	68	106	139	1009	—
	F	30	33	793	223	1387	202	101	136	32	40	39	67	111	113	1311	—
	M	10	20	550	161	590	107	65	104	18	38	24	39	69	103	647	—
	F	21	16	665	201	916	134	82	98	31	35	43	50	78	101	1050	—
	M	11	18	323	141	230	54	44	53	13	30	11	35	42	67	394	—
	F	21	28	672	166	462	80	60	83	24	30	23	54	61	85	940	—

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES

Age.	Sex.	Norfolk.		Northamptonshire.		Northumberland.		Nottinghamshire.		Oxfordshire.		Peterborough, Soke of.		Rutlandshire.		Shropshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages	M	417	1714	624	775	2026	636	1887	779	228	629	298	40	28	111	901	782
	F	442	1568	574	716	1856	625	1684	750	257	611	302	57	12	102	824	729
Under 4 weeks	M	16	63	16	36	88	23	108	16	5	18	13	1	1	2	49	39
4 weeks—3 months	F	11	49	7	22	77	31	76	34	7	17	7	5	—	3	18	15
3—6 months	M	3	22	7	14	37	7	35	10	2	5	5	—	2	—	6	4
6—12 months	F	3	14	4	3	20	5	18	7	—	4	2	2	—	—	8	7
	M	3	8	1	2	32	7	28	10	2	3	4	1	—	—	5	3
	F	1	11	3	3	18	2	15	6	—	6	2	—	—	1	6	4
	M	1	13	2	7	23	6	25	12	4	9	6	—	—	3	14	4
	F	—	13	2	7	23	8	22	7	3	2	3	—	—	1	5	7
Total under 1 year	M	23	106	26	59	180	43	196	48	13	35	28	2	3	5	74	50
	F	15	87	16	35	138	46	131	54	10	29	14	7	—	5	37	33
1—	M	3	14	4	1	29	7	29	8	2	4	2	—	—	2	14	8
	F	—	9	2	6	26	2	22	4	4	3	4	—	—	1	5	6
2—	M	1	7	—	1	15	2	1	5	1	6	1	—	—	—	4	6
	F	1	7	2	2	17	—	7	6	1	3	1	—	—	1	4	—
3—	M	1	3	2	5	5	1	8	3	1	1	2	—	—	—	4	1
	F	—	8	1	2	7	2	4	—	—	2	1	—	—	—	—	1
4—	M	1	3	2	4	3	2	10	2	2	1	—	—	—	—	1	—
	F	—	2	1	—	12	—	7	1	1	—	—	—	—	—	2	2
Total under 5 years	M	29	133	34	70	232	55	244	66	19	47	33	2	3	7	97	65
	F	16	113	22	45	200	50	171	65	16	37	20	7	—	7	48	42
5—	M	2	16	3	5	26	1	25	4	—	7	3	1	—	1	5	7
	F	4	5	4	6	19	1	22	8	5	4	5	—	1	2	2	8
10—	M	—	12	9	3	18	6	18	6	3	1	3	—	—	1	6	6
	F	2	12	2	8	24	7	13	12	—	2	4	—	—	—	9	6
15—	M	4	20	5	4	48	10	30	19	7	8	4	—	—	—	9	17
	F	3	13	4	7	27	6	16	13	2	5	4	—	—	1	7	7
20—	M	3	26	14	11	39	17	41	22	4	14	8	—	—	1	13	11
	F	3	21	6	10	42	8	32	12	2	9	7	—	—	1	9	9
25—	M	4	26	12	17	43	9	36	15	2	11	5	3	—	3	18	16
	F	6	14	14	8	42	10	34	21	4	10	5	2	—	2	14	12
30—	M	7	15	9	14	49	6	39	24	3	11	7	—	1	2	20	18
	F	7	27	14	14	34	4	37	14	1	16	9	1	—	—	16	11
35—	M	6	33	12	19	44	14	39	19	1	10	11	2	—	3	18	17
	F	10	29	12	8	37	15	45	23	6	6	6	1	1	—	26	14
40—	M	7	42	14	20	75	20	54	22	3	23	9	2	1	1	17	17
	F	10	24	13	14	54	19	50	22	4	20	8	1	—	2	17	27
45—	M	11	51	23	13	86	16	62	30	8	19	8	1	—	3	32	28
	F	13	45	17	25	58	28	65	23	10	10	11	3	1	1	27	19
50—	M	19	63	36	26	119	20	106	40	12	26	18	1	2	3	49	23
	F	14	71	28	32	88	26	70	32	6	22	16	2	1	1	37	35
55—	M	24	90	50	48	157	38	129	62	10	35	21	4	2	11	65	42
	F	31	69	37	34	132	39	120	43	18	29	16	3	—	4	45	36
60—	M	35	117	70	68	195	66	181	74	24	52	24	4	2	5	98	61
	F	36	123	55	59	186	46	173	62	25	51	25	9	—	7	63	49
65—	M	53	204	64	97	243	75	229	83	31	75	42	3	3	11	102	96
	F	40	153	65	61	215	72	178	61	24	56	20	5	1	8	86	80
70—	M	61	237	97	101	232	93	245	85	23	96	27	6	1	16	120	120
	F	51	209	67	94	251	78	211	79	31	81	43	3	1	14	110	100
75—	M	67	275	73	131	228	91	223	109	47	91	29	6	9	20	108	106
	F	68	215	92	116	218	87	191	121	35	103	50	8	1	22	124	102
80—	M	53	199	64	86	118	68	123	68	15	64	33	4	3	16	94	81
	F	63	200	69	90	132	73	146	77	33	65	27	7	2	20	110	88
85—	M	32	155	35	42	74	31	63	31	16	39	13	1	1	7	30	51
	F	65	225	53	85	97	56	110	62	35	85	26	5	3	10	74	84

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Somerset-shire.		Southamp-ton.		Stafford-shire.		Suffolk, East.		Suffolk, West.		Surrey.		Sussex, East.		Sussex, West.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	1145	1455	1566	1341	3644	1149	564	793	242	477	5052	673	953	907	892	697
	F	1318	1512	1496	1139	3039	1036	574	746	248	429	5242	691	1225	875	1092	692
Under 4 weeks	M	41	52	69	46	222	52	20	20	12	12	189	31	22	23	27	23
	F	23	32	45	46	127	43	12	19	7	12	147	16	17	18	30	18
	M	6	13	14	12	56	13	3	8	3	4	65	4	3	6	9	5
	F	2	12	5	9	36	6	6	4	—	2	51	3	8	4	6	5
	M	5	7	16	9	49	7	2	1	—	1	39	2	4	4	5	6
	F	6	8	5	6	25	7	2	2	1	—	37	2	—	5	2	5
	M	7	9	14	16	74	12	6	6	—	1	39	3	8	6	8	7
	F	4	6	7	5	56	4	7	4	—	4	39	3	2	4	1	8
Total under 1 year	M	59	81	113	83	401	84	31	35	15	18	332	40	37	39	49	41
	F	35	58	62	66	244	60	27	29	8	18	274	24	27	31	39	36
1—	M	6	10	21	15	65	10	4	8	3	4	30	4	5	4	5	5
	F	6	6	12	10	46	16	6	4	1	5	30	3	1	6	3	3
2—	M	8	5	6	2	30	7	—	—	1	1	16	—	2	5	2	1
	F	6	2	12	4	22	4	2	4	3	1	12	4	4	2	—	4
3—	M	1	7	3	10	18	6	1	3	—	2	19	1	3	1	2	1
	F	3	2	3	4	17	3	3	2	—	—	11	3	3	1	1	3
4—	M	2	3	5	5	18	5	2	2	—	—	11	5	2	1	—	—
	F	—	4	3	1	11	4	4	2	—	1	9	—	—	1	—	1
Total under 5 years	M	76	106	148	115	532	112	38	48	19	25	408	50	49	50	58	48
	F	50	72	92	85	340	87	42	41	12	25	336	34	35	41	43	47
5—	M	13	10	14	13	62	10	4	9	2	6	50	4	8	8	15	8
	F	9	15	13	3	51	9	5	7	1	4	40	5	8	3	2	4
10—	M	3	6	20	7	33	9	2	10	2	2	40	4	6	4	7	5
	F	8	10	8	8	23	12	6	5	—	2	23	3	2	2	6	7
15—	M	14	21	20	12	78	8	5	14	1	7	71	4	8	9	10	5
	F	12	12	13	7	62	13	5	8	2	—	64	10	6	5	7	4
20—	M	21	21	43	22	79	32	4	14	2	8	93	11	10	9	9	10
	F	13	15	14	17	65	12	6	7	4	2	78	10	6	3	9	9
25—	M	26	23	33	34	76	27	12	11	—	4	96	8	9	14	10	15
	F	23	26	17	14	61	12	7	9	—	2	105	9	12	6	7	9
30—	M	10	33	23	28	90	21	9	10	2	6	114	12	16	18	14	14
	F	20	23	36	23	57	15	8	12	7	4	112	12	17	20	12	12
35—	M	29	24	37	26	122	28	6	10	6	3	118	15	26	18	14	14
	F	12	27	33	24	64	33	8	8	9	10	120	12	12	17	15	12
40—	M	26	28	38	26	124	41	16	25	3	11	145	15	26	15	16	18
	F	24	28	39	29	89	36	15	11	5	8	131	15	19	19	18	15
45—	M	34	45	50	30	142	30	19	10	6	10	206	20	19	22	25	21
	F	45	46	44	28	122	35	16	16	8	12	176	29	22	36	36	17
50—	M	64	72	86	70	197	57	33	25	14	12	301	44	42	43	50	30
	F	55	85	78	48	121	43	21	34	5	17	250	23	68	36	43	27
55—	M	81	83	110	76	287	70	50	39	19	27	374	40	75	70	59	51
	F	65	78	87	73	200	51	29	36	19	27	298	44	65	61	73	51
60—	M	129	139	162	113	348	100	44	69	31	37	503	77	90	89	88	82
	F	102	131	123	83	281	73	47	55	16	30	460	67	102	71	79	45
65—	M	155	171	171	157	373	144	69	91	34	70	632	85	134	108	112	77
	F	125	147	171	113	344	125	60	77	27	40	527	56	150	85	111	78
70—	M	164	189	189	195	409	156	77	107	31	84	682	97	128	141	147	96
	F	184	195	188	132	340	138	77	93	47	58	639	94	176	123	174	85
75—	M	136	231	177	181	353	146	84	133	31	81	580	81	147	130	120	88
	F	210	224	207	177	353	147	80	116	30	67	700	110	190	116	177	116
80—	M	90	144	134	153	232	107	57	97	18	54	384	62	111	83	85	65
	F	174	201	169	135	275	113	71	101	28	58	624	88	163	118	136	73
85—	M	74	109	111	83	107	51	35	71	21	30	255	44	49	76	53	50
	F	187	177	164	140	191	82	71	110	28	63	559	70	172	113	144	81

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Warwickshire.		Westmorland.		Wight, Isle of.		Wiltshire.		Worcestershire.		Yorkshire, East Riding.		Yorkshire, North Riding.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	1440	913	179	239	513	112	953	952	1414	659	588	621	1250	919
	F	1442	786	239	232	537	104	802	851	1482	567	552	570	1206	904
Under 4 weeks	M	61	22	2	9	16	4	34	26	60	20	22	23	62	40
4 weeks—3 months	F	53	28	5	8	2	1	21	22	52	9	14	18	35	36
3—6 months	M	20	13	3	6	4	—	1	5	25	4	2	11	21	13
6—12 months	F	8	7	—	—	—	—	4	1	8	4	3	5	19	7
	M	14	8	3	—	1	—	4	1	14	3	9	2	13	9
	F	6	3	1	—	1	—	1	4	11	2	4	3	5	3
	M	18	17	1	—	5	—	9	10	21	4	7	8	17	12
	F	12	12	2	1	3	1	10	9	21	3	6	3	13	5
Total under 1 year	M	113	60	9	15	26	4	48	42	120	31	40	44	113	74
	F	79	50	8	9	6	2	36	36	92	18	27	29	72	51
1—	M	14	5	—	—	3	—	5	7	27	5	2	6	19	5
	F	11	10	2	3	1	1	3	4	19	5	6	3	18	10
2—	M	7	6	—	2	1	—	3	2	9	1	5	1	7	7
	F	9	3	—	2	1	1	5	—	11	3	4	1	12	2
3—	M	7	3	—	1	2	2	4	4	6	—	—	3	5	2
	F	3	2	1	1	2	2	2	1	5	—	4	—	3	—
4—	M	4	—	—	—	—	—	3	—	7	1	3	2	3	3
	F	8	1	1	—	—	—	1	2	7	—	1	2	2	2
Total under 5 years	M	145	74	9	18	32	6	63	55	169	38	50	56	147	91
	F	110	66	12	15	10	6	47	43	134	26	42	35	107	65
5—	M	21	18	2	4	3	—	2	13	13	6	1	4	11	11
	F	23	11	—	3	1	1	7	8	24	8	6	9	13	8
10—	M	9	11	—	1	3	—	7	5	6	3	2	8	4	4
	F	7	8	—	3	3	—	9	2	11	3	1	8	19	6
15—	M	20	16	—	3	7	1	13	23	16	9	4	8	23	15
	F	16	13	2	—	5	2	3	6	19	8	1	2	20	6
20—	M	18	15	2	4	4	1	19	27	28	15	4	12	22	12
	F	22	13	4	1	8	—	15	11	15	6	1	9	14	12
25—	M	37	20	11	2	13	—	12	17	31	11	7	12	18	22
	F	26	9	6	3	8	2	16	13	29	5	12	5	22	14
30—	M	28	28	2	3	5	—	12	24	25	9	11	10	30	16
	F	33	15	3	3	7	1	15	19	24	14	5	10	21	21
35—	M	31	22	6	7	9	—	26	16	40	14	8	12	26	17
	F	35	12	3	1	7	1	16	20	42	9	11	10	32	18
40—	M	43	25	6	5	12	—	23	24	43	19	16	19	27	13
	F	44	25	5	3	8	1	13	16	42	17	6	14	32	17
45—	M	54	30	4	6	18	2	38	24	50	21	12	17	49	27
	F	45	28	6	9	14	4	25	24	60	15	19	20	40	27
50—	M	91	45	13	18	29	3	51	40	70	34	22	22	66	36
	F	84	24	10	11	18	1	28	32	59	20	31	21	58	42
55—	M	108	46	14	10	37	10	68	56	112	32	48	26	94	61
	F	70	43	18	11	32	7	35	48	81	29	32	39	71	56
60—	M	146	74	18	22	41	7	85	79	141	52	49	53	137	75
	F	119	57	17	20	45	11	64	76	129	49	40	41	115	74
65—	M	153	111	22	29	66	11	131	120	170	92	58	75	151	93
	F	149	75	21	29	56	6	81	86	152	54	54	57	132	111
70—	M	176	105	26	33	76	26	142	123	186	108	107	79	143	129
	F	186	87	26	43	79	11	110	102	163	91	78	87	161	137
75—	M	169	130	20	43	64	18	136	132	167	98	92	81	160	144
	F	181	127	48	34	89	21	114	130	195	82	82	80	142	126
80—	M	112	92	23	21	36	13	72	84	99	61	67	79	91	95
	F	162	86	41	28	66	16	111	111	176	80	66	65	116	100
85—	M	79	51	1	10	58	14	53	90	48	37	30	48	51	58
	F	130	87	17	15	81	13	93	104	127	51	65	58	91	64

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Yorkshire, West Riding.		Anglesey.		Brecknock- shire.		Caernarvon- shire.		Cardigan- shire.		Carmarthen- shire.		Denbigh- shire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages	M	7294	2497	134	229	128	260	492	449	116	292	466	694	488	655
	F	7138	2297	173	231	101	223	456	456	142	323	436	642	477	557
Under 4 weeks	M	317	116	6	8	6	10	24	12	4	10	11	31	21	27
4 weeks-3 months	F	252	104	—	3	4	4	11	15	2	2	12	17	18	22
3-6 months	M	88	36	2	5	—	1	8	6	1	1	5	11	3	9
6-12 months	F	59	28	1	3	1	3	3	4	1	4	1	6	1	3
	M	52	26	1	2	1	—	3	1	1	3	7	4	1	6
	F	38	28	—	1	2	1	2	1	2	2	4	9	3	5
	M	80	46	2	6	2	3	5	7	—	3	5	9	4	—
	F	68	30	—	3	—	—	2	3	1	2	6	—	7	6
Total under 1 year	M	537	224	11	21	9	14	40	26	6	17	28	55	29	42
	F	417	190	1	10	7	8	18	23	6	10	23	32	29	36
1—	M	73	45	1	2	—	2	3	2	—	2	1	7	7	6
	F	68	40	1	3	—	2	5	1	1	5	4	7	3	3
2—	M	41	15	1	1	—	3	2	5	—	—	4	4	1	3
	F	19	12	—	1	—	1	—	3	1	—	4	3	4	2
3—	M	39	13	1	—	—	—	1	1	—	—	1	1	4	—
	F	28	8	—	2	—	2	2	2	1	1	1	1	2	1
4—	M	37	12	—	—	—	—	—	1	—	1	1	1	7	4
	F	22	12	—	—	—	—	2	1	—	—	1	—	2	4
Total under 5 years	M	727	309	14	24	9	19	46	35	6	20	35	68	48	55
	F	554	262	2	16	7	13	27	30	9	16	33	43	40	46
5—	M	70	33	2	1	5	2	5	—	1	6	4	12	4	8
	F	77	20	4	1	1	3	1	4	—	—	3	6	6	9
10—	M	55	18	—	1	—	1	5	1	—	1	2	9	6	9
	F	53	25	—	1	—	2	1	7	—	2	5	10	4	7
15—	M	100	45	1	2	4	4	2	6	—	4	6	12	8	11
	F	80	34	1	—	1	2	2	8	1	4	5	7	3	7
20—	M	127	45	1	3	1	8	6	11	4	5	12	14	7	8
	F	101	38	2	5	1	3	8	5	2	5	7	16	4	11
25—	M	128	51	4	4	3	4	8	7	3	3	5	12	9	10
	F	116	47	3	6	2	2	7	8	6	5	17	19	10	5
30—	M	157	55	4	5	1	8	13	7	2	4	12	13	6	16
	F	133	53	6	5	3	9	5	15	4	3	11	11	10	10
35—	M	152	66	2	5	3	7	15	13	3	5	7	17	13	17
	F	165	64	2	2	3	8	14	10	1	5	14	13	12	17
40—	M	200	64	3	4	4	7	8	15	3	9	17	17	13	23
	F	194	69	5	8	1	7	5	12	2	8	10	14	4	10
45—	M	295	89	3	4	8	10	23	16	3	4	26	34	16	20
	F	274	93	6	8	4	6	14	15	4	7	18	21	23	14
50—	M	437	110	10	6	7	16	21	26	4	6	21	36	20	40
	F	360	110	7	7	8	9	23	20	2	15	24	37	16	28
55—	M	653	164	9	17	3	11	39	29	3	9	45	60	40	35
	F	503	169	10	8	6	12	33	34	6	25	26	53	26	35
60—	M	831	247	12	21	14	19	54	49	9	25	62	61	43	63
	F	722	200	18	13	10	18	37	39	15	29	34	66	44	48
65—	M	967	262	15	33	18	36	55	61	13	48	52	83	65	74
	F	862	239	19	22	14	30	47	32	23	37	38	63	61	69
70—	M	953	333	17	27	19	27	67	42	20	34	70	88	80	105
	F	1003	267	25	27	11	26	54	63	18	52	64	80	53	70
75—	M	791	283	19	28	12	49	75	63	25	40	54	84	59	76
	F	925	256	21	39	18	27	82	65	26	47	61	82	77	90
80—	M	449	217	14	28	13	24	36	55	8	39	21	50	31	58
	F	646	207	15	28	7	27	54	51	14	43	40	65	58	52
85—	M	202	106	4	16	4	8	14	13	9	30	15	24	20	27
	F	370	144	27	35	4	19	42	38	9	20	26	36	26	29

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Flintshire.		Glamorgan-shire.		Merioneth-shire.		Monmouth-shire.		Montgomery-shire.		Pembroke-shire.		Radnorshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages	M	371	448	3902	1168	161	163	1906	265	119	201	269	324	43	109
	F	338	370	3184	974	167	185	1548	225	154	205	296	343	54	97
Under 4 weeks	M	18	23	159	61	5	5	75	5	5	9	11	15	2	5
4 weeks—3 months	F	15	14	133	38	3	8	84	12	1	7	12	6	—	3
	M	5	9	54	12	—	2	26	3	—	1	4	7	—	2
3—6 months	F	5	2	29	11	—	1	18	2	—	1	3	1	—	2
	M	3	3	43	13	4	3	15	2	—	—	1	—	—	—
6—12 months	F	2	2	32	10	1	—	17	—	—	—	1	—	1	—
	M	6	3	61	12	1	1	35	—	1	—	2	1	—	2
	F	5	6	38	8	1	2	15	2	2	3	—	2	—	—
Total under 1 year	M	32	38	317	98	10	11	151	10	6	10	18	23	2	9
	F	27	24	232	67	5	11	134	16	3	11	16	9	1	5
1—	M	5	6	49	16	1	4	32	—	—	1	2	2	—	1
	F	5	8	44	7	3	2	15	1	1	—	1	5	—	—
2—	M	—	3	19	8	3	—	8	1	—	1	1	3	—	1
	F	3	2	26	4	—	1	4	1	—	2	1	3	—	1
3—	M	2	2	18	3	—	1	12	1	—	—	2	1	1	—
	F	3	2	13	4	—	—	9	—	—	—	2	—	—	—
4—	M	—	1	18	4	—	—	12	—	—	1	1	—	1	—
	F	1	3	12	3	—	—	8	1	—	—	—	3	—	—
Total under 5 years	M	39	50	421	129	14	16	215	12	6	13	24	29	4	11
	F	39	39	327	85	8	14	170	19	4	13	20	20	1	6
5—	M	2	7	55	12	1	—	26	2	—	—	7	4	—	—
	F	4	5	37	13	1	1	20	5	1	1	4	6	—	1
10—	M	5	7	30	13	—	2	15	1	—	2	2	2	1	2
	F	3	3	35	4	2	1	18	2	—	1	3	3	—	—
15—	M	5	5	75	21	3	—	43	4	3	3	3	2	1	1
	F	2	4	68	18	3	3	37	3	2	4	10	6	—	—
20—	M	6	9	67	25	3	2	48	3	2	3	7	7	—	—
	F	1	8	84	26	1	1	43	2	3	3	9	5	—	2
25—	M	10	7	82	29	2	4	40	8	—	3	1	7	1	4
	F	10	5	93	24	4	4	45	4	—	3	4	6	1	1
30—	M	7	10	90	30	6	4	56	7	1	3	6	6	1	1
	F	13	6	77	27	3	5	50	—	2	6	4	3	1	1
35—	M	13	8	102	32	5	4	49	7	2	3	4	2	1	2
	F	6	5	100	35	4	4	49	3	5	4	4	6	1	2
40—	M	18	12	132	39	5	5	66	6	5	2	8	4	2	2
	F	9	9	97	37	5	2	52	3	5	3	9	6	—	—
45—	M	13	20	187	54	4	1	70	6	2	6	17	8	—	4
	F	14	14	138	43	6	1	56	8	6	10	9	7	2	4
50—	M	20	16	288	72	9	2	122	16	7	7	18	14	—	5
	F	19	17	178	62	13	6	91	8	11	6	8	24	2	4
55—	M	24	35	326	97	12	12	134	15	9	12	15	31	2	3
	F	25	21	225	76	7	14	118	8	10	10	15	23	1	3
60—	M	35	40	410	120	19	12	211	32	10	27	30	32	2	7
	F	23	33	309	88	12	19	141	17	13	19	26	17	1	8
65—	M	45	59	483	137	17	23	209	36	19	24	24	36	9	19
	F	33	47	346	103	16	14	151	25	14	18	33	38	8	13
70—	M	42	54	505	153	25	26	275	33	17	29	30	45	7	16
	F	33	42	406	101	31	24	181	23	20	26	51	49	6	16
75—	M	43	54	366	112	19	22	184	38	16	26	40	39	9	16
	F	46	38	314	99	22	32	170	38	23	36	37	45	7	17
80—	M	32	38	195	55	8	20	94	21	15	28	19	33	2	10
	F	31	51	219	73	15	22	99	32	21	20	33	41	9	7
85—	M	12	17	88	38	9	8	49	18	5	10	14	23	1	6
	F	27	23	131	60	14	18	57	25	14	22	17	38	14	12

TABLE 21. CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1937—England and Wales.

NOTE.—The sequence of causes of death followed in this table is that of the full detailed International List of Causes of Death (Fourth revision, 1929). The relation of the full detailed International List to the Intermediate International List will be found in the first column of Table 6. Separate columns are not devoted to those causes to which, as a rule, few deaths are assigned. In order, however, to make the record complete, the list numbers of such causes are printed as nearly as possible to the places where they would occur. The deaths, if any, from these causes are shown in footnotes in which the heavy-faced figures preceding the cause express the International List number, and the figures following it indicate the sex and age-group of the decedent, roman type for males and italic type for females. Thus **5**, Undulant fever, 35, 35, 45, 50, 55, 60, 65, 70, *65*, *65*, denotes that the deaths of eight males in age-groups 35–40, 45–50, 50–55, 55–60, 60–65, 65–70, and 70–75 and two females in age group 65–70, are assigned to this cause. A dash (—) indicates that no deaths are assigned.

Causes of Death.	All Causes.		I. 1–44 Infectious and Parasitic Diseases.		1 and 2 Typhoid and paratyphoid fevers.		1 Typhoid fever.		2 Paratyphoid fevers.		3, 4, 5* 6 Small-pox.		7 Measles.		8 Scarlet fever.	
			M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	260057	249517	30990	27006	96	110	76	77	20	33	—	—	559	492	183	166
0—	20281	14894	1329	1185	4	2	—	—	4	2	—	—	121	112	4	5
1—	6091	5220	2263	2144	3	4	1	2	2	2	—	—	360	289	86	57
5—	2930	2529	1163	1181	3	2	3	1	—	1	—	—	60	61	47	45
10—	1963	1779	547	661	7	4	7	3	—	1	—	—	4	8	11	19
15—	3552	3038	1165	1565	7	13	6	8	1	5	—	—	7	8	12	9
20—	4583	4208	1710	2163	10	6	7	4	3	2	—	—	2	6	6	5
25—	4860	4715	1851	2079	11	13	9	11	2	2	—	—	—	1	1	7
30—	5354	5018	1925	1655	16	9	14	8	2	1	—	—	1	2	4	3
35—	6249	5698	1942	1452	6	8	3	6	3	2	—	—	1	—	3	6
40—	7540	6730	2078	1298	3	9	3	7	—	2	—	—	1	3	3	3
45—	10586	8870	2296	1286	9	7	6	5	3	2	—	—	—	—	1	3
50—	15333	12122	2511	1212	5	6	5	4	—	2	—	—	—	1	1	1
55—	20683	15698	2558	1302	2	6	2	1	—	5	—	—	—	1	—	1
60—	27516	21771	2523	1681	5	9	5	8	—	1	—	—	1	—	1	1
65—	31192	26811	1868	1534	3	6	3	5	—	1	—	—	—	—	2	—
70—	33118	32224	1286	1418	1	1	1	—	—	1	—	—	—	—	—	—
75—	29082	32730	962	1365	1	3	1	2	—	1	—	—	1	—	—	1
80—	29144	45462	1013	1825	—	2	—	2	—	—	—	—	—	—	1	—

* **3**, Typhus fever —; **4**, Relapsing fever (“*Spirillum obermeieri*”) —; **5**, Undulant fever 35, 35, 45, 50, 55, 60, 65, 70, *65*, *65*

Causes of Death.	9 Whooping cough.		10 Diphtheria.		11 Influenza.		11 (a) With respiratory complications.		11 (a) (1) With pneumonic complications.		11 (a) (2) With other respiratory complications.		11 (b) Without respiratory complications.		11 (b) (1) With non-respiratory complications.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	799	951	1382	1581	8991	9644	6767	6952	4707	4450	2060	2502	2224	2692	1675	1968
0—	412	448	53	28	217	158	165	108	137	92	28	16	52	50	38	38
1—	353	459	502	529	210	170	155	114	141	101	14	13	55	56	48	46
5—	31	35	606	704	73	58	46	38	40	30	6	8	27	20	25	18
10—	1	3	156	192	63	52	38	28	35	24	3	4	25	24	22	21
15—	1	1	27	40	137	120	102	91	95	82	7	9	35	29	27	25
20—	—	3	6	21	158	132	120	98	99	89	21	9	38	34	36	27
25—	—	—	7	13	174	179	130	137	108	118	22	19	44	42	36	33
30—	—	1	6	11	239	248	186	190	153	166	33	24	53	58	46	48
35—	—	—	6	11	301	278	246	217	210	179	36	38	55	61	48	52
40—	—	—	2	6	451	369	367	297	308	242	59	55	84	72	64	65
45—	—	—	1	3	586	479	489	367	379	290	110	77	97	112	77	96
50—	—	—	2	1	760	515	608	382	439	290	169	92	152	133	122	99
55—	—	—	1	5	843	667	671	471	495	329	176	142	172	196	142	153
60—	—	—	5	5	1191	1071	930	811	641	542	289	269	261	260	204	211
65—	—	—	—	7	1017	1099	750	816	484	488	266	328	267	283	212	227
70—	—	—	2	5	855	1128	611	771	366	419	245	352	244	357	182	253
75—	—	—	—	—	786	1213	564	879	301	454	263	425	222	334	160	226
80—	1	1	—	—	930	1708	589	1137	276	515	313	622	341	571	186	330

TABLE 21—contd.

Causes of Death.	11 (b) (2) Without stated complications.		12*		13 (a) Amoebic.		13 (b) Bacillary.		13 (c) Other or unspecified.		14*		16 Acute poliomyelitis.		16 (1) Acute poliomyelitis	
	13 Dysentery.		15 Erysipelas.		16 Acute poliomyelitis.		16 (1) Acute poliomyelitis									
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	549	724	68	71	9	1	35	36	24	34	324	257	95	57	57	37
0—	14	12	10	14	—	—	9	8	1	6	35	29	4	1	1	1
1—	7	10	5	1	—	—	3	—	2	1	5	6	23	4	14	2
5—	2	2	2	3	—	—	1	3	1	—	—	—	20	3	10	2
10—	3	3	1	2	—	—	1	1	—	1	—	2	9	10	4	6
15—	8	4	1	—	—	—	1	—	—	—	4	2	11	10	9	10
20—	2	7	1	1	—	—	1	—	—	1	5	2	6	7	6	3
25—	8	9	7	—	1	—	2	—	4	—	7	5	3	5	2	3
30—	7	10	2	5	—	—	1	4	1	1	6	3	6	4	3	2
35—	7	9	3	1	—	—	1	1	2	—	11	7	4	—	3	—
40—	20	7	3	5	—	—	1	3	2	2	9	10	3	1	2	—
45—	20	16	5	1	2	—	2	1	1	—	13	15	—	3	—	2
50—	30	34	4	4	2	1	1	1	1	2	20	15	2	2	—	1
55—	30	43	5	6	2	—	1	2	2	4	23	15	3	2	2	1
60—	57	49	7	9	—	—	5	5	2	4	38	29	—	2	—	1
65—	55	56	4	5	—	—	3	—	1	5	38	30	1	2	1	2
70—	62	104	3	2	2	—	—	2	1	—	48	27	—	—	—	—
75—	62	108	2	5	—	—	—	2	2	3	32	31	—	1	—	1
80—	155	241	3	7	—	—	2	3	1	4	30	29	—	—	—	—

* 12, Cholera —; 14, Plague —.

Causes of Death.	16 (2) Acute poliomyelitis.		17 Encephalitis lethargica.		18 Cerebro-spinal fever.		19*		21*		Tuberculosis.					
							20 Anthrax.		22 Tetanus.		23-32 All forms.		23 Respiratory system.		24 Central nervous system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	38	20	386	364	394	304	4	1	85	22	16246	12283	13832	10138	930	866
0—	3	—	1	—	105	91	—	—	2	1	217	172	26	26	124	96
1—	9	2	6	5	95	90	—	—	3	2	569	489	66	61	317	292
5—	10	1	4	4	33	23	—	—	4	4	250	223	36	29	130	125
10—	5	4	4	6	15	13	—	—	14	—	241	335	67	169	102	94
15—	2	—	20	10	42	18	—	—	9	1	848	1318	627	1105	92	102
20—	—	4	25	16	30	13	—	—	3	2	1431	1931	1258	1748	44	61
25—	1	2	43	30	14	9	—	—	5	—	1551	1804	1389	1675	31	37
30—	3	2	46	35	20	11	—	1	7	3	1535	1295	1379	1180	29	20
35—	1	—	25	24	14	4	1	—	3	4	1505	1068	1402	971	17	12
40—	1	1	31	20	5	5	2	—	6	1	1464	813	1359	739	16	6
45—	—	1	19	28	9	3	1	—	7	—	1539	687	1440	624	12	9
50—	2	1	29	36	5	9	—	—	5	1	1552	559	1470	487	8	5
55—	1	1	32	39	2	11	—	—	3	1	1438	486	1352	425	6	3
60—	—	1	33	43	4	3	—	—	7	—	1059	447	1008	380	2	3
65—	—	—	38	33	1	1	—	—	6	1	622	302	574	253	—	—
70—	—	—	21	21	—	—	—	—	1	—	284	207	259	166	—	—
75—	—	—	8	11	—	—	—	—	—	1	110	88	94	63	—	1
80—	—	—	1	3	—	—	—	—	—	—	31	59	26	37	—	—

* 19, Glanders —; 21, Rabies —.

TABLE 21—*contd.*

Causes of Death.	Tuberculosis— <i>continued.</i>															
	25 Intestines and peritoneum.		26 Vertebral column.		27 Other bones and joints.		28 Skin and subcutaneous tissues.		29 Lymphatic system (abdom- inal and bronchial glands excptd).		30 Genito- urinary system.		31 Other organs.		31 (1) Adrenals.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	347	329	227	157	105	80	19	43	26	27	169	103	21	24	20	17
0—	24	14	1	—	—	—	—	—	1	2	—	—	—	1	—	—
1—	64	41	5	2	3	2	—	—	4	6	—	—	—	—	—	—
5—	24	17	5	1	3	2	—	—	4	1	3	1	1	1	1	—
10—	20	14	3	5	6	6	—	—	3	1	6	2	—	—	—	—
15—	31	33	19	4	6	1	—	—	1	—	14	4	3	1	2	1
20—	38	36	23	15	6	7	—	1	1	—	17	11	—	1	—	1
25—	19	27	29	15	7	7	1	1	1	—	24	11	1	—	1	—
30—	23	29	23	14	11	4	1	3	1	1	20	19	2	2	2	—
35—	26	28	18	12	5	7	1	—	—	1	14	9	—	2	—	2
40—	16	14	20	12	6	1	—	4	1	1	15	10	4	2	4	2
45—	15	11	16	9	12	1	1	1	1	2	15	12	—	3	—	3
50—	21	21	10	9	7	6	—	4	1	—	10	8	2	4	2	3
55—	8	15	19	16	5	3	2	5	1	1	16	7	6	2	6	2
60—	7	11	15	13	5	9	5	7	—	3	9	4	1	2	1	2
65—	7	13	11	10	10	5	3	2	—	1	5	—	1	1	1	1
70*	1	5	5	12	8	9	3	1	3	2	1	4	—	1	—	—
75—	1	—	5	6	4	6	2	5	2	3	—	1	—	1	—	—
80—	2	—	—	2	1	4	—	9	1	2	—	—	—	—	—	—

Causes of Death.	Tuberculosis— <i>continued.</i>										33 Leprosy.		34 Syphilis.		34 (a) Congenital syphilis.	
	31 (2) Other sites in- cluded under 31.		32 Dissem- inated tuberculosis.		32 (a) Acute.		32 (b) Chronic.		32 (c) Not distinguished as acute or chronic.							
	Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.
All Ages	1	7	570	516	333	318	2	—	235	198	1	—	851	392	115	81
0—	—	1	41	33	36	29	—	—	5	4	—	—	83	57	83	57
1—	—	—	110	85	75	62	—	—	35	23	—	—	3	1	3	1
5—	—	1	44	46	23	33	—	—	21	13	—	—	2	3	2	3
10—	—	—	34	44	24	37	1	—	9	7	—	—	6	5	6	4
15—	1	—	55	68	33	45	—	—	22	23	—	—	15	7	14	5
20—	—	—	44	51	23	27	1	—	20	24	—	—	8	8	1	4
25—	—	—	49	31	26	19	—	—	23	12	—	—	3	3	—	1
30—	—	2	46	23	20	7	—	—	26	16	—	—	12	11	1	2
35—	—	—	22	26	13	16	—	—	9	10	1	—	30	28	—	—
40—	—	—	27	24	16	10	—	—	11	14	—	—	64	38	2	—
45—	—	—	27	15	15	5	—	—	12	10	—	—	70	37	—	—
50—	—	1	23	15	8	7	—	—	15	8	—	—	80	47	—	—
55—	—	—	23	9	7	6	—	—	16	3	—	—	163	47	1	2
60—	—	—	7	15	4	5	—	—	3	10	—	—	131	41	—	2
65—	—	—	11	17	6	7	—	—	5	10	—	—	109	32	—	—
70—	—	1	4	7	3	1	—	—	1	6	—	—	50	15	2	—
75—	—	1	2	2	1	—	—	—	1	2	—	—	14	7	—	—
80—	—	—	1	5	—	2	—	—	1	3	—	—	8	5	—	—

TABLE 21—*contd.*

Causes of Death.	34 (b) & (c) Acquired or unspecified.		35 Other venereal diseases.		35 (1) Gonorrhœa or purulent ophthalmia.		35 (2) Other diseases included under 35.		36 Purulent infection, septicæmia.		36 (a) Septicæmia.		36 (b) Pyæmia.		36 (c) Gas gangrene.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	736	311	35	18	9	9	26	9	298	156	259	132	37	22	2	2
0—	—	—	9	8	9	8	—	—	21	16	13	12	8	4	—	—
1—	—	—	—	2	—	1	—	1	12	9	11	9	1	—	—	—
5—	—	—	—	—	—	—	—	—	14	4	13	4	1	—	—	—
10—	—	1	—	—	—	—	—	—	12	9	10	6	2	3	—	—
15—	1	2	—	—	—	—	—	—	17	6	14	5	3	1	—	—
20—	7	4	1	2	—	—	1	2	11	5	9	4	2	1	—	—
25—	3	2	—	1	—	—	—	1	16	4	14	4	2	—	—	—
30—	11	9	2	—	—	—	2	—	15	9	13	8	2	1	—	—
35—	30	28	1	2	—	—	1	2	16	6	15	6	1	—	—	—
40—	62	38	—	1	—	—	—	1	28	9	27	5	1	4	—	—
45—	70	37	3	1	—	—	3	1	20	12	17	11	2	1	1	—
50—	80	47	3	1	—	—	3	1	26	11	22	9	4	2	—	—
55—	162	45	5	—	—	—	5	—	20	12	20	9	—	2	—	1
60—	131	39	3	—	—	—	3	—	29	13	23	11	6	2	—	—
65—	109	32	2	—	—	—	2	—	18	10	17	10	1	—	—	—
70—	48	15	3	—	—	—	3	—	14	9	13	7	1	1	—	1
75—	14	7	1	—	—	—	1	—	6	2	5	2	—	—	1	—
80—	8	5	2	—	—	—	2	—	3	10	3	10	—	—	—	—

Causes of Death.	37*		39 Other diseases due to protozoa		40*		41 (a) Liver.		41 (b) Other organs.		42 Other diseases due to helminths.		43 Mycoses.		43 (1) Actino- mycosis.	
	38 Malaria.				41 Hydatid cysts.											
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	18	3	17	4	10	8	10	6	—	2	12	5	60	39	40	22
0—	—	—	—	—	—	—	—	—	—	—	1	2	6	3	—	—
1—	—	—	—	1	—	—	—	—	—	—	3	2	—	1	—	—
5—	—	—	1	—	—	—	—	—	—	—	—	1	1	3	1	2
10—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	2	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	6	—	6	—
20—	1	—	1	—	—	—	—	—	—	—	—	—	3	2	3	2
25—	—	1	3	—	—	—	—	—	—	—	2	—	4	4	4	3
30—	1	—	1	—	1	—	1	—	—	—	1	—	3	3	3	3
35—	1	—	2	1	1	—	1	—	—	—	2	—	3	4	2	4
40—	—	1	—	—	1	—	1	—	—	—	—	—	2	3	2	2
45—	5	—	1	1	1	3	1	2	—	1	1	—	4	3	2	1
50—	3	—	5	1	—	—	—	—	—	—	—	—	7	1	5	—
55—	5	—	2	—	1	2	1	2	—	—	—	—	9	1	6	—
60—	2	1	—	—	2	3	2	2	—	1	1	—	3	4	3	1
65—	—	—	1	—	2	—	2	—	—	—	—	—	2	2	—	1
70—	—	—	—	—	1	—	1	—	—	—	—	—	2	3	1	1
75—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	1
80—	—	—	—	—	—	—	—	—	—	—	1	—	2	1	—	1

* 37, Yellow fever—; 40, Ankylostomiasis—.

TABLE 21—contd.

Causes of Death.	43 (2) Other mycoses.		44 Other infectious or parasitic diseases.		44 (1) Vaccinia.		44 (2) Other sequelæ of vaccination.		44 (3) German measles.		44 (4) Varicella.		44 (5) Mumps.		44 (6·1) Pink disease.		44 (6·2) Other diseases included under 44.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	20	17	68	76	3	2	*5	—	5	4	15	12	10	6	26	47	4	5
0—	6	3	24	38	2	2	2	—	1	3	4	5	—	—	15	28	—	—
1—	—	1	25	23	—	—	—	—	3	—	7	2	3	2	11	19	1	—
5—	—	1	12	5	—	—	—	—	1	—	4	2	6	3	—	—	1	—
10—	—	—	1	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—
15—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	1	2
20—	—	—	2	1	—	—	2	—	—	1	—	—	—	—	—	—	—	—
25—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—	—	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	1	—
35—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1
45—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50—	2	1	1	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—
55—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—	2	1	1	2	—	—	1	—	—	—	—	—	—	—	—	—	—	2
70—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—	1	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—
80—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* 1 Death at age-group 20-25 following anti-typhoid and paratyphoid inoculation; and
1 Death „ „ 65-70 „ antidyenteric inoculation.

Causes of Death.	II. 45-55 Cancer and other Tumours.		Cancer, Malignant Disease.												
			45-53 Total.		45 Buccal cavity and pharynx.		46 Digestive organs and peritoneum.		47 Respiratory organs.		48 Uterus.	49 Other fe- male genital organs.	50 Breast.		
			M.	F.	M.	F.	M.	F.	M.	F.	F.	F.	M.	F.	
Ages at Death.															
All Ages	33237	36322	32189	34802	2784	580	19233	16993	4169	1185	4462	2121	60	6922	
0—	20	25	9	11	1	1	1	3	—	—	—	2	—	—	
1—	71	47	50	27	1	1	7	1	1	2	1	2	—	—	
5—	55	62	33	37	1	1	2	1	4	1	1	2	—	—	
10—	51	42	35	25	2	1	2	2	2	1	—	3	—	1	
15—	118	80	82	54	4	5	16	4	6	5	1	9	—	—	
20—	144	117	108	86	1	7	28	22	14	5	10	10	—	3	
25—	223	209	178	163	5	5	58	48	37	10	18	19	1	22	
30—	406	452	356	374	9	4	165	137	70	16	46	46	—	74	
35—	533	905	471	787	13	10	226	248	106	28	160	69	1	213	
40—	889	1547	819	1402	28	8	450	398	193	51	344	135	4	393	
45—	1465	2459	1378	2271	69	27	727	701	347	95	519	183	1	618	
50—	2537	3506	2402	3336	158	49	1341	1155	568	149	641	298	2	843	
55—	3914	4189	3777	4056	272	61	2245	1719	717	147	602	286	5	971	
60—	5495	4969	5376	4830	524	86	3261	2333	763	206	668	292	16	945	
65—	6121	5126	6050	5008	574	90	3814	2756	656	175	513	258	11	866	
70—	5427	5297	5378	5199	543	90	3419	3131	375	146	449	228	8	810	
75—	3689	3984	3647	3904	364	71	2245	2428	236	92	280	183	8	568	
80—	2079	3306	2040	3232	215	63	1226	1906	74	56	209	96	3	595	

TABLE 21—*contd.*

Causes of Death.	Cancer, Malignant Disease— <i>contd.</i>					54 Non-malignant tumours.		54 (a) Female genital organs.	54 (b) Other sites.		55 Tumours of undetermined nature.		55 (a) Female genital organs.
	51 Male genito-urinary organs.	52 Skin.		53 Other or unspecified organs.									
Ages at Death.	M.	M.	F.	M.	F.	M.	F.	F	M.	F.	M.	F.	F.
All Ages	3857	657	510	1429	2029	495	994	613	495	381	553	526	12
0—	4	—	1	3	4	9	12	—	9	12	2	2	—
1—	21	—	—	20	20	10	10	—	10	10	11	10	—
5—	9	1	—	16	31	8	11	—	8	11	14	14	—
10—	1	3	1	25	16	6	5	1	6	4	10	12	—
15—	4	—	—	52	30	18	16	4	18	12	18	10	—
20—	20	2	6	43	23	23	18	5	23	13	13	13	—
25—	30	3	8	44	33	20	28	6	20	22	25	18	—
30—	46	6	8	60	43	22	47	26	22	21	28	31	—
35—	53	9	11	63	48	27	91	61	27	30	35	27	1
40—	65	13	5	66	68	32	112	80	32	32	38	33	—
45—	110	23	16	101	112	33	139	107	33	32	54	49	1
50—	176	25	24	132	177	54	108	75	54	33	81	62	2
55—	325	45	44	168	226	57	69	44	57	25	80	64	3
60—	565	67	52	180	248	51	85	44	51	41	68	54	—
65—	723	91	47	181	303	39	68	34	39	34	32	50	2
70—	791	111	59	131	286	25	55	44	25	11	24	43	—
75—	575	121	80	98	202	30	58	36	30	22	12	22	1
80—	339	137	148	46	159	31	62	46	31	16	8	12	2

Causes of Death.	55 (b) Other sites.		III. 56-69 Rheumatism, Diseases of Nutrition and of Endocrine Glands, and other General Diseases.		56 Rheumatic fever.		57 Chronic rheumatism, osteo-arthritis.		57 (1) Chronic rheumatism.		57 (2) Rheumatoid arthritis, osteo-arthritis.		58 Gout.	
			M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	553	514	5039	9714	395	522	1067	2460	36	32	1031	2428	177	31
0—	2	2	138	97	—	1	—	—	—	—	—	—	—	—
1—	11	10	90	58	22	12	1	—	—	—	1	—	—	—
5—	14	14	86	90	62	62	—	3	—	—	—	3	—	—
10—	10	12	103	125	64	86	—	2	—	—	—	2	—	—
15—	18	10	107	125	59	57	2	4	—	1	2	3	—	—
20—	13	13	64	142	23	51	2	4	—	—	2	4	—	—
25—	25	18	103	148	37	30	2	8	—	—	2	8	—	—
30—	28	31	92	165	25	29	4	12	—	—	4	12	—	1
35—	35	26	104	216	16	36	6	17	—	—	6	17	—	—
40—	38	33	116	275	18	30	16	27	—	—	16	27	—	—
45—	54	48	154	386	14	24	21	62	—	—	21	62	4	—
50—	81	60	227	615	13	23	43	94	1	—	42	94	8	—
55—	80	61	382	848	10	25	79	158	3	2	76	156	18	2
60—	68	54	627	1277	12	16	140	286	1	7	139	279	20	3
65—	32	48	828	1576	13	15	192	408	7	1	185	407	29	5
70—	24	43	801	1538	3	12	207	447	7	7	200	440	41	6
75—	12	21	645	1145	3	9	207	454	9	6	198	448	31	6
80—	8	10	372	888	1	4	145	474	8	8	137	466	26	8

TABLE 21—*contd.*

Causes of Death.	59 Diabetes.		60 Scurvy.		61* 62 Pellagra.		63 Rickets.		63 (1) Rickets.		63 (2) Spinal Curvatures of undetermined nature.		64 Osteomalacia.		65 Diseases of the pituitary gland.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2801	4495	2	5	3	8	111	82	98	64	13	18	3	6	28	48
0—	1	4	—	3	—	—	49	32	49	32	—	—	—	—	—	1
1—	9	6	1	1	—	—	36	26	36	26	—	—	—	—	—	—
5—	11	15	—	—	1	—	3	2	3	2	—	—	1	—	—	1
10—	29	28	—	—	—	—	3	—	2	—	1	—	—	—	2	—
15—	25	30	—	—	—	1	2	—	2	—	—	—	—	—	4	1
20—	30	40	—	—	—	1	2	—	2	—	—	—	—	—	1	4
25—	41	35	—	—	—	—	3	2	2	1	1	1	—	—	2	4
30—	44	44	—	—	—	—	1	2	—	1	1	1	—	—	1	3
35—	58	56	—	—	—	2	2	2	1	1	1	1	—	—	2	4
40—	49	68	—	—	—	1	2	2	—	—	2	2	—	—	4	3
45—	85	118	—	—	—	1	2	2	—	—	2	2	—	—	1	4
50—	118	237	—	—	1	—	—	6	—	1	—	5	—	—	2	5
55—	222	393	—	—	—	1	1	1	—	—	1	1	—	1	4	7
60—	408	678	—	1	—	—	3	1	1	—	2	1	—	1	2	1
65—	559	889	—	—	—	—	2	2	—	—	2	2	—	3	—	6
70—	525	887	1	—	—	1	—	—	—	—	—	—	1	—	2	3
75—	389	608	—	—	1	—	—	1	—	—	—	1	1	—	—	—
80—	198	359	—	—	—	—	—	1	—	—	—	1	—	1	1	1

*61, Beri-beri 35.

Causes of Death.	65 (1) Infantilism.		65 (2) Other diseases of the pituitary gland.		66 Diseases of the thyroid and parathyroid glands.		66 (a) Simple goitre.		66 (b) Exophthalmic goitre.		66 (c) Myxœdema, cretinism.		66 (d) Tetany.		66 (e) Other diseases included under 66.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1	2	27	46	242	1784	23	93	191	1482	18	188	7	11	3	10
0—	—	—	—	1	4	10	—	1	—	—	1	4	3	5	—	—
1—	—	—	—	—	3	5	—	—	—	—	1	2	2	2	—	1
5—	—	—	—	1	1	1	—	—	—	1	—	—	1	—	—	—
10—	—	—	2	—	1	3	—	—	—	2	—	1	—	—	1	—
15—	—	1	4	—	5	23	2	—	2	19	—	4	1	—	—	—
20—	1	1	—	3	5	37	—	—	5	32	—	3	—	1	—	1
25—	—	—	2	4	12	55	—	—	12	54	—	1	—	—	—	—
30—	—	—	1	3	13	66	—	—	11	58	2	6	—	1	—	1
35—	—	—	2	4	11	80	—	2	11	77	—	1	—	—	—	—
40—	—	—	4	3	19	118	1	5	17	107	1	4	—	1	—	1
45—	—	—	1	4	22	156	2	7	19	144	1	4	—	1	—	—
50—	—	—	2	5	33	229	1	7	29	207	3	14	—	—	—	1
55—	—	—	4	7	37	241	4	5	32	222	—	13	—	—	1	1
60—	—	—	2	1	30	263	3	17	24	215	2	30	—	—	1	1
65—	—	—	—	6	23	234	3	13	17	187	3	34	—	—	—	—
70—	—	—	2	3	14	170	3	19	9	111	2	39	—	—	—	1
75—	—	—	—	—	8	59	3	4	3	35	2	19	—	—	—	1
80—	—	—	1	1	1	34	1	13	—	11	—	9	—	—	—	1

TABLE 21—*contd.*

Causes of Death.	67 Diseases of the thymus.		68 Diseases of the adrenals.		69 Other general diseases.		69 (1) Amyloid disease of unstated origin.		69 (2) Other diseases included under 69.		IV. 70-74 Diseases of the Blood and Blood-forming Organs.		70 Hæmorrhagic conditions.		70 (a) Purpura.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	109	54	57	132	43	87	6	7	37	80	2099	2541	199	185	115	140
0—	78	42	2	2	4	2	2	1	2	1	106	79	86	60	22	17
1—	15	3	1	1	2	4	—	—	2	4	87	46	15	9	12	8
5—	5	3	—	—	2	3	—	1	2	2	60	42	13	10	9	10
10—	3	2	—	1	1	3	—	—	1	3	52	33	5	5	4	5
15—	5	1	3	5	2	3	1	1	1	2	71	55	9	8	5	8
20—	—	—	1	2	—	3	—	—	—	3	62	59	6	6	4	6
25—	1	1	5	10	—	3	—	—	—	3	84	71	9	11	8	11
30—	1	1	2	6	1	1	1	—	—	1	61	77	6	4	4	3
35—	1	1	5	14	2	4	1	—	1	4	93	108	4	9	4	9
40—	—	—	6	19	2	7	—	1	2	6	95	95	6	2	6	2
45—	—	—	5	11	—	8	—	—	—	8	105	123	4	6	3	6
50—	—	—	4	18	5	3	—	—	5	3	148	222	3	10	2	10
55—	—	—	8	13	3	6	—	—	3	6	198	242	5	10	4	10
60—	—	—	4	13	8	14	—	2	8	12	245	293	11	6	11	6
65—	—	—	6	7	4	7	—	1	4	6	271	338	5	9	5	9
70—	—	—	4	4	3	8	—	—	3	8	180	327	8	11	8	11
75—	—	—	1	5	4	3	1	—	3	3	122	203	1	4	1	4
80—	—	—	—	1	—	5	—	—	—	5	59	128	3	5	3	5

Causes of Death.	70 (b) Hæmophilia.		71 Anæmia, chlorosis.		71 (a) Pernicious anæmia.		71 (b) Other anæmias and chlorosis.		71 (b) (1) Splenic anæmia.		71 (b) (2) Other diseases included under 71 (b).		72 Leukæmia, aleukæmia.		72 (a) Leukæmia.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	84	45	953	1590	847	1421	106	169	82	111	24	58	863	686	516	434
0—	64	43	8	6	3	3	5	3	3	3	2	—	11	12	9	12
1—	3	1	17	11	10	8	7	3	5	1	2	2	54	26	49	21
5—	4	—	6	4	2	3	4	1	2	1	2	—	39	26	30	20
10—	1	—	10	4	7	3	3	1	3	1	—	—	35	22	25	16
15—	4	—	15	17	8	10	7	7	7	6	—	1	46	28	25	18
20—	2	—	16	21	8	12	8	9	7	7	1	2	36	28	16	13
25—	1	—	15	24	10	18	5	6	5	4	—	2	55	34	32	22
30—	2	1	13	30	7	28	6	2	5	2	1	—	38	41	13	25
35—	—	—	18	49	13	40	5	9	4	5	1	4	66	46	32	24
40—	—	—	22	51	17	45	5	6	4	2	1	4	56	39	29	24
45—	1	—	40	70	36	60	4	10	4	5	—	5	51	43	27	23
50—	1	—	57	128	51	109	6	19	5	14	1	5	83	73	41	49
55—	1	—	106	162	96	143	10	19	10	13	—	6	82	54	55	36
60—	—	—	143	209	133	192	10	17	8	13	2	4	83	68	48	44
65—	—	—	176	250	169	233	7	17	5	13	2	4	79	72	50	41
70—	—	—	142	270	137	248	5	22	1	13	4	9	25	41	19	28
75—	—	—	100	173	95	161	5	12	2	6	3	6	18	23	13	12
80—	—	—	49	111	45	105	4	6	2	2	2	4	6	10	3	6

TABLE 21—contd.

Causes of Death.	72 (b) Aleukæmia		72 (b) (1) Aleukæmia (lymphadenoma.)		72 (b) (2) Aleukæmia (agranulocytosis).		73 Diseases of the spleen.		73 (1) Banti's disease.		73 (2) Other diseases of the spleen.		74 Other diseases of the blood and blood-forming organs.		V. 75-77 Chronic Poisoning.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	347	252	326	217	21	35	58	63	41	47	17	16	26	17	82	53
0—	2	—	2	—	—	—	1	1	—	—	1	1	—	—	—	—
1—	5	5	4	4	1	1	1	—	1	—	—	—	—	—	—	—
5—	9	6	9	6	—	—	2	2	1	1	1	1	—	—	—	—
10—	10	6	10	4	—	2	2	2	2	2	—	—	—	—	—	—
15—	21	10	21	8	—	2	1	1	1	1	—	—	—	1	—	1
20—	20	15	19	14	1	1	3	3	3	2	—	1	1	1	2	2
25—	23	12	21	11	2	1	5	2	4	2	1	—	—	—	2	1
30—	25	16	22	15	3	1	4	2	4	2	—	—	—	—	1	1
35—	34	22	29	19	5	3	4	4	2	3	2	1	1	—	9	1
40—	27	15	27	12	—	3	6	2	5	2	1	—	5	1	5	5
45—	24	20	23	18	1	2	6	3	4	2	2	1	4	1	14	8
50—	42	24	38	14	4	10	3	10	3	8	—	2	2	1	14	8
55—	27	18	26	16	1	2	3	11	3	8	—	3	2	5	14	7
60—	35	24	33	22	2	2	4	6	1	3	3	3	4	4	10	9
65—	29	31	28	27	1	4	8	5	5	4	3	1	3	2	5	4
70—	6	13	6	13	—	—	3	5	2	4	1	1	2	—	3	4
75—	5	11	5	10	—	1	2	2	—	2	2	—	1	1	3	1
80—	3	4	3	4	—	—	—	2	—	1	—	1	1	—	—	1

Causes of Death.	76* Alcoholism (acute or chronic).		77 Chronic poisoning by mineral substances.		77 (2)† Occupational lead poisoning.		VI. 78-89 Diseases of the Nervous System and Sense Organs.		78 Encephalitis.		78 (a) Cerebral abscess.		78 (b) Other diseases included under 78.		79 Meningitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	54	48	26	3	25	2	18777	21128	163	127	89	62	74	65	520	393
0—	—	—	—	—	—	—	859	576	12	8	3	2	9	6	119	90
1—	—	—	—	—	—	—	356	279	20	18	4	7	16	11	101	94
5—	—	—	—	—	—	—	219	182	11	8	4	4	7	4	69	50
10—	—	—	—	—	—	—	184	159	9	12	5	7	4	5	34	25
15—	—	—	—	1	—	1	233	164	11	7	8	5	3	2	26	25
20—	2	—	—	2	—	1	226	150	8	10	6	7	2	3	22	12
25—	2	—	—	—	—	—	222	192	9	6	8	4	1	2	17	10
30—	1	1	—	—	—	—	277	277	11	11	7	3	4	8	11	9
35—	7	1	1	—	—	—	388	329	10	7	7	4	3	3	20	11
40—	3	5	2	—	2	—	455	487	10	3	9	1	1	2	18	9
45—	10	8	4	—	4	—	658	686	13	9	6	4	7	5	17	10
50—	9	8	4	—	4	—	1060	1163	16	8	12	6	4	2	15	10
55—	8	7	6	—	6	—	1530	1666	13	8	8	4	5	4	22	13
60—	5	8	5	—	5	—	2207	2204	5	6	—	2	5	4	14	14
65—	3	4	2	—	2	—	2618	2897	2	2	1	1	1	1	3	7
70—	2	4	1	—	1	—	2919	3284	1	3	—	1	1	2	7	3
75—	2	1	1	—	1	—	2441	3077	2	—	1	—	1	—	3	1
80—	—	1	—	—	—	—	1925	3356	—	1	—	—	—	1	2	—

* 76. Chronic poisoning by other organic substances 35, 50, 25, 60.
† 77 (2). Other chronic poisoning by mineral substances, 35, 20.

TABLE 21—contd.

Causes of Death.	80 Tabes dorsalis (locomotor ataxy).		81 Other diseases of the spinal cord.		81 (1) Progressive muscular atrophy.		81 (2) Subacute combined sclerosis.		81 (3) Myelitis of unstated origin.		81 (4) Other diseases included under 81.		82 Cerebral hæmorrhage, apoplexy, etc.		82 (a) Cerebral hæmorrhage.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	473	116	704	550	359	238	33	47	109	131	203	134	11864	15437	8089	10458
0—	—	—	4	3	3	3	—	—	1	—	—	—	1	2	1	1
1—	—	—	1	3	—	—	—	—	1	2	—	1	4	2	2	1
5—	—	—	1	4	—	1	—	—	—	—	1	3	1	—	1	—
10—	—	1	13	5	6	1	—	—	1	2	6	2	4	3	2	3
15—	—	1	27	12	9	3	—	—	6	3	12	6	5	5	2	5
20—	1	—	19	12	7	4	—	—	3	6	9	2	4	6	3	5
25—	1	—	9	11	4	4	—	—	1	4	4	3	9	13	6	10
30—	3	1	16	12	8	3	—	—	2	6	6	3	29	32	24	24
35—	10	2	28	20	8	6	1	1	10	8	9	5	66	72	60	58
40—	16	7	28	21	13	7	—	1	7	7	8	6	128	163	105	129
45—	31	9	41	23	23	9	—	2	8	7	10	5	275	365	225	292
50—	56	15	63	52	33	20	4	7	5	11	21	14	545	757	426	614
55—	84	19	97	68	61	32	3	8	13	13	20	15	956	1188	717	902
60—	99	28	99	91	49	45	8	12	18	18	24	16	1560	1698	1086	1253
65—	79	16	108	77	59	35	7	5	15	17	27	20	2002	2395	1383	1693
70—	58	9	86	58	38	29	5	3	11	12	32	14	2392	2838	1599	1876
75—	29	7	48	52	27	26	4	5	5	10	12	11	2126	2761	1378	1730
80—	6	1	16	26	11	10	1	3	2	5	2	8	1757	3137	1069	1862

Causes of Death.	82 (a) (1) Cerebral hæmorrhage so returned.		82 (a) (2) Apoplexy (lesion unstated).		82 (b) Cerebral embolism and thrombosis.		82 (b) (1) Cerebral embolism.		82 (b) (2) Cerebral thrombosis.		82 (b) (3) Cerebral softening.		82 (c) Hemiplegia and other paralyses of unstated origin.		82 (c) (1) Hemiplegia	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	7724	10059	365	399	3270	4351	139	239	3062	3997	69	115	505	628	463	597
0—	1	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—
1—	2	1	—	—	1	—	—	—	1	—	—	—	1	1	1	—
5—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	2	3	—	—	—	—	—	—	—	—	—	—	2	—	—	—
15—	2	5	—	—	1	—	—	—	1	—	—	—	2	—	—	—
20—	3	5	—	—	1	—	—	—	1	—	—	—	—	1	—	—
25—	5	10	1	—	1	1	—	—	1	1	—	—	2	2	—	1
30—	24	23	—	1	5	6	1	—	3	6	1	—	—	2	—	2
35—	57	58	3	—	5	11	1	1	4	9	—	1	1	3	1	3
40—	100	127	5	2	21	23	6	4	15	18	—	1	2	11	2	10
45—	214	285	11	7	45	63	1	5	43	53	1	5	5	10	5	10
50—	414	593	12	21	104	126	6	12	96	110	2	4	15	17	15	16
55—	685	869	32	33	202	255	12	14	186	236	4	5	37	31	34	29
60—	1037	1216	49	37	415	390	13	19	399	366	3	5	59	55	54	51
65—	1321	1623	62	70	519	610	26	38	482	563	11	9	100	92	91	88
70—	1534	1798	65	78	701	839	27	47	657	766	17	26	92	123	84	119
75—	1303	1663	75	67	648	898	25	52	609	821	14	25	100	133	95	128
80—	1019	1779	50	83	601	1128	21	47	564	1047	16	34	87	147	81	140

TABLE 21—contd.

Causes of Death.	82 (c) (2) Other paralyses of unstated origin.		83 General paralysis of the insane.		84 Other forms of insanity.		84 (a) Dementia præcox.		84 (b) Other conditions included under 84.		85 Epilepsy.		86 Infantile convulsions (age under 5 years).		87 Other diseases of the nervous system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	42	31	594	253	445	642	52	45	393	597	1027	970	552	356	1561	1667
0—	—	—	—	—	—	—	—	—	—	—	15	16	480	310	20	13
1—	—	1	—	—	—	—	—	—	—	—	33	24	72	46	40	32
5—	—	—	1	—	—	—	1	—	—	1	22	18	—	—	23	25
10—	2	—	1	—	—	—	—	—	—	—	39	32	—	—	13	21
15—	2	—	5	3	6	7	2	3	4	4	71	55	—	—	26	22
20—	—	1	6	1	12	19	6	8	6	11	84	46	—	—	24	21
25—	2	1	5	5	19	18	1	6	18	12	81	75	—	—	24	33
30—	—	—	16	9	26	31	13	4	13	27	79	88	—	—	43	51
35—	—	—	66	27	25	47	11	8	14	39	66	65	—	—	45	56
40—	—	1	71	41	22	60	6	7	16	53	75	77	—	—	60	83
45—	—	—	104	32	24	49	5	1	19	48	55	70	—	—	64	98
50—	—	1	109	46	54	77	3	4	51	73	81	75	—	—	100	108
55—	3	2	92	46	54	98	4	2	50	96	63	60	—	—	121	147
60—	5	4	73	24	59	85	—	—	59	85	67	74	—	—	202	162
65—	9	4	30	15	71	76	1	2	70	74	72	59	—	—	238	236
70—	8	4	11	4	38	37	—	—	38	37	65	63	—	—	254	252
75—	5	5	2	—	26	22	—	—	26	22	39	31	—	—	156	190
80—	6	7	2	—	9	15	—	—	9	15	20	42	—	—	108	117

Causes of Death.	87 (a) Chorea.		87 (b) Neuritis, neuralgia.		87 (c) Paralysis agitans.		87 (d) Dissem- inated sclerosis.		87 (e) Other diseases included under 87.		88 Diseases of the eye and annexa.		89 Diseases of the ear and mastoid sinus.		89 (a) Otitis and other diseases of the ear.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	10	26	50	56	821	791	439	497	241	297	33	46	841	571	467	318
0—	—	—	—	—	—	—	—	—	20	13	4	6	204	128	126	70
1—	—	—	1	1	—	—	—	—	39	31	2	—	83	60	44	29
5—	1	5	—	—	—	—	—	—	22	20	1	4	90	72	34	36
10—	1	7	1	—	—	—	—	—	11	14	2	2	69	58	33	24
15—	3	4	—	—	1	—	1	4	21	14	2	1	54	26	33	14
20—	2	1	1	—	—	—	8	9	13	11	—	1	46	22	26	14
25—	—	4	1	6	2	1	14	13	7	9	—	1	48	20	27	14
30—	1	2	2	2	1	3	31	35	8	9	2	—	41	33	20	17
35—	—	—	6	—	1	2	34	40	4	14	—	—	52	22	23	12
40—	2	2	4	3	3	8	44	57	7	13	—	—	27	23	15	15
45—	—	—	3	5	8	6	46	73	7	14	—	—	34	21	27	12
50—	—	—	3	6	18	15	66	67	13	20	—	—	21	15	17	11
55—	—	—	5	6	42	45	54	63	20	33	—	2	28	17	17	9
60—	—	1	11	5	119	90	57	48	15	18	4	—	25	22	13	16
65—	—	—	3	4	181	163	37	45	17	24	4	6	9	8	4	6
70—	—	—	3	5	216	204	26	28	9	15	2	7	5	10	4	10
75—	—	—	5	9	135	161	14	8	2	12	5	6	5	7	4	3
80—	—	—	1	4	94	93	7	7	6	13	5	10	—	7	—	6

TABLE 21—contd.

Causes of Death.	89 (b) Diseases of the mastoid sinus.		VII. 90-103 Diseases of the Circulatory System.		90-95 Heart diseases.		90 Peri-carditis.		91 Acute endo-carditis.		91 (1) Malignant endo-carditis.		91 (2) Other acute endo-carditis.		92 Chronic endocarditis, valvular disease.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	374	253	77416	79823	62925	65788	248	162	624	590	562	534	62	56	9475	11688
0—	78	58	14	13	7	7	3	3	3	2	2	2	1	—	—	—
1—	39	31	38	40	28	28	9	4	5	4	3	3	2	1	8	17
5—	56	36	98	101	94	95	6	6	24	20	14	20	10	—	53	55
10—	36	34	162	185	152	181	7	6	25	25	20	20	5	5	100	121
15—	21	12	283	311	275	299	7	5	43	65	41	61	2	4	186	190
20—	20	8	317	392	300	378	10	3	67	90	64	81	3	9	172	209
25—	21	6	378	485	359	471	3	3	88	76	80	67	8	9	186	295
30—	21	16	452	612	410	575	6	6	54	67	52	63	2	4	202	346
35—	29	10	713	854	644	800	6	5	59	57	56	55	3	2	271	455
40—	12	8	1077	1170	954	1072	11	5	51	41	47	40	4	1	310	538
45—	7	9	2006	1793	1781	1573	18	10	37	21	32	20	5	1	498	691
50—	4	4	3674	2658	3166	2229	31	15	42	25	37	22	5	3	679	741
55—	11	8	5861	4157	4925	3489	27	15	48	35	44	29	4	6	916	888
60—	12	6	9191	6891	7546	5699	27	22	36	22	31	17	5	5	1245	1222
65—	5	2	11978	10140	9664	8323	25	15	25	18	24	15	1	3	1456	1508
70—	1	—	14358	13786	11491	11198	35	19	9	12	8	10	1	2	1398	1611
75—	1	4	13322	15007	10476	12209	13	12	5	7	4	6	1	1	1091	1439
80—	—	1	13494	21228	10653	17162	4	8	3	3	3	3	—	—	704	1362

Causes of Death.	92 (1) Aortic valve disease.		92 (2) Mitral valve disease.		92 (3) Aortic and mitral valve disease.		92 (4) Endocarditis, not returned as acute or chronic.		92 (5) Other or unspecified valve disease.		93 Diseases of the myocardium.		93 (a) Acute myocarditis.		93(b) Myocardial degeneration.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1919	969	3252	5386	551	482	415	584	3338	4267	39232	44480	168	147	31649	36274
0—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—
1—	1	—	5	6	1	2	—	1	1	8	4	1	2	—	1	1
5—	—	3	20	25	2	2	4	3	27	22	10	12	2	1	6	8
10—	3	3	39	57	9	7	1	7	48	47	16	25	—	1	13	20
15—	6	7	86	95	15	16	10	14	69	58	31	34	3	—	17	28
20—	12	6	88	107	16	19	8	10	48	67	42	52	1	2	27	38
25—	15	5	82	178	19	17	12	15	58	80	60	69	4	3	42	45
30—	36	9	89	189	16	15	7	17	54	116	86	114	5	2	58	79
35—	37	14	118	263	24	21	8	20	84	137	185	208	4	—	130	149
40—	58	31	112	282	37	26	9	30	94	169	319	351	13	7	214	264
45—	100	36	179	369	38	23	25	34	156	229	693	624	12	12	503	448
50—	174	53	211	359	51	35	22	38	221	256	1368	1077	14	10	954	791
55—	224	61	291	427	60	40	29	47	312	313	2377	1911	17	11	1755	1420
60—	281	98	416	536	62	44	48	60	438	484	4116	3401	28	17	3144	2600
65—	343	161	465	639	61	63	68	87	519	558	5729	5274	22	23	4518	4129
70—	287	168	479	685	65	52	64	69	503	637	7691	7812	18	27	6254	6338
75—	212	158	347	594	40	49	53	62	439	576	7719	9225	13	18	6450	7630
80—	130	156	225	575	35	51	47	70	267	510	8785	14288	10	13	7563	12286

TABLE 21—contd.

Causes of Death.	93 (b) (1) Fatty heart.		93 (b) (2) Cardio-vascular degeneration.		93 (b) (3) Other diseases included under 93 (b).		93 (c) Myocarditis, not distinguished as acute or chronic.		94. Diseases of the coronary arteries, angina pectoris.		95 Other diseases of the heart.		95 (a) Disordered action of heart.		95 (b) Other diseases included under 95.	
Ages at Death.	M	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	861	1173	9386	9410	21402	25691	7415	8059	10333	5127	3013	3741	1178	1900	1835	1841
0—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—
1—	—	—	—	—	1	1	1	—	—	—	2	2	—	—	2	2
5—	—	—	—	—	6	8	2	3	—	1	1	1	—	—	1	1
10—	—	—	—	—	13	20	3	4	—	—	4	4	1	—	3	4
15—	1	1	—	—	16	27	11	6	—	—	8	5	2	3	6	2
20—	3	4	—	—	24	34	14	12	—	3	9	21	1	8	8	13
25—	2	6	5	—	35	39	14	21	9	12	13	16	2	8	11	8
30—	9	8	1	2	48	69	23	33	43	16	19	26	12	15	7	11
35—	13	20	9	6	108	123	51	59	89	24	34	51	15	30	19	21
40—	28	38	20	24	166	202	92	80	210	42	53	95	24	60	29	35
45—	56	58	59	37	388	353	178	164	432	101	103	126	43	68	60	58
50—	85	105	148	115	721	571	400	276	886	212	160	159	56	96	104	63
55—	101	148	357	245	1297	1027	605	480	1308	391	249	249	106	142	143	107
60—	173	198	834	548	2137	1854	944	784	1734	666	388	366	160	195	228	171
65—	155	214	1421	1093	2942	2822	1189	1122	1941	988	488	520	192	295	296	225
70—	124	162	2034	1768	4096	4408	1419	1447	1772	1100	586	644	243	333	343	311
75—	74	131	2171	2219	4205	5280	1256	1577	1169	850	479	676	180	310	299	366
80—	37	80	2327	3353	5199	8853	1212	1989	740	721	417	780	141	337	276	443

Causes of Death.	95 (b) (1) Dilation of heart (cause unspecified).		95 (b) (2) Heart disease (undefined).		96 Aneurysm.		97 Arterio-sclerosis.		97 (1) Arterio-sclerosis, with cerebral hæmorrhage.		97 (2) Arterio-sclerosis with record of other cerebral vascular lesion.		97 (3) Arterio-sclerosis without record of cerebral vascular lesion		98 Gangrene.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	131	116	1704	1725	1001	528	12187	12245	4399	4816	2812	3009	4976	4420	365	308
0—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	1	1
1—	—	—	2	2	3	2	—	—	—	—	—	—	—	—	—	1
5—	1	—	—	1	3	3	—	—	—	—	—	—	—	—	—	1
10—	—	—	3	4	5	2	—	—	—	—	—	—	—	—	1	—
15—	—	1	6	1	6	11	1	—	1	—	—	—	—	—	—	—
20—	2	3	6	10	13	10	—	1	—	1	—	—	—	—	—	—
25—	3	—	8	8	16	9	—	2	—	—	—	1	—	1	—	—
30—	2	2	5	9	20	15	8	5	5	5	—	—	3	—	—	2
35—	4	5	15	16	32	18	14	15	12	9	1	1	1	5	1	—
40—	4	3	25	32	54	24	41	37	30	26	8	7	3	4	—	2
45—	9	2	51	56	71	33	93	121	52	84	14	18	27	19	4	3
50—	8	7	96	56	114	59	291	278	164	183	65	53	62	42	4	5
55—	10	15	133	92	129	62	692	507	356	328	177	122	159	57	8	8
60—	20	5	208	166	192	60	1255	985	566	541	285	248	404	196	27	17
65—	15	9	281	216	151	77	1976	1573	827	767	495	410	654	396	35	23
70—	21	15	322	296	97	66	2590	2332	943	993	625	632	1022	707	71	53
75—	11	14	288	352	65	39	2594	2567	829	894	607	689	1158	984	100	85
80—	21	35	255	408	29	37	2632	3822	614	985	535	828	1483	2009	113	107

Causes of Death.	98 (a) Senile gangrene.		98 (b) Other gangrene.		99 Other diseases of the arteries.		100 Diseases of the veins (varix, hæmorrhoids, phlebitis, etc.).		100 (1) Varix.		100 (2) Other diseases of the veins.		101 Diseases of the lymphatic system (lymphangitis, etc.).		102 Abnormalities of blood-pressure.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	329	277	36	31	198	143	271	389	119	176	152	213	23	29	440	388
0—	—	—	1	1	—	—	—	—	—	—	—	—	5	3	—	—
1—	—	—	—	1	—	1	—	—	—	—	—	—	7	8	—	—
5—	—	—	—	1	1	—	—	—	—	—	—	—	—	2	—	—
10—	—	—	1	—	4	—	—	—	—	—	—	—	—	1	—	1
15—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—
20—	—	—	—	—	2	2	1	1	1	1	—	—	—	—	1	—
25—	—	—	—	—	1	—	1	3	1	2	—	1	—	—	1	—
30—	—	—	—	2	3	4	7	7	3	3	4	4	—	—	4	4
35—	—	—	1	—	11	3	3	10	2	7	1	3	2	3	5	5
40—	—	—	—	2	6	5	8	13	2	6	6	7	—	2	14	14
45—	—	—	4	3	14	9	18	32	8	10	10	22	—	1	25	21
50—	—	—	4	5	26	16	31	38	11	16	20	22	1	—	40	32
55—	1	1	7	7	18	17	36	42	12	20	24	22	—	—	52	32
60—	24	14	3	3	25	10	52	59	22	28	30	31	3	2	91	59
65—	34	20	1	3	23	14	40	74	17	29	23	45	2	1	86	55
70—	67	51	4	2	19	26	33	54	15	22	18	32	1	3	56	54
75—	95	84	5	1	22	14	20	35	10	18	10	17	—	1	44	55
80—	108	107	5	—	23	21	21	21	15	14	6	7	1	2	21	56

Causes of Death.	103 Other diseases of the circulatory system.		VIII. 104-114 Diseases of the Respiratory System.		104 Diseases of the nasal fossæ and annexa.		104 (1) Diseases of the nose.		104 (2) Diseases of the accessory nasal sinuses.		105 Diseases of the larynx.		105 (1) Laryngismus stridulus.		105 (2) Laryngitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	6	5	29559	22687	174	103	15	14	159	89	85	67	19	10	63	57
0—	—	1	4136	2784	6	5	4	1	2	4	16	13	8	4	8	9
1—	—	—	1904	1584	5	4	—	1	5	3	23	15	5	3	18	12
5—	—	—	310	251	4	5	—	—	4	5	13	8	6	3	7	5
10—	—	—	159	129	17	11	—	2	17	9	1	3	—	—	1	3
15—	—	—	284	159	21	7	1	1	20	6	1	1	—	—	1	1
20—	—	—	330	192	17	11	2	1	15	10	1	2	—	—	—	2
25—	—	—	390	264	16	7	1	2	15	5	1	3	—	—	1	3
30—	—	—	574	373	19	6	2	—	17	6	2	2	—	—	2	2
35—	1	—	762	469	13	1	2	—	11	1	1	2	—	—	1	2
40—	—	1	1010	543	15	6	1	1	14	5	3	—	—	—	3	—
45—	—	—	1562	693	16	6	2	2	14	4	5	3	—	—	5	3
50—	1	1	2126	847	8	9	—	—	8	9	3	2	—	—	3	2
55—	1	—	2591	1051	7	9	—	—	7	9	4	2	—	—	3	2
60—	—	—	2767	1584	6	8	—	1	6	7	4	—	—	—	4	—
65—	1	—	2724	1961	4	4	—	—	4	4	2	1	—	—	2	1
70—	—	—	2640	2445	—	2	—	—	—	2	4	3	—	—	3	3
75—	1	2	2418	2815	—	2	—	2	—	—	1	3	—	—	1	3
80—	1	—	2872	4543	—	—	—	—	—	—	—	4	—	—	—	4

TABLE 21—*contd.*

Causes of Death.	105 (3) Other diseases of the larynx.		106 Bronchitis.		106 (a) Acute bronchitis.		106 (b) Chronic bronchitis.		106 (c) Bronchitis, not distinguished as acute or chronic.		107-109 Pneumonia (all forms).		107 Broncho-pneumonia.		108 Lobar pneumonia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3	—	9482	8400	2199	2754	4534	2747	2749	2899	17252	12280	9253	7539	6371	3690
0—	—	—	721	523	436	323	10	5	275	195	3363	2219	2911	1925	236	159
1—	—	—	156	118	96	68	11	7	49	43	1674	1421	1288	1124	255	194
5—	—	—	26	25	14	8	7	10	5	7	247	196	114	107	104	73
10—	—	—	23	9	6	2	12	6	5	1	104	95	38	33	53	45
15—	—	—	29	26	5	4	19	17	5	5	211	113	57	41	139	63
20—	1	—	56	18	9	2	44	15	3	1	229	142	55	38	147	83
25—	—	—	43	41	5	7	32	26	6	8	290	182	59	54	198	116
30—	—	—	58	36	10	10	38	22	10	4	440	272	74	89	319	151
35—	—	—	101	61	10	16	73	33	18	12	570	351	114	109	397	203
40—	—	—	174	83	24	30	119	41	31	12	713	376	198	133	440	205
45—	—	—	355	133	63	37	228	73	64	23	1010	461	305	173	591	248
50—	—	—	573	198	74	51	370	95	129	52	1261	542	456	239	681	245
55—	1	—	761	299	112	87	502	146	147	66	1488	624	558	281	763	287
60—	—	—	896	555	165	130	550	279	181	146	1536	846	664	423	710	348
65—	—	—	1086	779	193	224	651	324	242	231	1315	1005	669	533	520	380
70—	1	—	1271	1198	270	358	622	469	379	371	1111	1033	608	600	399	341
75—	—	—	1357	1508	283	480	610	508	464	520	845	1056	504	677	255	294
80—	—	—	1796	2790	424	917	636	671	736	1202	845	1346	581	960	164	255

Causes of Death.	109 Pneumonia (not otherwise defined.)		110 Pleurisy.		110 (1) Empyema.		110 (2) Other pleurisy.		111 Congestion and hæmorrhagic infarct of lung, etc.		111 (1) Hypostatic congestion of lungs.		111 (2) Other diseases included under 111.		112 Asthma.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1628	1051	509	226	273	92	236	134	568	687	527	646	41	41	999	811
0—	216	135	10	10	8	7	2	3	9	10	9	10	—	—	7	—
1—	131	103	25	10	24	9	1	1	6	3	6	3	—	—	13	10
5—	29	16	16	11	13	11	3	—	—	—	—	—	—	—	3	6
10—	13	17	5	4	4	3	1	1	—	1	—	—	—	1	5	4
15—	15	9	15	3	12	3	3	—	1	—	1	—	—	—	2	5
20—	27	21	18	9	12	7	6	2	3	3	2	3	1	—	6	7
25—	33	12	22	4	16	2	6	2	1	3	1	1	—	2	13	19
30—	47	32	27	11	18	7	9	4	4	4	4	4	—	—	17	32
35—	59	39	28	10	19	5	9	5	2	3	2	2	—	1	29	37
40—	75	38	39	13	23	4	16	9	4	3	4	2	—	1	35	55
45—	114	40	37	17	21	7	16	10	11	4	8	2	3	2	87	63
50—	124	58	49	12	24	5	25	7	25	10	21	9	4	1	136	68
55—	167	56	56	15	27	5	29	10	30	20	26	16	4	4	150	71
60—	162	75	56	24	28	10	28	14	43	22	34	17	9	5	134	114
65—	126	92	36	20	12	3	24	17	65	54	58	47	7	7	157	86
70—	104	92	27	19	7	2	20	17	82	83	73	80	9	3	103	98
75—	86	85	24	18	4	1	20	17	115	135	112	128	3	7	63	84
80—	100	131	19	16	1	1	18	15	167	329	166	322	1	7	39	52

TABLE 21—*contd.*

Causes of Death.	113 Pulmonary emphysema.		114 Other diseases of the respiratory system.		114 (a) Chronic interstitial pneumonia, including occupational diseases of the lung.		114 (b) Other diseases included under 114.		114 (b) (1) Gangrene of the lung.		114 (b) (2) Other diseases included under 114 (b).		IX. 115-129 Diseases of the Digestive System.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	82	12	408	101	315	54	93	47	8	9	85	38	13599	10910
0—	—	—	4	4	—	—	4	4	—	—	4	4	2202	1429
1—	—	—	2	3	1	1	1	2	—	—	1	2	505	414
5—	—	—	1	—	—	—	1	—	—	—	1	—	255	249
10—	—	—	4	2	—	1	4	1	—	—	4	1	176	158
15—	—	—	4	4	—	—	4	4	—	—	4	4	253	167
20—	—	—	—	—	—	—	—	—	—	—	—	—	263	190
25—	—	—	4	5	1	3	3	2	—	—	3	2	330	253
30—	2	—	5	10	3	5	2	5	—	2	2	3	391	283
35—	2	—	16	4	9	1	7	3	—	—	7	3	493	327
40—	2	—	25	7	10	3	15	4	1	1	14	3	585	378
45—	6	—	35	6	25	2	10	4	—	2	10	2	800	505
50—	7	1	64	5	54	1	10	4	2	1	8	3	1113	679
55—	12	2	83	9	72	7	11	2	2	—	9	2	1291	918
60—	15	2	77	13	66	10	11	3	2	2	9	1	1298	1030
65—	13	3	46	9	43	7	3	2	—	—	3	2	1288	1075
70—	10	2	32	7	26	5	6	2	1	—	5	2	1035	1066
75—	8	1	5	8	5	6	—	2	—	1	—	1	758	878
80—	5	1	1	5	—	2	1	3	—	—	1	3	563	911

Causes of Death.	115 Diseases of the buccal cavity, pharynx, etc.		115 (1) Diseases of the teeth and gums.		115 (2) Ludwig's angina.		115 (3) Diseases of the tonsils.		115 (4) Other diseases included under 115.		116 Diseases of the esophagus		117 Ulcer of the stomach or duodenum.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	693	682	163	126	35	31	358	393	137	132	34	24	3532	1052
0—	38	32	6	13	4	2	14	12	14	5	1	1	2	—
1—	80	69	9	8	2	1	55	56	14	4	2	—	—	1
5—	66	58	2	3	2	2	52	47	10	6	—	—	2	—
10—	24	24	1	1	—	2	18	20	5	1	—	—	—	—
15—	32	28	6	1	1	—	22	25	3	2	—	—	14	2
20—	40	47	11	17	2	1	21	25	6	4	—	—	36	5
25—	45	43	9	13	—	3	31	26	5	1	—	—	95	8
30—	37	36	8	9	4	1	19	24	6	2	—	—	140	24
35—	33	30	8	3	4	—	17	21	4	6	—	—	200	32
40—	28	31	9	6	2	3	15	19	2	3	1	1	266	46
45—	41	36	16	12	1	1	19	18	5	5	3	1	353	61
50—	38	45	14	5	—	2	18	25	6	13	4	—	524	111
55—	48	41	17	8	4	6	18	19	9	8	4	3	530	139
60—	36	31	13	5	3	2	13	11	7	13	4	2	480	167
65—	30	37	11	8	1	1	7	13	11	15	3	4	408	162
70—	31	28	11	6	1	2	9	11	10	9	6	3	242	133
75—	28	28	11	4	1	—	6	12	10	12	3	3	163	94
80—	18	38	1	4	3	2	4	9	10	23	3	6	77	67

TABLE 21—contd.

Causes of Death.	117 (a) Ulcer of the stomach.		117 (b) Ulcer of the duodenum.		118 Other diseases of the stomach.		118 (1) Inflammation of the stomach.		118 (2) Other diseases included under 118.		119 & 120 Diarrhoea and enteritis.		119 & 120 (a) (1) Colitis.		119 & 120(a)(2) Other diarrhoea and enteritis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2272	825	1260	227	388	369	300	307	88	62	2697	2228	98	162	2378	1739
0—	2	—	—	—	80	55	68	44	12	11	1862	1224	18	23	1842	1200
1—	—	1	—	—	9	15	9	13	—	2	226	194	5	3	220	190
5—	1	—	1	—	1	1	1	1	—	—	24	30	1	—	23	26
10—	—	—	—	—	3	1	2	—	1	1	5	7	—	—	5	4
15—	10	1	4	1	2	2	2	1	—	1	17	21	—	1	7	4
20—	18	5	18	—	5	1	—	1	5	—	25	25	1	3	4	4
25—	60	7	35	1	2	4	1	3	1	1	24	52	2	6	5	4
30—	85	22	55	2	—	3	—	2	—	1	29	51	5	8	5	9
35—	131	21	69	11	9	5	4	1	5	4	23	43	4	6	6	6
40—	177	32	89	14	10	2	10	2	—	—	30	46	3	3	8	9
45—	223	48	130	13	20	5	12	4	8	1	34	37	1	3	10	10
50—	335	88	189	23	23	14	12	9	11	5	38	41	6	8	10	10
55—	329	111	201	28	30	20	22	13	8	7	60	60	8	11	32	16
60—	313	142	167	25	34	28	26	24	8	4	51	54	10	10	27	29
65—	265	130	143	32	44	35	33	30	11	5	47	58	5	12	26	28
70—	162	93	80	40	44	52	37	44	7	8	71	66	17	21	45	33
75—	110	69	53	25	33	51	27	47	6	4	62	82	4	20	45	56
80—	51	55	26	12	39	75	34	68	5	7	69	137	8	24	58	101

Causes of Death.	119 & 120 (b) Ulceration of intestines.		121 Appendicitis.		122 Hernia, intestinal obstruction.		122 (a) Hernia.		122 (a) (1) Strangulated hernia.		122 (a) (2) Hernia not returned as strangulated.		122 (b) Intestinal obstruction.		123 Other diseases of the intestines.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	221	327	1584	1237	2394	2269	1017	1086	760	848	257	238	1377	1183	396	406
0—	2	1	1	—	190	96	46	7	25	1	21	6	144	89	12	5
1—	1	1	93	61	70	30	15	1	4	1	11	—	55	29	7	1
5—	—	4	120	98	26	14	4	—	2	—	2	—	22	14	3	—
10—	—	3	114	82	25	21	—	1	—	1	—	—	25	20	2	—
15—	10	16	127	84	45	12	3	—	3	—	—	—	42	12	3	—
20—	20	18	91	55	47	29	5	2	4	—	1	2	42	27	3	1
25—	17	42	103	54	44	31	5	1	2	1	3	—	39	30	1	3
30—	19	34	83	60	60	43	9	6	6	4	3	2	51	37	5	7
35—	13	31	89	70	79	72	20	10	14	8	6	2	59	62	16	10
40—	19	34	83	58	78	91	23	27	14	22	9	5	55	64	12	11
45—	23	24	92	76	130	121	55	48	32	40	23	8	75	73	25	24
50—	22	23	104	96	163	139	54	67	36	48	18	19	109	72	41	47
55—	20	33	121	90	192	205	73	114	52	93	21	21	119	91	61	49
60—	14	15	117	95	230	242	115	154	91	111	24	43	115	88	60	63
65—	16	18	105	97	293	271	145	151	126	127	19	24	148	120	48	49
70—	9	12	87	83	269	319	156	202	124	155	32	47	113	117	46	51
75—	13	6	37	49	230	272	138	150	105	118	33	32	92	122	35	36
80—	3	12	17	29	223	261	151	145	120	118	31	27	72	116	16	49

TABLE 21—contd.

Causes of Death.	123 (1) Constipation, intestinal stasis.		123 (2) Diverticulitis.		123 (3) Other diseases included under 123.		124 Cirrhosis of the liver.		124 (a) Returned as alcoholic.		124 (b) Not returned as alcoholic.		125 Other diseases of the liver.		125 (1) Acute yellow atrophy.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	38	62	281	273	77	71	792	441	135	72	657	369	102	162	24	89
0—	7	2	3	—	2	3	—	3	—	—	—	3	1	3	—	1
1—	—	—	5	1	2	—	1	2	—	—	1	2	3	3	3	1
5—	—	—	3	—	—	—	1	—	—	—	1	—	3	3	—	—
10—	—	—	1	—	1	—	—	3	—	—	—	3	1	5	1	3
15—	1	—	2	—	—	—	4	4	—	—	4	4	1	5	—	4
20—	—	—	3	1	—	—	3	2	—	—	3	2	8	14	1	10
25—	—	—	—	3	1	—	4	7	1	2	3	5	3	26	—	23
30—	—	—	2	6	3	1	5	4	1	—	4	4	10	24	2	19
35—	—	—	9	8	7	2	15	6	4	1	11	5	3	13	1	13
40—	—	1	8	9	4	1	31	17	12	3	19	14	8	11	3	6
45—	—	3	18	17	7	4	56	37	7	7	49	30	9	4	3	1
50—	2	3	35	33	4	11	87	48	18	8	69	40	8	4	1	1
55—	2	3	47	32	12	14	127	82	36	10	91	72	8	11	4	5
60—	3	5	43	50	14	8	141	84	24	19	117	65	7	11	2	2
65—	6	5	37	35	5	9	154	61	18	14	136	47	11	7	1	—
70—	1	10	40	35	5	6	99	38	8	4	91	34	10	6	2	—
75—	8	10	19	18	8	8	45	25	3	2	42	23	5	6	—	—
80—	8	20	6	25	2	4	19	18	3	2	16	16	3	6	—	—

Causes of Death.	125 (2) Other diseases included under 125.		126 Biliary calculi.		126 (1) With cholecystitis.		126 (2) Without mention of cholecystitis.		127 Other diseases of the gall bladder and ducts.		127 (1) Cholecystitis, without record of biliary calculi.		127 (2) Other diseases included under 127.		128 Diseases of the pancreas.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	78	73	301	779	110	294	191	485	359	809	303	766	56	43	225	263
0—	1	2	—	—	—	—	—	—	2	1	1	—	1	1	1	—
1—	—	2	—	—	—	—	—	—	3	2	—	—	3	2	2	1
5—	3	3	—	—	—	—	—	—	1	1	—	—	1	1	—	—
10—	—	2	—	—	—	—	—	—	2	1	1	—	1	1	—	1
15—	1	1	—	1	—	—	—	1	—	3	—	1	—	2	1	—
20—	7	4	—	2	—	1	—	1	1	2	—	1	1	1	1	2
25—	3	3	—	5	—	—	—	5	4	4	1	2	3	2	3	8
30—	8	5	3	10	1	5	2	5	11	4	7	3	4	1	4	8
35—	2	—	2	14	—	4	2	10	10	14	9	12	1	2	9	12
40—	5	5	6	24	2	11	4	13	16	19	10	19	6	—	10	12
45—	6	3	12	37	4	16	8	21	11	29	10	29	1	—	9	28
50—	7	3	21	51	7	16	14	35	17	55	15	51	2	4	37	24
55—	4	6	33	88	12	35	21	53	37	78	33	74	4	4	34	44
60—	5	9	49	117	14	38	35	79	47	94	44	92	3	2	35	38
65—	10	7	58	131	22	54	36	77	42	122	37	117	5	5	38	35
70—	8	6	46	116	22	42	24	74	55	142	46	138	9	4	23	25
75—	5	6	44	97	18	37	26	60	55	114	53	108	2	6	12	19
80—	3	6	27	86	8	35	19	51	45	124	36	119	9	5	6	6

TABLE 21—contd.

Causes of Death.	129 Peritonitis, without stated cause.		X. 130-139 Non-venereal Diseases of the Genito-urinary System and Annexa.		130-132 Nephritis.		130 Acute nephritis.		131 Chronic nephritis.		132 Nephritis, not stated to be acute or chronic.		133 Other diseases of the kidney and annexa.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	102	189	14278	9113	7593	7472	439	459	6497	6423	657	590	582	674
0—	12	9	90	69	20	16	19	16	—	—	1	—	56	48
1—	9	35	55	45	29	22	21	14	7	5	1	3	21	20
5—	8	44	42	45	35	39	17	12	16	18	2	9	5	6
10—	—	13	51	72	44	65	18	21	26	35	—	9	2	4
15—	7	5	111	100	105	88	26	25	74	54	5	9	4	5
20—	3	5	135	151	116	112	29	21	82	82	5	9	5	16
25—	2	8	181	206	157	141	29	23	116	108	12	10	13	25
30—	4	9	199	246	158	157	32	13	110	137	16	7	17	30
35—	5	6	258	312	201	232	28	29	158	187	15	16	24	27
40—	6	9	345	390	257	272	30	35	206	216	21	21	31	39
45—	5	9	459	476	364	341	25	23	301	287	38	31	30	46
50—	8	4	731	651	549	519	37	39	461	443	51	37	40	52
55—	6	8	1100	772	745	635	27	45	667	543	51	47	49	59
60—	7	4	1640	1105	956	948	18	35	862	856	76	57	58	76
65—	7	6	2139	1224	1120	1073	35	41	982	959	103	73	78	64
70—	6	4	2482	1188	1089	1055	27	29	965	938	97	88	55	51
75—	6	2	2199	1044	864	905	10	26	775	801	79	78	53	46
80—	1	9	2061	1017	784	852	11	12	689	754	84	86	41	60

Causes of Death.	133 (a) Pyelitis.		133 (b) Other diseases included under 133.		134 Calculi of the urinary passages.		134 (a) Calculi of kidney and ureter.		134 (b) Calculi of the bladder.		134 (c) Calculi of unstated site.		135 Diseases of the bladder.		135 (a) Cystitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	419	506	163	168	333	213	213	172	120	40	—	1	591	363	540	338
0—	38	44	18	4	—	—	—	—	—	—	—	—	—	1	—	1
1—	15	18	6	2	—	—	—	—	—	—	—	—	1	1	1	1
5—	—	4	5	2	—	—	—	—	—	—	—	—	—	—	—	—
10—	1	2	1	2	3	—	1	—	2	—	—	—	2	2	2	2
15—	2	5	2	—	2	—	1	—	1	—	—	—	—	—	—	—
20—	1	10	4	6	8	1	7	1	1	—	—	—	2	3	2	3
25—	7	19	6	6	6	7	5	6	1	1	—	—	2	5	2	3
30—	12	18	5	12	16	13	14	12	2	1	—	—	3	5	3	5
35—	13	19	11	8	18	13	13	12	5	1	—	—	5	7	5	5
40—	14	25	17	14	27	18	23	13	4	5	—	—	11	5	11	4
45—	14	24	16	22	22	17	18	17	4	—	—	—	14	13	11	10
50—	24	31	16	21	38	31	27	27	11	4	—	—	19	17	16	16
55—	31	41	18	18	32	22	21	17	11	5	—	—	45	33	39	29
60—	44	61	14	15	48	24	32	17	16	7	—	—	62	30	59	26
65—	72	53	6	11	36	26	20	19	16	6	—	1	76	34	71	34
70—	46	43	9	8	39	16	18	14	21	2	—	—	94	50	88	50
75—	49	39	4	7	21	13	9	8	12	5	—	—	124	75	109	72
80—	36	50	5	10	17	12	4	9	13	3	—	—	131	82	121	77

TABLE 21—*contd.*

Causes of Death.	135 (b) Other diseases of the bladder.		136 Diseases of the urethra, urinary abscess, etc.		136 (a) Stricture of the urethra.		136 (b) Other diseases of the urethra, etc.		137 Diseases of the prostate.	138 Diseases of the male genital organs.	139 Diseases of the female genital organs.
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	M.	F.
All Ages	51	25	347	6	335	2	12	4	4783	49	385
0—	—	—	—	—	—	—	—	—	—	14	4
1—	—	—	—	—	—	—	—	—	—	4	2
5—	—	—	1	—	1	—	—	—	—	1	—
10—	—	—	—	—	—	—	—	—	—	—	1
15—	—	—	—	—	—	—	—	—	—	—	7
20—	—	—	3	—	2	—	1	—	—	1	19
25—	—	2	2	—	1	—	1	—	—	1	28
30—	—	—	1	—	1	—	—	—	3	1	41
35—	—	2	7	—	7	—	—	—	3	—	33
40—	—	1	12	1	11	1	1	—	7	—	55
45—	3	3	12	—	11	—	1	—	12	5	59
50—	3	1	34	2	32	1	2	1	48	3	30
55—	6	4	45	—	45	—	—	—	181	3	23
60—	3	4	68	1	67	—	1	1	442	6	26
65—	5	—	57	—	54	—	3	—	767	5	27
70—	6	—	54	—	53	—	1	—	1149	2	16
75—	15	3	25	—	25	—	—	—	1111	1	5
80—	10	5	26	2	25	—	1	2	1060	2	9

Causes of Death.	139 (a) Diseases of the ovary, Fallopian tube and parametrium.	139 (a) (1) Diseases of the ovary.	139 (a) (2) Diseases of the Fallopian tube.	139 (a) (3) Diseases of the parametrium.	139 (b) Diseases of the uterus.	139 (c) Diseases of the breast.	139 (d) Other diseases of the female genital organs.
Ages at Death.	F.	F.	F.	F.	F.	F.	F.
All Ages	165	2	144	19	192	8	20
0—	—	—	—	—	—	1	3
1—	—	—	—	—	—	—	2
5—	—	—	—	—	—	—	—
10—	1	—	1	—	—	—	—
15—	5	—	3	2	2	—	—
20—	14	—	13	1	4	1	—
25—	21	—	20	1	7	—	—
30—	32	1	26	5	8	—	1
35—	20	1	19	—	11	2	—
40—	25	—	24	1	30	—	—
45—	19	—	16	3	35	2	3
50—	11	—	9	2	17	—	2
55—	5	—	5	—	16	1	1
60—	5	—	4	1	20	—	1
65—	2	—	1	1	23	—	2
70—	5	—	3	2	7	1	3
75—	—	—	—	—	5	—	—
80—	—	—	—	—	7	—	2

TABLE 21—*contd.*

Causes of Death.	XI. 140-150. Diseases of Pregnancy, Childbirth and the Puerperal State.	140 & 145 Puerperal sepsis.	140 Post- abortive sepsis.	141 Abortion not returned as septic.	141 (1) Hæmorrhage following abortion.	141 (2) Without record of hæmorrhage.	142 Ectopic gestation.	143 Other accidents of pregnancy.
Ages at Death.	F.	F.	F.	F.	F.	F.	F.	F.
All Ages	1988	596	173	50	44	6	75	21
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	34	14	8	—	—	—	—	1
20—	308	100	24	3	2	1	4	5
25—	521	164	41	10	8	2	15	4
30—	551	173	51	17	16	1	24	2
35—	376	109	37	14	12	2	23	3
40—	183	35	12	5	5	—	8	4
45—	14	1	—	1	1	—	1	1
50—	1	—	—	—	—	—	—	1
55—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—

Causes of Death.	144 Puerperal hæmorrhage.	144 (a) Placenta prævia.	144 (b) Other puerperal hæmorrhage.	145 Puerperal sepsis not returned as post-abortive.	145 (a) Puerperal septicæmia and pyæmia.	145 (b) Puerperal tetanus.	146 Puerperal albuminuria and convulsions.	147 Other toxæmias of pregnancy.
Ages at Death.	F.	F.	F.	F.	F.	F.	F.	F.
All Ages	296	133	163	423	422	1	333	167
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	2	—	2	6	6	—	7	3
20—	40	15	25	76	76	—	61	27
25—	87	26	61	123	123	—	84	48
30—	74	38	36	122	122	—	92	49
35—	61	34	27	72	71	1	55	25
40—	32	20	12	23	23	—	33	14
45—	—	—	—	1	1	—	1	1
50—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—

TABLE 21—*contd.*

Causes of Death.	148 Puerperal phlegmasia alba dolens, embolism and sudden death.	148 (a) Puerperal phlegmasia alba dolens not returned as septic.	148 (b) Puerperal embolism and sudden death.	149 Other accidents of childbirth.	150 Other or unspecified conditions of the puerperal state.	150 (1) Puerperal insanity.	150 (2) Puerperal diseases of the breast.
Ages at Death.	F.	F.	F.	F.	F.	F.	F.
All Ages	139	53	86	262	49	18	7
0—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—
15—	2	—	2	4	1	—	—
20—	14	5	9	46	8	5	—
25—	36	11	25	62	11	6	2
30—	42	20	22	66	12	4	3
35—	25	9	16	49	12	3	2
40—	18	8	10	30	4	—	—
45—	2	—	2	5	1	—	—
50—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—

Causes of Death.	150 (3) Childbirth (un-qualified).	XII. 151-153 Diseases of the Skin and Cellular Tissue.		151 Carbuncle, boil.		152 Cellulitis, acute abscess.		152 (1) Cellulitis.		152 (2) Acute abscess.		153 Other diseases of the skin and its annexa.	
Ages at Death.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	24	1114	774	350	182	451	312	373	259	78	53	313	280
0—	—	173	77	15	5	61	30	39	16	22	14	97	42
1—	—	30	18	3	2	15	8	14	5	1	3	12	8
5—	—	9	7	2	3	6	2	4	2	2	—	1	2
10—	—	18	13	8	3	6	9	6	8	—	1	4	1
15—	1	38	22	22	17	11	4	9	3	2	1	5	1
20—	3	18	32	10	17	8	11	6	9	2	2	—	4
25—	3	23	18	13	10	7	6	5	5	2	1	3	2
30—	5	28	21	18	9	9	9	9	7	—	2	1	3
35—	7	53	29	25	5	23	15	20	13	3	2	5	9
40—	4	30	32	16	11	13	15	9	13	4	2	1	6
45—	1	57	35	22	6	25	22	23	16	2	6	10	7
50—	—	63	40	21	13	30	15	26	11	4	4	12	12
55—	—	75	38	35	10	29	18	22	17	7	1	11	10
60—	—	119	71	35	19	52	26	46	24	6	2	32	26
65—	—	109	64	34	9	50	32	44	29	6	3	25	23
70—	—	103	75	24	13	50	32	41	29	9	3	29	30
75—	—	101	77	32	14	35	31	32	27	3	4	34	32
80—	—	67	105	15	16	21	27	18	25	3	2	31	62

TABLE 21—*contd.*

Causes of Death.	XIII. 154-156 Diseases of the Bones and Organs of Locomotion.		154 Acute infective osteomyelitis and periostitis.		155 Other diseases of the bones.		156 Diseases of the joints and other organs of locomotion.		156 (a) Diseases of the joints.		156 (b) Diseases of other organs of locomotion.		XIV. 157 Congenital Malformations.		157 (a) Congenital hydrocephalus.	
	Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Ages	508	336	294	152	90	76	124	108	100	63	24	45	2261	1875	137	123
0—	13	15	9	11	—	—	4	4	4	4	—	—	2046	1653	100	89
1—	39	28	36	24	—	—	3	4	3	4	—	—	79	111	13	20
5—	57	35	44	26	1	—	12	9	10	9	2	—	44	34	12	6
10—	73	41	60	35	2	—	11	6	10	4	1	2	22	17	3	2
15—	49	17	40	13	3	1	6	3	3	—	3	3	31	16	3	2
20—	16	12	10	7	3	—	3	5	3	3	—	2	9	12	—	1
25—	20	8	11	5	3	1	6	2	6	1	—	1	11	4	2	1
30—	24	6	16	2	1	1	7	3	6	1	1	2	6	14	1	2
35—	16	16	11	5	2	3	3	8	1	2	2	6	4	7	1	—
40—	22	5	12	—	4	1	6	4	5	2	1	2	3	5	—	—
45—	19	13	11	7	3	2	5	4	5	1	—	3	2	—	1	—
50—	28	18	11	5	7	7	10	6	10	3	—	3	1	—	—	—
55—	30	17	7	2	11	7	12	8	6	4	6	4	—	2	—	—
60—	25	22	4	—	10	10	11	12	10	7	1	5	2	—	1	—
65—	30	18	11	3	9	8	10	7	8	6	2	1	—	—	—	—
70—	20	25	1	2	14	13	5	10	4	5	1	5	—	—	—	—
75—	16	23	—	3	11	12	5	8	2	6	3	2	—	—	—	—
80—	11	17	—	2	6	10	5	5	4	1	1	4	1	—	—	—

[illegible]

TABLE 21—*contd.*

Causes of Death.	157 (e) (5) Congenital malformation, unspecified.		XV. 158-161 Diseases of Early Infancy.		158 Congenital debility.		159 Premature birth.		160 Injury at birth.		160 (a) With mention of Cæsarean section.		160 (b) Without mention of Cæsarean section.		161 Other diseases peculiar to early infancy.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	43	41	8763	6564	828	546	5783	4592	938	571	3	2	935	569	1214	855
0—	43	39	8763	6564	828	546	5783	4592	938	571	3	2	935	569	1214	855
1—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of Death.	161 (a) Atelectasis.		161 (b) Icterus neonatorum		161 (c) Other diseases included under 161.		161 (c) (1) Diseases of the umbilicus.		161 (c) (2) Pemphigus neonatorum		161 (c) (3) Other diseases included under 161 (c).		XVI. 162 Old Age.		162 (a) Senile dementia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	752	514	192	133	270	208	48	35	47	31	175	142	6747	10238	431	481
0—	752	514	192	133	270	208	48	35	47	31	175	142	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	2	—
55—	—	—	—	—	—	—	—	—	—	—	—	—	5	16	3	8
60—	—	—	—	—	—	—	—	—	—	—	—	—	45	40	27	13
65—	—	—	—	—	—	—	—	—	—	—	—	—	179	205	44	57
70—	—	—	—	—	—	—	—	—	—	—	—	—	914	1013	119	102
75—	—	—	—	—	—	—	—	—	—	—	—	—	1680	2235	105	144
80—	—	—	—	—	—	—	—	—	—	—	—	—	3922	6728	131	157

TABLE 21—*contd.*

Causes of Death.	162 (b) Other forms of senile decay.		XVII. 163-198 Deaths from Violence.		Suicide.											
					163-171 Total.		163 By solid or liquid poisons and corrosive substances.		164 By poisonous gas.		165 By hanging or strangulation.		166 By drowning.		167 By firearms.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	6316	9757	14893	7903	3447	1718	304	276	1083	702	645	169	489	317	233	7
0—	—	—	376	314	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	563	395	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	530	250	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	364	143	7	1	—	—	1	—	5	—	1	—	—	—
15—	—	—	805	222	54	21	6	5	11	3	14	1	8	5	12	—
20—	—	—	1281	286	131	76	19	19	50	22	17	4	14	11	6	1
25—	—	—	1038	253	196	112	20	11	73	46	40	9	21	18	14	—
30—	—	—	914	282	245	144	19	33	101	53	32	14	25	21	28	2
35—	—	—	869	292	231	145	27	26	95	66	28	9	17	25	14	1
40—	—	—	821	304	250	171	24	28	87	67	46	25	23	34	22	1
45—	—	—	949	382	322	202	27	27	98	84	65	21	45	47	15	2
50—	—	1	1058	477	375	225	38	36	102	102	73	21	64	42	30	—
55—	2	8	1090	448	427	194	43	23	118	85	77	21	69	37	23	—
60—	18	27	1232	543	479	169	37	26	139	79	107	8	76	34	24	—
65—	135	148	930	588	328	134	17	24	94	52	59	16	57	24	21	—
70—	795	911	821	661	229	74	20	10	68	25	42	15	41	11	12	—
75—	1575	2091	626	775	106	30	4	6	32	14	22	2	18	2	6	—
80—	3791	6571	626	1288	67	20	3	2	14	4	18	3	10	6	6	—

Causes of Death.	Suicide—continued.								Homicide.								176-194 Accidental deaths.	
	168 By cutting or piercing instruments.		169 By jumping from high places.		170 By crushing.		171 By other means.		172-175 Total.		172* 173 By firearms.		174 By cutting or piercing instruments.		175 By other means.			
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	383	78	106	73	188	42	16	54	83	90	6	8	4	9	73	73	10579	5747
0—	—	—	—	—	—	—	—	—	20	14	—	—	2	—	18	14	341	274
1—	—	—	—	—	—	—	—	—	5	6	—	—	—	—	5	6	551	383
5—	—	—	—	—	—	—	—	—	6	3	—	—	—	—	6	3	513	241
10—	—	—	—	—	—	1	—	—	2	1	—	—	1	—	1	1	348	138
15—	—	—	2	3	1	2	—	2	9	8	—	1	—	—	9	7	715	178
20—	4	3	11	3	9	4	1	9	8	7	1	—	—	2	7	5	1088	178
25—	7	4	2	7	15	4	4	13	4	10	—	—	—	1	4	9	791	103
30—	13	2	6	6	20	6	1	7	2	7	1	1	—	—	1	6	626	112
35—	22	2	9	2	19	3	—	11	3	5	—	1	1	2	2	2	585	120
40—	26	5	6	5	15	3	1	3	5	4	—	1	—	2	5	1	513	106
45—	34	8	8	7	27	4	3	2	5	5	—	1	—	—	5	4	547	152
50—	34	12	10	10	22	2	2	—	6	8	2	2	—	—	4	6	595	215
55—	68	10	11	10	18	5	—	3	2	4	—	—	—	—	2	4	575	215
60—	58	9	17	6	20	5	1	2	3	5	—	1	—	1	3	3	660	341
65—	58	12	10	5	12	—	—	1	1	—	1	—	—	—	—	—	537	436
70—	29	6	11	5	5	1	1	1	2	1	1	—	—	—	1	1	545	565
75—	17	2	2	2	4	2	1	—	—	1	—	—	—	1	—	—	502	734
80—	13	3	1	2	1	—	1	—	—	1	—	—	—	—	—	1	547	1256

* 172, Infanticide. Deaths from this cause are included under Nos. 173-175.

TABLE 21—contd.

Causes of Death.	176 Attack by venomous animals.		177 Food poison- ing.		178 Accidental absorption of irrespir- able or pois- onous gas.		179 Other acute accidental poisoning (not by gas).		180 Conflag- ration.		181 Accidental burns (conflag- ration excepted).		182 Accidental mechanical suffocation.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	15	11	22	15	170	76	47	51	39	35	511	807	295	168
0—	1	—	—	—	1	—	—	2	2	3	38	29	200	127
1—	—	—	1	—	2	—	8	4	1	3	219	175	16	12
5—	—	—	—	—	1	1	—	1	5	3	25	55	2	1
10—	1	—	—	1	1	2	1	—	1	4	10	32	5	1
15—	—	1	—	—	9	2	—	1	1	—	11	34	4	—
20—	1	—	—	—	18	5	5	1	—	1	18	34	7	1
25—	2	1	—	—	18	2	4	1	1	1	11	14	3	1
30—	—	2	2	—	15	3	5	1	4	1	13	20	8	3
35—	—	1	1	2	16	4	5	1	1	1	17	21	5	2
40—	3	2	2	3	14	7	2	3	4	1	10	11	5	—
45—	1	—	5	—	15	2	5	10	2	1	13	31	6	—
50—	1	—	—	4	12	5	4	5	1	—	15	23	6	4
55—	1	—	2	3	6	7	2	6	1	2	11	20	8	2
60—	2	1	3	1	12	4	2	4	5	2	16	36	5	3
65—	1	2	3	1	8	3	—	5	1	1	10	49	5	4
70—	1	—	2	—	7	13	3	1	1	2	20	69	5	2
75—	—	—	1	—	11	6	1	2	3	3	29	62	2	2
80—	—	1	—	—	4	10	—	3	5	6	25	92	3	3

Causes of Death.	183 Accidental drowning.		184 Accidental injury by firearms.		185 Accidental injury by cutting or piercing instruments.		186 Accidental injury by fall, crushing, etc.		187* 188. Injury by animals (poisoning by venomous animals excepted).		189 Hunger or thirst.		190 Excessive cold.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	656	125	61	5	20	3	8284	4251	49	5	11	3	22	3
0—	2	1	—	—	1	—	17	9	—	—	—	—	—	—
1—	73	35	3	1	—	—	204	143	2	1	—	—	—	—
5—	103	19	2	—	2	—	353	155	1	—	—	—	—	—
10—	58	10	6	1	2	1	241	81	1	—	—	—	—	—
15—	94	11	11	—	3	—	553	124	2	—	—	—	1	1
20—	65	6	9	1	1	—	924	125	2	—	—	—	—	—
25—	42	9	8	2	1	—	668	68	4	—	—	—	—	—
30—	38	7	4	—	2	—	496	68	2	—	—	—	1	—
35—	23	2	1	—	2	—	490	73	3	—	—	—	—	—
40—	17	1	5	—	1	—	427	72	4	—	1	—	1	—
45—	22	1	5	—	—	1	456	104	3	—	2	—	1	—
50—	28	5	1	—	—	—	506	160	1	—	—	—	—	1
55—	17	4	2	—	1	—	506	166	6	—	1	1	4	—
60—	24	2	1	—	—	—	567	284	9	—	2	—	2	—
65—	21	6	1	—	3	1	465	357	2	1	4	1	3	—
70—	14	2	2	—	1	—	474	473	3	1	1	1	6	—
75—	12	1	—	—	—	—	435	655	3	—	—	—	1	—
80—	3	3	—	—	—	—	502	1134	1	2	—	—	2	1

TABLE 21—contd.

Causes of Death.	191 Excessive heat.		192 Lightning.		193 Electricity (lightning excepted).		194 Other and unstated forms of accidental violence.		194 (1) Inattention at birth.		194 (2) Other causes included under 194.		195 Violent deaths of unstated nature (i.e., accidental, suicidal, etc.).		196 Wounds of war.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	14	6	—	—	70	9	293	174	71	99	222	75	719	348	56	—
0—	1	—	—	—	—	—	78	103	71	99	7	4	15	26	—	—
1—	—	2	—	—	4	—	18	7	—	—	18	7	7	6	—	—
5—	1	1	—	—	6	—	12	5	—	—	12	5	11	6	—	—
10—	—	—	—	—	6	—	15	5	—	—	15	5	7	3	—	—
15—	—	—	—	—	6	—	20	4	—	—	20	4	27	15	—	—
20—	—	—	—	—	12	2	26	2	—	—	26	2	51	25	—	—
25—	—	—	—	—	15	2	14	2	—	—	14	2	46	28	—	—
30—	1	—	—	—	8	2	27	5	—	—	27	5	39	19	—	—
35—	1	2	—	—	5	2	15	9	—	—	15	9	42	22	8	—
40—	1	—	—	—	3	—	13	6	—	—	13	6	41	23	12	—
45—	—	—	—	—	2	—	9	2	—	—	9	2	60	23	15	—
50—	—	—	—	—	2	1	18	7	—	—	18	7	67	29	13	—
55—	—	1	—	—	1	—	6	3	—	—	6	3	80	35	6	—
60—	2	—	—	—	—	—	8	4	—	—	8	4	88	28	1	—
65—	3	—	—	—	—	—	7	5	—	—	7	5	64	18	—	—
70—	1	—	—	—	—	—	4	1	—	—	4	1	44	21	1	—
75—	3	—	—	—	—	—	1	3	—	—	1	3	18	10	—	—
80—	—	—	—	—	—	—	2	1	—	—	2	1	12	11	—	—

Causes of Death.	197*		XVIII. 199–200 Ill-defined Diseases.		199 Sudden death.		200 Cause of death unstated or ill-defined.		200 (1) Heart failure.		200 (2) Other ill-defined causes.		200 (3) Cause not specified.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	9	—	695	542	158	84	537	458	474	412	30	28	33	18
0—	—	—	16	14	2	—	14	14	6	4	1	2	7	8
1—	—	—	11	11	—	—	11	11	2	—	9	11	—	—
5—	—	—	2	—	—	—	2	—	—	—	—	—	2	—
10—	—	—	1	1	—	—	1	1	—	1	—	—	—	—
15—	—	—	4	—	1	—	3	—	3	—	—	—	—	—
20—	3	—	6	—	3	—	3	—	1	—	—	—	2	—
25—	1	—	4	3	2	1	2	2	2	2	—	—	—	—
30—	2	—	4	3	1	2	3	1	2	1	—	—	1	—
35—	—	—	12	5	3	2	9	3	5	2	1	1	3	—
40—	—	—	9	13	2	2	7	11	5	10	—	—	2	1
45—	—	—	40	11	10	4	30	7	24	7	3	—	3	—
50—	2	—	40	24	13	6	27	18	23	15	2	2	2	1
55—	—	—	44	25	17	3	27	22	26	19	—	2	1	1
60—	1	—	90	52	23	10	67	42	59	39	3	2	5	1
65—	—	—	104	61	24	15	80	46	75	43	4	—	1	3
70—	—	—	129	97	26	16	103	81	102	75	1	5	—	1
75—	—	—	100	101	19	10	81	91	76	88	2	1	3	2
80—	—	—	79	121	12	13	67	108	63	106	3	2	1	—

* 197. Execution of civilians by belligerent armies —.

TABLE 22.—CAUSES OF DEATH OF CHILDREN UNDER FIVE } { ENGLAND AND WALES.
AT DIFFERENT AGE-PERIODS, 1937.

Inter- national List Number	Causes of Death.	Total under 5 years.	Under 4 weeks	4 wks- 3 m'ths	3-6 m'ths	6-12 m'ths	1 year.	2 years.	3 years.	4-5 years.
	ALL CAUSES {M. F.	26,372 20,114	10,285 7,883	3,464 2,257	2,957 2,087	3,575 2,667	3,009 2,467	1,280 1,194	963 835	839 724
7	Measles.. .. {M. F.	481 401	2 2	6 12	13 14	100 84	213 158	70 64	49 34	28 33
8	Scarlet fever {M. F.	90 62	— —	1 1	2 —	1 4	31 14	18 11	17 17	20 15
9	Whooping cough {M. F.	765 907	2 13	91 92	109 108	210 235	214 274	71 103	44 57	24 25
10	Diphtheria {M. F.	555 557	2 2	8 2	9 7	34 17	73 59	111 124	131 163	187 183
11	Influenza {M. F.	427 328	16 12	40 26	56 39	105 81	117 89	44 39	32 30	17 12
15	Erysipelas {M. F.	40 35	3 5	17 11	9 10	6 3	4 3	— 2	1 1	— —
16	Acute poliomyelitis {M. F.	27 5	— —	— —	3 1	1 —	7 —	6 1	6 2	4 1
	1. Acute poliomyelitis .. {M. F.	15 3	— —	— —	1 1	— —	5 —	3 —	4 1	2 1
	2. Acute polioencephalitis .. {M. F.	12 2	— —	— —	2 —	1 —	2 —	3 1	2 1	2 —
17	Encephalitis lethargica .. {M. F.	7 5	— —	— —	— —	1 —	1 1	2 1	1 1	2 2
18	Cerebro-spinal fever {M. F.	200 181	1 1	12 12	35 28	57 50	53 40	25 24	10 11	7 15
23-32	Tuberculosis, all forms .. {M. F.	786 661	3 1	16 11	53 47	145 113	240 216	146 121	109 75	74 77
23	Tuberculosis, respiratory system. {M. F.	92 87	— —	2 2	9 8	15 16	33 24	12 12	15 14	6 11
24	Tuberculosis, central nervous system {M. F.	441 388	2 1	9 5	22 24	91 66	124 127	90 80	61 40	42 45
25	Tuberculosis, intestines and peritoneum. {M. F.	88 55	— —	2 2	7 5	15 7	21 25	20 11	15 1	8 4
26-31	Tuberculosis, other organs.. {M. F.	14 13	1 —	— —	— 2	1 1	7 4	1 3	2 1	2 2
32	Disseminated tuberculosis {M. F.	151 118	— —	3 2	15 8	23 23	55 36	23 15	16 19	16 15
	(a) Acute.. .. {M. F.	111 91	— —	3 1	13 6	20 22	40 27	16 12	11 12	8 11
	(b) and (c) Others included under 32. {M. F.	40 27	— —	— 1	2 2	3 1	15 9	7 3	5 7	8 4
34	(a) Congenital syphilis .. {M. F.	86 58	21 17	29 25	27 9	6 6	2 1	1 —	— —	— —
35	1. Gonorrhoeal or purulent ophthalmia. {M. F.	9 9	4 5	4 1	— 1	1 1	— 1	— —	— —	— —
36	Purulent infection, septicæmia {M. F.	33 25	5 5	8 4	2 3	6 4	5 3	4 3	1 1	2 2
44	1. Vaccinia {M. F.	2 2	— —	— —	2 2	— —	— —	— —	— —	— —
	2. Other sequelæ of vaccination. {M. F.	2 —	— —	— —	1 —	1 —	— —	— —	— —	— —
	3. German measles {M. F.	4 3	— —	1 —	— —	— 3	1 —	1 —	1 —	— —
	4. Varicella {M. F.	11 7	— —	— —	— 1	4 4	5 2	1 —	1 —	— —

TABLE 22—*continued.*

Inter- national List Number	Causes of Death.	Total under 5 years.	Under 4 weeks	4 wks- 3 m'ths	3-6 m'ths	6-12 m'ths	1 year.	2 years.	3 years.	4-5 years.
44	5. Mumps {M. F.	3 2	— —	— —	— —	— —	— 1	2 —	1 1	— —
45-53	Cancer, malignant disease .. {M. F.	59 38	1 1	2 2	3 4	3 4	9 8	16 8	12 4	13 7
56	Rheumatic fever {M. F.	22 13	— —	— —	— 1	— —	1 —	— 1	7 3	14 8
60	Scurvy {M. F.	1 4	— —	— —	— —	— 3	1 1	— —	— —	— —
63	1. Rickets {M. F.	85 58	— 1	5 —	10 9	34 22	28 20	6 4	2 2	— —
67	Diseases of the thymus .. {M. F.	93 45	9 5	22 13	28 17	19 7	9 3	3 —	2 —	1 —
70	(a) Purpura {M. F.	34 25	9 10	1 2	6 4	6 1	3 3	3 4	3 —	3 1
	(b) Hæmophilia {M. F.	67 44	60 42	4 1	— —	— —	1 1	— —	1 —	1 —
72	(a) Leukæmia {M. F.	58 33	1 3	2 —	4 3	2 6	10 5	16 8	13 6	10 2
79	Meningitis {M. F.	220 184	6 7	15 12	37 30	61 41	48 40	21 23	10 21	22 10
85	Epilepsy {M. F.	48 40	3 3	3 5	5 3	4 5	9 12	11 7	8 3	5 2
86	Infantile convulsions {M. F.	552 356	216 142	105 58	86 45	73 65	58 25	10 12	3 6	1 3
87	Other diseases of the nervous system. {M. F.	60 45	7 3	5 1	1 2	7 7	13 11	13 8	6 5	8 8
89	Diseases of the ear and mastoid sinus. {M. F.	287 188	1 2	35 20	72 46	96 60	35 24	18 10	14 11	16 15
	(a) Otitis and other diseases of the ear. {M. F.	170 99	1 1	24 11	44 28	57 30	22 12	11 6	6 3	5 8
	(b) Diseases of the mastoid sinus. {M. F.	117 89	— 1	11 9	28 18	39 30	13 12	7 4	8 8	11 7
90-95	Heart diseases {M. F.	35 35	— —	1 —	2 3	4 4	7 2	3 3	10 8	8 15
105	1. Laryngismus stridulus .. {M. F.	13 7	2 1	3 —	2 1	1 2	1 —	1 1	1 2	2 —
	2. Laryngitis {M. F.	26 21	2 2	1 3	1 1	4 3	4 7	4 2	9 2	1 1
106	Bronchitis {M. F.	877 641	99 72	239 156	209 157	174 138	92 67	32 26	20 15	12 10
107-109	Pneumonia (all forms) .. {M. F.	5,037 3,640	310 211	721 474	918 625	1,414 909	1,087 870	317 313	161 147	109 91
107	Broncho-pneumonia .. {M. F.	4,199 3,049	259 180	645 424	792 541	1,215 780	871 723	231 233	118 115	68 53
108	Lobar pneumonia {M. F.	491 353	14 15	35 18	64 49	123 77	141 97	54 56	32 17	28 24
109	Pneumonia (not otherwise defined). {M. F.	347 238	37 16	41 32	62 35	76 52	75 50	32 24	11 15	13 14
110	Pleurisy {M. F.	35 20	1 1	3 3	2 5	4 1	11 4	4 1	5 4	5 1
	1. Empyema {M. F.	32 16	1 —	2 3	1 4	4 —	11 4	4 1	4 3	5 1
	2. Other pleurisy {M. F.	3 4	— 1	1 —	1 1	— 1	— —	— —	1 1	— —
111	Congestion and hæmorrhagic infarct of lung, etc. {M. F.	15 13	1 1	3 2	4 4	1 3	3 1	1 1	1 —	1 1

TABLE 22—continued.

Inter- national List Number	Causes of Death.	Total under 5 years.	Under 4 weeks	4 wks- 3 m'ths	3-6 m'ths	6-12 m'ths	1 year.	2 years.	3 years.	4-5 years.
104, 105 (3) 112- 114	Other respiratory diseases .. {M. F.	37 26	2 2	3 1	6 4	6 2	9 12	3 4	5 1	3 —
115	1. Diseases of the teeth and gums. {M. F.	15 21	— 4	3 3	— 3	3 3	5 4	1 1	— 1	3 2
	3. Diseases of the tonsils .. {M. F.	69 68	— 1	2 3	4 1	8 7	12 9	11 14	12 16	20 17
118	1. Inflammation of the stomach {M. F.	77 57	12 8	21 9	23 18	12 9	6 8	2 4	— —	1 1
119-120	Diarrhœa and enteritis .. {M. F.	2,088 1,418	173 98	547 320	641 408	501 398	161 135	32 29	21 13	12 17
121	Appendicitis {M. F.	94 61	— —	— —	— —	1 —	11 9	24 21	35 19	23 12
122	Hernia, intestinal obstruction {M. F.	260 126	18 6	21 9	64 35	87 46	38 18	9 3	15 5	8 4
	(a) Hernia {M. F.	61 8	8 3	10 3	16 1	12 —	9 1	4 —	2 —	— —
	(b) Intestinal obstruction .. {M. F.	199 118	10 3	11 6	48 34	75 46	29 17	5 3	13 5	8 4
129	Peritonitis, without stated cause. {M. F.	21 44	4 2	5 —	1 3	2 4	3 8	3 7	1 7	2 13
130-132	Nephritis {M. F.	49 38	3 1	3 5	5 4	9 6	11 11	4 9	8 2	6 —
133	(a) Pyelitis {M. F.	53 62	4 2	9 7	10 12	15 23	9 9	2 5	1 1	3 3
152	Cellulitis, acute abscess .. {M. F.	76 38	22 12	19 9	7 4	13 5	10 1	4 2	— 2	1 3
	1. Cellulitis {M. F.	53 21	14 7	13 5	3 2	9 2	9 1	4 —	— 1	1 3
	2. Acute abscess {M. F.	23 17	8 5	6 4	4 2	4 3	1 —	— 2	— 1	— —
151, 153	Other diseases of the skin .. {M. F.	127 57	17 6	20 10	39 14	36 17	10 5	3 5	2 —	— —
154	Acute infective osteomyelitis and periostitis. {M. F.	45 35	— 2	6 6	1 —	2 3	3 4	16 4	9 9	8 7
157	Congenital malformations .. {M. F.	2,125 1,764	1,200 1,049	562 345	160 161	124 98	50 64	15 28	9 11	5 8
	(a) Congenital hydrocephalus. {M. F.	113 109	34 43	19 15	16 15	31 16	9 13	4 4	— 2	— 1
	(b) Spina bifida and meningocele. {M. F.	486 657	323 409	97 130	33 68	21 28	11 15	— 5	1 —	— 2
	(c) Congenital malformation of heart. {M. F.	755 537	510 333	129 82	43 43	42 33	21 25	5 13	4 4	1 4
	(d) Monstrosities {M. F.	34 58	33 58	— —	— —	1 —	— —	— —	— —	— —
	(e) Other congenital malformations. {M. F.	737 403	300 206	317 118	68 35	29 21	9 11	6 6	4 5	4 1
	1. Congenital pyloric stenosis. {M. F.	328 99	38 21	238 61	44 11	6 5	— —	2 1	— —	— —
	2. Cleft palate, harelip .. {M. F.	77 56	36 16	21 21	6 10	5 2	5 3	1 3	2 1	1 —
	3. Imperforate anus .. {M. F.	40 14	31 8	5 —	— 1	4 3	— 2	— —	— —	— —
	4. Other stated congenital malformations. {M. F.	249 194	159 128	48 33	16 10	14 11	4 6	3 1	2 4	3 1
	5. Congenital malformation, unspecified. {M. F.	43 40	36 33	5 3	2 3	— —	— —	— 1	— —	— —

TABLE 22—continued.

Inter- national List Number	Causes of Death.	Total under 5 years.	Under 4 weeks	4 wks- 3 m'ths	3-6 m'ths	6-12 m'ths	1 year.	2 years.	3 years.	4-5 years.
158	Congenital debility {M. F.	828 546	468 315	229 141	102 68	29 22	— —	— —	— —	— —
159	Premature birth {M. F.	5,783 4,592	5,321 4,246	415 301	42 38	5 7	— —	— —	— —	— —
160	Injury at birth {M. F.	938 571	911 553	18 15	6 2	3 1	— —	— —	— —	— —
	(a) With mention of Caesarean section. {M. F.	3 2	3 2	— —	— —	— —	— —	— —	— —	— —
	(b) Without mention of Caesarean section. {M. F.	935 569	908 551	18 15	6 2	3 1	— —	— —	— —	— —
161	Other diseases peculiar to early infancy. {M. F.	1,214 855	1,144 806	70 49	— —	— —	— —	— —	— —	— —
	(a) Atelectasis {M. F.	752 514	725 490	27 24	— —	— —	— —	— —	— —	— —
	(b) Icterus neonatorum .. {M. F.	192 133	173 122	19 11	— —	— —	— —	— —	— —	— —
	(c) Other diseases under 161 {M. F.	270 208	246 194	24 14	— —	— —	— —	— —	— —	— —
	1. Diseases of the umbilicus. {M. F.	48 35	42 29	6 6	— —	— —	— —	— —	— —	— —
	2. Pemphigus neonatorum {M. F.	47 31	41 30	6 1	— —	— —	— —	— —	— —	— —
	3. Other diseases under 161 (c). {M. F.	175 142	163 135	12 7	— —	— —	— —	— —	— —	— —
163-198	Violent Deaths {M. F.	939 709	147 159	73 51	86 47	70 57	193 136	131 96	126 89	113 74
173-175	Homicide* {M. F.	25 20	15 10	3 —	1 1	1 3	1 1	2 2	1 1	1 2
181	Accidental burns (conflagration excepted). {M. F.	257 204	1 2	1 1	9 3	27 23	124 84	53 38	23 29	19 24
	1. By clothing {M. F.	7 40	— —	— —	1 —	— 2	2 14	2 7	1 8	1 9
	2. Otherwise (or not stated how). {M. F.	49 39	— 1	1 1	5 —	6 4	22 16	6 5	3 6	6 6
	3. Scalds {M. F.	201 125	1 1	— —	3 3	21 17	100 54	45 26	19 15	12 9
182	Accidental mechanical suffocation. {M. F.	216 139	46 29	60 44	73 34	21 20	10 7	1 3	2 2	3 —
	1. In bed or not stated how {M. F.	157 98	36 26	52 34	47 26	15 11	6 1	— —	— —	1 —
	2. Otherwise than in 1 .. {M. F.	59 41	10 3	8 10	26 8	6 9	4 6	1 3	2 2	2 —
183	Accidental drowning {M. F.	75 36	— —	1 —	— —	1 1	12 12	30 11	20 5	11 7
186	Accidental injury by fall, crushing, etc. {M. F.	221 152	— 1	4 2	2 4	11 2	25 24	38 34	71 46	70 39
	1. Road vehicles {M. F.	162 101	— —	— —	— 2	2 —	14 6	29 24	55 38	62 31
	2. Otherwise {M. F.	59 51	— 1	4 2	2 2	9 2	11 18	9 10	16 8	8 8
	Other violence, including in- attention at birth. {M. F.	145 158	85 117	4 4	1 5	9 8	21 8	7 8	9 6	9 2
	Other causes {M. F.	382 328	52 41	35 24	49 35	64 73	82 68	39 37	27 27	34 23

* 172 Infanticide. Deaths from this cause are included under Nos. 173-175.

TABLE 23.—DEATHS BY MONTH OF OCCURRENCE AND CAUSE, } } England and Wales.
1936-1937.

NOTE.—(a) The figures for the last three months of 1937 are not available at the time of going to press.
(b) Totals for any period made up from this table will differ from the corresponding figures shown in other tables which are tabulated according to date of registration.
(c) The relation of the detailed International List of Causes of Death to the Intermediate International List will be found in the first column of Table 6.

Inter- national List No.	Causes of Death.			1936.			1937.								
				Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
	ALL CAUSES	..	{ M F	19729 19039	20099 19061	22970 22206	31083 32118	25331 25024	25700 24604	22074 21112	20663 19670	17803 16415	17560 16540	17070 15952	17116 16039
1-44	I.—Infectious and Parasitic Diseases	..	{ M F	1809 1543	1941 1456	2393 1902	6508 6756	4503 4189	2968 2535	2431 1861	2022 1647	1780 1353	1634 1322	1525 1229	1527 1191
1 & 2	Typhoid and paratyphoid fevers	..	{ M F	12 19	8 1	5 7	8 7	6 12	5 10	1 3	3 10	9 5	6 6	8 11	7 6
1	Typhoid fever	..	{ M F	11 16	8 1	5 7	5 2	5 5	3 5	1 1	3 9	6 3	5 5	5 7	6 3
2	Paratyphoid fevers	..	{ M F	1 3	— —	— —	3 5	1 7	2 5	— 2	— 1	3 2	1 1	3 4	1 3
3	Typhus fever	..	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
4	Relapsing fever ("Spirillum obermeieri")	..	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
5	Undulant fever	..	{ M F	— —	1 —	— —	3 1	— —	1 —	1 —	1 —	— —	1 —	— —	— 1
6	Small-pox	..	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
7	Measles	..	{ M F	17 14	29 27	30 27	34 35	35 27	72 42	58 61	54 44	42 37	44 37	31 17	12 18
8	Scarlet fever	..	{ M F	11 15	21 17	18 21	22 14	21 10	14 12	17 23	11 14	5 5	18 8	13 11	10 12
9	Whooping cough	..	{ M F	41 71	33 65	71 74	117 133	119 140	98 132	96 91	77 61	53 65	37 60	46 50	52 56
10	Diphtheria	..	{ M F	147 140	147 125	163 141	165 182	113 145	132 145	99 135	84 103	78 114	92 102	88 98	116 112
11	Influenza	..	{ M F	185 151	200 130	433 465	4160 4911	2460 2647	777 788	395 351	173 148	84 65	62 42	67 41	87 54
	(a) With respiratory complications	..	{ M F	129 86	135 78	299 334	3284 3764	1852 1929	538 505	283 232	132 73	49 27	35 21	37 22	51 27
	(1) With pneumonic complications	..	{ M F	105 63	103 57	228 222	2278 2425	1266 1208	362 311	201 154	98 48	36 17	26 13	24 16	37 19
	(2) With other respiratory complications	..	{ M F	24 23	32 21	71 112	1006 1339	586 721	176 194	82 78	34 25	13 10	9 8	13 6	14 8
	(b) Without respiratory complications	..	{ M F	56 65	65 52	134 131	876 1147	608 718	239 283	112 119	41 75	35 38	27 21	30 19	36 27
	(1) With non-respiratory complications	..	{ M F	41 52	51 37	115 106	624 805	430 498	199 222	89 95	38 65	29 33	23 17	24 13	30 25
	(2) Without stated complications	..	{ M F	15 13	14 15	19 25	252 342	178 220	40 61	23 24	3 10	6 5	4 4	6 6	6 2
12	Cholera	..	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
13	Dysentery	..	{ M F	6 3	3 3	3 4	9 6	1 5	5 8	5 4	2 3	1 3	3 4	5 4	5 6
	(a) Amoebic	..	{ M F	— —	— —	1 —	1 —	— —	1 —	1 —	2 —	— 1	— —	— —	1 —
	(b) Bacillary	..	{ M F	3 2	3 3	1 3	7 6	— 1	1 3	— 2	— 3	— 2	3 1	2 2	2 3
	(c) Other or unspecified	..	{ M F	3 1	— —	1 1	1 —	1 4	3 5	4 2	— —	1 —	— 3	3 2	2 3

TABLE 23—continued.

Inter- national List No.	Causes of Death.	1936.			1937.									
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	
14	Plague { M F	—	—	—	—	—	—	—	—	—	—	—	—	—
	(a) Bubonic { M F	—	—	—	—	—	—	—	—	—	—	—	—	—
	(b) Pneumonic { M F	—	—	—	—	—	—	—	—	—	—	—	—	—
	(c) Septicæmic { M F	—	—	—	—	—	—	—	—	—	—	—	—	—
	(d) Not otherwise defined .. { M F	—	—	—	—	—	—	—	—	—	—	—	—	—
15	Erysipelas { M F	22 27	30 40	44 27	44 33	43 28	39 45	43 17	21 20	20 10	14 13	13 12	11 13	—
16	Acute poliomyelitis { M F	9 7	4 4	3 4	3 4	7 4	6 3	5 3	5 4	10 5	10 7	11 3	12 7	—
	(1) Acute poliomyelitis { M F	5 6	1 3	3 3	3 3	5 3	2 2	2 2	5 2	4 1	7 5	7 2	8 3	—
	(2) Acute polioencephalitis { M F	4 1	3 1	— 1	— 1	2 1	4 1	3 1	— 2	6 4	3 2	4 1	4 4	—
17	Encephalitis lethargica { M F	30 29	30 26	34 35	47 45	49 42	45 40	26 29	30 32	33 23	27 22	25 22	22 26	—
18	Cerebro-spinal fever { M F	17 19	16 16	28 20	59 32	46 35	40 29	41 28	36 28	27 26	37 31	24 16	17 14	—
19	Glanders { M F	—	—	—	—	—	—	—	—	—	—	—	—	—
20	Anthrax { M F	—	—	—	—	1 —	— 1	—	1 —	1 —	—	—	—	—
21	Rabies { M F	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Tetanus { M F	10 —	6 1	7 1	7 3	4 —	6 2	4 3	10 2	15 2	10 3	10 2	5 1	—
23-32	Tuberculosis (all forms) { M F	1183 1001	1318 945	1419 1010	1691 1285	1493 1046	1601 1218	1516 1050	1414 1114	1304 938	1165 929	1075 891	1078 815	—
23	Respiratory system { M F	1014 853	1154 803	1222 879	1496 1085	1305 864	1375 1022	1256 835	1159 876	1088 756	955 749	917 758	907 672	—
24	Central nervous system { M F	55 57	63 55	75 48	72 69	75 79	92 73	106 99	104 103	90 80	73 71	64 55	61 52	—
25	Intestines and peritoneum { M F	27 29	19 22	30 27	38 39	24 18	26 31	39 32	38 46	34 26	34 20	18 19	28 24	—
26	Vertebral column { M F	19 10	15 12	18 11	19 22	20 13	23 14	18 12	21 13	16 12	17 16	24 8	16 12	—
27	Other bones and joints { M F	13 6	10 6	10 6	4 11	10 8	11 10	13 4	9 3	8 7	8 10	4 6	8 3	—
28	Skin and subcutaneous { M tissues { F	— —	3 3	2 2	1 6	1 3	1 2	2 7	1 7	3 6	1 2	2 2	4 3	—
29	Lymphatic system (ab- { M dominal and bronchial { F glands excepted).	4 —	1 4	2 2	1 3	2 1	1 3	1 2	3 3	4 —	2 2	2 4	2 2	—
30	Genito-urinary system { M F	12 7	13 5	14 10	11 8	14 10	15 13	20 7	20 14	12 9	18 8	6 6	9 6	—
31	Other organs { M F	1 1	2 3	— —	3 1	2 1	1 6	2 1	— 2	4 4	2 1	1 —	— 2	—
	(1) Adrenals { M F	— 1	1 1	— —	3 —	2 —	1 5	1 1	— 2	4 4	2 1	1 —	— 2	—
	(2) Other sites included { M under 31 { F	1 —	1 2	— —	— 1	— 1	— 1	1 —	— —	— —	— —	— —	— —	—

TABLE 23—continued.

Inter- national List No.	Causes of Death.	1936.			1937.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
32	Disseminated tuberculosis .. { M F	38 38	38 32	46 25	46 41	40 49	56 44	59 51	59 47	45 38	55 50	37 33	43 39
	(a) Acute { M F	18 21	24 25	28 13	27 31	22 29	34 28	38 35	36 23	27 25	35 33	16 20	27 19
	(b) Chronic { M F	— —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	1 —	— —
	(c) Not distinguished as acute or chronic .. { M F	20 17	13 7	18 12	19 10	18 20	21 16	21 16	23 24	18 13	20 17	20 13	16 20
33	Leprosy { M F	— —	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —
34	Syphilis.. .. { M F	84 18	55 25	86 43	89 35	63 26	67 38	91 30	65 33	61 26	61 34	61 21	60 40
	(a) Congenital syphilis .. { M F	18 4	9 3	12 12	10 8	12 7	11 4	11 10	9 9	4 7	7 6	9 4	8 7
	(b & c) Acquired or unspecified .. { M F	66 14	46 22	74 31	79 27	51 19	56 34	80 20	56 24	57 19	54 28	52 17	52 33
35	Other venereal diseases .. { M F	— —	6 —	2 —	4 4	4 2	7 1	2 1	4 1	1 2	— 2	3 1	2 1
	(1) Gonorrhœal or purulent ophthalmia .. { M F	— —	4 —	— —	— 3	1 1	2 1	2 1	1 —	— —	— —	— —	1 1
	(2) Other diseases included under 35 .. { M F	— —	2 —	2 —	4 1	3 1	5 —	— —	3 1	1 2	— 2	3 1	1 —
36	Purulent infection, septicæmia { M F	24 14	22 21	29 11	29 12	26 9	38 11	20 21	17 12	21 15	28 12	28 16	15 5
	(a) Septicæmia { M F	19 12	18 18	23 10	26 11	21 7	32 10	17 14	15 9	16 15	28 11	25 14	13 5
	(b) Pyæmia { M F	5 2	3 1	6 1	3 1	5 2	4 1	3 7	2 3	5 —	— 1	3 1	2 —
	(c) Gas gangrene { M F	— —	1 2	— —	— —	— —	2 —	— —	— —	— —	— —	1 —	— —
37	Yellow fever { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
38	Malaria { M F	— —	2 —	— —	1 —	1 1	— —	— —	— 1	2 —	3 1	2 —	3 —
39	Other diseases due to protozoa { M F	— —	— —	2 —	1 —	— 1	2 —	1 —	— 1	1 1	2 —	2 —	1 —
40	Ankylostomiasis { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
41	Hydatid cysts { M F	1 4	3 1	2 1	1 —	2 1	1 —	1 1	1 2	— 1	— —	2 1	2 —
	(a) Liver { M F	1 4	2 —	— 1	1 —	2 1	1 —	1 1	1 1	— 1	— —	2 1	2 —
	(b) Other organs { M F	— —	1 1	2 —	— —	— —	— —	— —	— 1	— —	— —	— —	— —
42	Other diseases due to helminths { M F	— —	— 2	1 —	— 1	1 —	1 —	2 —	1 —	— —	1 1	1 —	1 —
43	Mycoses { M F	2 —	3 4	5 2	8 3	1 5	6 4	3 4	5 1	7 6	4 2	6 1	4 2
	(1) Actinomycosis { M F	— —	2 3	4 1	5 1	— 2	5 2	2 2	3 —	3 4	2 1	4 —	4 2
	(2) Other mycoses { M F	2 —	1 1	1 1	3 2	1 3	1 2	1 2	2 1	4 2	2 1	2 1	— —
44	Other infectious or parasitic diseases .. { M F	8 11	3 3	8 9	6 10	7 3	5 6	4 6	6 13	5 4	9 6	4 11	4 2
	(1) Vaccinia { M F	— —	— —	— —	— —	1 1	— —	— —	— 1	— —	— —	1 —	— —

TABLE 23—continued.

Inter- national List No.	Causes of Death.	1936.			1937.									
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	
44	Other infectious or parasitic diseases— <i>cont.</i>													
	(2) Other sequelæ of vac- cination	{ M F	— —	— —	— —	— —	1 —	— —	— —	— —	— —	1 —	— —	1 —
	(3) German measles ..	{ M F	— —	1 —	1 —	— —	1 —	— —	1 1	1 2	— —	1 —	— 1	— —
	(4) Varicella	{ M F	1 4	1 1	2 2	2 1	1 —	1 1	— —	1 2	2 2	1 2	1 1	— —
	(5) Mumps	{ M F	1 4	— —	2 —	2 1	1 —	1 —	1 —	1 —	2 —	— 1	— 3	— —
	(6·1) Pink disease	{ M F	6 3	1 2	3 7	2 8	3 2	2 4	— 4	3 7	1 2	6 3	2 5	2 2
	(6·2) Other diseases in- cluded under 44 ..	{ M F	— —	— —	— —	— —	— —	— 1	2 1	— 1	— —	— —	— 1	— —
45-55	II.—Cancer and other Tumours	{ M F	2881 3173	2774 3142	2783 3137	2997 3255	2547 2840	2854 3056	2666 2960	2319 3060	2605 2866	2796 2971	2753 2972	2712 2962
45-53	Cancer, malignant disease ..	{ M F	2786 3038	2685 3000	2701 2991	2909 3129	2467 2728	2750 2924	2525 2823	2729 2930	2523 2734	2708 2863	2675 2870	2640 2841
45	Buccal cavity and pharynx	{ M F	243 61	244 48	254 47	274 56	225 39	250 40	226 50	224 44	203 62	230 56	260 38	233 40
46	Digestive organs and peri- toneum	{ M F	1629 1445	1594 1435	1589 1475	1732 1545	1461 1316	1614 1434	1540 1361	1649 1410	1537 1316	1658 1416	1577 1411	1556 1418
47	Respiratory organs ..	{ M F	347 117	337 103	342 102	356 106	297 93	362 126	302 104	375 97	326 77	346 103	346 102	345 78
48	Uterus	F	373	375	356	379	357	379	349	376	344	360	385	366
49	Other female genital organs	F	186	203	176	158	153	202	178	209	176	159	169	178
50	Breast	{ M F	9 657	8 608	11 627	10 649	5 585	4 546	2 554	4 563	3 556	9 569	4 559	5 555
51	Male genito-urinary organs	M	361	308	333	351	325	326	308	299	286	307	305	310
52	Skin	{ M F	75 39	52 45	67 33	56 50	47 33	63 41	51 50	53 40	44 41	52 42	49 46	57 34
53	Other or unspecified organs	{ M F	122 160	142 183	105 175	130 186	107 152	131 156	96 177	125 191	124 162	106 158	134 160	134 172
54	Non-malignant tumours ..	{ M F	41 80	49 100	25 86	37 82	39 76	58 81	38 88	42 85	34 89	42 72	32 61	35 74
	(a) Female genital organs ..	F	43	60	48	48	42	54	54	61	59	42	41	36
	(b) Other sites	{ M F	41 37	49 40	25 38	37 34	39 34	58 27	38 34	42 24	34 30	42 30	32 20	35 38
55	Tumours of undetermined nature	{ M F	54 55	40 42	57 60	51 44	41 36	46 51	43 49	48 45	48 43	46 36	46 41	37 47
	(a) Female genital organs ..	F	2	—	2	—	2	2	—	3	1	1	1	1
	(b) Other sites	{ M F	54 53	40 42	57 58	51 44	41 34	46 49	43 49	48 42	48 42	46 35	46 40	37 46
56-69	III.—Rheumatism, Diseases of Nutrition and of Endocrine Glands and other General Diseases.	{ M F	400 799	426 782	445 851	517 1021	434 874	507 969	412 843	437 838	384 661	334 683	351 631	354 672
56	Rheumatic fever	{ M F	36 47	54 45	38 48	32 58	46 44	40 46	30 43	36 56	36 39	28 27	14 29	36 39
57	Chronic rheumatism, osteo- arthritis	{ M F	81 187	90 174	100 216	121 282	90 225	109 264	90 218	99 199	83 152	64 175	84 152	62 152
	(1) Chronic rheumatism ..	{ M F	3 4	1 3	3 3	5 2	1 —	4 5	7 3	— 2	2 6	4 2	3 2	— 1
	(2) Rheumatoid arthritis, osteo-arthritis	{ M F	78 183	89 171	97 213	116 280	89 225	105 259	83 215	99 197	81 146	60 173	81 150	62 151
58	Gout	{ M F	17 1	5 5	13 2	17 4	20 5	14 5	14 2	17 3	15 6	12 1	11 3	16 —

TABLE 23—continued.

Inter- national List No.	Causes of Death.				1936.			1937.								
					Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
59	Diabetes	{ M	199	235	236	295	220	274	229	225	211	188	200	204		
		{ F	372	360	375	493	418	444	375	375	311	291	297	329		
60	Scurvy	{ M	—	—	—	1	—	—	—	—	1	—	—	—		
		{ F	2	1	1	—	—	1	—	3	—	1	—	—		
61	Beri-beri	{ M	—	—	—	—	—	—	—	—	—	—	—	—		
		{ F	—	—	—	—	—	—	—	—	—	—	—	—		
62	Pellagra	{ M	—	1	—	—	—	—	—	1	—	1	—	—		
		{ F	1	2	—	—	—	1	—	—	2	1	—	1		
63	Rickets.. ..	{ M	11	7	5	9	7	17	9	16	11	3	9	5		
		{ F	4	5	5	5	11	8	13	9	10	3	4	6		
	(1) Rickets	{ M	11	6	4	9	7	14	9	12	9	3	7	5		
		{ F	2	3	3	4	7	5	10	9	7	2	4	5		
	(2) Spinal curvatures of un- determined nature ..	{ M	—	1	1	—	—	3	—	4	2	—	2	—		
		{ F	2	2	2	1	4	3	3	—	3	1	—	1		
64	Osteomalacia	{ M	—	—	—	—	1	1	—	—	—	—	—	—		
		{ F	—	—	1	—	1	—	—	3	—	—	1	—		
65	Diseases of the pituitary gland.. ..	{ M	1	—	2	4	3	4	3	—	4	2	2	—		
		{ F	6	3	2	6	3	5	7	5	2	3	2	3		
	(1) Infantilism	{ M	—	—	—	—	—	—	—	—	—	—	—	—		
		{ F	1	—	1	—	—	—	—	—	—	—	—	2		
	(2) Other diseases of the pituitary gland	{ M	1	—	2	4	3	4	3	—	4	2	2	—		
		{ F	5	3	1	6	3	5	7	5	2	3	2	1		
66	Diseases of the thyroid and parathyroid glands..	{ M	29	17	27	20	21	30	14	26	10	18	15	22		
		{ F	152	167	176	151	140	175	164	162	117	154	125	125		
	(a) Simple goitre	{ M	1	—	1	4	—	1	—	4	2	1	1	4		
		{ F	14	9	4	10	9	9	15	12	4	4	1	10		
	(b) Exophthalmic goitre ..	{ M	23	16	23	13	19	27	12	20	7	16	14	14		
		{ F	120	141	138	124	106	136	136	132	107	139	110	102		
	(c) Myxoedema, cretinism..	{ M	3	—	2	2	2	2	—	1	—	—	—	3		
		{ F	16	16	34	17	25	29	12	15	4	11	13	8		
	(d) Tetany	{ M	2	—	1	—	—	—	1	1	1	1	—	1		
		{ F	2	—	—	—	—	1	1	1	1	—	—	1		
	(e) Other diseases included under 66	{ M	—	1	—	1	—	—	1	—	—	—	—	—		
		{ F	—	1	—	—	—	—	—	2	1	—	1	4		
67	Diseases of the thymus ..	{ M	12	5	13	9	14	11	14	9	6	9	9	4		
		{ F	6	6	5	4	7	4	3	4	6	6	2	3		
68	Diseases of the adrenals ..	{ M	9	9	5	5	10	6	5	3	3	6	4	4		
		{ F	16	10	13	16	13	10	8	11	9	9	10	11		
69	Other general diseases ..	{ M	5	3	6	4	2	1	4	5	4	3	3	1		
		{ F	5	4	7	2	7	6	10	8	7	12	6	3		
	(1) Amyloid disease of un- stated origin	{ M	—	2	2	1	—	—	1	—	1	1	1	1		
		{ F	1	—	—	1	1	1	1	—	—	—	1	—		
	(2) Other diseases included under 69	{ M	5	1	4	3	2	1	3	5	3	2	2	—		
		{ F	4	4	7	1	6	5	9	8	7	12	5	3		
70-74	IV.—Diseases of the Blood and Blood-forming Organs ..	{ M	203	173	172	178	152	187	191	185	173	184	164	153		
		{ F	225	204	212	231	218	208	215	201	187	206	184	219		
70	Hæmorrhagic conditions ..	{ M	17	16	19	22	16	21	25	20	10	17	16	19		
		{ F	15	17	12	11	23	19	17	24	12	14	10	15		
	(a) Purpura.. ..	{ M	7	9	12	15	7	13	11	10	9	11	7	9		
		{ F	12	12	8	9	17	14	16	14	10	11	6	12		
	(b) Hæmophilia	{ M	10	7	7	7	9	8	14	10	1	6	9	10		
		{ F	3	5	4	2	6	5	1	10	2	3	4	3		
71	Anæmia, chlorosis	{ M	97	82	57	73	66	79	80	97	82	80	68	63		
		{ F	129	117	137	145	141	127	129	121	122	126	110	140		
	(a) Pernicious anæmia ..	{ M	84	79	51	62	58	71	74	84	71	71	58	55		
		{ F	113	99	122	124	129	114	116	109	110	104	103	124		

TABLE 23—continued.

Inter- national List No.	Causes of Death.	1936.			1937.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
71	Anæmia, chlorosis— <i>contd.</i>												
	(b) Other anæmias and .. { M	13	3	6	11	8	8	6	13	11	9	10	8
	chlorosis { F	16	18	15	21	12	13	13	12	12	22	7	16
	(1) Splenic anæmia .. { M	7	2	5	10	6	5	4	8	10	6	6	6
 { F	9	13	7	16	6	7	12	9	7	11	5	10
	(2) Other diseases in- { M	6	1	1	1	2	3	2	5	1	3	4	2
	cluded under 71b .. { F	7	5	8	5	6	6	1	3	5	11	2	6
72	Leukæmia, aleukæmia .. { M	83	72	86	76	65	77	74	63	76	80	73	69
 { F	73	57	54	68	49	51	61	53	46	60	58	54
	(a) Leukæmia { M	57	37	62	46	37	39	42	39	41	52	39	45
 { F	58	33	35	43	33	31	38	36	31	35	36	45
	(b) Aleukæmia { M	26	35	24	30	28	38	32	24	35	28	34	24
 { F	15	24	19	25	16	20	23	17	15	25	22	21
	(1) Aleukæmia { M	24	31	22	30	28	38	32	24	35	28	34	24
	(lymphadenoma) .. { F	14	19	16	25	16	20	23	17	15	25	22	21
	(2) Aleukæmia { M	2	4	2	—	—	—	—	—	—	—	—	—
	(agranulocytosis) .. { F	1	5	3	—	—	—	—	—	—	—	—	—
73	Diseases of the spleen.. { M	4	1	6	6	2	2	9	4	4	3	5	1
 { F	6	10	6	4	3	9	7	3	7	5	6	8
	(1) Banti's disease .. { M	3	1	5	4	2	1	7	3	1	1	4	1
 { F	3	9	5	3	3	6	6	1	6	3	5	7
	(2) Other diseases of the { M	1	—	1	2	—	1	2	1	3	2	1	—
	spleen { F	3	1	1	1	—	3	1	2	1	2	1	1
74	Other diseases of the blood and { M	2	2	4	1	3	8	3	1	1	4	2	1
	blood-forming organs .. { F	2	3	3	3	2	2	1	—	—	1	—	2
75-77	V.—Chronic Poisoning .. { M	4	5	6	5	4	7	7	9	1	9	8	8
 { F	4	3	4	4	—	5	5	2	7	8	2	2
75	Alcoholism (acute or chronic) { M	3	4	4	2	—	3	2	8	1	6	7	7
 { F	3	2	4	4	—	4	3	2	6	8	1	2
76	Chronic poisoning by other { M	1	—	—	—	1	—	—	—	—	1	—	—
	organic substances { F	—	1	—	—	—	1	—	—	—	—	1	—
77	Chronic poisoning by mineral { M	—	1	2	3	3	4	5	1	—	2	1	1
	substances { F	1	—	—	—	—	—	2	—	1	—	—	—
	(1) Occupational lead { M	—	1	1	3	3	4	5	1	—	2	1	1
	poisoning { F	1	—	—	—	—	—	2	—	—	—	—	—
	(2) Other chronic poisoning { M	—	—	1	—	—	—	—	—	—	—	—	—
	by mineral substances .. { F	—	—	—	—	—	—	—	—	1	—	—	—
78-89	VI.—Diseases of the Nervous { M	1543	1487	1710	1894	1619	1888	1597	1594	1343	1319	1315	1288
	System and Sense Organs { F	1761	1712	1985	2132	1926	2161	1740	1775	1468	1517	1503	1491
78	Encephalitis { M	12	17	9	19	10	16	11	18	19	12	7	13
 { F	9	10	8	12	7	14	11	12	6	8	6	8
	(a) Cerebral abscess .. { M	10	12	5	5	6	9	5	11	11	4	3	9
 { F	5	5	3	5	3	8	6	7	3	4	3	2
	(b) Other diseases included { M	2	5	4	14	4	7	6	7	8	8	4	4
	under 78 { F	4	5	5	7	4	6	5	5	3	4	3	6
79	Meningitis { M	46	35	40	32	42	42	46	49	30	47	53	28
 { F	37	19	24	31	27	43	38	48	28	24	20	23
80	Tabes dorsalis (locomotor { M	24	33	23	54	38	38	37	36	28	31	40	39
	ataxy) { F	13	4	6	11	13	11	8	12	11	4	10	5
81	Other diseases of the spinal { M	75	56	80	74	63	70	64	66	57	47	52	43
	cord { F	36	46	49	58	54	56	53	38	30	43	44	44
	(1) Progressive muscular { M	43	32	35	39	33	28	33	33	32	24	32	17
	atrophy { F	15	26	26	24	18	28	24	19	14	18	19	14
	(2) Subacute combined { M	7	6	6	5	4	1	4	7	1	2	2	—
	sclerosis { F	2	3	7	3	5	6	3	3	2	2	2	8
	(3) Myelitis of unstated { M	14	7	22	7	10	14	11	7	6	5	10	10
	origin { F	10	7	6	19	13	10	13	7	6	13	10	11
	(4) Other diseases included { M	11	11	17	23	16	27	16	19	18	16	8	16
	under 81 { F	9	10	10	12	18	12	13	9	8	10	13	11

TABLE 23—continued.

Inter- national List No.	Causes of Death.	1936.			1937.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
90-103	VII.—Diseases of the Circulatory System { M F	5912 6042	6151 6190	7244 7296	8405 9439	7293 7667	7991 8160	6662 6921	6180 6416	5258 5226	5132 5178	4970 5049	5078 5062
90-95	Heart diseases { M F	4835 5020	4978 5146	5897 6089	6950 7971	5950 6323	6492 6764	5450 5718	5049 5312	4241 4275	4138 4216	3969 4039	4058 4106
90	Pericarditis { M F	16 26	18 16	23 16	18 20	26 13	29 17	21 7	25 13	20 10	18 14	8 7	12 10
91	Acute endocarditis { M F	57 54	39 57	52 59	58 35	40 54	49 48	52 51	59 47	53 59	43 61	63 53	53 42
	(1) Malignant endocarditis .. { M F	52 48	34 52	49 53	52 31	35 49	42 43	40 49	54 38	51 54	40 55	59 50	50 38
	(2) Other acute endocarditis { M F	5 6	5 5	3 6	6 4	5 5	7 5	12 2	5 9	2 5	3 6	4 3	3 4
92	Chronic endocarditis, valvular disease { M F	829 1011	835 958	875 1112	934 1396	946 1061	941 1217	832 1023	757 966	696 744	684 782	596 799	653 793
	(1) Aortic valve disease .. { M F	189 86	165 77	178 98	137 110	202 89	168 113	180 96	146 70	158 63	167 57	152 59	137 66
	(2) Mitral valve disease .. { M F	288 476	322 472	294 542	356 685	328 505	317 568	290 478	286 428	221 346	210 352	211 360	209 332
	(3) Aortic and mitral valve disease { M F	40 37	40 37	67 39	48 56	48 34	70 46	46 43	37 39	34 34	41 48	29 42	41 41
	(4) Endocarditis, not re- turned as acute or chronic { M F	30 52	31 47	41 55	29 64	40 51	56 61	37 45	29 48	34 41	31 45	21 41	25 43
	(5) Other or unspecified valve disease { M F	282 360	277 325	295 378	364 481	328 382	330 429	279 361	259 381	249 260	235 280	183 297	241 311
93	Diseases of the myocardium { M F	2899 3212	2986 3392	3706 4027	4613 5550	3751 4427	4153 4623	3477 3903	3115 3578	2524 2868	2462 2746	2375 2579	2451 2662
	(a) Acute myocarditis .. { M F	9 6	13 6	17 8	14 19	14 24	19 12	18 14	23 8	11 6	9 12	3 8	12 8
	(b) Myocardial degeneration { M F	2331 2632	2408 2807	2993 3295	3672 4459	2985 3505	3336 3714	2813 3177	2488 2925	2034 2381	2005 2291	1927 2102	2017 2212
	(1) Fatty heart .. { M F	74 84	73 105	78 95	93 150	86 138	87 121	72 98	74 89	52 73	72 77	65 70	55 70
	(2) Cardiovascular degeneration .. { M F	711 669	702 737	829 822	1016 1023	882 876	1019 990	816 835	712 774	632 669	637 652	585 584	668 576
	(3) Other diseases included under 93 (b) .. { M F	1546 1879	1633 1965	2086 2378	2563 3286	2017 2491	2230 2603	1925 2244	1702 2062	1350 1639	1296 1562	1277 1448	1294 1566
	(c) Myocarditis, not dis- tinguished as acute or chronic. { M F	559 574	565 579	696 724	927 1072	752 898	798 897	646 712	604 645	479 481	448 443	445 469	422 442
94	Diseases of the coronary arteries, angina pectoris .. { M F	782 402	852 404	936 502	946 474	869 408	989 473	826 439	866 410	749 359	747 359	735 343	702 374
95	Other diseases of the heart .. { M F	252 315	248 319	305 373	381 496	318 360	331 386	242 295	227 298	199 235	184 254	192 258	187 225
	(a) Disordered action of heart .. { M F	106 161	91 158	114 194	129 252	111 185	126 190	100 156	102 153	90 112	72 124	75 130	79 122
	(b) Other diseases included under 95 .. { M F	146 154	157 161	191 179	252 244	207 175	205 196	142 139	125 145	109 123	112 130	117 128	108 103
	(1) Dilatation of heart (cause unspecified) .. { M F	8 7	7 8	12 8	14 11	17 15	13 10	7 8	11 9	13 7	5 6	11 11	11 6
	(2) Heart disease (un- defined) .. { M F	138 147	150 153	179 171	238 233	190 160	192 186	135 131	114 136	96 116	107 124	106 117	97 97
96	Aneurysm .. { M F	90 29	85 40	83 38	101 56	90 41	93 54	75 39	80 32	58 31	67 39	67 38	85 40
97	Arterio-sclerosis .. { M F	911 895	1003 890	1164 1063	1235 1278	1141 1202	1305 1215	1017 1058	946 965	852 823	835 832	829 892	845 842

TABLE 23—continued.

Inter- national List No.	Causes of Death.	1936.			1937.									
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	
97	Arterio-sclerosis— <i>contd.</i>													
	(1) With cerebral hæmorrhage { M	327	377	399	415	427	439	375	335	306	305	317	298	
 { F	374	370	415	488	471	441	420	380	334	322	374	343	
	(2) With record of other { M	229	233	275	292	236	304	223	221	200	197	200	210	
	cerebral vascular lesion .. { F	200	222	268	287	263	302	251	263	191	209	239	203	
	(3) Without record of { M	355	393	490	528	478	562	419	390	346	333	312	337	
	cerebral vascular lesion .. { F	321	298	380	503	468	472	387	322	298	301	279	296	
98	Gangrene { M	22	23	30	34	33	39	39	33	35	23	30	16	
 { F	25	25	24	25	26	34	28	35	31	23	23	18	
	(a) Senile gangrene .. { M	21	22	26	32	26	38	36	31	31	23	28	15	
 { F	24	19	22	21	24	30	27	31	29	17	23	17	
	(b) Other gangrene.. .. { M	1	1	4	2	7	1	3	2	4	—	2	1	
 { F	1	6	2	4	2	4	1	4	2	6	—	1	
99	Other diseases of the arteries { M	11	9	16	12	13	17	13	15	15	19	12	19	
 { F	9	17	13	18	11	19	10	5	9	12	3	9	
100	Diseases of the veins (varix, { M	10	17	21	25	33	15	26	25	22	19	19	14	
	hæmorrhoids, phlebitis, etc.) { F	31	40	35	58	33	37	24	34	32	23	25	24	
	(1) Varix { M	2	4	8	13	15	7	14	9	11	5	8	8	
 { F	9	16	19	24	14	24	12	12	18	8	13	11	
	(2) Other diseases of the { M	8	13	13	12	18	8	12	16	11	14	11	6	
	veins { F	22	24	16	34	19	13	12	22	14	15	12	13	
101	Diseases of the lymphatic { M	2	2	—	1	3	2	3	1	1	3	3	3	
	system (lymphangitis, etc.) { F	4	4	6	1	5	1	5	3	1	—	—	1	
102	Abnormalities of blood- { M	30	34	30	45	30	28	39	31	34	26	41	38	
	pressure { F	29	27	28	32	25	35	39	30	23	33	29	22	
103	Other diseases of the circula- { M	1	—	3	2	—	—	—	—	—	2	—	—	
	tory system { F	—	1	—	—	1	1	—	—	1	—	—	—	
104-114	VIII.—Diseases of the Respi- { M	1835	2001	2631	4567	3481	3460	2840	2057	1549	1250	1163	1298	
	ratory System { F	1377	1452	2238	4253	2927	2642	2156	1462	933	851	803	859	
104	Diseases of the nasal fossæ { M	21	6	19	19	15	16	10	12	15	10	12	19	
	and annexa { F	3	9	11	19	8	11	9	5	7	4	9	1	
	(1) Diseases of the nose .. { M	4	—	1	2	—	1	—	—	2	—	1	2	
 { F	—	2	2	1	1	2	—	2	2	—	3	—	
	(2) Diseases of the accessory { M	17	6	18	17	15	15	10	12	13	10	11	17	
	nasal sinuses { F	3	7	9	18	7	9	9	3	5	4	6	1	
105	Diseases of the larynx .. { M	7	6	8	6	8	5	5	4	6	6	3	6	
 { F	10	6	9	7	6	5	9	4	7	5	2	6	
	(1) Laryngismus stridulus.. { M	1	—	1	2	2	—	2	—	1	1	1	1	
 { F	1	1	2	2	2	1	2	—	1	1	—	—	
	(2) Laryngitis { M	6	5	7	4	5	5	3	3	5	4	2	5	
 { F	9	5	7	5	4	4	7	4	6	4	2	6	
	(3) Other diseases of the { M	—	1	—	—	1	—	—	1	—	1	—	—	
	larynx { F	—	—	—	—	—	—	—	—	—	—	—	—	
106	Bronchitis { M	597	694	872	1659	1210	1212	888	614	411	312	287	328	
 { F	473	519	875	1787	1232	1039	747	482	303	230	200	256	
	(a) Acute bronchitis .. { M	144	155	204	441	303	285	203	141	82	53	42	54	
 { F	120	140	290	688	397	333	243	135	62	71	44	75	
	(b) Chronic bronchitis .. { M	303	337	399	733	550	556	411	287	213	156	162	199	
 { F	190	193	270	502	370	293	236	180	143	92	92	100	
	(c) Bronchitis, not distin- { M	150	202	269	485	357	371	274	186	116	103	83	75	
	guished as acute or chronic { F	163	186	315	597	465	413	268	167	98	67	64	81	
107-109	Pneumonia (all forms) .. { M	1115	1107	1511	2572	2005	1932	1706	1286	945	778	721	804	
 { F	763	778	1176	2194	1505	1391	1223	850	506	493	492	491	
107	Broncho-pneumonia .. { M	510	562	818	1602	1185	1122	901	642	418	341	324	397	
 { F	432	417	706	1402	961	907	747	491	283	287	285	281	
108	Lobar pneumonia .. { M	469	426	534	852	618	628	633	492	338	342	305	328	
 { F	251	277	359	600	420	383	369	276	181	156	159	177	

TABLE 23—continued.

Inter- national List No.	Causes of Death.				1936.			1937.								
					Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
109	Pneumonia (not otherwise defined)	M	136	119	159	118	202	182	172	152	139	95	92	79		
		F	80	84	111	192	124	101	107	83	42	50	48	31		
110	Pleurisy	M	31	35	35	35	40	74	48	29	41	34	35	35		
		F	18	21	20	26	22	17	18	16	14	21	16	16		
	(1) Empyema	M	19	16	18	17	24	40	31	12	15	20	18	20		
		F	4	8	9	11	10	7	10	9	6	11	7	5		
	(2) Other pleurisy	M	12	19	17	18	16	34	17	17	26	14	17	15		
		F	14	13	11	15	12	10	8	7	8	10	9	11		
111	Congestion and hæmorrhagic infarct of lung, etc... ..	M	33	43	50	78	50	48	59	33	45	37	26	33		
		F	53	55	66	90	71	74	57	53	43	44	32	42		
	(1) Hypostatic congestion of lungs	M	30	40	42	75	49	47	58	33	41	34	23	32		
		F	51	52	60	83	68	69	55	50	42	41	29	41		
	(2) Other diseases included under 111	M	3	3	8	3	1	1	1	—	4	3	3	1		
		F	2	3	6	7	3	5	2	3	1	3	3	1		
112	Asthma... ..	M	49	72	86	147	100	128	80	48	52	47	52	45		
		F	47	54	70	123	73	97	78	46	44	45	45	43		
113	Pulmonary emphysema	M	4	11	16	8	7	8	4	3	3	4	2	2		
		F	1	1	2	—	—	1	1	—	3	2	1	—		
114	Other diseases of the respiratory system	M	28	27	34	43	46	37	40	28	31	22	25	26		
		F	9	9	9	12	10	7	14	6	6	7	6	4		
	(a) Chronic interstitial pneumonia, including occupational diseases of the lung.	M	19	21	25	36	39	32	33	23	17	16	20	18		
		F	5	3	6	5	8	3	9	2	2	5	2	2		
	(b) Other diseases included under 114	M	9	6	9	7	7	5	7	5	14	6	5	8		
		F	4	6	3	7	2	4	5	4	4	2	4	2		
	(1) Gangrene of the lung	M	1	1	1	1	—	1	1	—	2	—	—	—		
		F	1	2	1	1	1	2	1	1	—	—	—	—		
	(2) Other diseases included under 114 (b)	M	8	5	8	6	7	4	6	5	12	6	5	8		
		F	3	4	2	6	1	2	4	3	4	2	4	2		
115-129	IX.—Diseases of the Digestive System	M	1166	1112	1214	1213	1069	1196	1106	1158	1042	1071	1117	1076		
		F	972	921	946	935	833	981	857	936	864	888	851	880		
115	Diseases of the buccal cavity, pharynx, etc.	M	62	61	80	52	68	88	57	58	42	48	53	50		
		F	60	45	48	55	44	66	63	60	58	57	46	58		
	(1) Diseases of the teeth and gums	M	24	13	22	15	19	17	10	10	9	12	13	13		
		F	10	12	12	8	4	18	11	12	13	11	8	10		
	(2) Ludwig's angina	M	3	3	3	1	4	6	3	3	3	3	2	1		
		F	3	1	3	6	2	2	3	—	4	2	4	1		
	(3) Diseases of the tonsils	M	26	34	32	23	29	50	35	35	19	25	26	24		
		F	31	20	25	36	28	32	40	30	34	30	24	39		
	(4) Other diseases included under 115	M	9	11	23	13	16	15	9	10	11	8	12	12		
		F	16	12	8	5	10	14	9	18	7	14	10	8		
116	Diseases of the œsophagus	M	1	4	4	4	4	5	1	2	1	2	4	4		
		F	—	1	2	1	3	2	1	1	3	2	1	1		
117	Ulcer of the stomach or duodenum	M	301	257	346	330	299	284	291	331	275	247	286	248		
		F	89	99	96	100	91	95	83	84	77	77	64	69		
	(a) Ulcer of the stomach	M	189	164	210	201	195	191	178	204	168	164	173	163		
		F	71	72	82	79	75	72	61	70	59	60	52	52		
	(b) Ulcer of the duodenum	M	112	93	136	129	104	93	113	127	107	83	113	85		
		F	18	27	14	21	16	23	22	14	18	17	12	17		
118	Other diseases of the stomach	M	27	46	35	30	32	35	38	30	27	40	38	38		
		F	31	32	44	26	29	44	34	26	27	30	28	24		
	(1) Inflammation of the stomach	M	20	31	22	22	21	29	27	24	22	36	32	30		
		F	26	23	39	23	26	36	27	19	24	25	22	21		
	(2) Other diseases included under 118	M	7	15	13	8	11	6	11	6	5	4	6	8		
		F	5	9	5	3	3	8	7	7	3	5	6	3		

TABLE 23—continued.

Inter- national List No.	Causes of Death.	1936.			1937.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
119 & 120	Diarrhoea and enteritis .. { M	257	221	207	191	185	226	200	233	199	205	235	255
	F	265	180	186	164	143	160	151	194	174	203	198	215
	(a) { (1) Colitis { M	6	15	8	4	10	9	8	11	7	6	13	6
	F	16	7	14	15	9	12	11	15	12	21	17	6
	(2) Other diarrhoea and enteritis { M	236	193	182	173	163	194	175	208	173	176	203	231
	F	215	148	142	114	107	128	117	154	129	155	161	182
	(b) Ulceration of intestines { M	15	13	17	14	12	23	17	14	19	23	19	18
	F	34	25	30	35	27	20	23	25	33	27	20	27
121	Appendicitis { M	130	118	125	165	137	130	137	135	110	136	136	110
	F	110	99	88	111	93	117	103	108	89	98	107	104
122	Hernia, intestinal obstruction { M	202	174	208	228	185	218	191	195	197	179	183	188
	F	170	200	212	219	191	232	161	184	179	165	164	177
	(a) Hernia { M	87	87	98	92	81	93	90	92	85	73	72	87
	F	75	82	106	121	97	127	72	90	86	74	64	82
	(1) Strangulated hernia .. { M	57	66	81	73	58	73	66	68	64	49	46	68
	F	56	66	81	96	77	89	56	73	60	59	51	59
	(2) Hernia not returned as strangulated { M	30	21	17	19	23	20	24	24	21	24	26	19
	F	19	16	25	25	20	38	16	17	26	15	13	23
	(b) Intestinal obstruction .. { M	115	87	110	136	104	125	101	103	112	106	111	101
	F	95	118	106	98	94	105	89	94	93	91	100	95
123	Other diseases of the intestines { M	37	34	36	41	23	36	36	29	35	36	28	34
	F	27	33	45	38	33	28	33	33	32	36	32	29
	(1) Constipation, intestinal stasis { M	2	5	2	3	2	5	3	2	3	2	1	9
	F	2	6	7	6	9	5	5	9	1	2	4	2
	(2) Diverticulitis { M	28	22	25	31	12	24	25	21	22	28	25	22
	F	19	20	28	21	18	19	20	18	26	26	26	21
	(3) Other diseases included under 123 { M	7	7	9	7	9	7	8	6	10	6	2	3
	F	6	7	10	11	6	4	8	6	5	8	2	6
124	Cirrhosis of the liver { M	64	79	68	85	62	70	68	58	62	66	52	65
	F	37	39	35	41	30	44	37	30	32	34	37	32
	(a) Returned as alcoholic .. { M	10	10	13	15	7	13	10	7	13	8	11	14
	F	5	8	6	7	5	6	6	6	6	7	7	3
	(b) Not returned as alcoholic { M	54	69	55	70	55	57	58	51	49	58	41	51
	F	32	31	29	34	25	38	31	24	26	27	30	29
125	Other diseases of the liver .. { M	9	9	7	11	5	11	6	13	3	14	7	9
	F	17	19	13	12	9	14	12	21	9	14	15	16
	(1) Acute yellow atrophy.. { M	3	4	1	2	2	2	—	5	1	5	3	—
	F	8	8	9	6	3	8	9	12	4	7	11	10
	(2) Other diseases included under 125.. .. { M	6	5	6	9	3	9	6	8	2	9	4	9
	F	9	11	4	6	6	6	3	9	5	7	4	6
126	Biliary calculi { M	27	38	29	18	17	34	32	23	32	22	29	31
	F	60	55	51	61	60	85	73	64	64	67	66	67
	(1) With cholecystitis .. { M	13	14	15	5	7	9	13	5	10	11	11	15
	F	24	22	23	25	29	39	24	23	22	28	24	23
	(2) Without mention of cholecystitis { M	14	24	14	13	10	25	19	18	22	11	18	16
	F	36	33	28	36	31	46	49	41	42	39	42	44
127	Other diseases of the gall bladder and ducts .. { M	28	33	36	31	22	24	26	25	28	48	32	20
	F	70	77	75	62	65	61	68	80	79	68	61	47
	(1) Cholecystitis, without record of biliary calculi.. { M	22	30	34	27	22	19	23	22	23	41	25	16
	F	68	71	70	58	61	57	65	75	76	66	58	45
	(2) Other diseases included under 127 { M	6	3	2	4	—	5	3	3	5	7	7	4
	F	2	6	5	4	4	4	3	5	3	2	3	2
128	Diseases of the pancreas .. { M	16	22	26	18	19	24	13	19	16	21	25	17
	F	21	27	34	29	26	15	25	25	27	23	15	28
129	Peritonitis, without stated cause { M	5	16	7	9	11	11	10	7	15	7	9	7
	F	15	15	17	16	16	18	13	26	14	14	17	13

TABLE 23—continued.

Inter-national List No.	Causes of Death.	1936.			1937.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
30-139	X.—Non-venereal Diseases of the Genito-urinary System and Annexa.	M F 1208 803	1192 795	1341 857	1475 935	1231 801	1412 385	1221 845	1182 786	1028 638	1030 659	998 608	1064 616
130-132	Nephritis	M F 639 640	627 680	720 722	795 780	640 671	821 724	691 711	648 627	554 524	539 524	537 487	523 504
130	Acute nephritis	M F 43 33	35 47	41 46	27 47	41 46	54 44	37 41	40 50	28 36	21 26	34 24	40 28
131	Chronic nephritis	M F 537 549	521 574	618 615	689 672	544 557	704 625	596 606	552 536	468 455	464 448	455 426	439 446
132	Nephritis not stated to be acute or chronic	M F 59 58	71 59	61 61	79 61	55 68	63 55	58 64	56 41	58 33	54 50	48 37	44 30
133	Other diseases of the kidney and annexa	M F 40 62	42 44	39 54	39 59	51 54	45 70	53 59	58 68	49 51	54 54	41 46	51 50
	(a) Pyelitis	M F 25 48	35 29	26 43	25 42	35 40	34 53	39 38	39 53	41 33	44 45	24 34	38 37
	(b) Other diseases included under 133.. .. .	M F 15 14	7 15	13 11	14 17	16 14	11 17	14 21	19 15	8 18	10 9	17 12	13 13
134	Calculi of the urinary passages	M F 31 23	31 18	33 19	27 22	25 15	29 21	27 15	30 19	26 14	30 20	19 21	22 13
	(a) Calculi of kidney and ureter	M F 21 19	17 14	24 18	17 19	18 13	21 20	20 12	17 14	17 14	11 14	10 13	15 11
	(b) Calculi of the bladder ..	M F 10 4	14 4	9 1	10 3	7 2	8 1	7 3	13 5	9 —	19 6	9 7	7 2
	(c) Calculi of unstated site	M F — —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —
135	Diseases of the bladder ..	M F 35 28	45 21	54 28	57 44	52 24	57 32	42 22	44 32	46 22	44 29	38 33	54 25
	(a) Cystitis	M F 34 27	42 21	50 28	50 42	47 23	52 30	40 19	41 31	39 21	43 26	37 29	50 23
	(b) Other diseases of the bladder	M F 1 1	3 —	4 —	7 2	5 1	5 2	2 3	3 1	7 1	1 3	1 4	4 2
136	Diseases of the urethra, urinary abscess, etc... .. .	M F 25 1	38 1	29 —	37 —	29 1	37 1	32 —	39 —	20 —	25 —	23 —	29 —
	(a) Stricture of the urethra	M F 22 —	38 —	27 —	35 —	28 1	37 —	31 —	37 —	19 —	25 —	23 —	29 —
	(b) Other diseases of the urethra, etc.	M F 3 1	— 1	2 —	2 —	1 —	— 1	1 —	2 —	1 —	— —	— —	— —
137	Diseases of the prostate ..	M 435	403	462	516	431	417	372	360	331	335	333	382
138	Diseases of the male genital organs.	M 3	6	4	4	3	6	4	3	2	3	7	3
139	Diseases of the female genital organs.	F 49	31	34	30	36	37	38	40	27	32	21	24
	(a) Diseases of the ovary, Fallopian tube and parametrium.	F 26	13	15	11	15	15	15	14	11	16	10	13
	(1) Diseases of the ovary	F —	1	—	—	1	—	—	—	—	—	1	—
	(2) Diseases of the Fallopian tube.	F 21	12	13	10	12	13	13	14	11	14	7	10
	(3) Diseases of the parametrium.	F 5	—	2	1	2	2	2	—	—	2	2	3
	(b) Diseases of the uterus ..	F 19	15	17	16	20	20	19	21	15	11	11	9
	(c) Diseases of the breast ..	F 3	1	—	—	—	—	2	1	—	2	—	1
	(d) Other diseases of the female genital organs.	F 1	2	2	3	1	2	2	4	1	3	—	1

TABLE 23—continued.

Inter- national List No.	Causes of Death.		1936.			1937.								
			Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
140-150	XI.—Diseases of Pregnancy, Childbirth and the Puerperal State.	F	157	172	178	200	168	174	165	180	181	167	161	174
140 & 145	Puerperal sepsis	F	41	56	59	65	43	57	49	61	52	51	35	45
140	Post-abortion sepsis	F	22	13	21	14	15	11	12	15	14	21	7	19
141	Abortion not returned as septic	F	6	7	3	6	8	4	5	4	4	4	2	2
	(1) Hæmorrhage following abortion.	F	6	6	2	6	7	3	5	3	2	4	2	2
	(2) Without record of hæmorrhage.	F	—	1	1	—	1	1	—	1	2	—	—	—
142	Ectopic gestation	F	4	11	3	8	7	10	9	7	5	5	8	6
143	Other accidents of pregnancy	F	2	2	3	3	1	1	1	—	1	2	4	3
144	Puerperal hæmorrhage ..	F	18	18	24	26	23	22	25	26	34	27	34	23
	(a) Placenta prævia ..	F	9	6	13	13	10	14	12	14	17	7	18	7
	(b) Other puerperal hæmorrhage.	F	9	12	11	13	13	8	13	12	17	20	16	16
145	Puerperal sepsis not returned as post-abortion.	F	19	43	38	51	28	46	37	46	38	30	28	26
	(a) Puerperal septicæmia and pyæmia.	F	19	43	38	51	28	45	37	46	38	30	28	26
	(b) Puerperal tetanus ..	F	—	—	—	—	—	1	—	—	—	—	—	—
146	Puerperal albuminuria and convulsions.	F	23	28	28	30	30	30	39	28	26	15	30	28
147	Other toxæmias of pregnancy	F	13	10	13	16	15	16	10	11	15	15	12	20
148	Puerperal phlegmasia alba dolens, embolism and sudden death.	F	14	17	15	13	19	7	9	13	11	15	11	14
	(a) Puerperal phlegmasia alba dolens not returned as septic.	F	3	2	4	7	9	5	3	3	6	4	2	8
	(b) Puerperal embolism and sudden death.	F	11	15	11	6	10	2	6	10	5	11	9	6
149	Other accidents of childbirth	F	29	21	24	27	18	19	17	22	31	31	20	31
150	Other or unspecified conditions of the puerperal state.	F	7	2	6	6	4	8	1	8	2	2	5	2
	(1) Puerperal insanity ..	F	2	—	2	—	4	5	1	1	1	1	—	—
	(2) Puerperal diseases of the breast.	F	2	—	2	1	—	—	—	3	—	1	2	—
	(3) Childbirth (unqualified)	F	3	2	2	5	—	3	—	4	1	—	3	2
151-153	XII.—Diseases of the Skin and Cellular Tissue	M F	89 60	107 79	91 77	113 67	93 58	115 91	96 78	103 77	31 54	73 56	81 52	78 57
151	Carbuncle, boil	M F	42 19	46 20	29 15	28 17	27 10	32 19	21 10	31 23	24 17	26 14	36 14	32 15
152	Cellulitis, acute abscess ..	M F	30 16	36 25	40 30	49 24	46 21	55 37	40 35	49 33	32 21	24 20	25 22	21 21
	(1) Cellulitis	M F	23 12	28 20	35 22	38 19	35 16	42 31	32 27	41 30	25 20	19 18	24 16	16 18
	(2) Acute abscess	M F	7 4	8 5	5 8	11 5	11 5	13 6	8 8	8 3	7 1	5 2	1 6	5 3
153	Other diseases of the skin and its annexa	M F	17 25	25 34	22 32	36 26	25 27	28 35	35 33	23 21	25 16	23 22	20 16	25 21
154-156	XIII.—Diseases of the Bones and Organs of Locomotion.	M F	44 27	53 28	42 36	44 33	36 32	43 30	56 25	39 37	40 23	23 31	47 27	42 32
154	Acute infective osteomyelitis and periostitis	M F	24 16	27 10	23 16	22 15	17 13	27 12	36 9	21 16	25 13	16 15	29 12	28 18

TABLE 23—continued.

Inter- national ListNo.	Causes of Death.	1936.			1937.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
155	Other diseases of the bones .. { M F	5 4	15 7	13 10	11 5	9 8	6 4	5 7	11 12	8 4	5 4	6 10	2 6
156	Diseases of the joints and other organs of locomotion .. { M F	15 7	11 11	6 10	11 13	10 11	10 14	21 9	7 9	7 6	7 12	12 5	12 8
	(a) Diseases of the joints .. { M F	4 6	7 8	6 5	10 8	9 7	5 8	19 7	5 6	6 2	6 7	10 2	11 5
	(b) Diseases of other organs of locomotion .. { M F	11 1	4 3	— 5	1 5	1 4	5 6	2 2	2 3	1 4	1 5	2 3	1 3
157	XIV.—Congenital Malforma- tions .. { M F	183 141	196 160	185 138	213 156	168 170	207 168	221 169	209 168	165 141	191 153	159 132	163 146
	(a) Congenital hydroceph- alus .. { M F	9 7	6 8	12 9	10 13	14 12	10 11	19 15	16 9	10 7	10 4	10 12	7 9
	(b) Spina bifida and men- ingocele .. { M F	28 58	44 49	47 39	42 60	44 54	46 57	31 62	54 57	42 63	39 49	37 49	34 54
	(c) Congenital malforma- tion of heart .. { M F	73 46	70 59	68 47	95 54	54 64	92 57	84 52	61 50	46 34	83 49	56 39	63 45
	(d) Monstrosities .. { M F	— 3	7 3	1 5	3 2	3 7	— 4	2 6	5 6	— 5	7 6	4 4	4 5
	(e) Other congenital mal- formations .. { M F	73 27	69 41	57 38	63 27	53 33	59 39	85 34	73 46	67 32	52 45	52 28	55 33
	(1) Congenital pyloric stenosis .. { M F	24 5	28 14	24 8	32 5	24 10	19 8	35 8	34 12	21 6	26 7	20 6	16 10
	(2) Cleft palate, hare- lip .. { M F	5 6	5 4	3 6	7 1	8 4	12 9	8 6	6 4	9 6	7 5	— 5	5 1
	(3) Imperforate anus .. { M F	8 4	5 2	3 2	3 1	1 1	3 —	6 1	1 2	10 1	1 1	4 1	4 —
	(4) Other stated con- genital malformations { M F	31 12	26 20	23 20	18 17	16 14	23 19	31 16	29 24	26 17	16 28	24 14	25 16
	(5) Congenital malforma- tion, unspecified .. { M F	5 —	5 1	4 2	3 3	4 4	2 3	5 3	3 4	1 2	2 4	4 2	5 6
158-161	XV.—Diseases of Early Infancy { M F	614 477	696 502	730 521	884 655	790 573	863 663	794 601	767 569	665 508	640 511	613 450	588 459
158	Congenital debility .. { M F	49 44	57 40	75 47	82 45	75 64	93 55	81 54	62 61	74 41	60 34	47 31	49 38
159	Premature birth .. { M F	429 331	466 352	517 377	612 477	532 404	567 470	528 400	499 392	411 353	419 343	403 307	365 327
160	Injury at birth .. { M F	55 47	76 37	58 41	79 53	70 45	93 45	83 60	102 50	83 49	66 54	77 49	73 40
	(a) With mention of Cæs- arean section .. { M F	1 —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —	— —	— —
	(b) Without mention of Cæsarean section.. { M F	54 47	76 37	58 41	79 53	70 45	93 45	82 60	102 50	82 49	66 54	77 49	73 40
161	Other diseases peculiar to early infancy .. { M F	81 55	97 73	80 56	111 80	113 60	110 93	102 87	104 66	97 65	95 80	86 63	101 54
	(a) Atelectasis .. { M F	52 33	64 43	45 33	72 50	68 41	69 50	55 46	52 42	72 36	60 47	47 37	69 33
	(b) Icterus neonatorum .. { M F	12 7	14 14	10 5	18 8	16 7	16 19	20 13	24 10	12 13	17 16	22 10	11 9
	(c) Other diseases included under 161.. { M F	17 15	19 16	25 18	21 22	29 12	25 24	27 28	28 14	13 16	18 17	17 16	21 12
	(1) Diseases of the umbilicus .. { M F	2 7	2 3	3 5	1 1	6 1	4 4	8 6	7 5	1 2	1 3	1 1	8 3

TABLE 23—continued.

Inter- national List No.	Causes of Death.	1936.			1937.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
161	Other diseases peculiar to early infancy— <i>contd.</i>												
	(2) Pemphigus neonatorum { M F	2 1	1 —	1 2	4 4	7 4	2 4	4 3	2 2	5 3	5 2	3 3	3 —
	(3) Other diseases included under 161 (c) { M F	13 7	16 13	21 11	16 17	16 7	19 16	15 19	19 7	7 11	12 12	13 12	10 9
162	XVI.—Old Age { M F	556 773	529 746	580 947	702 1183	712 1047	793 1123	557 971	536 820	421 702	448 676	428 647	420 634
	(a) Senile dementia { M F	47 34	38 41	33 46	39 61	54 61	48 52	41 37	30 25	19 35	44 31	29 39	19 28
	(b) Other forms of senile decay { M F	509 739	491 705	547 901	663 1122	658 986	745 1071	516 934	506 795	402 667	404 645	399 608	401 606
163-198	XVII.—Deaths from Violence { M F	1184 662	1205 681	1344 830	1308 808	1141 668	1149 712	1214 660	1296 655	1222 548	1367 620	1330 613	1212 537
163-171	Suicide { M F	251 118	269 132	240 146	283 162	271 125	293 155	347 172	333 160	300 144	309 148	270 138	278 120
163	By solid or liquid poisons and corrosive substances { M F	23 15	18 21	18 25	18 20	30 16	34 27	25 37	30 30	26 23	34 19	22 30	17 22
164	By poisonous gas { M F	79 52	96 55	68 53	89 76	85 45	94 68	100 63	121 66	93 61	96 59	86 59	87 49
165	By hanging or strangulation { M F	49 15	53 8	44 12	52 9	47 12	58 13	76 25	49 10	57 19	57 23	45 15	52 13
166	By drowning { M F	27 24	41 23	38 35	49 32	34 22	36 28	53 28	51 31	41 26	41 26	39 19	44 18
167	By firearms { M F	19 2	14 3	15 —	18 2	24 —	16 —	22 —	20 1	20 —	27 —	17 1	20 —
168	By cutting or piercing instruments { M F	33 2	27 6	33 6	30 8	27 9	32 8	44 5	37 7	39 7	34 6	29 1	32 5
169	By jumping from high places { M F	5 3	6 6	6 9	5 4	7 5	11 4	11 5	8 8	7 4	5 9	13 5	10 8
170	By crushing { M F	16 2	14 4	18 3	20 8	16 7	12 3	16 3	14 4	13 2	14 —	16 3	16 1
171	By other means { M F	— 3	— 6	— 3	2 3	1 9	— 4	— 6	3 3	4 2	1 6	3 5	— 4
172-175	Homicide { M F	8 13	6 6	13 6	4 6	4 7	7 6	7 11	11 9	8 10	6 6	5 9	8 5
172*	Infanticide (under 1 year)												
173	By firearms { M F	— —	— —	— 1	2 1	— —	1 1	— 2	1 1	— —	— —	— 1	2 —
174	By cutting or piercing instruments { M F	— 2	— 2	1 —	— 1	— 1	— —	— —	1 1	2 1	— 2	1 —	— —
175	By other means { M F	8 11	6 4	12 5	2 4	4 6	6 5	7 9	9 7	6 9	6 4	4 8	6 5
176-194	Accidental deaths { M F	876 496	873 507	1024 656	946 610	820 516	787 512	787 439	855 453	840 373	982 433	985 445	870 390
176	Attack by venomous animals { M F	2 1	1 1	1 —	— —	— —	— —	2 —	2 —	1 —	2 3	5 3	2 1
177	Food poisoning { M F	1 1	1 —	1 —	— 1	— —	— —	— —	— —	5 2	— 2	7 3	5 4
178	Accidental absorption of irrespirable or poisonous gas. { M F	6 4	17 10	17 7	20 8	19 6	9 14	6 8	12 5	9 3	24 3	6 3	14 2
179	Other acute accidental poisoning (not by gas) .. { M F	2 3	5 5	4 5	4 4	3 4	3 6	4 4	6 5	4 6	6 3	2 2	4 5

* Deaths from this cause are included under Nos. 173-175.

TABLE 23—continued.

Inter- national List No.	Causes of Death.	1936.			1937.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
180	Conflagration { F	4 1	2 4	2 1	6 8	3 2	3 1	1 —	2 4	3 2	2 1	1 5	7 4
181	Accidental burns (conflagra- tion excepted) { F	49 75	42 73	69 108	62 99	47 93	45 108	44 56	23 71	37 27	32 32	32 39	33 32
182	Accidental mechanical suffo- cation { F	21 16	28 12	23 18	39 14	31 21	29 20	20 21	25 10	26 7	14 7	14 8	19 12
183	Accidental drowning .. { F	19 3	23 5	42 6	39 7	32 8	46 7	37 9	63 6	81 13	88 14	142 25	49 14
184	Accidental injury by firearms { F	5 —	1 1	6 1	7 —	3 —	7 1	5 1	6 —	7 2	4 —	10 —	2 —
185	Accidental injury by cutting or piercing instruments .. { F	— —	1 —	1 —	1 —	2 —	3 —	3 1	— 1	1 —	2 1	3 —	3 —
186	Accidental injury by fall, crushing, etc. { F	727 382	714 381	816 492	732 451	649 373	614 326	624 321	685 341	619 293	751 350	721 334	698 306
187	Cataclysm { F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
188	Injury by animals (poisoning by venomous animals excepted). { F	2 —	6 1	6 —	4 —	3 —	3 1	6 —	3 —	8 —	9 1	2 —	1 1
189	Hunger or thirst { F	— —	— —	— —	— 2	1 —	1 —	— —	1 —	2 —	2 —	1 —	1 —
190	Excessive cold { F	1 —	2 —	2 1	2 —	5 —	3 2	1 —	— —	— —	— —	— —	1 —
191	Excessive heat { F	— —	— —	— —	— —	— —	— —	— —	— 1	2 —	4 1	8 4	— —
192	Lightning { F	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
193	Electricity (lightning ex- cepted) { F	11 —	2 —	5 —	6 2	4 —	5 1	6 1	4 —	9 1	8 1	7 2	9 —
194	Other and unstated forms of accidental violence .. { F	26 10	28 14	29 16	24 14	18 9	16 25	28 17	23 9	26 17	34 14	24 17	22 9
	(1) Inattention at birth.. { F	3 6	6 5	9 7	5 7	2 6	5 13	6 11	7 3	4 10	9 9	6 7	4 5
	(2) Other causes included under 194 { F	23 4	22 9	20 9	19 7	16 3	11 12	22 6	16 6	22 7	25 5	18 10	18 4
195	Violent deaths of unstated nature (i.e., accidental, suicidal, etc.). { F	45 35	49 36	60 22	69 30	40 20	60 39	68 38	89 33	68 21	65 33	61 21	55 22
196	Wounds of war { F	4 —	8 —	6 —	6 —	4 —	2 —	5 —	8 —	6 —	4 —	6 —	1 —
197	Execution of civilians by belligerent armies .. { F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
198	Execution { F	— —	— —	1 —	— —	2 —	— —	— —	— —	— —	1 —	3 —	— —
199-200	XVIII.—Ill-defined Diseases .. { F	48 43	51 36	59 51	60 50	53 33	60 41	63 40	70 41	46 55	54 43	48 38	55 46
199	Sudden death { F	9 5	16 8	12 10	6 11	13 5	16 7	18 6	17 2	8 6	10 8	11 7	6 10
200	Cause of death unstated or ill-defined { F	39 38	35 28	47 41	54 39	40 28	44 34	45 34	53 39	38 49	44 35	37 31	49 36
	(1) Heart failure { F	36 36	31 25	45 35	48 32	37 24	37 28	40 29	44 35	35 44	38 32	30 29	45 34
	(2) Other ill-defined causes { F	1 1	2 1	2 5	5 3	2 3	4 4	1 2	3 3	— 5	2 1	4 2	3 2
	(3) Cause not specified .. { F	2 1	2 2	— 1	1 4	1 1	3 2	4 3	6 1	3 —	4 2	3 —	1 —

TABLE 24.—CAUSES OF DEATH,
1937, classified in accordance
with the Abridged List (*see*
statement below) AT DIFFERENT
PERIODS OF LIFE.

{ England and Wales, Geographical
Regions.† London and Metropolitan
Boroughs, County Boroughs. Aggre-
gates of other Urban and of Rural
Districts in each Administrative
County.

(TOTAL DEATHS REGISTERED, INCLUDING NON-CIVILIAN DEATHS.)

THE ABRIDGED LIST OF CAUSES OF DEATH adopted by the Registrar-General
in consultation with the Ministry of Health, and its relation to the detailed
International List.

NOTE.—The relation of the full detailed International List to the Intermediate International List
will be found in the first column of Table 6.

No.	Registrar-General's Abridged List.	Corresponding number in the Detailed International List.
1.	Typhoid and paratyphoid fevers	1 and 2.
2.	Measles	7.
3.	Scarlet fever	8.
4.	Whooping cough	9.
5.	Diphtheria	10.
6.	Influenza	11.
7.	Encephalitis lethargica	17.
8.	Cerebro-spinal fever	18.
9.	Tuberculosis of respiratory system	23.
10.	Other tuberculous diseases	24–32.
11.	Syphilis	34.
12.	General paralysis of the insane, tabes dorsalis	80 and 83.
13.	Cancer, malignant disease	45–53.
14.	Diabetes	59.
15.	Cerebral hæmorrhage, etc.	82.
16.	Heart disease	90–95.
17.	Aneurysm	96.
18.	Other circulatory diseases	97–103.
19.	Bronchitis	106.
20.	Pneumonia (all forms)	107–109.
21.	Other respiratory diseases	104, 105 and 110–114.
22.	Peptic ulcer	117.
23.	Diarrhœa, etc. (under 2 years)	119.
24.	Appendicitis	121.
25.	Cirrhosis of liver	124.
26.	Other diseases of liver, etc.	125–127.
27.	Other digestive diseases	115, 116, 118, 120,* 122, 123, 128 and 129.
28.	Acute and chronic nephritis	130–132.
29.	Puerperal sepsis	140 and 145.
30.	Other puerperal causes	141–144 and 146–150.
31.	Congenital debility, premature birth, malforma- tions, etc.	157–161.
32.	Senility	162.
33.	Suicide	163–171.
34.	Other violence	172–198.
35.	Other defined causes†	All numbers not included in other headings.
36.	Causes ill-defined, or unknown	199 and 200.

* In tables of deaths by ages this heading (No. 120 of the detailed list) is included under No. 23 of the abridged list.

† Deaths from Smallpox, if any, are shown in a footnote to this line.

‡ The Counties included in the several Geographical Regions are shown on the first page of Table 17.

Causes of Death <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	260,057	20,281	3,009	3,082	4,893	8,135	10,214	13,789	25,919	48,199	64,310	58,226
	F	249,517	14,894	2,467	2,753	4,308	7,246	9,733	12,428	20,992	37,469	59,035	78,192
1 Typhoid fever, etc.	M	96	4	1	2	10	17	27	9	14	7	4	1
	F	110	2	—	4	6	19	22	17	13	15	7	5
2 Measles	M	559	121	213	147	64	9	1	2	—	1	—	1
	F	492	112	158	131	69	14	3	3	1	1	—	—
3 Scarlet fever	M	183	4	31	55	58	18	5	6	2	1	2	1
	F	166	5	14	43	64	14	10	9	4	2	—	1
4 Whooping cough	M	799	412	214	139	32	1	—	—	—	—	—	1
	F	951	448	274	185	38	4	1	—	—	—	—	1
5 Diphtheria	M	1,382	53	73	429	762	33	13	8	3	6	2	—
	F	1,581	28	59	470	896	61	24	17	4	10	12	—
6 Influenza	M	8,991	217	117	93	136	295	413	752	1,346	2,034	1,872	1,716
	F	9,644	158	89	81	110	252	427	647	994	1,738	2,227	2,921
7 Encephalitis lethargica	M	386	1	1	5	8	45	89	56	48	65	59	9
	F	364	—	1	4	10	26	65	44	64	82	54	14
8 Cerebro-spinal fever	M	394	105	53	42	48	72	34	19	14	6	1	—
	F	304	91	40	50	36	31	20	9	12	14	1	—
9 Respiratory tuberculosis	M	13,832	26	33	33	103	1,885	2,768	2,761	2,910	2,360	833	120
	F	10,138	26	24	37	198	2,853	2,855	1,710	1,111	805	419	100
10 Other tuberculosis	M	2,414	191	207	296	388	394	318	208	181	137	73	21
	F	2,145	146	192	236	360	396	244	171	135	128	90	47
11 Syphilis	M	851	83	2	1	8	23	15	94	150	294	159	22
	F	392	57	1	—	8	15	14	66	84	88	47	12
12 Gen. paralysis of insane, etc.	M	1,067	—	—	—	2	12	25	163	300	348	178	39
	F	369	—	—	—	1	5	15	77	102	117	44	8
13 Cancer	M	32,189	9	9	41	68	190	534	1,290	3,780	9,153	11,428	5,687
	F	34,802	11	8	19	62	140	537	2,189	5,607	8,886	10,207	7,136
14 Diabetes	M	2,801	1	3	6	40	55	85	107	203	630	1,084	587
	F	4,495	4	1	5	43	70	79	124	355	1,071	1,776	967
15 Cerebral hæmorrhage	M	11,864	1	4	—	5	9	38	194	820	2,516	4,394	3,883
	F	15,437	2	2	—	3	11	45	235	1,122	2,886	5,233	5,898
16 Heart disease	M	62,925	7	7	21	246	575	769	1,598	4,947	12,471	21,155	21,129
	F	65,788	7	2	26	276	677	1,046	1,872	3,802	9,188	19,521	29,371
17 Aneurysm	M	1,001	1	1	2	8	19	36	86	185	321	248	94
	F	528	1	2	—	5	21	24	42	92	122	143	76
18 Other circulatory	M	18,490	6	5	2	6	6	25	106	548	2,260	4,933	5,593
	F	13,507	5	4	6	5	5	27	110	557	1,738	4,262	6,788
19 Bronchitis	M	9,482	721	92	64	49	85	101	275	928	1,657	2,357	3,153
	F	8,400	523	67	51	34	44	77	144	331	854	1,977	4,298
20 Pneumonia	M	17,252	3,363	1,087	587	351	440	730	1,283	2,271	3,024	2,426	1,690
	F	12,280	2,219	870	551	291	255	454	727	1,003	1,470	2,038	2,402
21 Other respiratory	M	2,825	52	28	46	69	89	133	214	489	677	581	447
	F	2,007	42	24	21	55	52	106	141	206	311	391	658
22 Peptic ulcer	M	3,532	2	—	—	2	50	235	466	877	1,010	650	240
	F	1,052	—	1	—	—	7	32	78	172	306	295	161
23 Diarrhoea	M	2,697	1,862	161	65	29	42	53	53	72	111	118	131
	F	2,228	1,224	135	59	37	46	103	89	78	114	124	219
24 Appendicitis	M	1,584	1	11	82	234	218	186	172	196	238	192	54
	F	1,237	—	9	52	180	139	114	128	172	185	180	78
25 Cirrhosis of liver	M	792	—	1	—	1	7	9	46	143	268	253	64
	F	441	3	—	2	3	6	11	23	85	166	99	43
26 Other liver diseases	M	762	3	2	4	7	10	31	45	78	181	222	179
	F	1,750	4	—	5	10	27	73	95	180	399	524	433
27 Other digestive	M	4,232	334	74	105	158	189	207	296	547	781	888	653
	F	4,202	198	50	101	177	132	203	292	497	778	919	855
28 Nephritis	M	7,593	20	11	18	79	221	315	458	913	1,701	2,209	1,648
	F	7,472	16	11	11	104	200	298	504	860	1,583	2,128	1,757
29 Puerperal sepsis	F	596	—	—	—	—	114	337	144	1	—	—	—
30 Other puerperal	F	1,392	—	—	—	—	228	735	415	14	—	—	—
31 Congenital causes, etc.	M	11,024	10,809	50	29	66	40	17	7	3	2	—	1
	F	8,439	8,217	64	47	51	28	18	12	—	2	—	—
32 Senility	M	6,747	—	—	—	—	—	—	—	—	50	1,093	5,602
	F	10,238	—	—	—	—	—	—	—	1	56	1,218	8,963
33 Suicide	M	3,447	—	—	—	7	185	441	481	697	906	557	173
	F	1,718	—	—	—	1	97	256	316	427	363	208	50
34 Other violence	M	11,446	376	193	370	887	1,901	1,511	1,209	1,310	1,416	1,194	1,079
	F	6,185	314	136	259	392	411	279	280	432	628	1,041	2,013
35 Other defined causes	M	20,723	1,480	316	396	959	990	1,042	1,304	1,862	3,433	4,912	4,029
	F	18,125	1,017	219	296	782	846	1,173	1,680	2,439	3,286	3,692	2,695
36 Ill-defined causes	M	695	16	9	2	3	10	8	21	80	134	233	179
	F	542	14	10	1	1	—	6	18	35	77	158	222

TABLE 24—*contd.* Aggregate of South Eastern Region (including London).

191

Causes of Death <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	82,325	5,961	706	769	1,390	2,473	3,220	4,253	8,204	15,245	20,111	19,993
	F	82,122	4,170	619	634	1,097	2,142	3,046	3,862	6,683	11,735	19,188	28,946
1 Typhoid fever, etc.	M	38	2	-	-	3	7	11	4	5	4	1	1
	F	52	-	-	-	1	6	13	10	8	8	2	4
2 Measles	M	64	12	16	21	11	3	-	-	-	-	-	-
	F	60	7	15	21	11	4	1	1	1	-	-	-
3 Scarlet fever	M	57	-	7	14	28	2	2	2	1	-	1	-
	F	48	2	6	10	16	5	2	2	3	1	-	1
4 Whooping cough	M	254	144	58	37	14	1	-	-	-	-	-	-
	F	300	151	82	51	14	1	-	-	-	-	-	1
5 Diphtheria	M	271	16	21	80	144	5	3	2	-	-	-	-
	F	319	12	18	90	173	9	4	4	2	3	4	-
6 Influenza	M	2,575	60	29	21	32	70	96	197	397	545	555	573
	F	3,123	42	27	20	23	67	116	169	292	507	727	1,133
7 Encephalitis lethargica	M	83	-	-	-	-	7	21	15	11	13	14	2
	F	88	-	-	-	2	4	14	6	22	21	14	5
8 Cerebro-spinal fever	M	111	41	14	9	6	26	8	3	2	2	-	-
	F	82	26	9	12	4	10	7	1	6	6	1	-
9 Respiratory tuberculosis	M	4,695	5	9	9	26	553	946	955	985	832	323	52
	F	3,234	12	9	4	34	847	929	576	354	263	161	45
10 Other tuberculosis	M	648	52	49	75	116	110	72	46	45	44	29	10
	F	611	38	48	70	90	103	68	47	44	46	43	14
11 Syphilis	M	296	23	1	-	3	7	4	28	40	109	69	12
	F	145	17	1	-	3	5	3	30	27	37	16	6
12 Gen. paralysis of insane, etc.	M	368	-	-	-	1	5	12	50	96	120	72	12
	F	111	-	-	-	1	1	7	20	19	41	18	4
13 Cancer	M	11,305	4	-	20	34	64	174	423	1,346	3,090	3,949	2,201
	F	12,535	3	4	4	28	49	183	744	1,934	3,089	3,624	2,873
14 Diabetes	M	824	1	2	-	10	13	24	24	56	184	317	193
	F	1,407	2	-	1	8	19	28	41	88	286	564	370
15 Cerebral hæmorrhage	M	3,144	-	-	-	2	3	10	53	203	656	1,109	1,108
	F	4,612	1	1	-	-	6	9	61	325	815	1,501	1,893
16 Heart disease	M	20,719	1	3	5	61	170	235	458	1,503	3,840	6,674	7,769
	F	22,777	2	2	2	68	181	314	485	1,058	2,756	6,303	11,606
17 Aneurysm	M	468	1	-	-	4	6	19	40	61	157	129	51
	F	287	1	1	-	3	7	12	16	52	61	84	50
18 Other circulatory	M	3,908	4	2	-	1	2	7	40	191	687	1,306	1,668
	F	4,514	2	-	2	2	3	7	51	206	576	1,361	2,304
19 Bronchitis	M	2,910	169	14	20	12	17	34	88	290	514	732	1,020
	F	2,500	107	14	6	10	13	23	27	87	217	520	1,476
20 Pneumonia	M	5,262	959	246	140	92	95	161	327	657	981	890	714
	F	4,173	616	192	118	66	67	123	237	353	492	796	1,113
21 Other respiratory	M	845	15	7	12	20	32	38	75	130	180	166	170
	F	693	12	9	7	22	16	31	40	62	104	114	276
22 Peptic ulcer	M	1,357	1	-	-	1	14	81	149	321	406	273	111
	F	426	-	1	-	-	2	7	23	70	112	128	83
23 Diarrhœa	M	1,086	821	60	10	7	19	11	10	22	47	33	46
	F	848	524	33	19	7	14	33	38	26	37	38	79
24 Appendicitis	M	579	-	4	26	78	63	65	54	76	102	86	25
	F	448	-	3	17	45	44	41	52	58	77	74	37
25 Cirrhosis of liver	M	308	-	-	-	-	3	2	25	64	100	85	29
	F	186	1	-	1	2	2	3	9	33	72	47	16
26 Other liver diseases	M	207	-	1	1	2	1	11	13	15	54	62	47
	F	500	3	-	-	3	9	30	26	51	95	144	139
27 Other digestive	M	1,401	104	17	38	52	61	77	88	189	241	305	229
	F	1,429	61	15	21	50	39	68	103	164	254	331	323
28 Nephritis	M	2,221	9	1	5	25	70	91	150	249	498	570	553
	F	2,253	2	2	2	27	55	94	152	234	427	618	640
29 Puerperal sepsis	F	149	-	-	-	-	30	85	33	1	-	-	-
30 Other puerperal	F	353	-	-	-	-	61	200	88	4	-	-	-
31 Congenital causes, etc.	M	3,094	3,022	22	9	19	13	6	2	1	-	-	-
	F	2,244	2,164	21	13	16	14	10	5	-	1	-	-
32 Senility	M	1,607	-	-	-	-	-	-	-	-	5	217	1,385
	F	2,816	-	-	-	-	-	-	-	-	11	258	2,547
33 Suicide	M	1,246	-	-	-	6	84	179	179	245	300	194	59
	F	682	-	-	-	-	50	103	119	166	122	99	23
34 Other violence	M	3,618	143	49	94	263	644	483	332	398	426	360	426
	F	2,199	117	48	61	124	140	92	106	161	223	349	778
35 Other defined causes	M	6,664	348	72	123	317	301	335	418	593	1,097	1,562	1,498
	F	5,811	244	55	82	244	259	387	539	767	966	1,223	1,045
36 Ill-defined causes	M	92	4	2	-	-	2	1	3	12	11	28	29
	F	107	1	3	-	-	-	-	1	5	9	26	62

Causes of Death <i>See first page of Table.</i>		All Ages.	0—	1—	2—	5—	15—	25—	35—	45—	55—	65—	75—
All Causes	M	48,470	3,887	445	472	806	1,510	2,026	2,662	5,263	9,397	11,620	10,382
	F	47,913	2,710	395	384	691	1,402	1,920	2,420	4,125	6,968	11,028	15,870
1 Typhoid fever, etc.	M	31	2	—	—	2	7	8	4	5	1	1	1
	F	40	—	—	—	—	4	10	9	6	8	1	2
2 Measles	M	28	8	8	8	4	—	—	—	—	—	—	—
	F	22	2	6	10	3	1	—	—	—	—	—	—
3 Scarlet fever	M	35	—	4	13	13	2	1	—	1	—	1	—
	F	32	1	5	7	8	4	2	1	2	1	—	1
4 Whooping cough	M	176	103	38	26	8	1	—	—	—	—	—	—
	F	197	105	52	30	9	—	—	—	—	—	—	1
5 Diphtheria	M	173	12	14	54	89	2	2	—	—	—	—	—
	F	228	11	12	69	120	6	2	2	2	1	3	—
6 Influenza	M	1,410	29	18	11	12	39	50	107	251	309	319	265
	F	1,752	19	15	9	7	45	65	103	157	290	416	626
7 Encephalitis lethargica	M	50	—	—	—	—	4	11	10	11	6	7	1
	F	52	—	—	—	1	2	11	3	16	10	8	1
8 Cerebro-spinal fever	M	81	36	9	6	4	14	6	3	1	2	—	—
	F	65	22	7	8	3	9	5	—	5	5	1	—
9 Respiratory tuberculosis	M	3,134	4	6	6	19	387	643	591	655	572	222	29
	F	2,064	10	5	3	23	576	602	358	217	154	92	24
10 Other tuberculosis	M	375	29	22	40	69	74	41	27	29	28	13	3
	F	349	21	28	34	56	62	40	29	23	26	23	7
11 Syphilis	M	187	14	—	—	3	2	3	21	28	67	44	5
	F	83	11	—	—	2	3	2	17	13	19	11	5
12 Gen. paralysis of insane, etc.	M	223	—	—	—	1	3	6	29	65	68	48	3
	F	74	—	—	—	1	—	6	11	16	25	12	3
13 Cancer	M	6,782	4	—	15	25	37	117	290	882	1,947	2,294	1,171
	F	7,235	1	2	4	17	35	111	474	1,197	1,821	2,064	1,509
14 Diabetes	M	452	1	2	—	7	6	14	16	32	107	167	100
	F	820	2	—	—	4	10	15	21	57	175	324	212
15 Cerebral hæmorrhage	M	1,634	—	—	—	1	1	8	27	126	360	581	530
	F	2,305	1	—	—	—	5	5	34	172	430	747	911
16 Heart disease	M	11,998	—	1	5	47	118	154	304	961	2,304	3,873	4,231
	F	13,542	2	2	2	45	124	233	330	700	1,678	3,698	6,728
17 Aneurysm	M	298	—	—	—	1	3	16	25	41	102	79	31
	F	202	1	1	—	1	4	6	11	42	44	55	37
18 Other circulatory	M	2,091	3	2	—	1	2	6	27	122	428	714	786
	F	2,513	1	—	1	1	3	3	37	129	330	803	1,205
19 Bronchitis	M	1,880	117	9	11	6	12	27	61	215	369	494	559
	F	1,515	73	9	2	7	5	15	18	68	148	327	843
20 Pneumonia	M	3,601	686	163	95	49	64	109	216	449	700	621	449
	F	2,802	427	135	85	40	49	79	152	234	339	522	740
21 Other respiratory	M	490	8	3	6	12	23	16	48	78	108	93	95
	F	413	5	6	3	10	9	18	26	43	63	59	171
22 Peptic ulcer	M	852	—	—	—	—	8	47	105	213	256	159	64
	F	259	—	1	—	—	2	3	13	53	71	74	42
23 Diarrhœa	M	803	652	48	3	3	11	6	6	14	24	11	25
	F	623	438	20	12	2	9	27	21	17	21	24	32
24 Appendicitis	M	357	—	3	19	45	38	40	37	47	67	46	15
	F	266	—	1	9	25	29	29	29	36	44	45	19
25 Cirrhosis of liver	M	175	—	—	—	—	1	—	16	43	54	52	9
	F	120	1	—	—	—	2	2	7	22	43	33	10
26 Other liver diseases	M	121	—	1	—	1	—	7	5	9	36	36	26
	F	258	2	—	—	1	4	15	11	30	54	70	71
27 Other digestive	M	799	66	8	22	31	32	43	44	113	158	158	124
	F	816	37	9	12	32	23	34	63	92	155	186	173
28 Nephritis	M	1,225	8	—	1	10	43	66	92	148	280	294	283
	F	1,275	1	2	—	18	44	55	84	133	252	340	346
29 Puerperal sepsis	F	96	—	—	—	—	19	50	26	1	—	—	—
	F	205	—	—	—	—	31	116	56	2	—	—	—
31 Congenital causes, etc.	M	1,819	1,787	9	3	7	8	4	—	1	—	—	—
	F	1,321	1,278	13	5	10	7	4	3	—	—	—	—
32 Senility	M	618	—	—	—	—	—	—	—	—	4	99	515
	F	1,226	—	—	—	—	—	—	—	—	5	127	1,094
33 Suicide	M	718	—	—	—	4	51	119	111	132	160	113	28
	F	444	—	—	—	—	40	66	82	98	80	66	12
34 Other violence	M	1,975	96	29	50	144	332	256	180	224	220	195	249
	F	1,338	78	31	35	80	77	56	57	99	142	218	465
35 Other defined causes	M	3,850	219	48	78	188	184	200	259	363	659	879	773
	F	3,326	160	30	44	165	159	233	332	442	532	671	558
36 Ill-defined causes	M	29	3	—	—	—	1	—	1	4	1	7	12
	F	35	—	3	—	—	—	—	—	1	1	8	22

TABLE 24—*contd.* Aggregate of South Eastern Region (excluding Greater London). 193

Causes of Death <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	33,855	2,074	261	297	584	963	1,194	1,591	2,941	5,848	8,491	9,611
	F	34,209	1,460	224	250	406	740	1,126	1,442	2,558	4,767	8,160	13,076
1 Typhoid fever, etc.	M	7	-	-	-	1	-	3	-	-	3	-	-
	F	12	-	-	-	1	2	3	1	2	-	1	2
2 Measles	M	36	4	8	13	7	3	1	-	-	-	-	-
	F	38	5	9	11	8	3	-	1	1	-	-	-
3 Scarlet fever	M	22	-	3	1	15	-	1	2	-	-	-	-
	F	16	1	1	3	8	1	-	1	-	-	-	-
4 Whooping cough	M	78	41	20	11	6	-	-	-	1	-	-	-
	F	103	46	30	21	5	1	-	-	-	-	-	-
5 Diphtheria	M	98	4	7	26	55	3	1	2	-	-	-	-
	F	91	1	6	21	53	3	2	2	-	2	1	-
6 Influenza	M	1,165	31	11	10	20	31	46	90	146	236	236	308
	F	1,371	23	12	11	16	22	51	66	135	217	311	507
7 Encephalitis lethargica	M	33	-	-	-	-	3	10	5	-	7	7	1
	F	36	-	-	-	1	2	3	3	6	11	6	4
8 Cerebro-spinal fever	M	30	5	5	3	2	12	2	-	1	-	-	-
	F	17	4	2	4	1	1	2	1	1	1	-	-
9 Respiratory tuberculosis	M	1,561	1	3	3	7	166	303	364	330	260	101	23
	F	1,170	2	4	1	11	271	327	218	137	109	69	21
10 Other tuberculosis	M	273	23	27	35	47	36	31	19	16	16	16	7
	F	262	17	20	36	34	41	28	18	21	20	20	7
11 Syphilis	M	109	9	1	-	-	5	1	7	12	42	25	7
	F	62	6	1	-	1	2	1	13	14	18	5	1
12 Gen. paralysis of insane, etc.	M	145	-	-	-	-	2	6	21	31	52	24	9
	F	37	-	-	-	-	1	1	9	3	16	6	1
13 Cancer	M	4,523	-	-	5	9	27	57	133	464	1,143	1,655	1,030
	F	5,300	2	2	-	11	14	72	270	737	1,268	1,560	1,364
14 Diabetes	M	372	-	-	-	3	7	10	8	24	77	150	93
	F	587	-	-	1	4	9	13	20	31	111	240	158
15 Cerebral hæmorrhage	M	1,510	-	-	-	1	2	2	26	77	296	528	578
	F	2,307	-	1	-	-	1	4	27	153	385	754	982
16 Heart disease	M	8,721	1	2	-	14	52	81	154	542	1,536	2,801	3,538
	F	9,235	-	-	-	23	57	81	155	358	1,078	2,605	4,878
17 Aneurysm	M	170	1	-	-	3	3	3	15	20	55	50	20
	F	85	-	-	-	2	3	6	5	10	17	29	13
18 Other circulatory	M	1,817	1	-	-	-	-	1	13	69	259	592	882
	F	2,001	1	-	1	1	-	4	14	77	246	558	1,099
19 Bronchitis	M	1,030	52	5	9	6	5	7	27	75	145	238	461
	F	985	34	5	4	3	8	8	9	19	69	193	633
20 Pneumonia	M	1,661	273	83	45	43	31	52	111	208	281	269	265
	F	1,371	189	57	33	26	18	44	85	119	153	274	373
21 Other respiratory	M	355	7	4	6	8	9	22	27	52	72	73	75
	F	280	7	3	4	12	7	13	14	19	41	55	105
22 Peptic ulcer	M	505	1	-	-	1	6	34	44	108	150	114	47
	F	167	-	-	-	-	-	4	10	17	41	54	41
23 Diarrhoea	M	283	169	12	7	4	8	5	4	8	23	22	21
	F	225	86	13	7	5	5	6	17	9	16	14	47
24 Appendicitis	M	222	-	1	7	33	25	25	17	29	35	40	10
	F	182	-	2	8	20	15	12	23	22	33	29	18
25 Cirrhosis of liver	M	133	-	-	-	-	2	2	9	21	46	33	20
	F	66	-	-	1	2	-	1	2	11	29	14	6
26 Other liver diseases	M	86	-	-	1	1	1	4	8	6	18	26	21
	F	242	1	-	-	2	5	15	15	21	41	74	68
27 Other digestive	M	602	38	9	16	21	29	34	44	76	83	147	105
	F	613	24	6	9	18	16	34	40	72	99	145	150
28 Nephritis	M	996	1	1	4	15	27	25	58	101	218	276	270
	F	978	1	-	2	9	11	39	68	101	175	278	294
29 Puerperal sepsis	F	53	-	-	-	-	11	35	7	-	-	-	-
30 Other puerperal	F	148	-	-	-	-	30	84	32	2	-	-	-
31 Congenital causes, etc.	M	1,275	1,235	13	6	12	5	2	2	-	-	-	-
	F	923	886	8	8	6	7	6	2	-	-	-	-
32 Senility	M	989	-	-	-	-	-	-	-	-	1	118	870
	F	1,590	-	-	-	-	-	-	-	-	6	131	1,453
33 Suicide	M	528	-	-	-	2	33	60	68	113	140	81	31
	F	238	-	-	-	-	10	37	37	68	42	33	11
34 Other violence	M	1,643	47	20	44	119	312	227	152	174	206	165	177
	F	861	39	17	26	44	63	36	49	62	81	131	313
35 Other defined causes	M	2,814	129	24	45	129	117	135	159	230	438	683	725
	F	2,485	84	25	38	79	100	154	207	325	434	552	487
36 Ill-defined causes	M	63	1	2	-	-	1	1	2	8	10	21	17
	F	72	1	-	-	-	-	-	1	4	8	18	40

Causes of Death <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	27,079	2,108	232	284	530	903	1,142	1,507	2,661	4,876	6,339	6,497
	F	26,869	1,464	211	240	434	747	1,091	1,363	2,259	3,768	6,162	9,130
1 Typhoid fever, etc.	M	7	-	-	-	-	1	2	1	1	1	-	1
	F	13	-	-	-	-	2	5	1	2	1	1	1
2 Measles	M	40	8	8	13	7	3	1	-	-	-	-	-
	F	37	6	7	11	8	3	-	1	1	-	-	-
3 Scarlet fever	M	20	-	2	7	7	2	1	1	-	-	-	-
	F	13	-	3	3	3	2	1	-	1	-	-	-
4 Whooping cough	M	71	30	23	13	4	1	-	-	-	-	-	-
	F	81	30	22	24	4	1	-	-	-	-	-	-
5 Diphtheria	M	101	5	6	27	59	2	2	-	-	-	-	-
	F	108	2	3	25	67	4	1	3	-	3	-	-
6 Influenza	M	923	27	8	4	11	33	33	83	152	195	191	186
	F	1,084	13	11	8	7	23	44	66	112	173	249	378
7 Encephalitis lethargica	M	29	-	-	-	-	1	10	5	2	5	6	-
	F	29	-	-	-	2	-	1	3	9	7	6	1
8 Cerebro-spinal fever	M	45	15	4	2	4	12	7	1	-	-	-	-
	F	18	5	1	2	4	2	1	-	1	2	-	-
9 Respiratory tuberculosis	M	1,441	3	1	3	13	178	299	325	286	230	89	14
	F	1,059	7	6	1	12	282	329	179	103	86	43	11
10 Other tuberculosis	M	234	21	18	27	45	39	30	17	13	15	6	3
	F	213	18	16	23	31	44	19	20	15	9	13	5
11 Syphilis	M	69	6	-	-	1	3	-	6	11	26	16	-
	F	37	3	-	-	-	1	1	6	11	10	4	1
12 Gen. paralysis of insane, etc.	M	112	-	-	-	-	1	6	13	27	39	24	2
	F	23	-	-	-	1	-	-	4	8	3	6	1
13 Cancer	M	3,777	2	-	7	13	29	56	147	468	1,032	1,300	723
	F	4,123	2	1	3	11	12	66	276	627	1,058	1,180	887
14 Diabetes	M	267	-	2	-	5	4	6	7	15	55	106	67
	F	463	1	-	-	6	8	10	12	27	94	190	115
15 Cerebral hæmorrhage	M	1,147	-	-	-	1	2	3	12	72	246	425	386
	F	1,648	-	-	-	-	3	3	18	118	276	543	687
16 Heart disease	M	6,447	-	1	1	16	64	92	180	501	1,201	2,054	2,337
	F	6,945	1	1	-	27	56	107	166	381	848	1,959	3,399
17 Aneurysm	M	124	-	-	-	2	1	8	17	18	35	27	16
	F	78	-	-	-	2	4	5	2	13	17	20	15
18 Other circulatory	M	1,259	1	1	-	1	-	2	11	63	227	389	564
	F	1,404	1	-	-	1	2	2	21	68	179	422	708
19 Bronchitis	M	954	56	5	6	5	8	10	33	77	150	234	370
	F	874	38	4	1	4	8	5	10	24	72	182	526
20 Pneumonia	M	1,720	347	72	59	36	30	76	115	208	302	257	218
	F	1,362	208	72	51	28	19	42	79	134	154	257	318
21 Other respiratory	M	296	6	6	6	9	15	12	27	41	58	59	57
	F	226	5	2	2	8	7	11	14	23	31	33	90
22 Peptic ulcer	M	404	-	-	-	1	5	31	44	106	125	60	32
	F	137	-	-	-	-	2	3	5	26	36	41	24
23 Diarrhoea	M	345	251	18	2	5	9	3	4	12	17	9	15
	F	291	172	9	10	3	5	20	14	9	13	10	26
24 Appendicitis	M	220	-	3	9	40	23	24	19	32	31	29	10
	F	142	-	-	4	13	18	14	21	17	17	22	16
25 Cirrhosis of liver	M	94	-	-	-	-	2	-	7	9	34	31	11
	F	51	-	-	1	1	-	-	1	12	16	13	7
26 Other liver diseases	M	64	-	-	1	1	-	3	3	3	18	20	15
	F	169	-	-	-	2	4	8	10	19	27	44	55
27 Other digestive	M	475	35	7	12	25	21	35	28	66	89	84	73
	F	453	19	8	7	22	13	26	42	44	74	97	101
28 Nephritis	M	722	7	-	1	8	23	33	50	66	156	183	195
	F	680	-	2	2	13	21	29	54	73	129	172	185
29 Puerperal sepsis	F	61	-	-	-	-	10	37	13	1	-	-	-
30 Other puerperal	F	133	-	-	-	-	20	77	34	2	-	-	-
31 Congenital causes, etc.	M	1,133	1,106	5	4	7	8	2	1	-	-	-	-
	F	835	802	9	5	8	3	4	4	-	-	-	-
32 Senility	M	620	-	-	-	-	-	-	-	-	1	92	527
	F	1,080	-	-	-	-	-	-	-	-	5	113	962
33 Suicide	M	404	-	-	-	4	28	61	66	68	105	55	17
	F	224	-	-	-	-	20	44	40	52	33	28	7
34 Other violence	M	1,269	52	22	35	93	239	173	118	149	138	115	135
	F	721	43	19	23	46	55	39	30	51	68	105	242
35 Other defined causes	M	2,208	130	20	45	107	115	121	165	190	339	465	511
	F	2,000	87	14	34	100	93	137	213	270	318	395	339
36 Ill-defined causes	M	38	-	-	-	-	1	-	1	5	6	13	12
	F	54	1	1	-	-	-	-	1	5	9	14	23

TABLE 24—*contd.* **Aggregate of South Eastern Region** (Part formerly included in "South").

Causes of Death <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	55,246	3,853	474	485	860	1,570	2,078	2,746	5,543	10,369	13,772	13,496
	F	55,253	2,706	408	394	663	1,395	1,955	2,499	4,424	7,967	13,026	19,816
1 Typhoid fever, etc.	M	31	2	-	-	3	6	9	3	4	3	1	-
	F	39	-	-	-	1	4	8	9	6	7	1	3
2 Measles	M	24	4	8	8	4	-	-	-	-	-	-	-
	F	23	1	8	10	3	1	-	-	-	-	-	-
3 Scarlet fever	M	37	-	5	7	21	-	1	1	1	-	1	-
	F	35	2	3	7	13	3	1	2	2	1	-	1
4 Whooping cough	M	183	114	35	24	10	-	-	-	-	-	-	-
	F	219	121	60	27	10	-	-	-	-	-	-	1
5 Diphtheria	M	170	11	15	53	85	3	1	2	-	-	-	-
	F	211	10	15	65	106	5	3	1	2	-	-	-
6 Influenza	M	1,652	33	21	17	21	37	63	114	245	350	364	387
	F	2,039	29	16	12	16	44	72	103	180	334	478	755
7 Encephalitis lethargica	M	54	-	-	-	-	6	11	10	9	8	8	2
	F	59	-	-	-	-	4	13	3	13	14	8	4
8 Cerebro-spinal fever	M	66	26	10	7	2	14	1	2	2	2	-	-
	F	64	21	8	10	-	8	6	1	5	4	1	-
9 Respiratory tuberculosis	M	3,254	2	8	6	13	375	647	630	699	602	234	38
	F	2,175	5	3	3	22	565	600	397	251	177	118	34
10 Other tuberculosis	M	414	31	31	48	71	71	42	29	32	29	23	7
	F	398	20	32	47	59	59	49	27	29	37	30	9
11 Syphilis	M	227	17	1	-	2	4	4	22	29	83	53	12
	F	108	14	1	-	3	4	2	24	16	27	12	5
12 Gen. paralysis of insane, etc.	M	256	-	-	-	1	4	6	37	69	81	48	10
	F	88	-	-	-	-	1	7	16	11	38	12	3
13 Cancer	M	7,528	2	-	13	21	35	118	276	878	2,058	2,649	1,478
	F	8,412	1	3	1	17	37	117	468	1,307	2,031	2,444	1,986
14 Diabetes	M	557	1	-	-	5	9	18	17	41	129	211	126
	F	944	1	-	1	2	11	18	29	61	192	374	255
15 Cerebral hæmorrhage	M	1,997	-	-	-	1	1	7	41	131	410	684	722
	F	2,964	1	1	-	-	3	6	43	207	539	958	1,206
16 Heart disease	M	14,272	1	2	4	45	106	143	278	1,002	2,639	4,620	5,432
	F	15,832	1	1	2	41	125	207	319	677	1,908	4,344	8,207
17 Aneurysm	M	344	1	-	-	2	5	11	23	43	122	102	35
	F	209	1	1	-	1	3	7	14	39	44	64	35
18 Other circulatory	M	2,649	3	1	-	-	2	5	29	128	460	917	1,104
	F	3,110	1	-	2	1	1	5	30	138	397	939	1,596
19 Bronchitis	M	1,956	113	9	14	7	9	24	55	213	364	498	650
	F	1,626	69	10	5	6	5	18	17	63	145	338	950
20 Pneumonia	M	3,542	612	174	81	56	65	85	212	449	679	633	496
	F	2,811	408	120	67	38	48	81	158	219	338	539	795
21 Other respiratory	M	549	9	1	6	11	17	26	48	89	122	107	113
	F	467	7	7	5	14	9	20	26	39	73	81	186
22 Peptic ulcer	M	953	1	-	-	-	9	50	105	215	281	213	79
	F	289	-	1	-	-	-	4	18	44	76	87	59
23 Diarrhoea	M	741	570	42	8	2	10	8	6	10	30	24	31
	F	557	352	24	9	4	9	13	24	17	24	28	53
24 Appendicitis	M	359	-	1	17	38	40	41	35	44	71	57	15
	F	306	-	3	13	32	26	27	31	41	60	52	21
25 Cirrhosis of liver	M	214	-	-	-	-	1	2	18	55	66	54	18
	F	135	1	-	-	1	2	3	8	21	56	34	9
26 Other liver diseases	M	143	-	1	-	1	1	8	10	12	36	42	32
	F	331	3	-	-	1	5	22	16	32	68	100	84
27 Other digestive	M	926	69	10	26	27	40	42	60	123	152	221	156
	F	976	42	7	14	28	26	42	61	120	180	234	222
28 Nephritis	M	1,499	2	1	4	17	47	58	100	183	342	387	358
	F	1,573	2	-	-	14	34	65	98	161	298	446	455
29 Puerperal sepsis	F	88	-	-	-	-	20	48	20	-	-	-	-
30 Other puerperal	F	220	-	-	-	-	41	123	54	2	-	-	-
31 Congenital causes, etc.	M	1,961	1,916	17	5	12	5	4	1	1	-	-	-
	F	1,409	1,362	12	8	8	11	6	1	-	1	-	-
32 Senility	M	987	-	-	-	-	-	-	-	-	4	125	858
	F	1,736	-	-	-	-	-	-	-	-	6	145	1,585
33 Suicide	M	842	-	-	-	2	56	118	113	177	195	139	42
	F	458	-	-	-	-	30	59	79	114	89	71	16
34 Other violence	M	2,349	91	27	59	170	405	310	214	249	288	245	291
	F	1,478	74	29	38	78	85	53	76	110	155	244	536
35 Other defined causes	M	4,456	218	52	78	210	186	214	253	403	758	1,097	987
	F	3,811	157	41	48	144	166	250	326	497	648	828	706
36 Ill-defined causes	M	54	4	2	-	-	1	1	2	7	5	15	17
	F	53	-	2	-	-	-	-	-	-	-	12	39

Causes of Death See first page of Table.		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	89,783	7,783	1,296	1,282	1,885	2,863	3,553	4,949	9,475	17,658	22,199	16,840
	F	84,716	5,896	1,028	1,210	1,729	2,725	3,465	4,591	7,504	13,694	20,674	22,200
1 Typhoid fever, etc.	M	28	2	1	2	3	1	10	2	6	1	—	—
	F	32	2	—	3	2	7	6	4	3	3	2	—
2 Measles	M	237	52	98	69	14	—	—	2	—	1	—	1
	F	218	62	76	53	25	—	1	1	—	—	—	—
3 Scarlet fever	M	65	1	14	25	14	5	1	3	—	1	1	—
	F	57	2	5	16	22	3	6	3	—	—	—	—
4 Whooping cough	M	313	161	93	48	11	—	—	—	—	—	—	—
	F	356	158	110	77	9	2	—	—	—	—	—	—
5 Diphtheria	M	726	21	27	234	411	18	5	2	3	4	1	—
	F	810	11	25	254	464	35	8	6	—	4	3	—
6 Influenza	M	3,124	78	50	37	54	125	141	287	512	771	623	446
	F	3,262	63	29	30	51	106	174	283	359	640	755	772
7 Encephalitis lethargica	M	172	—	1	1	5	16	42	26	23	27	27	4
	F	158	—	1	1	4	10	27	26	27	38	21	3
8 Cerebro-spinal fever	M	165	41	25	20	24	24	13	9	6	2	1	—
	F	135	44	19	25	20	12	6	2	4	3	—	—
9 Respiratory tuberculosis	M	4,723	10	14	9	37	721	910	894	1,022	820	258	28
	F	3,403	7	6	22	83	1,048	909	555	368	264	119	22
10 Other tuberculosis	M	908	62	74	124	155	145	127	77	73	46	18	7
	F	816	54	69	87	135	176	94	75	50	40	24	12
11 Syphilis	M	289	39	—	—	2	9	7	37	57	93	42	3
	F	138	22	—	—	1	9	4	20	33	25	23	1
12 Gen. paralysis of insane, etc.	M	396	—	—	—	—	1	10	65	123	133	57	7
	F	161	—	—	—	—	2	4	36	58	46	12	3
13 Cancer	M	10,248	3	4	9	18	64	185	462	1,300	3,127	3,632	1,444
	F	10,816	6	1	6	12	51	197	741	1,854	2,958	3,215	1,775
14 Diabetes	M	980	—	1	4	14	23	29	43	86	228	376	176
	F	1,577	1	1	2	16	29	24	47	146	432	617	262
15 Cerebral hæmorrhage	M	4,318	1	2	—	2	4	17	77	334	1,011	1,650	1,220
	F	5,217	—	1	—	1	2	22	101	432	1,085	1,831	1,742
16 Heart disease	M	21,377	2	3	6	93	228	315	610	1,927	4,814	7,428	5,951
	F	21,735	2	—	16	113	280	437	783	1,507	3,510	6,936	8,151
17 Aneurysm	M	246	—	1	1	1	6	11	24	52	77	55	18
	F	102	—	1	—	1	5	4	15	20	24	22	10
18 Other circulatory	M	5,162	2	2	1	2	4	9	30	184	890	2,065	1,973
	F	4,820	1	1	2	2	1	9	25	185	668	1,630	2,296
19 Bronchitis	M	3,268	315	45	21	25	40	42	115	344	665	787	869
	F	3,070	263	27	28	12	15	31	64	135	395	808	1,292
20 Pneumonia	M	6,737	1,418	512	266	143	188	336	544	927	1,161	775	467
	F	4,553	936	399	264	133	133	197	276	372	571	690	582
21 Other respiratory	M	920	18	12	17	26	28	49	75	163	242	168	122
	F	669	18	8	6	16	18	45	51	81	116	145	165
22 Peptic ulcer	M	1,075	—	—	—	1	23	84	159	288	305	162	53
	F	304	—	—	—	—	3	11	29	54	95	87	25
23 Diarrhoea	M	911	623	67	25	10	11	18	25	31	30	42	29
	F	740	407	58	23	17	17	30	23	27	37	42	59
24 Appendicitis	M	473	1	2	29	76	74	57	53	65	63	43	10
	F	399	—	1	17	69	50	44	46	62	50	51	9
25 Cirrhosis of liver	M	217	—	—	—	1	3	4	8	38	71	76	16
	F	113	1	—	1	—	2	5	7	25	39	24	9
26 Other liver diseases	M	291	2	—	1	4	6	10	15	30	68	90	65
	F	649	1	—	1	5	10	22	33	71	179	193	134
27 Other digestive	M	1,366	126	30	38	57	64	60	119	180	254	265	173
	F	1,435	81	22	42	67	50	68	95	176	293	308	233
28 Nephritis	M	2,708	5	5	5	28	69	112	178	363	665	810	468
	F	2,742	8	7	5	36	80	101	203	329	645	824	504
29 Puerperal sepsis	F	231	—	—	—	—	39	124	68	—	—	—	—
30 Other puerperal	F	537	—	—	—	—	84	273	177	3	—	—	—
31 Congenital causes, etc.	M	4,072	4,007	15	5	24	15	3	2	—	1	—	—
	F	3,276	3,211	21	14	18	6	4	2	—	—	—	—
32 Senility	M	2,324	—	—	—	—	—	—	—	2	26	483	1,813
	F	3,297	—	—	—	—	—	—	—	1	27	526	2,743
33 Suicide	M	1,047	—	—	—	—	42	123	155	217	283	173	54
	F	508	—	—	—	1	25	79	96	123	127	46	11
34 Other violence	M	3,760	114	79	147	315	555	473	404	437	491	423	322
	F	2,029	95	51	101	130	136	95	88	145	219	390	579
35 Other defined causes	M	6,793	673	117	137	312	346	346	436	639	1,204	1,564	1,019
	F	6,126	433	86	113	263	279	401	600	832	1,121	1,260	738
36 Ill-defined causes	M	344	6	2	1	3	5	4	11	43	83	104	82
	F	225	7	3	1	1	—	3	10	22	40	70	68

Causes of Death <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	15,188	1,563	274	235	435	601	679	851	1,530	2,665	3,515	2,840
	F	13,282	1,191	209	272	375	544	594	778	1,168	2,054	2,894	3,203
1 Typhoid fever, etc.	M	7	—	—	—	1	—	3	—	3	—	—	—
	F	3	—	—	—	1	1	—	—	1	—	—	—
2 Measles	M	46	11	16	13	3	—	—	2	—	1	—	—
	F	44	11	17	10	6	—	—	—	—	—	—	—
3 Scarlet fever	M	19	—	3	5	6	3	—	1	—	1	—	—
	F	21	—	3	6	9	—	2	1	—	—	—	—
4 Whooping cough	M	59	34	20	5	—	—	—	—	—	—	—	—
	F	61	32	14	14	1	—	—	—	—	—	—	—
5 Diphtheria	M	188	6	4	52	117	7	—	—	1	1	—	—
	F	185	2	4	64	104	8	1	1	—	—	1	—
6 Influenza	M	526	14	13	6	13	30	30	53	82	122	99	64
	F	484	16	4	12	13	19	32	46	58	85	95	104
7 Encephalitis lethargica	M	32	—	—	—	2	3	6	5	5	6	5	—
	F	24	—	—	—	—	4	5	4	4	3	4	—
8 Cerebro-spinal fever	M	30	7	6	3	2	5	3	2	1	1	—	—
	F	13	2	3	1	5	1	—	—	1	—	—	—
9 Respiratory tuberculosis	M	878	3	6	1	9	185	206	164	161	108	31	4
	F	676	2	1	6	26	227	169	98	72	50	21	4
10 Other tuberculosis	M	206	15	10	21	36	35	34	21	20	12	1	1
	F	193	10	18	23	32	44	26	14	9	9	6	2
11 Syphilis	M	46	10	—	—	1	3	3	3	8	12	4	2
	F	23	5	—	—	1	2	1	3	9	1	1	—
12 Gen. paralysis of insane, etc.	M	70	—	—	—	—	—	1	10	24	21	12	2
	F	21	—	—	—	—	—	2	6	6	7	—	—
13 Cancer	M	1,606	1	1	3	7	14	31	69	204	466	553	257
	F	1,569	2	—	3	4	6	27	134	266	428	430	269
14 Diabetes	M	157	—	—	1	4	7	9	10	12	33	54	27
	F	233	—	—	2	4	6	1	6	28	64	83	39
15 Cerebral hæmorrhage	M	732	1	1	—	—	—	4	15	53	170	275	213
	F	804	—	—	—	—	1	2	8	79	150	287	277
16 Heart disease	M	3,342	—	—	2	19	37	56	93	309	698	1,176	952
	F	3,154	1	—	4	25	53	71	118	240	577	983	1,082
17 Aneurysm	M	32	—	1	—	—	1	1	5	11	8	3	2
	F	11	—	—	—	—	1	1	1	3	2	3	—
18 Other circulatory	M	1,000	—	—	—	1	1	1	2	36	159	417	383
	F	777	—	—	—	—	—	1	2	28	112	254	380
19 Bronchitis	M	579	105	15	7	5	9	4	20	48	87	117	162
	F	500	91	8	9	3	—	7	4	22	50	112	194
20 Pneumonia	M	1,097	270	104	44	35	34	53	88	141	153	108	67
	F	739	191	83	60	27	33	31	42	39	70	94	69
21 Other respiratory	M	148	5	3	2	5	4	7	9	31	33	27	22
	F	117	1	3	1	6	2	10	11	11	23	17	32
22 Peptic ulcer	M	167	—	—	—	1	4	20	28	39	46	20	9
	F	35	—	—	—	—	—	1	4	9	11	6	4
23 Diarrhœa	M	237	167	20	9	6	3	1	4	7	7	3	10
	F	182	110	18	4	7	3	5	5	6	2	6	16
24 Appendicitis	M	83	—	1	5	15	14	15	5	9	12	6	1
	F	68	—	—	2	12	10	10	10	10	10	4	—
25 Cirrhosis of liver	M	41	—	—	—	—	1	1	—	10	10	14	5
	F	18	—	—	—	—	—	1	1	3	3	8	2
26 Other liver diseases	M	46	1	—	—	2	2	4	2	4	11	12	8
	F	99	—	—	—	1	4	6	8	10	31	24	15
27 Other digestive	M	235	22	7	8	16	12	7	22	33	33	45	30
	F	209	17	6	6	20	6	5	9	29	38	39	34
28 Nephritis	M	429	1	2	1	7	11	16	31	48	100	131	81
	F	450	3	1	1	8	14	20	38	60	97	112	96
29 Puerperal sepsis	F	38	—	—	—	—	6	14	18	—	—	—	—
30 Other puerperal	F	101	—	—	—	—	19	39	42	1	—	—	—
31 Congenital causes, etc.	M	746	737	—	1	4	3	—	1	—	—	—	—
	F	605	597	2	2	4	—	—	—	—	—	—	—
32 Senility	M	372	—	—	—	—	—	—	—	1	1	65	305
	F	512	—	—	—	—	—	—	—	—	8	90	414
33 Suicide	M	148	—	—	—	—	5	21	26	26	46	16	8
	F	83	—	—	—	—	5	12	22	18	17	8	1
34 Other violence	M	705	17	15	20	67	110	88	92	95	97	54	50
	F	279	10	9	22	22	17	17	15	24	27	50	66
35 Other defined causes	M	1,046	133	26	26	48	56	53	63	90	182	230	139
	F	891	84	15	19	34	52	75	103	116	165	136	92
36 Ill-defined causes	M	133	3	—	—	3	2	1	5	18	28	37	36
	F	60	4	—	1	—	—	—	4	6	14	20	11

Causes of Death <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	8,900	833	147	146	171	284	342	457	782	1,561	2,108	2,069
	F	8,129	595	131	129	189	236	292	414	653	1,164	1,925	2,401
1 Typhoid fever, etc.	M	1	—	—	—	—	—	—	1	—	—	—	—
	F	6	—	—	—	—	—	2	—	1	2	1	—
2 Measles	M	41	13	17	10	1	—	—	—	—	—	—	—
	F	33	9	12	6	4	—	1	1	—	—	—	—
3 Scarlet fever	M	8	—	4	2	2	—	—	—	—	—	—	—
	F	5	1	—	2	1	—	—	1	—	—	—	—
4 Whooping cough	M	30	10	13	5	2	—	—	—	—	—	—	—
	F	38	14	14	8	2	—	—	—	—	—	—	—
5 Diphtheria	M	57	1	5	17	32	—	1	1	—	—	—	—
	F	69	1	7	16	40	3	2	—	—	—	—	—
6 Influenza	M	329	9	2	5	1	7	11	35	54	70	62	73
	F	338	4	2	—	6	10	17	34	28	55	81	101
7 Encephalitis lethargica	M	7	—	—	—	—	1	2	1	1	1	1	—
	F	5	—	1	—	1	—	—	—	1	2	—	—
8 Cerebro-spinal fever	M	15	1	3	4	2	2	2	—	1	—	—	—
	F	8	—	—	6	1	1	—	—	—	—	—	—
9 Respiratory tuberculosis	M	459	1	3	—	8	72	97	88	92	72	24	2
	F	332	—	—	2	10	108	74	52	47	24	13	2
10 Other tuberculosis	M	96	6	6	17	21	22	11	3	4	2	3	1
	F	110	7	8	15	26	17	10	11	8	6	2	—
11 Syphilis	M	32	2	—	—	—	—	1	5	4	12	8	—
	F	18	3	—	—	—	1	—	4	1	6	3	—
12 Gen. paralysis of insane, etc.	M	41	—	—	—	—	—	—	5	9	19	7	1
	F	15	—	—	—	—	—	—	3	4	5	2	1
13 Cancer	M	995	—	—	—	2	4	22	33	104	273	363	194
	F	1,000	—	—	—	3	2	10	71	152	259	302	201
14 Diabetes	M	93	—	—	—	2	—	4	2	7	22	34	22
	F	170	—	—	—	2	2	2	8	17	43	63	33
15 Cerebral hæmorrhage	M	478	—	—	—	2	1	2	15	34	97	156	171
	F	565	—	—	—	—	—	—	8	40	99	188	230
16 Heart disease	M	2,108	—	1	1	4	20	18	45	145	419	704	751
	F	2,080	—	—	2	12	21	39	71	122	276	638	899
17 Aneurysm	M	33	—	—	—	—	1	—	3	4	9	12	4
	F	9	—	—	—	—	—	—	1	2	3	1	2
18 Other circulatory	M	536	—	1	—	—	1	1	2	16	74	191	250
	F	444	—	1	—	—	—	—	1	15	52	167	208
19 Bronchitis	M	250	38	6	4	2	1	1	11	25	34	40	88
	F	250	37	3	4	2	1	4	5	7	24	54	109
20 Pneumonia	M	641	156	56	35	11	12	26	41	67	115	73	49
	F	435	85	51	29	14	9	20	20	31	50	52	74
21 Other respiratory	M	89	3	1	—	—	—	5	10	14	17	23	16
	F	70	3	—	1	—	3	5	4	10	11	14	19
22 Peptic ulcer	M	99	—	—	—	—	1	5	20	25	19	19	10
	F	25	—	—	—	—	1	2	3	1	10	5	3
23 Diarrhoea	M	95	68	6	2	1	2	3	1	2	3	4	3
	F	85	43	9	3	3	1	1	—	4	6	7	8
24 Appendicitis	M	41	1	—	—	10	6	4	6	6	4	3	1
	F	34	—	—	—	8	4	4	4	5	2	3	4
25 Cirrhosis of liver	M	27	—	—	—	—	—	1	1	3	6	14	2
	F	9	—	—	1	—	1	—	1	1	3	1	1
26 Other liver diseases	M	28	—	—	—	—	—	—	1	3	7	10	7
	F	60	—	—	1	1	—	2	1	8	18	15	14
27 Other digestive	M	155	11	—	5	8	7	10	11	14	28	33	28
	F	148	11	3	5	2	3	6	8	19	38	27	26
28 Nephritis	M	230	2	—	1	1	4	6	15	17	55	69	60
	F	264	1	—	1	4	5	8	24	26	62	78	55
29 Puerperal sepsis	F	23	—	—	—	—	7	9	7	—	—	—	—
30 Other puerperal	F	50	—	—	—	—	8	21	21	—	—	—	—
31 Congenital causes, etc.	M	436	432	—	—	2	1	—	—	—	1	—	—
	F	327	319	2	3	1	1	1	—	—	—	—	—
32 Senility	M	193	—	—	—	—	—	—	—	—	1	23	169
	F	294	—	—	—	—	—	—	—	—	—	38	256
33 Suicide	M	100	—	—	—	—	3	11	12	24	31	13	6
	F	37	—	—	—	—	1	8	2	12	7	6	1
34 Other violence	M	435	15	7	17	27	76	58	49	59	55	40	32
	F	188	12	9	11	18	10	12	6	11	16	24	59
35 Other defined causes	M	689	63	16	21	30	39	39	37	46	108	167	123
	F	555	44	9	13	28	16	30	42	75	84	130	84
36 Ill-defined causes	M	33	1	—	—	—	1	1	3	2	7	12	6
	F	30	1	—	—	—	—	2	—	5	1	10	11

TABLE 24—*contd.* Aggregate of Northern Region (Part III).

199

Causes of Death <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	23,090	1,778	253	318	405	719	871	1,208	2,411	4,796	5,836	4,445
	F	21,854	1,331	223	224	390	663	853	1,187	1,970	3,590	5,555	5,868
1 Typhoid fever, etc.	M	5	—	—	—	1	—	3	—	1	—	—	—
	F	5	1	—	—	—	—	2	2	—	—	—	—
2 Measles	M	27	7	8	8	3	—	—	—	—	—	—	1
	F	29	12	8	5	4	—	—	—	—	—	—	—
3 Scarlet fever	M	15	—	2	5	4	1	1	1	—	—	1	—
	F	11	1	1	2	4	2	—	1	—	—	—	—
4 Whooping cough	M	60	31	19	8	2	—	—	—	—	—	—	—
	F	68	25	24	15	3	1	—	—	—	—	—	—
5 Diphtheria	M	140	4	5	58	64	3	1	—	1	3	1	—
	F	185	2	4	55	104	12	2	3	—	2	1	—
6 Influenza	M	830	23	14	13	16	33	35	67	136	199	165	129
	F	872	17	13	5	11	29	40	82	90	164	212	209
7 Encephalitis lethargica	M	33	—	—	—	—	2	9	3	4	8	6	1
	F	27	—	—	—	1	2	9	2	6	3	4	—
8 Cerebro-spinal fever	M	37	10	5	3	9	5	—	3	2	—	—	—
	F	30	12	4	6	4	3	—	—	—	1	—	—
9 Respiratory tuberculosis	M	1,123	2	2	1	8	147	213	223	220	239	62	6
	F	772	1	—	4	18	226	217	137	72	68	23	6
10 Other tuberculosis	M	212	19	13	39	25	33	29	17	21	7	7	2
	F	166	11	12	14	22	36	19	16	17	10	3	6
11 Syphilis	M	86	13	—	—	—	2	1	11	19	30	10	—
	F	32	4	—	—	—	4	2	4	4	7	7	—
12 Gen. paralysis of insane, etc.	M	118	—	—	—	—	—	7	16	34	42	18	1
	F	45	—	—	—	—	1	—	7	14	14	7	2
13 Cancer	M	2,692	2	1	3	3	19	48	121	353	857	909	376
	F	2,905	2	—	—	—	15	52	190	513	798	868	467
14 Diabetes	M	284	—	1	1	3	7	4	13	25	68	110	52
	F	421	—	1	—	5	6	5	11	37	121	173	62
15 Cerebral hæmorrhage	M	1,166	—	—	—	—	2	3	13	84	257	453	354
	F	1,442	—	—	—	1	—	5	29	115	293	508	491
16 Heart disease	M	5,632	—	—	—	27	60	77	144	494	1,268	1,978	1,584
	F	5,805	—	—	3	24	75	122	211	400	900	1,881	2,189
17 Aneurysm	M	72	—	—	—	1	2	3	3	12	28	17	6
	F	35	—	—	—	—	3	1	5	8	7	7	3
18 Other circulatory	M	1,493	—	—	—	1	1	3	15	39	250	605	579
	F	1,491	—	—	—	—	—	—	2	43	188	481	777
19 Bronchitis	M	834	54	7	3	8	12	13	22	75	183	230	227
	F	692	46	8	3	—	5	3	13	25	81	189	319
20 Pneumonia	M	1,659	327	103	63	28	51	80	125	236	320	197	129
	F	1,091	206	89	43	32	28	43	69	99	143	201	138
21 Other respiratory	M	230	1	4	4	7	9	13	15	35	76	40	26
	F	165	4	1	2	4	5	7	14	26	19	34	49
22 Peptic ulcer	M	300	—	—	—	—	4	17	38	71	114	46	10
	F	91	—	—	—	—	—	3	6	22	25	28	7
23 Diarrhoea	M	185	116	14	4	1	1	5	5	6	8	17	8
	F	155	76	9	6	3	3	10	12	5	9	10	12
24 Appendicitis	M	123	—	1	11	14	23	14	18	19	10	11	2
	F	103	—	—	5	22	15	9	13	15	13	10	1
25 Cirrhosis of liver	M	46	—	—	—	—	—	—	1	11	15	16	3
	F	30	—	—	—	—	1	2	3	6	12	5	1
26 Other liver diseases	M	94	—	—	—	—	2	1	7	12	32	22	18
	F	196	1	—	—	—	1	7	6	21	59	60	41
27 Other digestive	M	337	28	7	12	7	16	12	25	43	80	67	40
	F	349	12	4	10	15	15	22	30	45	65	81	50
28 Nephritis	M	752	1	—	1	5	21	33	53	111	191	221	115
	F	760	—	4	2	6	20	34	53	89	187	236	129
29 Puerperal sepsis	F	57	—	—	—	—	11	27	19	—	—	—	—
30 Other puerperal	F	117	—	—	—	—	13	61	43	—	—	—	—
31 Congenital causes, etc.	M	991	977	3	2	4	4	1	—	—	—	—	—
	F	799	783	5	2	4	4	1	—	—	—	—	—
32 Senility	M	444	—	—	—	—	—	—	—	—	—	68	376
	F	639	—	—	—	—	—	—	—	1	4	68	566
33 Suicide	M	275	—	—	—	—	17	34	34	64	59	54	13
	F	147	—	—	—	—	7	22	27	35	42	11	3
34 Other violence	M	991	32	20	39	82	162	121	90	107	137	111	90
	F	507	25	16	25	28	38	18	20	37	66	93	141
35 Other defined causes	M	1,773	131	24	40	82	80	90	125	169	310	434	288
	F	1,592	89	17	17	75	82	107	156	223	287	349	190
36 Ill-defined causes	M	31	—	—	—	—	—	—	—	7	5	10	9
	F	23	1	2	—	—	—	1	1	2	2	5	9

Causes of Death <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	42,605	3,609	622	583	874	1,259	1,661	2,433	4,752	8,636	10,690	7,486
	F	41,451	2,779	465	585	775	1,282	1,726	2,212	3,713	6,886	10,300	10,728
1 Typhoid fever, etc.	M	15	2	1	2	1	1	4	1	2	1	-	-
	F	18	1	-	3	1	6	2	2	1	1	1	-
2 Measles	M	123	21	57	38	7	-	-	-	-	-	-	-
	F	112	30	39	32	11	-	-	-	-	-	-	-
3 Scarlet fever	M	23	1	5	13	2	1	-	1	-	-	-	-
	F	20	-	1	6	8	1	4	-	-	-	-	-
4 Whooping cough	M	164	86	41	30	7	-	-	-	-	-	-	-
	F	189	87	58	40	3	1	-	-	-	-	-	-
5 Diphtheria	M	341	10	13	107	198	8	3	1	1	-	-	-
	F	371	6	10	119	216	12	3	2	-	2	1	-
6 Influenza	M	1,439	32	21	13	24	55	65	132	240	380	297	180
	F	1,568	26	10	13	21	48	85	121	183	336	367	358
7 Encephalitis lethargica	M	100	-	1	1	3	10	25	17	13	12	15	3
	F	102	-	-	1	2	4	13	20	16	30	13	3
8 Cerebro-spinal fever	M	83	23	11	10	11	12	8	4	2	1	1	-
	F	84	30	12	12	10	7	6	2	3	2	-	-
9 Respiratory tuberculosis	M	2,263	4	3	7	12	317	394	419	549	401	141	16
	F	1,623	4	5	10	29	487	449	268	177	122	62	10
10 Other tuberculosis	M	394	22	45	47	73	55	53	36	28	25	7	3
	F	347	26	31	35	55	79	39	34	16	15	13	4
11 Syphilis	M	125	14	-	-	1	4	2	18	26	39	20	1
	F	65	10	-	-	-	2	1	9	19	11	12	1
12 Gen. paralysis of insane, etc.	M	167	-	-	-	-	1	2	34	56	51	20	3
	F	80	-	-	-	-	1	2	20	34	20	3	-
13 Cancer	M	4,955	-	2	3	6	27	84	239	639	1,531	1,807	617
	F	5,342	2	1	3	5	28	108	346	923	1,473	1,615	838
14 Diabetes	M	446	-	-	2	5	9	12	18	42	105	178	75
	F	753	1	-	-	5	15	16	22	64	204	298	128
15 Cerebral hæmorrhage	M	1,942	-	1	-	-	1	8	34	163	487	766	482
	F	2,406	-	1	-	-	1	15	56	198	543	848	744
16 Heart disease	M	10,295	2	2	3	43	111	164	328	979	2,429	3,570	2,664
	F	10,696	1	-	7	52	131	205	383	745	1,757	3,434	3,981
17 Aneurysm	M	109	-	-	1	-	2	7	13	25	32	23	6
	F	47	-	-	-	1	1	2	8	7	12	11	5
18 Other circulatory	M	2,133	2	1	1	-	1	4	11	93	407	852	761
	F	2,108	1	-	2	2	1	8	20	99	316	728	931
19 Bronchitis	M	1,605	118	17	7	10	18	24	62	196	361	400	392
	F	1,628	89	8	12	7	9	17	42	81	240	453	670
20 Pneumonia	M	3,340	665	249	124	69	91	177	290	483	573	397	222
	F	2,288	454	176	132	60	63	103	145	203	308	343	301
21 Other respiratory	M	453	9	4	11	14	15	24	41	83	116	78	58
	F	317	10	4	2	6	8	23	22	34	63	80	65
22 Peptic ulcer	M	509	-	-	-	-	14	42	73	153	126	77	24
	F	153	-	-	-	-	2	5	16	22	49	48	11
23 Diarrhoea	M	394	272	27	10	2	5	9	15	16	12	18	8
	F	318	178	22	10	4	10	14	6	12	20	19	23
24 Appendicitis	M	226	-	-	13	37	31	24	24	31	37	23	6
	F	194	-	1	10	27	21	21	19	32	25	34	4
25 Cirrhosis of liver	M	103	-	-	-	1	2	2	6	14	40	32	6
	F	56	1	-	-	-	-	2	2	15	21	10	5
26 Other liver diseases	M	123	1	-	1	2	2	5	5	11	18	46	32
	F	294	-	-	-	3	5	7	18	32	71	94	64
27 Other digestive	M	639	65	16	13	26	29	31	61	90	113	120	75
	F	729	41	9	21	30	26	35	48	83	152	161	123
28 Nephritis	M	1,297	1	3	2	15	33	57	79	187	319	389	212
	F	1,268	4	2	1	18	41	39	88	154	299	398	224
29 Puerperal sepsis	F	113	-	-	-	-	15	74	24	-	-	-	-
	F	269	-	-	-	-	44	152	71	2	-	-	-
31 Congenital causes, etc.	M	1,899	1,861	12	2	14	7	2	1	-	-	-	-
	F	1,545	1,512	12	7	9	1	2	2	-	-	-	-
32 Senility	M	1,315	-	-	-	-	-	-	-	1	24	327	963
	F	1,852	-	-	-	-	-	-	-	-	15	330	1,507
33 Suicide	M	524	-	-	-	-	17	57	83	103	147	90	27
	F	241	-	-	-	1	12	37	45	58	61	21	6
34 Other violence	M	1,629	50	37	71	139	207	206	173	176	202	218	150
	F	1,055	48	17	43	62	71	48	47	73	110	223	313
35 Other defined causes	M	3,285	346	51	50	152	171	164	211	334	604	733	469
	F	3,088	216	45	64	126	129	189	299	418	585	645	372
36 Ill-defined causes	M	147	2	2	1	-	2	2	3	16	43	45	31
	F	112	1	1	-	1	-	-	5	9	23	35	37

TABLE 24—*contd.* Aggregate of Midland Region.

201

Causes of Death <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	44,825	3,714	607	580	913	1,449	1,875	2,480	4,384	8,009	10,874	9,940
	F	41,869	2,738	503	525	828	1,272	1,703	2,161	3,458	6,199	9,609	12,873
1 Typhoid fever, etc.	M	9	—	—	—	2	3	1	—	1	—	2	—
	F	7	—	—	—	1	2	—	2	—	2	—	—
2 Measles	M	168	37	68	39	20	4	—	—	—	—	—	—
	F	137	22	48	42	19	5	—	—	—	1	—	—
3 Scarlet fever	M	40	2	5	11	11	9	1	1	—	—	—	—
	F	35	—	2	10	13	6	1	2	1	—	—	—
4 Whooping cough	M	115	49	33	30	3	—	—	—	—	—	—	—
	F	162	72	46	33	11	—	—	—	—	—	—	—
5 Diphtheria	M	219	12	15	66	114	5	3	2	—	2	—	—
	F	280	2	7	74	168	13	7	5	—	2	2	—
6 Influenza	M	1,720	48	25	24	24	65	100	157	235	407	328	307
	F	1,671	37	18	19	18	42	72	116	182	315	379	473
7 Encephalitis lethargica	M	70	1	—	1	2	14	12	7	7	12	12	2
	F	54	—	—	1	2	5	13	6	6	10	10	1
8 Cerebro-spinal fever	M	77	16	9	5	11	15	11	4	4	2	—	—
	F	54	13	8	10	10	4	2	1	2	4	—	—
9 Respiratory tuberculosis	M	2,422	8	7	7	21	320	489	498	520	395	137	20
	F	1,790	5	6	9	36	511	506	309	212	129	55	12
10 Other tuberculosis	M	447	51	52	51	71	60	56	44	24	24	10	4
	F	393	32	53	45	72	57	44	29	21	23	8	9
11 Syphilis	M	150	9	1	1	2	3	2	16	27	57	29	3
	F	66	12	—	—	1	—	4	8	13	18	7	3
12 Gen. paralysis of insane, etc.	M	160	—	—	—	1	4	2	25	42	50	23	13
	F	45	—	—	—	—	—	3	10	10	17	4	1
13 Cancer	M	5,448	—	3	7	11	32	106	224	613	1,587	1,904	961
	F	5,615	2	2	4	12	25	87	385	882	1,416	1,623	1,177
14 Diabetes	M	496	—	—	—	11	7	16	14	33	117	191	107
	F	780	—	—	—	7	9	12	21	58	182	323	168
15 Cerebral hæmorrhage	M	2,135	—	2	—	1	1	6	34	134	439	788	730
	F	2,852	—	—	—	2	3	7	43	179	524	968	1,126
16 Heart disease	M	10,198	1	1	8	57	96	128	265	784	1,958	3,484	3,416
	F	10,579	3	—	6	53	137	172	321	609	1,519	3,157	4,602
17 Aneurysm	M	146	—	—	1	2	3	5	13	40	41	34	7
	F	81	—	—	—	1	7	4	8	13	21	21	6
18 Other circulatory	M	2,132	—	1	—	1	—	4	19	85	365	762	895
	F	1,956	1	1	1	—	1	5	22	88	239	627	971
19 Bronchitis	M	1,697	118	14	10	4	12	15	42	156	244	464	618
	F	1,403	82	16	7	6	7	13	32	69	111	330	730
20 Pneumonia	M	3,158	608	218	110	69	107	154	264	415	530	432	251
	F	2,059	398	176	103	54	30	84	136	173	230	315	360
21 Other respiratory	M	497	13	7	10	14	16	20	29	87	119	112	70
	F	334	6	4	5	9	10	11	28	32	44	69	116
22 Peptic ulcer	M	598	1	—	—	—	9	39	90	140	162	113	44
	F	190	—	—	—	—	1	12	16	23	57	47	34
23 Diarrhœa	M	424	272	21	16	8	5	13	8	13	19	23	26
	F	388	198	25	14	6	6	28	15	12	16	22	46
24 Appendicitis	M	287	—	1	14	40	38	43	36	33	33	38	11
	F	206	—	3	11	31	26	18	15	24	31	29	18
25 Cirrhosis of liver	M	155	—	1	—	—	—	3	11	20	57	51	12
	F	85	1	—	—	1	—	1	3	18	35	15	11
26 Other liver diseases	M	119	—	—	—	—	1	4	8	17	31	31	27
	F	291	—	—	2	—	4	9	18	28	64	86	80
27 Other digestive	M	702	48	14	16	29	39	34	42	95	126	141	127
	F	695	31	8	23	33	18	33	49	82	135	140	143
28 Nephritis	M	1,137	4	3	4	14	44	61	59	139	215	343	251
	F	1,209	4	1	2	24	35	55	77	158	268	331	254
29 Puerperal sepsis	F	120	—	—	—	—	26	69	25	—	—	—	—
30 Other puerperal	F	246	—	—	—	—	39	130	74	3	—	—	—
31 Congenital causes, etc.	M	2,133	2,090	6	7	14	6	6	1	2	1	—	—
	F	1,595	1,556	14	7	6	5	3	4	—	—	—	—
32 Senility	M	1,360	—	—	—	—	—	—	—	—	14	205	1,141
	F	1,934	—	—	—	—	—	—	—	—	9	218	1,707
33 Suicide	M	614	—	—	—	1	26	76	86	128	155	104	38
	F	321	—	—	—	—	11	45	59	85	74	37	10
34 Other violence	M	2,124	69	33	66	163	346	278	245	257	261	228	178
	F	1,065	64	21	52	88	69	53	40	73	98	167	340
35 Other defined causes	M	3,541	256	65	75	192	167	184	234	320	564	827	657
	F	3,056	195	42	45	144	158	200	277	399	587	582	427
36 Ill-defined causes	M	127	1	2	1	—	1	3	2	13	22	58	24
	F	115	2	2	—	—	—	—	5	3	18	37	48

Causes of Death <i>See first page of Table.</i>		All Ages.	0—	1—	2—	5—	15—	25—	35—	45—	55—	65—	75—
All Causes	M	29,715	2,489	440	385	629	967	1,260	1,702	2,977	5,303	7,204	6,359
	F	27,667	1,834	351	373	577	867	1,092	1,423	2,298	4,045	6,305	8,502
1 Typhoid fever, etc.	M	4	—	—	—	2	1	1	—	—	—	—	—
	F	3	—	—	—	—	—	—	1	—	2	—	—
2 Measles	M	118	26	51	23	14	4	—	—	—	—	—	—
	F	98	16	33	31	12	5	—	—	—	1	—	—
3 Scarlet fever	M	22	1	5	7	5	3	1	—	—	—	—	—
	F	29	—	2	9	11	5	1	—	1	—	—	—
4 Whooping cough	M	94	42	28	21	3	—	—	—	—	—	—	—
	F	109	48	30	21	10	—	—	—	—	—	—	—
5 Diphtheria	M	155	12	12	39	83	3	3	1	—	2	—	—
	F	197	1	6	50	124	10	3	1	—	2	—	—
6 Influenza	M	1,102	32	16	15	15	46	73	97	158	262	200	188
	F	1,082	24	12	15	13	27	40	71	127	193	245	315
7 Encephalitis lethargica	M	44	—	—	1	1	13	4	6	4	9	5	1
	F	41	—	—	1	2	3	11	5	2	9	8	—
8 Cerebro-spinal fever	M	61	12	8	4	9	11	10	3	3	1	—	—
	F	36	9	3	7	7	3	2	1	1	3	—	—
9 Respiratory tuberculosis	M	1,680	6	5	6	14	202	324	346	380	285	98	14
	F	1,220	5	4	9	24	342	339	207	149	94	37	10
10 Other tuberculosis	M	294	36	36	26	51	39	35	30	16	14	8	3
	F	250	20	30	33	46	36	28	17	17	13	4	6
11 Syphilis	M	106	6	—	—	1	2	1	11	21	41	21	2
	F	45	9	—	—	1	—	3	6	9	10	5	2
12 Gen. paralysis of insane, etc.	M	110	—	—	—	1	2	1	20	30	31	16	9
	F	29	—	—	—	—	—	2	5	6	13	2	1
13 Cancer	M	3,690	—	3	6	9	25	74	151	424	1,064	1,288	646
	F	3,702	2	2	3	11	21	50	238	585	919	1,072	799
14 Diabetes	M	312	—	—	—	7	5	14	10	18	77	118	63
	F	515	—	—	—	4	6	6	13	39	125	209	113
15 Cerebral hæmorrhage	M	1,303	—	2	—	—	—	3	20	80	276	494	428
	F	1,771	—	—	—	2	1	5	24	106	336	592	705
16 Heart disease	M	6,769	1	1	7	39	65	79	183	534	1,288	2,312	2,260
	F	7,124	3	—	6	35	94	106	219	413	989	2,120	3,139
17 Aneurysm	M	97	—	—	1	2	1	5	9	24	25	26	4
	F	62	—	—	—	1	4	3	8	11	16	14	5
18 Other circulatory	M	1,412	—	1	—	—	—	2	14	57	241	505	592
	F	1,273	1	1	1	—	—	4	18	53	153	405	637
19 Bronchitis	M	1,139	77	11	6	1	8	11	30	104	169	320	402
	F	903	47	10	5	3	4	7	21	47	73	218	468
20 Pneumonia	M	2,207	384	153	80	43	85	121	205	312	365	292	167
	F	1,421	264	129	72	30	23	56	97	121	163	220	246
21 Other respiratory	M	330	10	4	4	11	8	11	20	63	76	72	51
	F	234	5	3	—	9	5	9	18	18	34	40	93
22 Peptic ulcer	M	401	1	—	—	—	7	28	65	91	102	79	28
	F	126	—	—	—	—	1	8	10	14	41	28	24
23 Diarrhœa	M	275	177	13	14	3	2	10	5	8	16	14	13
	F	246	129	19	10	4	6	18	9	7	9	11	24
24 Appendicitis	M	192	—	1	13	26	22	32	22	23	22	21	10
	F	147	—	2	8	24	21	12	9	16	23	21	11
25 Cirrhosis of liver	M	106	—	1	—	—	—	1	9	13	42	34	6
	F	52	1	—	—	1	—	—	—	13	21	9	7
26 Other liver diseases	M	78	—	—	—	—	1	2	7	11	23	18	16
	F	198	—	—	2	—	3	7	11	20	42	55	58
27 Other digestive	M	468	28	11	10	20	19	23	28	69	87	97	76
	F	492	26	6	15	25	12	23	30	56	93	101	105
28 Nephritis	M	731	4	2	3	11	33	29	37	90	138	228	156
	F	754	1	1	2	17	24	32	54	104	169	209	141
29 Puerperal sepsis	F	75	—	—	—	—	16	41	18	—	—	—	—
30 Other puerperal	F	180	—	—	—	—	30	90	57	3	—	—	—
31 Congenital causes, etc.	M	1,433	1,407	3	6	7	3	4	—	2	1	—	—
	F	1,074	1,047	11	5	4	3	1	3	—	—	—	—
32 Senility	M	799	—	—	—	—	—	—	—	—	8	137	654
	F	1,204	—	—	—	—	—	—	—	—	5	138	1,061
33 Suicide	M	405	—	—	—	1	19	45	62	79	105	67	27
	F	218	—	—	—	—	10	30	43	55	49	27	4
34 Other violence	M	1,353	40	23	44	120	224	184	145	152	155	152	114
	F	709	39	14	34	62	47	37	23	48	67	109	229
35 Other defined causes	M	2,388	186	49	49	130	114	128	166	208	373	565	420
	F	2,014	137	31	34	95	105	118	185	256	374	398	281
36 Ill-defined causes	M	37	1	1	—	—	—	1	—	3	5	17	9
	F	34	—	2	—	—	—	—	1	1	4	8	18

TABLE 24—contd. Aggregate of Midland Region (Part II).

203

Causes of Death See first page of Table.		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	15,110	1,225	167	195	284	482	615	778	1,407	2,706	3,670	3,581
	F	14,202	904	152	152	251	405	611	738	1,160	2,154	3,304	4,371
1 Typhoid fever, etc.	M	5	—	—	—	—	2	—	—	1	—	2	—
	F	4	—	—	—	1	2	—	1	—	—	—	—
2 Measles	M	50	11	17	16	6	—	—	—	—	—	—	—
	F	39	6	15	11	7	—	—	—	—	—	—	—
3 Scarlet fever	M	18	1	—	4	6	6	—	1	—	—	—	—
	F	6	—	—	1	2	1	—	2	—	—	—	—
4 Whooping cough	M	21	7	5	9	—	—	—	—	—	—	—	—
	F	53	24	16	12	1	—	—	—	—	—	—	—
5 Diphtheria	M	64	—	3	27	31	2	—	1	—	—	—	—
	F	83	1	1	24	44	3	4	4	—	—	2	—
6 Influenza	M	618	16	9	9	9	19	27	60	77	145	128	119
	F	589	13	6	4	5	15	32	45	55	122	134	158
7 Encephalitis lethargica	M	26	1	—	—	1	1	8	1	3	3	7	1
	F	13	—	—	—	—	2	2	1	4	1	2	1
8 Cerebro-spinal fever	M	16	4	1	1	2	4	1	1	1	1	—	—
	F	18	4	5	3	3	1	—	—	1	1	—	—
9 Respiratory tuberculosis	M	742	2	2	1	7	118	165	152	140	110	39	6
	F	570	—	2	—	12	169	167	102	63	35	18	2
10 Other tuberculosis	M	153	15	16	25	20	21	21	14	8	10	2	1
	F	143	12	23	12	26	21	16	12	4	10	4	3
11 Syphilis	M	44	3	1	1	1	1	1	5	6	16	8	1
	F	21	3	—	—	—	—	1	2	4	8	2	—
12 Gen. paralysis of insane, etc.	M	50	—	—	—	—	2	1	5	12	19	7	4
	F	16	—	—	—	—	—	1	5	4	4	2	—
13 Cancer	M	1,758	—	—	1	2	7	32	73	189	523	616	315
	F	1,913	—	—	1	1	4	37	147	297	497	551	378
14 Diabetes	M	184	—	—	—	4	2	2	4	15	40	73	44
	F	265	—	—	—	3	3	6	8	19	57	114	55
15 Cerebral hæmorrhage	M	832	—	—	—	1	1	3	14	54	163	294	302
	F	1,081	—	—	—	—	2	2	19	73	188	376	421
16 Heart disease	M	3,429	—	—	1	18	31	49	82	250	670	1,172	1,156
	F	3,455	—	—	—	18	43	66	102	196	530	1,037	1,463
17 Aneurysm	M	49	—	—	—	—	2	—	4	16	16	8	3
	F	19	—	—	—	—	3	1	—	2	5	7	1
18 Other circulatory	M	720	—	—	—	1	—	2	5	28	124	257	303
	F	683	—	—	—	—	1	1	4	35	86	222	334
19 Bronchitis	M	558	41	3	4	3	4	4	12	52	75	144	216
	F	500	35	6	2	3	3	6	11	22	38	112	262
20 Pneumonia	M	951	224	65	30	26	22	33	59	103	165	140	84
	F	638	134	47	31	24	7	28	39	52	67	95	114
21 Other respiratory	M	167	3	3	6	3	8	9	9	24	43	40	19
	F	100	1	1	5	—	5	2	10	14	10	29	23
22 Peptic ulcer	M	197	—	—	—	—	2	11	25	49	60	34	16
	F	64	—	—	—	—	—	4	6	9	16	19	10
23 Diarrhœa	M	149	95	8	2	5	3	3	3	5	3	9	13
	F	142	69	6	4	2	—	10	6	5	7	11	22
24 Appendicitis	M	95	—	—	1	14	16	11	14	10	11	17	1
	F	59	—	1	3	7	5	6	6	8	8	8	7
25 Cirrhosis of liver	M	49	—	—	—	—	—	2	2	7	15	17	6
	F	33	—	—	—	—	—	1	3	5	14	6	4
26 Other liver diseases	M	41	—	—	—	—	—	2	1	6	8	13	11
	F	93	—	—	—	—	1	2	7	8	22	31	22
27 Other digestive	M	234	20	3	6	9	11	11	14	26	39	44	51
	F	203	5	2	8	8	6	10	19	26	42	39	38
28 Nephritis	M	406	—	1	1	3	11	32	22	49	77	115	95
	F	455	3	—	—	7	11	23	23	54	99	122	113
29 Puerperal sepsis	F	45	—	—	—	—	10	28	7	—	—	—	—
30 Other puerperal	F	66	—	—	—	—	9	40	17	—	—	—	—
31 Congenital causes, etc.	M	700	683	3	1	7	3	2	1	—	—	—	—
	F	521	509	3	2	2	2	2	1	—	—	—	—
32 Senility	M	561	—	—	—	—	—	—	—	—	6	68	487
	F	730	—	—	—	—	—	—	—	—	4	80	646
33 Suicide	M	209	—	—	—	—	7	31	24	49	50	37	11
	F	103	—	—	—	—	1	15	16	30	25	10	6
34 Other violence	M	771	29	10	22	43	122	94	100	105	106	76	64
	F	356	25	7	18	26	22	16	17	25	31	58	111
35 Other defined causes	M	1,153	70	16	26	62	53	56	68	112	191	262	237
	F	1,042	58	11	11	49	53	82	92	143	213	184	146
36 Ill-defined causes	M	90	—	1	1	—	1	2	2	10	17	41	15
	F	81	2	—	—	—	—	—	4	2	14	29	30

Causes of Death <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	11,671	753	111	109	185	330	366	489	898	1,788	2,984	3,658
	F	11,169	565	86	94	168	257	346	465	853	1,459	2,603	4,273
1 Typhoid fever, etc.	M	4	—	—	—	—	1	1	1	—	1	—	—
	F	6	—	—	—	1	2	—	—	2	1	—	—
2 Measles	M	28	5	6	6	10	1	—	—	—	—	—	—
	F	25	5	3	6	6	3	1	1	—	—	—	—
3 Scarlet fever	M	5	—	2	1	1	—	1	—	—	—	—	—
	F	6	—	—	—	4	—	—	2	—	—	—	—
4 Whooping cough	M	35	19	12	2	2	—	—	—	—	—	—	—
	F	37	16	10	10	1	—	—	—	—	—	—	—
5 Diphtheria	M	24	—	1	10	13	—	—	—	—	—	—	—
	F	25	1	—	6	16	—	—	—	1	—	1	—
6 Influenza	M	424	12	6	4	7	11	16	27	44	73	110	114
	F	409	8	9	3	6	10	11	17	40	62	95	148
7 Encephalitis lethargica	M	14	—	—	—	—	3	3	2	—	4	2	—
	F	21	—	—	2	—	2	4	2	3	3	4	1
8 Cerebro-spinal fever	M	9	1	4	—	—	2	1	—	1	—	—	—
	F	9	3	2	1	—	1	1	1	—	—	—	—
9 Respiratory tuberculosis	M	483	1	2	1	6	60	99	102	99	79	31	3
	F	384	1	1	1	9	84	104	67	50	40	23	4
10 Other tuberculosis	M	104	7	14	13	12	16	12	6	13	5	6	—
	F	86	8	4	13	12	15	5	8	4	8	6	3
11 Syphilis	M	32	—	—	—	1	1	2	3	8	10	5	2
	F	17	2	—	—	1	1	—	3	6	3	1	—
12 Gen. paralysis of insane, etc.	M	47	—	—	—	—	—	—	7	12	14	8	6
	F	19	—	—	—	—	—	—	5	3	4	7	—
13 Cancer	M	1,550	1	—	1	2	7	16	45	127	349	643	359
	F	1,752	—	—	3	2	3	22	102	280	397	519	424
14 Diabetes	M	190	—	—	—	1	2	4	10	9	45	72	47
	F	198	—	—	—	4	4	5	2	15	41	75	52
15 Cerebral hæmorrhage	M	630	—	—	—	—	1	1	9	34	100	215	270
	F	770	—	—	—	—	—	2	6	30	112	263	357
16 Heart disease	M	2,756	1	—	—	5	16	12	56	137	410	869	1,250
	F	2,881	—	—	—	9	15	25	51	134	327	810	1,510
17 Aneurysm	M	40	—	—	—	—	3	1	1	7	16	6	6
	F	20	—	—	—	—	2	1	1	3	8	4	1
18 Other circulatory	M	665	—	—	1	—	—	2	2	15	81	202	362
	F	599	—	2	—	—	—	3	2	12	60	170	350
19 Bronchitis	M	390	30	5	6	1	2	4	1	27	42	80	192
	F	420	19	4	4	1	2	2	4	11	29	81	263
20 Pneumonia	M	513	88	22	16	15	7	23	44	56	79	84	79
	F	395	75	22	13	11	5	11	18	37	45	61	97
21 Other respiratory	M	117	2	—	2	1	2	3	5	19	24	30	29
	F	86	2	1	—	4	3	10	6	9	7	17	27
22 Peptic ulcer	M	140	—	—	—	—	1	5	17	29	39	35	14
	F	46	—	—	—	—	—	1	3	6	16	17	3
23 Diarrhoea	M	68	33	1	3	—	1	6	3	1	4	4	12
	F	79	31	4	—	1	4	2	6	5	8	5	13
24 Appendicitis	M	64	—	1	2	10	13	6	6	2	13	9	2
	F	47	—	—	2	8	6	4	4	6	8	6	3
25 Cirrhosis of liver	M	34	—	—	—	—	—	—	1	7	11	12	3
	F	24	—	—	—	—	1	1	3	4	6	7	2
26 Other liver diseases	M	42	1	1	1	1	—	2	—	—	7	12	17
	F	97	—	—	—	1	2	5	4	7	22	26	30
27 Other digestive	M	216	18	1	3	8	5	9	8	20	40	59	45
	F	189	9	—	2	13	8	9	12	23	26	39	48
28 Nephritis	M	304	1	—	1	4	5	7	10	27	65	88	96
	F	292	1	—	—	1	10	8	25	27	55	80	85
29 Puerperal sepsis	F	22	—	—	—	—	6	12	4	—	—	—	—
30 Other puerperal	F	54	—	—	—	—	10	24	19	1	—	—	—
31 Congenital causes, etc.	M	491	481	4	2	2	1	—	—	—	—	—	1
	F	355	343	6	2	3	1	—	—	—	—	—	—
32 Senility	M	458	—	—	—	—	—	—	—	—	1	57	400
	F	641	—	—	—	—	—	—	—	—	1	57	583
33 Suicide	M	172	—	—	—	—	8	20	15	41	58	23	7
	F	70	—	—	—	—	8	9	8	20	13	10	2
34 Other violence	M	535	18	9	11	43	109	66	55	60	65	46	53
	F	229	8	7	11	12	10	10	12	11	16	37	95
35 Other defined causes	M	1,042	30	19	23	40	52	44	51	98	150	264	271
	F	834	32	11	15	42	39	52	67	103	138	176	159
36 Ill-defined causes	M	45	4	1	—	—	—	—	2	5	3	12	18
	F	25	1	—	—	—	—	2	—	—	3	6	13

TABLE 24—*contd.* Aggregate of South Western Region.

Causes of Death <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	13,827	737	89	114	176	393	462	606	1,144	2,314	3,699	4,093
	F	14,070	534	62	95	150	260	432	542	1,064	1,936	3,370	5,625
1 Typhoid fever, etc.	M	12	-	-	-	2	4	2	1	1	1	1	-
	F	8	-	-	-	1	1	2	-	-	1	2	1
2 Measles	M	8	2	3	2	-	1	-	-	-	-	-	-
	F	5	2	-	-	1	2	-	-	-	-	-	-
3 Scarlet fever	M	7	1	2	-	2	1	-	-	1	-	-	-
	F	6	-	-	2	2	-	1	-	-	1	-	-
4 Whooping cough	M	34	16	8	8	1	-	-	-	-	-	-	-
	F	36	19	9	4	3	1	-	-	-	-	-	1
5 Diphtheria	M	34	1	2	6	20	2	-	2	-	-	1	-
	F	32	-	2	7	20	1	1	-	-	-	1	-
6 Influenza	M	542	10	3	1	8	7	28	37	64	110	124	150
	F	607	5	3	3	4	6	22	32	69	104	138	221
7 Encephalitis lethargica	M	20	-	-	1	1	4	3	-	5	2	3	1
	F	23	-	-	-	1	1	5	1	3	6	3	3
8 Cerebro-spinal fever	M	15	2	1	5	4	2	-	-	1	-	-	-
	F	8	2	1	1	-	1	2	1	-	-	-	-
9 Respiratory tuberculosis	M	558	2	-	3	5	72	114	120	107	88	39	8
	F	443	-	-	1	8	95	135	72	50	44	27	11
10 Other tuberculosis	M	105	5	8	11	14	18	18	14	7	5	5	-
	F	92	8	10	4	12	11	15	7	7	5	5	8
11 Syphilis	M	53	7	-	-	-	2	-	4	10	19	10	1
	F	14	-	-	-	2	-	3	2	2	3	-	2
12 Gen. paralysis of insane, etc.	M	33	-	-	-	-	1	-	2	10	9	10	1
	F	13	-	-	-	-	-	-	3	6	3	1	-
13 Cancer	M	1,767	1	1	3	1	13	27	57	145	444	680	395
	F	2,090	-	-	1	5	5	16	93	278	485	669	538
14 Diabetes	M	166	-	-	1	3	2	3	4	9	35	71	38
	F	285	-	-	1	4	2	4	7	22	59	111	75
15 Cerebral hæmorrhage	M	706	-	-	-	-	-	2	8	50	121	251	274
	F	923	-	-	-	-	-	1	9	56	153	299	405
16 Heart disease	M	3,533	-	-	1	8	15	26	72	211	578	1,190	1,432
	F	3,878	-	-	-	6	6	30	88	192	438	1,096	2,022
17 Aneurysm	M	54	-	-	-	1	-	-	4	11	14	16	8
	F	29	-	-	-	-	-	3	1	3	4	11	7
18 Other circulatory	M	775	-	-	-	-	-	2	8	34	108	252	371
	F	845	-	-	-	1	-	-	7	32	96	221	488
19 Bronchitis	M	471	18	-	4	2	5	2	11	33	52	94	250
	F	460	14	3	2	3	1	5	3	9	36	100	284
20 Pneumonia	M	607	85	26	13	7	21	19	42	83	110	100	101
	F	470	59	15	19	9	7	10	26	32	60	83	150
21 Other respiratory	M	170	-	1	2	3	5	8	7	30	38	46	30
	F	103	2	-	1	-	4	4	8	6	12	28	38
22 Peptic ulcer	M	155	-	-	-	-	1	8	21	33	45	36	11
	F	44	-	-	-	-	1	-	4	8	12	7	12
23 Diarrhœa	M	73	27	2	5	3	5	3	3	3	2	9	11
	F	68	18	3	2	3	2	4	5	6	7	7	11
24 Appendicitis	M	88	-	3	7	9	17	7	12	7	15	9	2
	F	63	-	2	3	8	4	2	1	11	13	13	6
25 Cirrhosis of liver	M	38	-	-	-	-	-	-	-	6	18	12	2
	F	20	-	-	-	-	1	-	1	2	10	3	3
26 Other liver diseases	M	39	-	-	-	-	2	1	3	7	4	12	10
	F	97	-	-	1	-	-	2	5	7	17	37	28
27 Other digestive	M	273	12	7	6	5	13	14	20	33	61	56	46
	F	211	3	2	9	5	7	11	18	25	30	39	62
28 Nephritis	M	549	1	-	1	3	11	13	17	65	111	183	144
	F	409	1	-	-	4	5	10	14	49	76	116	134
29 Puerperal sepsis	F	22	-	-	-	-	4	13	5	-	-	-	-
30 Other puerperal	F	76	-	-	-	-	10	45	18	3	-	-	-
31 Congenital causes, etc.	M	496	483	3	4	1	2	1	2	-	-	-	-
	F	361	351	1	4	4	-	-	1	-	-	-	-
32 Senility	M	456	-	-	-	-	-	-	-	-	3	52	401
	F	830	-	-	-	-	-	-	-	-	4	64	762
33 Suicide	M	184	-	-	-	-	12	21	21	34	54	36	6
	F	68	-	-	-	-	1	11	14	14	15	10	3
34 Other violence	M	549	16	4	17	37	104	86	49	47	77	59	53
	F	356	15	2	13	14	35	18	15	22	39	52	131
35 Other defined causes	M	1,229	48	13	13	36	51	54	64	94	185	336	335
	F	1,048	33	8	17	30	46	56	80	150	202	222	204
36 Ill-defined causes	M	28	-	2	-	-	-	-	1	3	5	6	11
	F	27	2	1	-	-	-	1	1	-	1	5	16

TABLE 24—*contd.* Aggregate of Welsh Region.

Causes of Death <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	17,626	1,333	200	228	344	627	738	1,012	1,814	3,185	4,443	3,702
	F	15,571	991	169	195	336	590	741	807	1,430	2,446	3,591	4,275
1 Typhoid fever, etc.	M	5	—	—	—	—	1	2	1	1	—	—	—
	F	5	—	—	1	—	1	1	1	—	—	1	—
2 Measles	M	54	13	22	10	9	—	—	—	—	—	—	—
	F	47	14	16	9	7	—	1	—	—	—	—	—
3 Scarlet fever	M	9	—	1	4	2	1	—	—	—	—	—	1
	F	14	1	1	5	7	—	—	—	—	—	—	—
4 Whooping cough	M	48	23	10	14	1	—	—	—	—	—	—	—
	F	60	32	17	10	—	—	1	—	—	—	—	—
5 Diphtheria	M	108	3	7	33	60	3	2	—	—	—	—	—
	F	115	2	7	39	55	3	4	2	1	1	1	—
6 Influenza	M	606	9	4	6	11	17	32	47	94	128	132	126
	F	572	3	3	6	8	21	32	30	52	110	133	174
7 Encephalitis lethargica	M	27	—	—	2	—	1	8	6	2	7	1	—
	F	20	—	—	—	1	4	2	3	3	4	2	1
8 Cerebro-spinal fever	M	17	4	—	3	3	3	1	3	—	—	—	—
	F	16	3	1	1	2	3	2	3	—	1	—	—
9 Respiratory tuberculosis	M	951	—	1	4	8	159	210	192	177	146	45	9
	F	884	1	2	—	28	268	272	131	77	65	34	6
10 Other tuberculosis	M	202	14	10	22	20	45	33	21	19	13	5	—
	F	147	6	8	17	39	34	18	5	9	6	4	1
11 Syphilis	M	31	5	—	—	—	1	—	6	8	6	4	1
	F	12	4	—	—	—	—	—	3	3	2	—	—
12 Gen. paralysis of insane, etc.	M	63	—	—	—	—	1	1	14	17	22	8	—
	F	20	—	—	—	—	2	1	3	6	6	2	—
13 Cancer	M	1,871	—	1	1	2	10	26	79	249	556	620	327
	F	1,994	—	1	1	3	7	32	124	379	541	557	349
14 Diabetes	M	145	—	—	1	1	8	9	12	10	21	57	26
	F	248	1	—	1	4	7	6	6	26	71	86	40
15 Cerebral hæmorrhage	M	931	—	—	—	—	—	2	13	65	189	381	281
	F	1,063	1	—	—	—	—	4	15	100	197	371	375
16 Heart disease	M	4,342	2	—	1	22	50	53	137	385	871	1,510	1,311
	F	3,938	—	—	2	27	58	68	144	302	638	1,219	1,480
17 Aneurysm	M	47	—	—	—	—	1	—	4	14	16	8	4
	F	9	—	—	—	—	—	—	1	1	4	1	2
18 Other circulatory	M	848	—	—	—	2	—	1	7	39	129	346	324
	F	773	1	—	1	—	—	3	3	34	99	253	379
19 Bronchitis	M	746	71	14	3	5	9	4	18	78	140	200	204
	F	547	38	3	4	2	6	3	14	20	66	138	253
20 Pneumonia	M	975	205	63	42	25	22	37	62	133	163	145	78
	F	630	135	66	34	18	13	29	34	36	72	93	100
21 Other respiratory	M	276	4	1	3	5	6	15	23	60	74	59	26
	F	122	2	2	2	4	1	5	8	16	28	18	36
22 Peptic ulcer	M	207	—	—	—	—	2	18	30	66	53	31	7
	F	42	—	—	—	—	—	1	3	11	14	9	4
23 Diarrhœa	M	135	86	10	6	1	1	2	4	2	9	7	7
	F	105	46	12	1	3	3	6	2	2	9	10	11
24 Appendicitis	M	93	—	—	4	21	13	8	11	13	12	7	4
	F	74	—	—	2	19	9	5	10	11	6	7	5
25 Cirrhosis of liver	M	40	—	—	—	—	1	—	1	8	11	17	2
	F	13	—	—	—	—	—	1	—	3	4	3	2
26 Other liver diseases	M	64	—	—	1	—	—	3	6	9	17	15	13
	F	116	—	—	1	1	2	5	9	16	22	38	22
27 Other digestive	M	274	26	5	4	7	16	13	19	30	59	62	33
	F	243	13	3	4	9	10	14	15	27	40	62	46
28 Nephritis	M	674	—	2	2	5	22	31	44	70	147	215	136
	F	567	—	1	2	12	15	30	33	63	112	159	140
29 Puerperal sepsis	F	52	—	—	—	—	9	34	9	—	—	—	—
30 Other puerperal	F	126	—	—	—	—	24	63	39	—	—	—	—
31 Congenital causes, etc.	M	738	726	—	2	6	3	1	—	—	—	—	—
	F	608	592	1	7	4	2	1	—	—	1	—	—
32 Senility	M	542	—	—	—	—	—	—	—	—	1	79	462
	F	720	—	—	—	—	—	—	—	—	4	95	621
33 Suicide	M	184	—	—	—	—	13	22	25	32	56	27	9
	F	69	—	—	—	—	2	9	20	19	12	6	1
34 Other violence	M	860	16	19	35	66	143	125	124	111	96	78	47
	F	307	15	7	21	24	21	11	19	20	33	46	90
35 Other defined causes	M	1,454	125	30	25	62	73	79	101	118	233	359	249
	F	1,250	80	17	24	59	65	77	117	188	272	229	122
36 Ill-defined causes	M	59	1	—	—	—	2	—	2	4	10	25	15
	F	43	1	1	—	—	—	—	1	5	6	14	15

TABLE 24—*contd.* Aggregate of Welsh Region (Part I.)

207

Causes of Death <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	12,563	982	155	170	250	483	549	754	1,419	2,359	3,121	2,321
	F	10,547	746	122	137	249	455	551	601	1,038	1,726	2,387	2,535
1 Typhoid fever, etc.	M	4	—	—	—	—	1	1	1	1	—	—	—
	F	5	—	—	1	—	1	1	1	—	—	1	—
2 Measles	M	52	11	22	10	9	—	—	—	—	—	—	—
	F	42	14	15	7	5	—	1	—	—	—	—	—
3 Scarlet fever	M	7	—	1	4	1	1	—	—	—	—	—	—
	F	8	—	1	2	5	—	—	—	—	—	—	—
4 Whooping cough	M	36	18	6	12	—	—	—	—	—	—	—	—
	F	38	19	14	5	—	—	—	—	—	—	—	—
5 Diphtheria	M	60	2	4	20	33	—	1	—	—	—	—	—
	F	75	2	7	25	33	3	2	2	—	1	—	—
6 Influenza	M	364	2	2	1	4	9	21	32	71	87	77	58
	F	290	2	1	5	4	16	17	20	31	51	74	69
7 Encephalitis lethargica	M	17	—	—	1	—	1	7	2	1	4	1	—
	F	14	—	—	—	1	3	2	3	1	3	—	1
8 Cerebro-spinal fever	M	12	3	—	2	1	3	1	2	—	—	—	—
	F	12	2	—	—	2	3	2	3	—	—	—	—
9 Respiratory tuberculosis	M	660	—	1	3	7	122	161	125	129	85	24	3
	F	648	—	2	—	21	207	206	97	54	40	17	4
10 Other tuberculosis	M	160	13	10	15	16	37	24	16	16	10	3	—
	F	108	6	6	13	29	23	14	4	6	5	2	—
11 Syphilis	M	22	2	—	—	—	1	—	5	6	5	3	—
	F	8	2	—	—	—	—	—	2	3	1	—	—
12 Gen. paralysis of insane, etc.	M	56	—	—	—	—	1	1	12	15	21	6	—
	F	18	—	—	—	—	2	1	3	6	6	—	—
13 Cancer	M	1,275	—	1	1	2	8	17	63	181	403	413	186
	F	1,286	—	—	1	2	6	23	85	271	363	355	180
14 Diabetes	M	99	—	—	1	1	7	6	10	5	15	40	14
	F	191	1	—	1	2	5	3	4	21	63	59	32
15 Cerebral hæmorrhage	M	637	—	—	—	—	—	2	12	50	138	253	182
	F	680	1	—	—	—	—	4	13	68	140	236	218
16 Heart disease	M	3,110	1	—	1	15	44	41	103	303	674	1,098	830
	F	2,738	—	—	2	23	46	55	119	236	483	841	933
17 Aneurysm	M	38	—	—	—	—	1	—	3	12	13	6	3
	F	8	—	—	—	—	—	—	1	—	4	1	2
18 Other circulatory	M	618	—	—	—	—	—	1	6	34	104	250	223
	F	464	—	—	—	—	—	2	3	28	68	160	203
19 Bronchitis	M	572	56	12	3	5	6	1	15	65	118	159	132
	F	389	35	2	3	2	3	3	11	17	54	101	158
20 Pneumonia	M	742	167	52	32	20	16	24	48	106	119	114	44
	F	449	98	43	28	14	10	23	29	27	52	68	57
21 Other respiratory	M	220	4	1	3	3	3	11	15	53	66	48	13
	F	87	2	1	2	4	—	3	5	11	20	15	24
22 Peptic ulcer	M	163	—	—	—	—	1	14	22	56	44	20	6
	F	27	—	—	—	—	—	—	2	7	8	7	3
23 Diarrhœa	M	105	66	8	4	1	1	2	2	2	7	6	6
	F	77	35	7	1	1	1	4	2	2	8	8	8
24 Appendicitis	M	75	—	—	4	14	13	7	8	13	8	5	3
	F	53	—	—	1	13	8	3	9	7	4	5	3
25 Cirrhosis of liver	M	29	—	—	—	—	—	—	1	7	8	12	1
	F	9	—	—	—	—	—	1	—	2	2	3	1
26 Other liver diseases	M	44	—	—	1	—	—	2	5	8	13	9	6
	F	80	—	—	1	1	2	4	6	10	13	27	16
27 Other digestive	M	200	20	4	2	6	14	8	12	24	39	43	28
	F	160	8	3	3	6	7	6	9	18	28	45	27
28 Nephritis	M	419	—	—	2	4	17	25	31	49	98	130	63
	F	377	—	1	2	10	10	24	27	48	78	106	71
29 Puerperal sepsis	F	39	—	—	—	—	7	24	8	—	—	—	—
30 Other puerperal	F	91	—	—	—	—	20	46	25	—	—	—	—
31 Congenital causes, etc.	M	519	511	—	1	5	2	—	—	—	—	—	—
	F	463	450	1	6	4	—	1	—	—	1	—	—
32 Senility	M	402	—	—	—	—	—	—	—	—	—	67	335
	F	484	—	—	—	—	—	—	—	—	4	80	400
33 Suicide	M	113	—	—	—	—	6	11	18	24	33	15	6
	F	44	—	—	—	—	1	5	16	12	6	3	1
34 Other violence	M	669	12	13	30	55	114	98	97	90	69	57	34
	F	211	12	5	14	21	18	9	8	13	26	33	52
35 Other defined causes	M	1,043	94	18	17	48	54	62	87	95	174	254	140
	F	861	56	12	14	46	53	62	84	134	191	138	71
36 Ill-defined causes	M	21	—	—	—	—	—	—	1	3	4	8	5
	F	13	1	1	—	—	—	—	—	5	3	2	1

Causes of Death <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	5,063	351	45	58	94	144	189	258	395	826	1,322	1,381
	F	5,024	245	47	58	87	135	190	206	392	720	1,204	1,740
1 Typhoid fever, etc.	M	1	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
2 Measles	M	2	2	-	-	-	-	-	-	-	-	-	-
	F	5	-	1	2	2	-	-	-	-	-	-	-
3 Scarlet fever	M	2	-	-	-	1	-	-	-	-	-	-	1
	F	6	1	-	3	2	-	-	-	-	-	-	-
4 Whooping cough	M	12	5	4	2	1	-	-	-	-	-	-	-
	F	22	13	3	5	-	-	1	-	-	-	-	-
5 Diphtheria	M	48	1	3	13	27	3	1	-	-	-	-	-
	F	40	-	-	14	22	-	2	-	1	-	1	-
6 Influenza	M	242	7	2	5	7	8	11	15	23	41	55	68
	F	282	1	2	1	4	5	15	10	21	59	59	105
7 Encephalitis lethargica	M	10	-	-	1	-	-	1	4	1	3	-	-
	F	6	-	-	-	-	1	-	-	2	1	2	-
8 Cerebro-spinal fever	M	5	1	-	1	2	-	-	1	-	-	-	-
	F	4	1	1	1	-	-	-	-	-	1	-	-
9 Respiratory tuberculosis	M	291	-	-	1	1	37	49	67	48	61	21	6
	F	236	1	-	-	7	61	66	34	23	25	17	2
10 Other tuberculosis	M	42	1	-	7	4	8	9	5	3	3	2	-
	F	39	-	2	4	10	11	4	1	3	1	2	1
11 Syphilis	M	9	3	-	-	-	-	-	1	2	1	1	1
	F	4	2	-	-	-	-	-	1	-	1	-	-
12 Gen. paralysis of insane, etc.	M	7	-	-	-	-	-	-	2	2	1	2	-
	F	2	-	-	-	-	-	-	-	-	-	2	-
13 Cancer	M	596	-	-	-	-	2	9	16	68	153	207	141
	F	708	-	1	-	1	1	9	39	108	178	202	169
14 Diabetes	M	46	-	-	-	-	1	3	2	5	6	17	12
	F	57	-	-	-	2	2	3	2	5	8	27	8
15 Cerebral hæmorrhage	M	294	-	-	-	-	-	-	1	15	51	128	99
	F	383	-	-	-	-	-	-	2	32	57	135	157
16 Heart disease	M	1,232	1	-	-	7	6	12	34	82	197	412	481
	F	1,200	-	-	-	4	12	13	25	66	155	378	547
17 Aneurysm	M	9	-	-	-	-	-	-	1	2	3	2	1
	F	1	-	-	-	-	-	-	-	1	-	-	-
18 Other circulatory	M	230	-	-	-	2	-	-	1	5	25	96	101
	F	309	1	-	1	-	-	1	-	6	31	93	176
19 Bronchitis	M	174	15	2	-	-	3	3	3	13	22	41	72
	F	158	3	1	1	-	3	-	3	3	12	37	95
20 Pneumonia	M	233	38	11	10	5	6	13	14	27	44	31	34
	F	181	37	23	6	4	3	6	5	9	20	25	43
21 Other respiratory	M	56	-	-	-	2	3	4	8	7	8	11	13
	F	35	-	1	-	-	1	2	3	5	8	3	12
22 Peptic ulcer	M	44	-	-	-	-	1	4	8	10	9	11	1
	F	15	-	-	-	-	-	1	1	4	6	2	1
23 Diarrhoea	M	30	20	2	2	-	-	-	2	-	2	1	1
	F	28	11	5	-	2	2	2	-	-	1	2	3
24 Appendicitis	M	18	-	-	-	7	-	1	3	-	4	2	1
	F	21	-	-	1	6	1	2	1	4	2	2	2
25 Cirrhosis of liver	M	11	-	-	-	-	1	-	-	1	3	5	1
	F	4	-	-	-	-	-	-	-	1	2	-	1
26 Other liver diseases	M	20	-	-	-	-	-	1	1	1	4	6	7
	F	36	-	-	-	-	-	1	3	6	9	11	6
27 Other digestive	M	74	6	1	2	1	2	5	7	6	20	19	5
	F	83	5	-	1	3	3	8	6	9	12	17	19
28 Nephritis	M	255	-	2	-	1	5	6	13	21	49	85	73
	F	190	-	-	-	2	5	6	6	15	34	53	69
29 Puerperal sepsis	F	13	-	-	-	-	2	10	1	-	-	-	-
30 Other puerperal	F	35	-	-	-	-	4	17	14	-	-	-	-
31 Congenital causes, etc.	M	219	215	-	1	1	1	1	-	-	-	-	-
	F	145	142	-	1	-	2	-	-	-	-	-	-
32 Senility	M	140	-	-	-	-	-	-	-	-	1	12	127
	F	236	-	-	-	-	-	-	-	-	-	15	221
33 Suicide	M	71	-	-	-	-	7	11	7	8	23	12	3
	F	25	-	-	-	-	1	4	4	7	6	3	-
34 Other violence	M	191	4	6	5	11	29	27	27	21	27	21	13
	F	96	3	2	7	3	3	2	11	7	7	13	38
35 Other defined causes	M	411	31	12	8	14	19	17	14	23	59	105	109
	F	389	24	5	10	13	12	15	33	54	81	91	51
36 Ill-defined causes	M	38	1	-	-	-	2	-	1	1	6	17	10
	F	30	-	-	-	-	-	-	1	-	3	12	14

Causes of Death <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	86,136	7,416	1,271	1,186	1,727	2,661	3,414	4,860	9,496	17,155	20,878	16,072
	F	81,756	5,644	1,019	1,082	1,615	2,703	3,407	4,277	7,116	12,790	19,250	22,853
1 Typhoid fever, etc.	M	24	2	1	2	2	3	8	2	2	1	1	—
	F	31	2	—	3	1	8	2	7	2	2	3	1
2 Measles	M	305	69	123	83	28	1	—	—	—	—	—	1
	F	269	69	95	76	28	1	—	—	—	—	—	—
3 Scarlet fever	M	53	1	17	15	10	7	2	1	—	—	—	—
	F	49	2	3	16	18	7	3	—	—	—	—	—
4 Whooping cough	M	295	143	86	56	10	—	—	—	—	—	—	—
	F	346	149	116	68	12	1	—	—	—	—	—	—
5 Diphtheria	M	556	26	33	178	297	9	7	4	—	2	—	—
	F	678	8	23	208	400	23	5	7	—	2	2	—
6 Influenza	M	2,650	79	39	34	41	94	132	239	437	659	508	388
	F	2,805	64	32	24	43	91	138	217	312	521	647	716
7 Encephalitis lethargica	M	139	1	—	2	6	16	39	19	10	22	20	4
	F	136	—	—	1	3	11	29	19	18	31	20	4
8 Cerebro-spinal fever	M	170	43	30	15	20	25	18	9	8	1	1	—
	F	129	40	17	24	19	12	6	3	3	5	—	—
9 Respiratory tuberculosis	M	5,412	11	18	15	45	738	1,024	1,029	1,212	967	322	31
	F	3,796	10	10	20	75	1,172	1,012	619	416	306	127	29
10 Other tuberculosis	M	883	82	76	106	157	136	106	65	73	50	25	7
	F	746	50	65	86	138	156	69	56	55	39	19	13
11 Syphilis	M	389	38	1	—	2	11	6	50	75	126	73	7
	F	169	27	—	—	1	5	8	24	42	33	28	1
12 Gen. paralysis of insane, etc.	M	421	—	—	—	—	3	9	62	131	141	59	16
	F	149	—	—	—	—	1	6	35	40	54	12	1
13 Cancer	M	10,211	1	4	14	20	73	183	466	1,284	3,104	3,616	1,446
	F	10,763	3	3	10	18	49	179	726	1,863	2,869	3,110	1,933
14 Diabetes	M	852	—	1	1	11	18	20	35	68	202	339	157
	F	1,445	1	—	4	10	15	35	52	128	376	542	282
15 Cerebral hæmorrhage	M	3,663	1	1	—	3	3	12	72	317	885	1,346	1,023
	F	4,777	1	2	—	1	1	19	83	373	970	1,661	1,666
16 Heart disease	M	20,599	3	2	7	92	204	284	566	1,874	4,553	7,057	5,957
	F	21,392	3	—	12	111	289	397	703	1,346	3,226	6,480	8,825
17 Aneurysm	M	322	—	—	—	1	5	11	22	76	113	73	21
	F	157	—	—	—	3	10	10	17	25	44	33	15
18 Other circulatory	M	4,495	1	3	1	1	2	6	37	200	837	1,718	1,689
	F	4,528	1	—	1	1	—	11	24	190	613	1,519	2,168
19 Bronchitis	M	3,253	258	34	26	18	32	36	106	358	666	794	925
	F	2,888	209	17	19	6	8	30	65	141	341	735	1,317
20 Pneumonia	M	6,832	1,392	512	254	133	189	317	539	957	1,245	829	465
	F	4,635	974	389	239	115	101	197	263	382	569	707	699
21 Other respiratory	M	918	21	12	13	26	30	40	70	169	238	181	118
	F	646	21	5	4	23	11	32	43	63	107	137	200
22 Peptic ulcer	M	1,128	1	—	—	—	11	80	163	297	328	195	53
	F	320	—	—	—	—	1	7	20	56	92	98	46
23 Diarrhœa	M	947	682	53	26	7	12	17	18	32	32	40	28
	F	760	447	62	21	12	7	35	17	22	42	35	60
24 Appendicitis	M	441	1	2	29	62	67	64	44	58	62	38	14
	F	382	—	1	15	61	41	41	38	50	49	64	22
25 Cirrhosis of liver	M	241	—	—	—	1	2	4	13	39	83	76	23
	F	132	1	—	1	—	2	5	8	30	44	27	14
26 Other liver diseases	M	220	2	—	1	2	2	10	13	29	51	61	49
	F	556	1	—	2	3	8	19	38	57	152	161	115
27 Other digestive	M	1,338	107	25	41	50	55	59	100	180	253	278	190
	F	1,365	70	19	36	63	45	80	87	161	272	299	233
28 Nephritis	M	2,484	5	4	7	28	70	100	158	361	609	707	435
	F	2,469	8	1	7	44	74	110	184	294	534	715	498
29 Puerperal sepsis	F	208	—	—	—	—	34	119	55	—	—	—	—
30 Other puerperal	F	431	—	—	—	—	75	221	130	5	—	—	—
31 Congenital causes, etc.	M	3,781	3,721	10	6	24	10	5	2	2	1	—	—
	F	2,998	2,942	22	8	13	5	4	3	—	1	—	—
32 Senility	M	1,986	—	—	—	—	—	—	—	1	30	409	1,546
	F	2,993	—	—	—	—	—	—	—	1	21	464	2,507
33 Suicide	M	1,099	—	—	—	1	62	129	165	224	289	173	56
	F	555	—	—	—	1	24	80	92	143	142	58	15
34 Other violence	M	3,230	107	65	113	295	450	369	329	380	398	396	328
	F	2,024	115	47	84	126	132	90	78	133	210	373	636
35 Other defined causes	M	6,636	612	118	140	333	318	315	459	625	1,170	1,495	1,051
	F	5,903	421	89	92	265	283	407	557	758	1,107	1,138	786
36 Ill-defined causes	M	163	6	1	1	1	3	2	3	17	37	48	44
	F	126	5	1	1	1	—	1	7	7	16	36	51

Causes of Death <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	78,835	5,939	868	957	1,544	2,498	3,051	4,108	7,580	14,450	19,872	17,968
	F	76,387	4,190	695	887	1,289	2,118	2,843	3,698	6,423	11,659	18,598	23,987
1 Typhoid fever, etc.	M	28	—	—	—	4	3	9	3	6	2	1	—
	F	22	—	—	1	3	2	7	1	3	2	3	—
2 Measles	M	161	32	63	44	18	3	—	1	—	—	—	—
	F	129	29	45	27	19	7	1	—	—	1	—	—
3 Scarlet fever	M	61	2	6	19	25	4	—	3	1	—	1	—
	F	55	—	3	14	27	1	4	4	2	—	—	—
4 Whooping cough	M	203	106	59	31	7	—	—	—	—	—	—	—
	F	267	125	70	60	10	2	—	—	—	—	—	—
5 Diphtheria	M	457	12	19	136	268	14	2	1	1	3	1	—
	F	477	8	13	143	270	21	12	3	2	4	1	—
6 Influenza	M	2,988	67	38	27	59	98	149	256	446	683	613	552
	F	3,135	50	29	32	32	91	141	189	342	599	737	893
7 Encephalitis lethargica	M	136	—	1	2	2	19	22	16	21	29	22	2
	F	124	—	—	3	5	11	16	18	21	29	14	7
8 Cerebro-spinal fever	M	99	19	8	16	16	22	6	7	2	3	—	—
	F	80	21	12	12	12	8	5	4	3	3	—	—
9 Respiratory tuberculosis	M	3,589	7	6	10	32	533	724	754	731	583	169	40
	F	2,856	3	7	9	61	771	803	499	330	216	124	33
10 Other tuberculosis	M	718	55	72	92	104	118	100	70	47	35	18	7
	F	668	48	65	81	113	114	83	49	34	35	30	16
11 Syphilis	M	183	17	1	1	2	7	5	17	30	69	27	7
	F	89	12	1	—	3	5	2	12	22	25	6	1
12 Gen. paralysis of insane, etc.	M	302	—	—	—	—	6	8	47	81	98	48	14
	F	113	—	—	—	—	4	3	24	35	30	13	4
13 Cancer	M	9,453	1	3	5	15	45	147	360	1,078	2,704	3,369	1,726
	F	10,680	6	3	4	13	36	169	632	1,655	2,751	3,219	2,192
14 Diabetes	M	917	—	—	2	13	14	38	38	61	206	359	186
	F	1,422	1	1	1	16	30	18	33	108	346	569	299
15 Cerebral hæmorrhage	M	4,209	—	2	—	1	3	12	71	275	869	1,599	1,377
	F	5,382	—	—	—	1	3	17	72	387	998	1,828	2,076
16 Heart disease	M	18,899	3	4	5	72	180	231	512	1,467	3,818	6,450	6,157
	F	19,563	1	—	6	85	182	295	559	1,204	2,868	6,023	8,340
17 Aneurysm	M	255	—	1	1	4	7	8	25	51	70	63	25
	F	97	—	1	—	1	4	4	8	14	21	31	13
18 Other circulatory	M	4,178	2	—	—	3	1	5	26	154	673	1,584	1,730
	F	4,010	—	1	2	3	—	12	34	155	506	1,247	2,050
19 Bronchitis	M	2,854	225	30	20	18	30	26	82	259	474	721	969
	F	2,633	147	26	23	11	18	19	40	78	264	656	1,351
20 Pneumonia	M	4,639	876	288	176	112	143	198	385	619	745	630	467
	F	3,151	555	243	161	86	75	105	200	255	375	518	578
21 Other respiratory	M	904	14	6	17	23	23	49	62	167	214	182	147
	F	592	9	6	9	13	19	35	42	68	79	130	182
22 Peptic ulcer	M	1,017	1	—	—	—	22	73	140	258	279	182	62
	F	306	—	—	—	—	1	14	28	40	91	86	46
23 Diarrhœa	M	640	362	46	26	13	10	15	22	14	40	44	48
	F	539	231	35	16	14	18	28	34	21	30	41	71
24 Appendicitis	M	495	—	3	23	78	76	52	60	56	74	62	11
	F	388	—	3	20	58	48	33	44	52	63	46	21
25 Cirrhosis of liver	M	245	—	—	—	—	3	3	9	46	85	79	20
	F	131	1	—	1	2	2	2	7	22	57	24	13
26 Other liver diseases	M	269	—	1	3	3	5	7	18	29	70	80	53
	F	602	1	—	3	5	9	29	25	58	123	200	149
27 Other digestive	M	1,287	110	31	35	50	69	55	97	161	233	266	180
	F	1,282	66	8	37	53	40	45	102	162	234	279	256
28 Nephritis	M	2,374	3	3	3	28	77	105	140	268	524	763	460
	F	2,382	6	7	4	30	57	88	151	287	515	687	550
29 Puerperal sepsis	F	189	—	—	—	—	43	102	44	—	—	—	—
30 Other puerperal	F	475	—	—	—	—	75	258	141	1	—	—	—
31 Congenital causes, etc.	M	3,562	3,484	21	13	23	13	5	2	—	—	—	1
	F	2,583	2,509	18	26	16	6	3	5	—	—	—	—
32 Senility	M	2,531	—	—	—	—	—	—	—	1	13	400	2,117
	F	3,807	—	—	—	—	—	—	—	—	19	450	3,338
33 Suicide	M	983	—	—	—	2	40	114	130	220	285	149	43
	F	497	—	—	—	—	21	77	89	127	109	60	14
34 Other violence	M	3,642	110	56	132	265	603	519	387	421	468	376	305
	F	1,808	79	37	81	112	127	83	96	118	177	313	585
35 Other defined causes	M	6,264	429	95	117	284	303	361	360	569	1,037	1,508	1,201
	F	5,626	275	57	111	215	267	327	502	796	1,051	1,200	825
36 Ill-defined causes	M	293	2	5	1	—	4	3	7	40	64	106	61
	F	227	7	4	—	—	—	3	7	21	38	63	84

TABLE 24—*contd.* Aggregate of Rural Districts Outside Greater London.

211

Causes of Death <i>See first page of Table.</i>		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	46,616	3,039	425	467	816	1,466	1,723	2,159	3,580	7,197	11,940	13,804
	F	43,461	2,350	358	400	713	1,023	1,563	2,033	3,328	6,052	10,159	15,482
1 Typhoid fever, etc.	M	13	—	—	—	2	4	2	—	1	3	1	—
	F	17	—	—	—	2	5	3	—	2	3	—	2
2 Measles	M	65	12	19	12	14	5	1	1	—	1	—	—
	F	72	12	12	18	19	5	2	3	1	—	—	—
3 Scarlet fever	M	34	1	4	8	10	5	2	2	—	1	—	1
	F	30	2	3	6	11	2	1	4	—	1	—	—
4 Whooping cough	M	125	60	31	26	7	—	—	—	—	—	—	—
	F	141	69	36	27	7	1	1	—	—	—	—	—
5 Diphtheria	M	196	3	7	61	108	8	2	3	2	1	1	—
	F	198	1	11	50	106	11	5	5	—	3	6	—
6 Influenza	M	1,943	42	22	21	24	64	82	150	212	383	432	511
	F	1,952	25	13	16	28	25	83	138	183	328	427	686
7 Encephalitis lethargica	M	61	—	—	1	—	6	17	11	6	8	10	2
	F	52	—	1	—	1	2	9	4	9	12	12	2
8 Cerebro-spinal fever	M	44	7	6	5	8	11	4	—	3	—	—	—
	F	30	8	4	6	2	2	4	2	1	1	—	—
9 Respiratory tuberculosis	M	1,697	4	3	2	7	227	377	387	312	238	120	20
	F	1,422	3	2	5	39	334	438	234	148	129	76	14
10 Other tuberculosis	M	438	25	37	58	58	66	71	46	32	24	17	4
	F	382	27	34	35	53	64	52	37	23	28	18	11
11 Syphilis	M	92	14	—	—	1	3	1	6	17	32	15	3
	F	51	7	—	—	2	2	2	13	7	11	2	5
12 Gen. paralysis of insane, etc.	M	121	—	—	—	1	—	2	25	23	41	23	6
	F	33	—	—	—	—	—	—	7	11	8	7	—
13 Cancer	M	5,743	3	2	7	8	35	87	174	536	1,398	2,149	1,344
	F	6,124	1	—	1	14	20	78	357	892	1,445	1,814	1,502
14 Diabetes	M	580	—	—	3	9	17	13	18	42	115	219	144
	F	808	—	—	—	13	15	11	18	62	174	341	174
15 Cerebral hæmorrhage	M	2,358	—	1	—	—	2	6	24	102	402	868	953
	F	2,973	—	—	—	1	2	4	46	190	488	997	1,245
16 Heart disease	M	11,429	1	—	4	35	73	100	216	645	1,796	3,775	4,784
	F	11,291	1	—	6	35	82	121	280	552	1,416	3,320	5,478
17 Aneurysm	M	126	1	—	1	2	4	1	14	17	36	33	17
	F	72	—	—	—	—	3	4	6	11	13	24	11
18 Other circulatory	M	2,726	—	—	1	1	1	8	16	72	322	917	1,388
	F	2,456	3	3	2	—	2	1	15	83	289	693	1,365
19 Bronchitis	M	1,495	121	19	7	7	11	12	26	96	148	348	700
	F	1,364	94	15	7	10	13	13	21	44	101	259	787
20 Pneumonia	M	2,180	409	124	62	57	44	106	143	246	334	346	309
	F	1,692	263	103	66	50	30	73	112	132	187	291	385
21 Other respiratory	M	513	9	7	10	8	13	28	34	75	117	125	87
	F	356	7	7	5	9	13	21	30	32	62	65	105
22 Peptic ulcer	M	535	—	—	—	2	9	35	58	109	147	114	61
	F	167	—	—	—	—	3	8	17	23	52	37	27
23 Diarrhœa	M	307	166	14	10	6	9	15	7	12	15	23	30
	F	306	108	18	10	9	12	13	17	18	21	24	56
24 Appendicitis	M	291	—	3	11	49	37	30	31	35	35	46	14
	F	201	—	4	8	36	21	11	17	34	29	25	16
25 Cirrhosis of liver	M	131	—	1	—	—	1	2	8	15	46	46	12
	F	58	—	—	—	1	—	2	1	11	22	15	6
26 Other liver diseases	M	152	1	—	—	1	3	7	9	11	24	45	51
	F	334	—	—	—	1	6	10	21	35	70	93	98
27 Other digestive	M	808	51	10	7	27	33	50	55	93	137	186	159
	F	739	25	14	16	29	24	44	40	82	117	155	193
28 Nephritis	M	1,510	4	4	7	13	31	44	68	136	288	445	470
	F	1,346	1	1	—	12	25	45	85	146	282	386	363
29 Puerperal sepsis	F	103	—	—	—	—	18	66	19	—	—	—	—
30 Other puerperal	F	281	—	—	—	—	47	140	88	6	—	—	—
31 Congenital causes, etc.	M	1,862	1,817	10	7	12	9	3	3	—	1	—	—
	F	1,537	1,488	11	8	12	10	7	1	—	—	—	—
32 Senility	M	1,612	—	—	—	—	—	—	—	—	3	185	1,424
	F	2,212	—	—	—	—	—	—	—	—	11	177	2,024
33 Suicide	M	647	—	—	—	—	32	79	75	121	172	122	46
	F	222	—	—	—	—	12	33	53	59	32	24	9
34 Other violence	M	2,599	63	43	75	183	516	367	313	285	330	227	197
	F	1,015	42	21	59	74	75	50	49	82	99	137	327
35 Other defined causes	M	3,973	220	55	61	154	185	166	226	305	567	1,030	1,004
	F	3,270	161	43	49	137	137	206	289	443	596	683	526
36 Ill-defined causes	M	210	5	3	—	2	2	3	10	19	32	72	62
	F	154	2	2	—	—	—	2	4	6	22	51	65

TABLE 24—*contd.* **Administrative County of London.**

Causes of Death		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
See first page of Table.													
All Causes	M	25,908	1,948	241	226	366	745	1,029	1,290	2,870	5,224	6,402	5,567
	F	25,369	1,361	216	185	316	727	947	1,184	2,159	3,773	6,006	8,495
1 Typhoid fever, etc.	M	6	2	—	—	—	—	1	1	2	—	—	—
	F	11	—	—	—	—	2	2	1	3	1	1	1
2 Measles	M	14	3	5	4	2	—	—	—	—	—	—	—
	F	10	—	3	6	1	—	—	—	—	—	—	—
3 Scarlet fever	M	14	—	2	5	5	—	1	—	1	—	—	—
	F	19	1	2	4	5	2	1	1	1	1	—	—
4 Whooping cough	M	113	70	23	15	5	—	—	—	—	—	—	—
	F	134	80	36	13	5	—	—	—	—	—	—	—
5 Diphtheria	M	91	6	8	31	45	1	—	—	—	—	—	—
	F	126	7	10	45	56	3	1	1	2	—	1	—
6 Influenza	M	719	10	8	5	—	21	24	45	129	170	169	138
	F	937	12	4	2	4	27	35	54	88	153	228	330
7 Encephalitis lethargica	M	26	—	—	—	—	4	6	5	8	2	1	—
	F	28	—	—	—	—	1	9	2	7	5	3	1
8 Cerebro-spinal fever	M	42	22	4	4	1	6	1	1	1	2	—	—
	F	47	15	7	5	—	8	5	—	4	2	1	—
9 Respiratory tuberculosis	M	1,785	2	6	3	4	209	357	298	386	358	145	17
	F	1,103	3	1	2	7	313	308	183	117	95	59	15
10 Other tuberculosis	M	184	10	8	24	26	38	19	14	16	16	11	2
	F	167	9	14	18	28	27	22	9	12	16	10	2
11 Syphilis	M	134	9	—	—	2	2	2	14	22	47	32	4
	F	50	8	—	—	2	1	1	12	7	10	5	4
12 Gen. paralysis of insane, etc.	M	134	—	—	—	1	3	2	17	39	38	34	—
	F	51	—	—	—	—	—	6	7	7	20	9	2
13 Cancer	M	3,601	2	—	7	12	16	65	142	442	1,070	1,238	607
	F	3,719	—	2	1	6	21	55	230	606	900	1,075	823
14 Diabetes	M	225	—	—	—	2	2	10	5	13	60	84	49
	F	443	1	—	—	—	4	7	8	33	99	181	110
15 Cerebral hæmorrhage	M	807	—	—	—	1	—	5	19	66	178	252	286
	F	1,077	—	—	—	—	2	3	21	85	218	350	398
16 Heart disease	M	6,687	—	—	2	31	66	77	142	513	1,245	2,180	2,431
	F	7,647	1	1	2	27	73	122	171	374	944	2,090	3,842
17 Aneurysm	M	179	—	—	—	—	1	8	14	24	63	52	17
	F	138	1	1	—	—	2	4	8	30	31	39	22
18 Other circulatory	M	1,067	2	1	—	—	1	4	16	63	208	383	389
	F	1,316	1	—	1	—	1	1	19	71	174	440	608
19 Bronchitis	M	1,106	69	3	6	4	3	14	32	140	242	299	294
	F	859	38	5	1	2	1	10	11	45	92	196	458
20 Pneumonia	M	1,980	355	93	38	20	34	46	107	261	420	363	243
	F	1,544	241	69	31	18	28	38	75	122	203	302	417
21 Other respiratory	M	255	3	—	2	4	7	8	28	47	58	48	50
	F	236	—	4	2	4	4	8	15	22	42	39	96
22 Peptic ulcer	M	471	—	—	—	—	2	25	54	116	148	94	32
	F	139	—	1	—	—	—	1	10	25	43	38	21
23 Diarrhœa	M	475	399	26	1	—	4	4	2	4	14	7	14
	F	333	240	11	5	1	3	10	11	9	15	15	13
24 Appendicitis	M	156	—	1	9	11	16	17	15	19	36	24	8
	F	134	—	1	6	12	15	12	12	19	30	18	9
25 Cirrhosis of liver	M	98	—	—	—	—	1	—	9	29	31	22	6
	F	69	1	—	—	—	2	1	5	14	24	17	5
26 Other liver diseases	M	69	—	1	—	1	—	5	1	6	21	20	14
	F	133	2	—	—	—	2	7	4	15	32	42	29
27 Other digestive	M	406	25	4	10	10	14	20	22	53	86	95	67
	F	434	22	4	7	11	11	17	25	49	86	110	92
28 Nephritis	M	644	1	—	—	5	26	36	37	81	156	162	140
	F	667	1	—	—	6	23	28	40	64	133	190	182
29 Puerperal sepsis	F	46	—	—	—	—	13	19	14	—	—	—	—
30 Other puerperal	F	80	—	—	—	—	15	49	16	—	—	—	—
31 Congenital causes, etc.	M	809	794	5	3	4	1	1	—	1	—	—	—
	F	585	571	3	2	3	3	1	1	—	1	—	—
32 Senility	M	264	—	—	—	—	—	—	—	—	3	37	224
	F	520	—	—	—	—	—	—	—	—	—	38	482
33 Suicide	M	389	—	—	—	2	27	65	57	78	84	62	14
	F	226	—	—	—	—	18	29	40	51	47	35	6
34 Other violence	M	983	48	16	21	77	152	110	78	123	116	102	140
	F	679	29	14	16	42	28	23	28	54	76	125	244
35 Other defined causes	M	1,955	113	27	36	91	88	96	114	185	351	480	374
	F	1,643	77	22	16	76	74	112	150	223	280	344	269
36 Ill-defined causes	M	20	3	—	—	—	—	—	1	2	1	6	7
	F	19	—	1	—	—	—	—	—	—	—	5	13

TABLE 24—*contd.*

Causes of Death. See first page of Table.		CITY OF LONDON.												THE INNER AND MIDDLE TEMPLES.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	61	1	1	-	-	1	1	2	8	19	15	13	2	-	-	-	-	-	-	-	1	-	1	
	F	40	1	-	-	2	1	1	4	5	5	9	12	5	-	-	-	-	-	2	-	1	-	2	
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
	F	3	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1		
Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Respiratory tuberculosis	M	4	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-		
	F	3	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Other tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Gen. paralysis of insane, etc.	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cancer	M	8	-	-	-	-	-	-	-	2	1	3	2	-	-	-	-	-	-	-	-	-	-		
	F	5	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-		
Diabetes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-		
	F	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-		
Cerebral hæmorrhage	M	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-		
	F	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
Heart disease	M	19	-	-	-	-	-	-	-	-	7	5	7	1	-	-	-	-	-	-	-	-	1		
	F	13	-	-	-	-	-	-	1	-	2	3	7	1	-	-	-	-	-	-	-	-	1		
Aneurysm	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other circulatory	M	5	-	-	-	-	-	-	-	1	-	2	2	1	-	-	-	-	-	-	1	-	-		
	F	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
Bronchitis	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
	F	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-		
Pneumonia	M	6	-	1	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-		
	F	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-		
Other respiratory	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-		
Peptic ulcer	M	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Diarrhœa	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cirrhosis of liver	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other liver diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other digestive	M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Nephritis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-		
Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other puerperal	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Congenital causes, etc.	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Senility	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other violence	M	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other defined causes	M	5	-	-	-	-	1	-	-	-	2	2	-	-	-	-	-	-	1	-	-	-	-		
	F	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-		
Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

TABLE 24—*contd.* Metropolitan Boroughs.

Causes of Death. See first page of Table.		BATTERSEA.												BERMONDSEY.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	947	91	11	5	18	22	36	43	104	177	234	206	649	53	3	5	14	22	23	30	92	122	160	129
	F	903	60	13	8	13	34	29	35	63	133	204	311	562	31	3	7	13	26	21	25	45	82	140	169
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3 Scarlet fever	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4 Whooping cough	M	5	2	1	2	-	-	-	-	-	-	-	-	4	3	1	-	-	-	-	-	-	-	-	
	F	4	2	2	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	
5 Diphtheria	M	2	-	-	-	2	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	
	F	7	2	1	2	2	-	-	-	-	-	-	-	3	-	-	2	1	-	-	-	-	-	-	
6 Influenza	M	22	-	1	-	-	-	1	2	3	9	3	3	21	-	-	-	-	1	-	-	6	5	6	3
	F	21	1	-	-	-	-	-	3	3	3	8	3	18	-	-	-	1	-	-	2	1	4	1	9
7 Encephalitis lethargica	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8 Cerebro-spinal fever	M	2	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	
	F	1	-	-	1	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	
9 Respiratory tuberculosis	M	63	1	1	1	-	6	14	8	18	13	1	-	54	-	-	-	1	8	9	7	12	11	6	-
	F	48	-	-	-	-	17	15	7	5	4	-	-	33	-	-	-	1	12	6	4	4	3	2	1
10 Other tuberculosis	M	6	1	1	-	-	1	1	1	1	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-
	F	6	-	1	1	-	2	1	-	1	-	-	-	3	-	-	1	1	-	-	-	-	-	-	1
11 Syphilis	M	3	1	-	-	-	-	-	1	-	-	1	-	6	1	-	-	-	-	2	1	-	2	-	-
	F	3	1	-	-	1	-	-	1	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-
12 Gen. paralysis of insane, etc.	M	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	1	1	1	-	-
	F	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	1	-	-	-	1	-	-
13 Cancer	M	130	-	-	-	1	1	-	3	16	45	42	22	85	-	-	-	-	3	4	12	22	28	16	16
	F	114	-	-	-	-	3	1	5	17	22	35	31	69	-	-	-	-	1	1	6	12	17	19	13
14 Diabetes	M	11	-	-	-	-	-	-	1	1	3	5	1	2	-	-	-	-	-	-	1	1	-	-	-
	F	20	-	-	-	-	-	-	-	2	4	10	4	5	-	-	-	-	1	-	-	2	1	-	1
15 Cerebral hæmorrhage	M	17	-	-	-	-	-	-	1	2	3	11	33	3	-	-	-	-	-	-	-	9	15	9	
	F	30	-	-	-	-	-	-	1	1	6	10	12	38	-	-	-	-	-	-	3	7	16	12	12
16 Heart disease	M	247	-	-	-	2	2	3	5	16	40	84	95	132	-	-	-	1	1	2	4	12	23	48	41
	F	329	-	-	-	4	5	2	4	10	40	77	187	160	-	-	-	3	3	5	7	7	27	40	68
17 Aneurysm	M	5	-	-	-	-	-	-	1	-	3	1	-	3	-	-	-	-	-	-	1	1	1	-	-
	F	11	-	-	-	-	-	-	1	1	3	5	1	4	-	-	-	-	-	-	-	2	1	1	-
18 Other circulatory	M	31	-	-	-	-	-	-	-	1	5	18	7	22	-	-	-	-	-	1	1	4	8	8	8
	F	41	-	-	-	-	-	-	-	3	7	10	21	20	-	-	-	-	-	1	1	5	6	7	7
19 Bronchitis	M	74	8	-	-	1	-	-	4	10	15	15	21	36	1	-	-	-	-	1	3	9	11	11	11
	F	32	-	1	-	-	-	-	-	1	4	9	17	29	3	-	-	-	1	-	-	2	10	13	13
20 Pneumonia	M	59	13	4	-	3	1	3	3	9	7	9	7	43	10	1	2	-	2	2	1	8	6	5	6
	F	29	8	2	1	1	1	1	-	-	7	3	5	36	5	1	1	-	3	1	-	5	4	9	7
21 Other respiratory	M	6	-	-	-	1	-	-	2	-	-	1	2	6	-	-	-	1	-	-	3	-	-	2	2
	F	7	-	-	-	-	-	-	1	-	2	1	3	5	-	-	-	-	1	-	-	1	1	1	2
22 Peptic ulcer	M	23	-	-	-	-	1	3	6	4	6	3	3	13	-	-	-	-	1	2	5	2	3	-	-
	F	7	-	-	-	-	-	1	-	2	2	2	2	4	-	-	-	-	-	-	1	2	1	-	-
23 Diarrhœa	M	15	12	1	-	-	1	-	-	-	-	1	-	19	17	1	-	-	-	-	1	-	-	-	-
	F	20	17	-	-	-	-	-	-	2	1	-	-	7	5	-	1	-	-	-	-	-	1	-	-
24 Appendicitis	M	8	-	-	-	-	1	-	2	2	2	1	-	2	-	-	-	1	-	-	-	1	-	-	-
	F	4	-	-	-	1	1	-	2	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
25 Cirrhosis of liver	M	8	-	-	-	-	-	-	2	3	3	-	-	4	-	-	-	-	-	-	2	1	1	-	-
	F	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26 Other liver diseases	M	4	-	-	-	-	1	-	-	1	1	2	-	2	-	-	-	-	-	-	-	-	1	-	1
	F	7	-	-	-	-	3	-	1	1	-	2	2	1	1	-	-	-	-	-	-	-	-	-	-
27 Other digestive	M	8	-	-	1	-	-	1	3	1	1	1	1	8	-	-	-	-	-	1	1	-	2	4	4
	F	9	1	-	-	-	1	1	2	2	1	1	1	14	-	-	-	-	-	1	1	2	7	3	3
28 Nephritis	M	39	-	-	-	1	1	1	3	6	16	11	11	39	-	-	-	2	3	-	2	11	7	14	14
	F	24	-	-	-	-	-	-	4	7	12	1	1	32	-	-	-	2	2	2	3	-	9	14	14
29 Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30 Other puerperal	F	4	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31 Congenital causes, etc.	M	48	47	1	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
	F	25	25	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
32 Senility	M	3	-	-	-	-	-	-	-	-	-	-	3	6	-	-	-	-	-	-	-	-	2	4	4
	F	10	-	-	-	-	-	-	-	-	-	1	9	6	-	-	-	-	-	-	-	-	1	5	5
33 Suicide	M	11	-	-	-	-	1	2	1	3	2	2	-	7	-	-	-	1	1	1	-	2	2	-	-
	F	6	-	-	-	-	1	-	1	2	2	1	1	4	-	-	-	2	2	-	-	-	-	-	-
34 Other violence	M	29	2	-	-	3	4	2	4	3	5	3	3	34	2	-	1	5	2	2	4	10	3	4	1
	F	22	-	1	1	2	1	-	4	3	3	5	6	17	1	-	-	1	2	-	-	1	6	6	6
35 Other defined causes	M	65	2	1	1	4	4	6	2	6	11	13	15	43	2	-	-	4	3	-	3	9	10	7	5
	F	53	3	4	1	1	4	-	5	7	10	13	5	33	2	1	1	5	2	1	1	5	2	7	6
36 Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Causes of Death. first page of Table.		BETHNAL GREEN.													CAMBERWELL.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	627	41	9	4	7	25	24	37	78	131	140	131	1,393	108	24	17	18	49	60	52	125	271	362	307		
	F	560	27	5	5	7	15	17	36	48	91	150	159	1,491	77	13	11	20	53	54	64	125	192	354	528		
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-		
Measles	M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
Whooping cough	M	4	3	1	-	-	-	-	-	-	-	-	-	10	4	4	2	-	-	-	-	-	-	-	-		
	F	6	3	2	1	-	-	-	-	-	-	-	-	7	5	2	-	-	-	-	-	-	-	-	-		
Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	2	3	-	-	-	-	-	-	-		
	F	4	-	1	1	2	-	-	-	-	-	-	-	8	-	-	4	4	-	-	-	-	-	-	-		
Influenza	M	14	-	-	-	-	2	-	3	-	6	3	-	33	1	-	-	-	1	-	4	3	6	10	8		
	F	19	-	1	-	-	1	1	1	-	7	4	4	39	1	1	-	-	-	2	1	4	5	7	18		
Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	1	1	-	-	-	-		
	F	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	-	1	-	-	-	2	-	-		
Cerebro-spinal fever	M	1	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	1	-	-	-	7	2	-	-	-	1	3	-	1	-	-	-		
Respiratory tuberculosis	M	49	-	-	-	-	4	10	9	12	7	5	2	96	1	2	-	-	15	19	14	16	17	12	-		
	F	24	-	-	-	-	5	5	4	6	4	-	-	81	-	-	-	1	24	19	13	10	4	8	2		
Other tuberculosis	M	4	-	1	1	-	-	-	-	-	1	-	1	17	-	2	1	3	3	2	-	1	3	2	-		
	F	3	-	-	1	-	-	1	-	-	-	1	-	12	1	-	1	4	-	1	-	3	-	2	-		
Syphilis	M	3	-	-	-	-	-	-	1	1	1	-	-	7	-	-	-	-	-	1	-	4	1	1	1		
	F	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	2	-	-	-	-	-		
Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	-	-	-	1	1	-	5	-	-	-	-	-	2	1	1	1	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	2	2	-	-	-		
Cancer	M	92	-	-	-	-	1	1	6	18	27	21	18	183	1	-	-	2	1	3	3	15	55	71	32		
	F	74	-	-	-	-	-	2	3	13	23	22	11	224	-	1	1	-	3	3	14	29	53	66	54		
Diabetes	M	6	-	-	-	-	-	-	-	-	2	2	2	11	-	-	-	-	1	-	-	1	4	3	2		
	F	14	-	-	-	-	1	-	1	-	3	7	2	30	-	-	-	-	-	-	1	6	13	10	10		
Cerebral haemorrhage	M	15	-	-	-	-	-	-	-	2	1	5	7	68	-	-	-	1	-	-	2	3	10	28	24		
	F	20	-	-	-	-	-	-	4	1	2	8	5	75	-	-	-	-	-	-	1	3	14	23	34		
Heart disease	M	187	-	-	-	-	5	3	4	10	39	64	62	370	-	-	-	2	7	6	5	30	65	135	120		
	F	194	1	-	1	2	3	3	5	6	27	57	89	426	-	-	-	1	2	6	7	19	51	112	228		
Aneurysm	M	1	-	-	-	-	-	1	-	-	-	-	-	7	-	-	-	-	1	-	1	4	-	-	1		
	F	6	-	-	-	-	-	-	-	3	2	-	1	4	-	-	-	-	-	1	1	1	1	-	-		
Other circulatory	M	16	-	-	-	-	-	-	1	1	5	6	3	61	1	-	-	-	-	1	2	3	15	19	20		
	F	19	-	-	-	-	-	-	2	2	1	7	7	61	-	-	-	-	-	-	5	4	23	29	29		
Bronchitis	M	25	1	-	-	-	-	-	2	3	7	3	9	63	3	-	-	-	-	1	2	7	15	16	19		
	F	22	1	-	-	-	-	-	-	1	3	8	9	59	3	1	-	-	1	-	2	5	15	32	32		
Pneumonia	M	59	12	3	2	1	1	-	3	14	10	8	5	107	22	10	4	1	2	3	4	15	24	14	8		
	F	36	7	1	-	1	-	1	1	3	3	11	8	83	10	5	2	1	4	3	3	13	5	16	21		
Other respiratory	M	5	-	-	-	1	-	-	-	2	1	-	1	13	-	-	-	-	1	-	1	6	1	2	2		
	F	4	-	-	-	-	-	-	-	2	2	-	-	5	-	-	-	-	1	-	1	1	2	2	2		
Peptic ulcer	M	7	-	-	-	-	-	2	-	3	2	-	-	20	-	-	-	-	2	1	2	-	11	2	2		
	F	3	-	-	-	-	-	-	1	-	1	-	1	11	-	1	-	-	-	-	-	-	3	6	1		
Diarrhoea	M	9	9	-	-	-	-	-	-	-	-	-	-	30	29	-	-	-	-	-	-	1	-	-	-		
	F	6	3	-	-	1	-	-	1	-	-	-	1	12	10	-	-	-	-	-	1	-	1	-	-		
Appendicitis	M	4	-	-	-	1	-	-	-	1	-	-	2	10	-	1	1	1	-	4	-	-	2	-	1		
	F	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	3	1	-	1	-	-	-		
Cirrhosis of liver	M	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	2	1	1	1		
	F	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	1	3	-	-		
Other liver diseases	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	2	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	1	1	2	-	-		
Other digestive	M	5	-	-	-	-	-	1	1	-	1	-	2	23	1	-	-	1	3	2	2	3	5	3	3		
	F	7	-	-	-	-	-	-	2	2	1	1	1	21	2	-	-	2	-	-	-	2	7	1	7		
Nephritis	M	20	-	-	-	-	3	1	2	6	4	1	3	28	-	-	-	-	-	3	-	6	8	8	3		
	F	22	-	-	-	-	1	-	1	1	5	7	7	43	-	-	-	-	2	2	1	3	8	12	15		
Puerperal sepsis	F	2	-	-	-	-	-	1	1	-	-	-	-	3	-	-	-	1	-	2	-	-	-	-	-		
Other puerperal	F	1	-	-	-	-	1	-	-	-	-	-	-	3	-	-	-	1	1	1	-	-	-	-	-		
Congenital causes, etc.	M	15	15	-	-	-	-</																				

Causes of Death. See first page of Table.		CHELSEA.													DEPTFORD.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	389	20	4	3	4	5	6	13	44	65	123	102	624	34	3	2	9	17	26	30	66	117	161	159		
	F	407	16	3	-	1	5	13	16	37	72	89	155	515	32	3	4	3	20	12	18	49	93	119	162		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-			
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-			
	F	2	2	-	-	-	-	-	-	-	-	-	-	6	3	2	-	1	-	-	-	-	-	-			
5 Diphtheria	M	2	-	1	1	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-			
6 Influenza	M	15	-	-	-	-	-	-	1	2	2	6	4	9	-	-	-	-	-	-	2	2	3	2			
	F	17	-	-	-	-	-	1	1	2	1	6	6	18	-	-	-	-	1	1	2	3	3	6			
7 Encephalitis lethargica	M	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-			
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
9 Respiratory tuberculosis	M	19	-	1	-	1	1	3	1	6	5	1	-	45	-	-	-	-	12	5	8	13	6	1	-		
	F	19	-	-	-	-	4	5	4	2	3	1	-	21	-	-	-	-	11	4	1	2	1	2	-		
10 Other tuberculosis	M	3	-	-	1	-	1	1	1	-	-	-	-	7	-	-	-	-	1	1	1	1	1	2	1		
	F	7	-	-	-	1	1	1	1	1	1	1	-	2	1	-	-	-	-	-	-	1	-	-	-		
11 Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
12 Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	1	1	1	-			
	F	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	1	1	-	-			
13 Cancer	M	52	-	-	-	-	1	-	-	8	9	26	8	89	-	-	-	-	-	5	5	13	20	28	18		
	F	77	-	-	-	-	-	-	7	14	20	18	18	73	-	-	-	-	-	4	13	19	20	17			
14 Diabetes	M	3	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-	-	-	1	1			
	F	5	-	-	-	-	-	1	-	2	1	-	1	7	-	-	-	-	-	-	-	-	5	2			
15 Cerebral hæmorrhage	M	9	-	-	-	-	-	-	-	1	2	1	5	15	-	-	-	-	-	1	-	4	3	7			
	F	16	-	-	-	-	-	-	-	-	7	3	6	21	-	-	-	-	-	-	-	7	9	5			
16 Heart disease	M	132	-	-	-	-	1	-	2	8	26	40	55	181	-	-	-	-	2	3	3	15	30	58	70		
	F	112	-	-	-	-	-	1	-	2	14	33	62	176	-	-	-	-	1	2	1	6	32	40	94		
17 Aneurysm	M	3	-	-	-	-	-	-	-	-	3	-	-	2	-	-	-	-	-	-	-	1	1	-			
	F	3	1	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	1	-	-	-			
18 Other circulatory	M	10	-	-	-	-	-	-	-	1	-	6	3	29	-	-	-	-	-	-	-	6	10	13			
	F	22	-	-	-	-	-	-	-	1	4	8	9	25	-	-	-	-	-	-	4	6	9	6			
19 Bronchitis	M	19	-	-	-	-	-	-	-	2	7	7	3	15	-	-	-	-	-	1	-	3	7	4			
	F	16	1	-	-	-	-	-	-	1	2	3	9	18	-	-	-	-	-	-	-	2	7	9			
20 Pneumonia	M	27	7	-	-	-	-	1	3	3	3	6	4	46	2	3	-	-	1	2	2	10	15	9			
	F	17	1	3	-	-	-	1	2	3	3	-	4	37	4	-	1	-	1	-	8	7	6	8			
21 Other respiratory	M	2	-	-	-	-	-	1	1	-	-	-	-	7	-	-	-	1	-	-	1	3	2	-			
	F	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	1	1	-	-			
22 Peptic ulcer	M	5	-	-	-	-	-	-	-	1	2	1	1	10	-	-	-	-	2	-	4	4	-	-			
	F	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-			
23 Diarrhoea	M	6	3	2	-	-	-	-	-	-	-	-	1	6	6	-	-	-	-	-	-	-	-	-			
	F	5	3	-	-	-	-	1	-	-	-	1	-	6	4	1	-	-	-	-	-	1	-	-			
24 Appendicitis	M	2	-	-	1	-	-	-	1	-	-	-	-	3	-	-	2	-	-	-	1	2	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	2	1	-	1	-	-	-			
25 Cirrhosis of liver	M	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	2	1	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-				
26 Other liver diseases	M	5	-	-	-	1	-	-	-	1	-	-	3	2	-	-	-	-	-	-	-	1	1	-			
	F	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	1	-	-	-			
27 Other digestive	M	4	-	-	-	-	-	-	-	1	-	2	1	9	2	-	1	-	-	-	1	2	1	-			
	F	8	2	-	-	-	-	-	-	1	3	1	1	6	-	-	-	-	-	1	-	2	3	-			
28 Nephritis	M	6	-	-	-	-	-	-	1	-	1	3	1	16	-	-	-	-	2	-	2	2	4	-			
	F	9	-	-	-	-	1	-	-	1	1	2	4	15	-	-	-	1	1	3	3	1	5	-			
29 Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
30 Other puerperal	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-			
31 Congenital causes, etc.	M	7	7	-	-	-	-	-	-	-	-	-	-	16	16	-	-	-	-	-	-	-	-	-			
	F	6	6	-	-	-	-	-	-	-	-	-	-	17	16	-	-	1	-	-	-	-	-	-			
32 Senility	M	1	-	-	-	-	-	-	-	-	-	-	-	13	-	-	-	-	-	-	-	-	3	10			
	F	18	-	-	-	-	-	-	-	-	-	1	17	9	-	-	-	-	-	-	-	-	1	8			
33 Suicide	M	5	-	-	-	-	-	1	1	2	-	1	-	13	-	-	-	-	1	2	3	4	2	-			
	F	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	2	1	-	-	-			
34 Other violence	M	12	-	-	-	1	1	1	1	3	-	4	1	13	-	-	-	2	-	3	-	2	1	-			
	F	18	-	-	-	-	-	1	-	1	3	4	9	12	2	-	1	1	2	1	-	1	2	-			
35 Other defined causes	M	33	2	-	-	1	-	-	-	2	4	15	9	62	2	-	1	6	1	2	6	3	12	17			
	F	19	-	-	-	-	1	-	-	4	6	2	6	23	1	-	-	1	1	1	6	5	5	-			
36 Ill-defined causes	M	3	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-			
	F	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-			

Causes of Death. first page of Table.		FINSBURY.													FULHAM.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	439	30	5	4	9	12	14	28	50	97	100	90	908	58	6	8	11	29	35	48	119	185	218	191		
	F	418	28	4	3	8	13	8	19	35	62	106	132	909	51	5	3	12	21	40	43	71	145	215	303		
Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	1	—	—	—	—		
Whooping cough	M	1	1	—	—	—	—	—	—	—	—	—	—	5	2	1	2	—	—	—	—	—	—	—	—		
	F	5	5	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—	—	—		
Diphtheria	M	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	—	—	—	3	1	1	—	1	—	—	—	—	—	—	—		
Influenza	M	7	1	—	—	—	—	—	—	—	1	3	2	21	1	—	—	—	—	1	7	6	2	4			
	F	13	—	—	—	1	—	—	—	—	3	3	6	49	—	—	1	—	3	1	3	4	6	19	12		
Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	6	—	—	—	2	2	1	1	—	—	—	—		
	F	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—		
Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	4	1	2	—	—	—	1	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—	—	—		
Respiratory tuberculosis	M	44	—	—	—	—	5	8	12	9	8	1	1	63	—	—	—	—	3	13	14	12	11	8	2		
	F	15	—	—	—	—	6	2	4	1	1	1	—	45	—	—	—	—	6	18	7	6	4	2	2		
Other tuberculosis	M	1	1	—	—	—	—	—	—	—	—	—	—	4	—	—	—	1	2	1	—	—	—	—	—		
	F	2	—	—	—	—	1	—	1	—	—	—	—	6	—	1	—	2	2	1	—	—	—	—	—		
Syphilis	M	5	—	—	—	—	—	—	—	—	5	—	—	2	—	—	—	—	—	—	—	2	—	—	—		
	F	1	—	—	—	—	—	—	—	—	1	—	—	2	1	—	—	—	—	—	—	1	—	—	—		
Gen. paralysis of insane, etc.	M	5	—	—	—	—	—	—	1	3	1	—	—	8	—	—	—	1	—	—	3	2	2	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	2	—	—		
Cancer	M	72	—	—	1	—	—	1	2	6	21	30	11	124	—	—	—	—	2	1	9	14	34	42	22		
	F	58	—	—	—	—	—	1	7	7	11	23	9	118	—	—	—	—	1	4	9	22	28	34	20		
Diabetes	M	2	—	—	—	—	—	—	—	—	—	—	—	12	—	—	—	—	1	2	—	—	2	4	3		
	F	4	—	—	—	—	—	—	—	—	2	2	—	13	—	—	—	—	—	—	3	3	3	4	4		
Cerebral hæmorrhage	M	6	—	—	—	—	—	—	—	—	1	2	3	46	—	—	—	—	—	1	1	4	13	14	13		
	F	15	—	—	—	—	—	—	—	1	4	3	7	48	—	—	—	—	—	—	2	8	17	21	21		
Heart disease	M	105	—	—	—	3	2	2	9	20	25	44	226	226	—	—	—	1	2	3	6	21	43	63	82		
	F	150	—	—	—	2	3	2	2	6	17	44	74	266	—	—	—	—	3	5	6	8	39	69	136		
Aneurysm	M	4	—	—	—	—	—	—	—	—	—	3	1	5	—	—	—	—	—	—	1	2	2	—	—		
	F	3	—	—	—	—	—	—	—	2	1	—	—	4	—	—	—	—	—	—	—	2	2	—	—		
Other circulatory	M	13	—	—	—	—	—	—	—	1	1	6	5	29	—	—	—	—	—	2	3	7	6	11	25		
	F	13	1	—	—	—	—	—	—	—	1	1	10	49	—	—	—	—	—	1	3	6	14	25	25		
Bronchitis	M	16	—	—	—	—	—	—	—	2	6	5	3	36	2	—	2	—	—	—	1	5	8	10	8		
	F	15	1	—	—	—	—	—	—	2	2	6	4	26	1	—	—	—	—	—	1	2	2	3	17		
Pneumonia	M	45	7	3	—	2	1	—	4	6	11	5	6	61	9	—	1	—	—	3	2	17	15	9	5		
	F	33	9	2	1	1	—	1	2	2	4	5	6	43	4	2	1	2	1	1	3	8	7	13	13		
Other respiratory	M	3	—	—	—	—	—	—	—	—	1	2	—	10	—	—	—	—	—	—	2	4	4	—	—		
	F	5	—	1	—	—	—	—	—	—	—	1	3	7	—	—	—	—	—	—	—	1	5	1	—		
Peptic ulcer	M	12	—	—	—	—	—	—	1	3	5	1	2	14	—	—	—	—	—	—	2	10	2	—	—		
	F	1	—	—	—	—	—	—	—	1	—	—	—	4	—	—	—	—	—	—	2	—	2	—	—		
Diarrhœa	M	8	6	—	1	—	1	—	—	—	—	—	—	19	15	3	—	—	—	—	—	—	—	—	1		
	F	8	4	1	—	—	—	1	—	—	1	—	—	13	12	—	—	—	—	1	—	—	—	—	—		
Appendicitis	M	3	—	—	—	—	1	—	—	—	1	1	—	7	—	—	—	1	1	—	2	2	—	—	—		
	F	2	—	—	—	—	1	—	—	—	1	—	—	9	—	—	—	1	—	1	2	2	3	—	—		
Cirrhosis of liver	M	2	—	—	—	—	—	—	—	—	1	1	—	2	—	—	—	—	—	1	1	—	—	—	—		
	F	1	—	—	—	—	—	—	—	1	—	—	—	4	—	—	—	—	—	—	—	3	1	—	—		
Other liver diseases	M	2	—	—	—	—	—	—	—	—	2	—	—	3	—	—	—	—	—	—	—	—	—	—	3		
	F	—	—	—	—	—	—	—	—	—	—	—	—	9	—	—	—	1	—	—	—	2	2	—	4		
Other digestive	M	6	—	—	—	—	—	—	1	—	3	1	1	16	2	—	1	—	—	—	3	2	2	4	—		
	F	6	1	—	—	—	—	—	—	—	3	2															

Causes of Death. See first page of Table.		GREENWICH.													HACKNEY.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M F	581 570	36 31	5 4	4 2	9 6	26 21	25 25	27 28	65 50	122 86	132 120	130 197	1,137 1,170	75 49	8 6	10 9	23 15	40 35	49 53	58 55	129 95	246 176	278 289	222 388		
1 Typhoid fever, etc.	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
2 Measles	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 1	- -	1 -	- 1	- -	- -	- -	- -	- -	- -	- -	- -		
3 Scarlet fever	M F	- 2	- -	- -	- -	- 1	- -	- 1	- -	- -	- -	- -	- -	1 1	- -	- -	- -	1 -	- 1	- -	- -	- -	- -	- -	- -		
4 Whooping cough	M F	5 1	3 1	2 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	3 7	2 4	- 1	- 1	1 1	- -	- -	- -	- -	- -	- -	- -		
5 Diphtheria	M F	4 -	- -	- -	3 -	- -	1 -	- -	- -	- -	- -	- -	- -	3 5	- -	- -	2 2	1 3	- -	- -	- -	- -	- -	- -	- -		
6 Influenza	M F	19 29	- -	- -	- -	- -	- 1	- 2	- 2	4 1	3 8	6 7	4 8	34 41	- 1	- -	- -	- -	2 -	- 5	2 5	3 2	9 4	7 13	8 14		
7 Encephalitis lethargica	M F	1 -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	1 2	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -		
8 Cerebro-spinal fever	M F	1 1	1 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	2 1	2 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
9 Respiratory tuberculosis	M F	43 33	- -	- -	- -	1 -	12 14	7 10	7 7	7 1	7 -	2 1	- -	67 49	- -	- -	- -	- 8	13 12	15 14	14 5	9 9	7 2	7 1	- -		
10 Other tuberculosis	M F	3 2	- -	- -	- -	1 1	- 1	1 -	- -	- -	- -	- -	- -	8 6	1 -	- -	1 1	2 2	1 1	- -	- 1	- 1	2 -	- -	- -		
11 Syphilis	M F	4 -	- -	- -	- -	- -	1 -	- 1	1 -	2 -	- -	- -	- -	4 -	1 -	- -	- -	- -	- -	1 -	- -	2 -	- -	- -	- -		
12 Gen. paralysis of insane, etc.	M F	1 2	- -	- -	- -	- -	- -	- -	- -	1 -	- 1	- 1	- -	6 -	- -	- -	- -	- -	- -	- -	- -	- 3	3 -	- -	- -		
13 Cancer	M F	78 83	- -	- -	- -	- -	- -	3 -	1 6	13 11	24 23	22 23	15 20	172 175	- -	- -	1 -	1 -	1 -	5 3	3 11	24 29	48 41	62 52	27 38		
14 Diabetes	M F	3 13	- -	- -	- -	- -	- -	- -	- -	- 1	- 4	- 5	- 3	12 30	- -	- -	- -	- -	- -	1 -	- 1	5 5	11 11	5 11	2 -		
15 Cerebral hæmorrhage	M F	21 18	- -	- -	- -	- -	- -	- 1	1 2	9 3	6 8	4 5	- -	21 39	- -	- -	- -	- -	- 1	- -	1 7	3 7	4 9	6 13	- -		
16 Heart disease	M F	158 182	- -	- -	- -	2 1	2 3	2 6	2 6	11 10	30 23	57 42	52 97	294 377	- -	- -	- -	3 1	6 3	6 11	11 12	16 20	64 46	94 102	9 18		
17 Aneurysm	M F	2 -	- -	- -	- -	- -	- -	- 1	- -	- 1	- -	- -	- -	10 3	- -	- -	- -	- 1	1 -	1 -	2 -	4 -	1 -	- -	- -		
18 Other circulatory	M F	29 19	- -	- -	- -	- 1	- -	- -	- -	3 3	7 -	8 8	10 8	81 95	- -	- -	- -	- -	- -	1 2	8 2	14 10	24 34	3 4	- -		
19 Bronchitis	M F	16 11	- 1	- -	- -	- -	- -	- 1	2 -	2 1	3 2	8 7	8 7	35 23	2 -	- -	- -	- -	- -	1 -	1 -	7 2	6 2	6 3	1 1		
20 Pneumonia	M F	36 35	4 5	1 3	1 1	- -	- -	1 2	2 -	5 7	11 7	5 4	6 6	98 76	13 8	2 5	2 1	1 -	3 1	2 6	5 3	17 1	27 14	15 20	1 1		
21 Other respiratory	M F	9 10	1 -	- -	- -	- 1	- 1	- -	1 -	3 3	2 1	- 1	1 4	12 11	- -	- -	- -	- 1	- 2	- -	2 1	5 1	3 1	1 3	- -		
22 Peptic ulcer	M F	4 3	- -	- -	- -	- -	- -	- -	- -	1 1	2 2	1 2	- -	15 5	- -	- -	- -	- -	- 1	2 2	8 1	3 2	1 -	- -	- -		
23 Diarrhœa	M F	9 8	7 5	1 1	- -	- -	- 1	- 1	1 -	- -	- 1	- -	- -	18 13	16 7	- -	- -	- -	- -	- 1	2 -	- -	1 3	1 -	- -		
24 Appendicitis	M F	2 3	- -	- -	- 1	- -	1 -	1 -	- -	- 2	- -	- -	- -	7 9	- -	- -	- -	- 1	1 1	1 2	- -	- 2	- 2	- -	- -		
25 Cirrhosis of liver	M F	3 -	- -	- -	- -	- -	- -	- -	- 2	- -	- 1	- -	- -	2 -	- -	- -	- -	- -	- -	- -	- -	- -	- 2	- -	- -		
26 Other liver diseases	M F	3 4	- -	- -	- -	- -	- 1	- -	- -	- 1	1 2	2 -	- -	3 2	- -	- -	- -	- -	- -	- -	- 1	- -	1 1	- -	- -		
27 Other digestive	M F	8 6	1 -	- -	- -	- -	- -	2 -	- 1	1 -	3 2	1 1	- 1	23 18	- -	- -	- -	1 1	3 1	1 2	1 -	4 1	6 4	4 4	- -		
28 Nephritis	M F	14 18	- -	- -	- -	- -	- 1	- 2	- 2	2 2	4 4	4 4	3 5	22 20	- -	- -	- -	1 1	1 2	- -	4 1	2 2	6 2	7 6	- -		
29 Puerperal sepsis	F	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-		
30 Other puerperal	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	2	1	-	-	-	-	-		
31 Congenital causes, etc.	M F	17 15	17 15	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	34 29	33 27	1 -	- 2	- -	- -	- -	- -	- -	- -	- -	- -		
32 Senility	M F	6 18	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- 1	5 17	3 9	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
33 Suicide	M F	5 4	- -	- -	- -	- -	- -	1 1	1 1	1 1	- 2	1 -	1 -	17 21	- -	- -	- -	- -	- 5	4 2	- 3	3 4	3 3	7 4	- -		
34 Other violence	M F	37 14	1 1	1 -	- -	1 1	7 -	5 1	3 1	2 1	6 -	4 1	7 8	41 25	4 -	2 -	2 -	4 1	7 3	3 1	1 -	4 -	5 5	5 2	- -		
35 Other defined causes	M F	40 35	1 1	- -	- -	4 3	- 2	- 4	3 1	4 4	8 5	6 7	14 8	86 72	- 1	- -	2 -	2 1	7 4	7 2	4 5	5 6	8 8	19 13	19 21		
36 Ill-defined causes	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		

Causes of Death. first page of Table.		HAMMERSMITH.												HAMPSTEAD.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	802	85	7	7	11	25	39	47	98	151	194	138	496	37	-	2	3	8	19	26	48	86	134	133
	F	791	45	5	6	17	20	28	37	65	107	186	275	564	18	3	2	3	9	21	32	41	87	165	183
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Whooping cough	M	2	1	-	-	1	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
	F	7	6	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	M	5	1	-	2	2	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-
	F	7	-	-	2	5	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-
Influenza	M	17	-	-	-	-	-	2	2	2	7	2	4	27	-	-	-	-	-	2	4	6	5	10	10
	F	32	1	-	-	-	-	2	2	5	2	10	10	28	-	-	-	-	2	3	2	1	10	10	10
Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Cerebro-spinal fever	M	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Respiratory tuberculosis	M	57	-	-	-	7	14	8	14	8	5	1	17	-	-	-	-	5	2	6	1	3	-	-	-
	F	38	-	-	-	1	11	11	8	3	3	1	13	-	-	-	-	2	5	3	1	-	2	-	-
Other tuberculosis	M	6	-	-	-	1	2	2	1	-	2	-	2	-	-	-	-	1	-	-	-	1	2	-	-
	F	5	-	1	1	1	1	1	-	-	-	-	4	-	-	-	-	-	-	-	1	1	2	-	-
Syphilis	M	8	1	-	-	-	-	-	1	1	1	3	1	4	-	-	-	-	-	-	-	2	2	-	-
	F	3	-	-	-	-	-	-	1	2	-	-	2	-	-	-	-	-	1	1	-	-	-	-	-
Gen. paralysis of insane, etc.	M	9	-	-	-	-	-	1	3	4	1	-	2	-	-	-	-	-	1	-	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	1	-	-	1	-	-	-
Cancer	M	107	-	-	-	-	6	5	13	28	37	18	77	-	-	-	-	-	4	-	11	25	23	14	14
	F	120	-	-	-	-	3	8	16	29	35	29	92	-	-	-	-	-	3	3	7	26	34	19	19
Diabetes	M	3	-	-	-	-	-	1	-	-	-	1	8	-	-	-	-	-	-	-	3	2	3	3	3
	F	11	-	-	-	-	1	-	-	3	3	4	9	-	-	-	-	-	1	-	-	5	5	3	3
Cerebral hæmorrhage	M	28	-	-	-	-	-	1	4	5	13	5	15	-	-	-	-	-	1	-	4	3	2	5	5
	F	46	-	-	-	-	-	-	5	9	21	11	26	-	-	-	-	-	-	4	4	6	8	8	8
Heart disease	M	170	-	-	-	1	2	3	6	19	28	61	50	129	-	-	-	-	1	3	9	19	42	55	55
	F	201	-	-	-	2	2	2	3	8	17	50	117	147	-	-	-	1	-	3	9	19	43	72	72
Aneurysm	M	6	-	-	-	-	-	-	1	3	2	-	7	-	-	-	-	-	-	-	-	5	2	2	2
	F	6	-	-	-	-	-	-	1	2	2	-	8	-	-	-	-	-	1	1	2	3	1	1	1
Other circulatory	M	35	-	-	-	-	-	-	1	10	13	11	25	-	-	-	-	1	-	3	-	12	9	9	9
	F	49	-	-	-	-	-	1	2	9	16	21	48	-	-	-	-	-	-	2	6	18	22	22	22
Bronchitis	M	37	4	-	-	1	3	-	3	6	9	11	14	-	-	-	-	-	1	3	2	6	2	5	5
	F	22	-	-	-	-	-	-	1	2	4	15	10	-	-	-	-	-	-	-	3	2	5	2	2
Pneumonia	M	82	13	4	2	2	1	1	3	13	22	13	8	25	5	1	-	-	-	3	2	5	2	7	7
	F	44	7	1	1	1	2	-	-	5	5	8	14	36	5	1	-	-	1	7	2	3	8	9	9
Other respiratory	M	10	-	-	-	1	2	2	1	2	2	-	4	-	-	-	-	-	-	-	-	2	2	2	2
	F	4	-	-	-	-	-	1	1	2	-	-	7	-	-	-	-	-	-	1	1	1	4	4	4
Peptic ulcer	M	21	-	-	-	-	2	5	3	6	4	1	8	-	-	-	-	-	2	1	2	2	1	1	1
	F	4	-	-	-	-	-	-	3	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-
Diarrhœa	M	23	20	1	-	-	-	-	-	-	-	2	8	8	8	-	-	-	-	-	-	-	-	-	-
	F	6	6	-	-	-	-	-	-	-	-	-	5	3	-	-	-	-	1	-	-	-	-	-	-
Appendicitis	M	3	-	-	-	1	-	-	-	1	-	1	7	-	-	1	-	-	2	1	1	2	-	-	-
	F	2	-	1	-	1	-	-	-	-	-	-	4	-	-	-	1	-	-	-	1	1	1	1	1
Cirrhosis of liver	M	3	-	-	-	-	-	1	1	1	-	-	3	-	-	-	-	-	1	2	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
Other liver diseases	M	2	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	1	1	1	2	3	-	-	-	-	-	-	-	1	1	1	1	1
Other digestive	M	8	1	-	-	1	-	1	-	1	2	-	2	11	-	-	-	-	-	2	2	3	4	4	4
	F	16	1	-	1	-	1	1	2	5	2	3	11	-	-	1	2	1	-	3	1	5	2	5	5
Nephritis	M	11	-	-	-	2	1	-	1	3	3	1	13	-	-	-	-	1	2	3	1	2	5	9	9
	F	17	-	-	-	2	2	-	2	5	5	3	17	-	-	-	-	1	-	1	-	5	1	-	-
Puerperal sepsis	F	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
Other puerperal	F	3	-	-	-	-	2	1	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-
Congenital causes, etc.	M	38	37	-	1	-	-	-	-	-	-	-	18	17	-	-	1	-	-	-	-	-	-	-	-
	F	23	22	-	-	1	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-	-
Senility	M	8	-	-	-	-	-	-	-	-	-	1	7	2	-	-	-	-	-	-	-	-	2	2	2
	F	33	-	-	-	-	-	-	-	-	-	8	25	6	-	-	-	-	-	-	-	1	5	5	5
Suicide	M	7	-	-	-	1	1	2	1	1	-	1	12	-	-	-	-	4	1	1	3	3	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	8	-	-	-	-	3	3	1	1	-	-	-	-
Other violence	M	37	1	-	1	1	9	2	3	4	5	4	7	16	4	-	-	1	-	2	1	1	3	4	4
	F	28	-	1	1	3	-	1	2	1	1	8	10	12	2	-	-	1	-	-	-	1	3	5	5
Other defined causes	M	58	5	2	1	1	1	6	10	9	17	5	35	1	-	-	-	1	3	1	-	5	16	8	8
	F	50	2	-	-	2	1	1	8	9	10	11	48	-	-	1	-	2	3	2	7	13	10	9	9
Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Causes of Death.		KENSINGTON.													LAMBETH.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	1,036	108	11	8	11	33	47	49	101	193	254	221	1,839	156	16	24	22	50	57	89	206	367	432	420		
	F	1,309	69	10	7	12	26	49	59	107	205	296	469	1,777	110	16	11	25	50	67	77	151	258	399	613		
1 Typhoid fever, etc.	M	1	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Measles	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	1	-	-	1	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-		
	F	1	-	-	1	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	1	-	-		
4 Whooping cough	M	3	2	1	-	-	-	-	-	-	-	-	-	14	8	4	1	1	-	-	-	-	-	-	-		
	F	2	2	-	-	-	-	-	-	-	-	-	-	7	4	2	1	-	-	-	-	-	-	-	-		
5 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	9	1	1	2	5	-	-	-	-	-	-	-		
	F	4	-	-	2	1	-	-	-	1	-	-	-	11	-	1	3	6	1	-	-	-	-	-	-		
6 Influenza	M	31	1	-	-	-	4	1	3	7	2	8	5	52	-	-	-	-	3	3	3	17	11	7	8		
	F	69	1	-	-	-	-	2	5	5	11	14	31	64	1	-	-	1	3	2	5	4	12	14	22		
7 Encephalitis lethargica	M	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	2	-	2	1	-	-	-		
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	-	-	-	-	-	-	-	-		
	F	3	1	1	-	-	1	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	58	-	-	-	-	5	14	7	12	12	7	1	132	-	-	-	-	10	26	33	25	31	7	-		
	F	56	2	-	-	-	8	15	8	7	8	7	1	76	-	-	-	1	27	25	10	4	5	3	1		
0 Other tuberculosis	M	9	1	1	2	-	1	1	1	2	-	-	-	17	1	1	4	2	3	2	1	2	-	1	-		
	F	7	1	1	-	1	1	1	-	1	1	-	-	14	2	1	1	3	1	2	1	-	3	-	-		
1 Syphilis	M	8	-	-	-	-	-	1	1	1	4	1	-	11	-	-	-	-	1	2	2	5	1	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	6	1	-	-	-	1	2	-	-	2	-	-		
2 Gen. paralysis of insane, etc.	M	6	-	-	-	-	-	1	-	3	-	2	-	8	-	-	-	-	1	2	1	3	1	-	-		
	F	1	-	-	-	-	-	-	-	-	1	-	-	5	-	-	-	-	1	1	1	1	-	-	1		
3 Cancer	M	130	-	-	2	-	1	1	1	14	42	43	26	230	-	-	1	-	2	3	3	20	69	85	47		
	F	214	-	-	-	1	2	3	10	39	55	51	53	268	-	-	-	-	2	4	14	47	68	71	62		
4 Diabetes	M	7	-	-	-	-	-	-	-	-	2	3	2	20	-	-	-	-	-	-	-	1	5	5	9		
	F	20	-	-	-	-	1	-	-	1	5	8	5	27	1	-	-	-	-	-	1	1	1	10	13		
5 Cerebral hæmorrhage	M	35	-	-	-	-	-	-	-	2	9	10	14	67	-	-	-	-	1	-	5	14	22	25	32		
	F	58	-	-	-	-	-	-	2	5	9	17	25	84	-	-	-	-	1	-	2	6	18	25	32		
6 Heart disease	M	241	-	-	-	-	2	-	3	18	47	85	86	487	-	-	-	2	2	1	6	47	93	159	177		
	F	384	-	-	-	1	4	5	8	18	36	114	198	560	-	-	-	-	3	5	5	39	68	148	292		
7 Aneurysm	M	8	-	-	-	-	-	-	-	2	2	1	3	10	-	-	-	-	-	1	1	4	3	1	1		
	F	7	-	-	-	-	-	-	2	2	1	1	1	6	-	-	-	-	-	-	1	2	2	2	1		
8 Other circulatory	M	40	-	-	-	-	-	-	1	5	4	13	17	59	-	-	1	-	-	-	-	3	14	22	19		
	F	78	-	-	-	-	-	-	1	3	13	23	38	69	-	-	-	-	-	-	2	2	4	26	35		
9 Bronchitis	M	23	5	-	-	-	-	-	-	3	4	6	5	77	9	-	1	-	-	1	2	6	17	23	18		
	F	32	2	-	-	-	-	-	-	3	4	2	21	65	1	2	-	1	-	1	2	5	4	20	29		
0 Pneumonia	M	97	23	5	-	1	2	3	12	7	16	16	12	120	29	3	3	1	-	-	5	17	30	20	12		
	F	72	16	3	1	-	1	5	5	4	8	11	18	87	18	5	1	-	-	-	5	10	10	18	20		
1 Other respiratory	M	12	-	-	1	-	-	1	1	-	2	4	3	19	-	-	-	-	-	2	1	4	1	6	5		
	F	11	-	-	-	-	-	1	2	-	2	1	5	10	-	-	-	1	-	1	-	3	2	3	6		
2 Peptic ulcer	M	13	-	-	-	-	-	-	1	1	7	4	-	50	-	-	-	-	-	2	6	12	11	13	6		
	F	12	-	-	-	-	-	1	-	-	5	3	3	14	-	-	-	-	-	1	1	6	6	-	-		
3 Diarrhœa	M	31	26	2	-	-	-	-	-	-	-	1	2	29	24	2	-	-	-	-	-	-	1	-	2		
	F	16	13	1	-	-	-	-	2	-	-	-	-	24	18	1	1	-	-	1	-	1	1	-	-		
4 Appendicitis	M	11	-	-	-	1	1	1	3	-	4	1	-	10	-	-	2	-	3	1	-	1	1	2	-		
	F	9	-	-	1	1	1	-	-	-	2	3	1	8	-	-	-	2	-	1	-	2	3	-	-		
5 Cirrhosis of liver	M	9	-	-	-	-	-	-	2	3	2	1	1	4	-	-	-	-	-	-	3	1	-	-	-		
	F	2	-	-	-	-	-	1	-	-	-	1	-	8	-	-	-	-	2	-	1	2	2	1	-		
6 Other liver diseases	M	6	-	-	-	-	-	1	-	-	1	3	1	6	-	1	-	-	-	1	-	4	-	-	-		
	F	8	-	-	-	-	-	-	-	1	2	2	3	9	1	-	-	-	-	-	2	2	2	2	2		
7 Other digestive	M	18	3	-	-	-	-	2	1	3	2	3	4	24	1	-	2	-	-	2	4	6	4	5	7		
	F	23	3	1	-	1	-	1	1	1	2	6	7	32	2	-	1	-	2	-	2	3	6	9	7		
8 Nephritis	M	30	-	-	-	1	1	-	-	2	9	11	6	42	-	-	-	-	2	3	4	9	11	11	11		
	F	22	-	-	-	-	1	-	2	2	6	5	6	42	-	-	-	1	-	1	4	4	15	10	7		
9 Puerperal sepsis	F	2	-	-	-	-	1	-	1	-	-	-	-	5	-	-	-	-	1	2	2	-	-	-	-		
0 Other puerperal	F	5	-	-	-	-	-	5	-	-	-	-	-</														

TABLE 24—contd. Metropolitan Boroughs.

Causes of Death. See first page of Table.		LEWISHAM.													PADDINGTON.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	1,185	78	13	9	19	37	44	58	128	240	281	278	900	78	6	7	10	24	36	42	93	185	216	203		
	F	1,270	63	6	6	23	31	42	72	107	170	284	466	906	47	8	5	5	25	44	42	60	146	229	295		
1 Typhoid fever, etc.	M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1		
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4 Whooping cough	M	6	4	1	-	1	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-		
	F	5	5	-	-	-	-	-	-	-	-	-	-	4	2	1	-	1	-	-	-	-	-	-	-		
5 Diphtheria	M	4	-	-	1	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
	F	7	-	-	3	3	1	-	-	-	-	-	-	4	-	-	2	-	1	1	-	-	-	-	-		
6 Influenza	M	41	-	2	-	-	2	3	7	8	10	9	23	23	-	-	-	-	-	1	2	7	6	3	4		
	F	53	2	-	-	-	1	2	5	9	11	21	37	-	-	-	-	-	1	4	3	7	10	12			
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
8 Cerebro-spinal fever	M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	2	2	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	1	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	78	-	-	-	-	10	15	9	26	10	7	1	63	-	-	1	-	10	9	13	10	15	4	1		
	F	56	-	-	-	-	15	18	11	7	3	2	-	29	-	-	1	-	7	10	4	3	4	-	-		
10 Other tuberculosis	M	5	-	-	1	3	1	-	-	-	-	-	-	9	2	-	1	1	3	1	-	-	1	-	-		
	F	8	-	-	1	4	-	-	1	2	-	-	-	8	-	-	-	-	5	2	-	-	-	1	-		
11 Syphilis	M	4	-	-	-	-	-	-	1	-	2	1	-	6	-	-	-	-	-	-	2	2	2	-	-		
	F	1	-	-	-	-	-	-	-	1	-	-	-	3	1	-	-	-	1	-	1	-	-	-	-		
12 Gen. paralysis of insane, etc.	M	5	-	-	-	-	-	-	1	-	1	3	-	9	-	-	-	-	-	1	1	5	2	-	-		
	F	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-		
13 Cancer	M	178	-	-	1	-	-	3	9	18	62	54	31	142	-	-	-	-	1	1	3	16	49	44	28		
	F	201	-	-	-	-	-	2	17	37	47	57	41	131	-	-	-	-	-	2	6	19	42	35	27		
14 Diabetes	M	10	-	-	-	-	-	2	-	1	1	4	2	6	-	-	-	-	-	1	-	-	1	2	2		
	F	28	-	-	-	-	-	1	-	5	5	8	9	12	-	-	-	-	-	-	1	-	2	5	4		
15 Cerebral hæmorrhage	M	37	-	-	-	-	-	-	2	2	1	15	17	19	-	-	-	-	-	-	1	2	4	5	7		
	F	61	-	-	-	-	-	-	1	6	7	13	34	28	-	-	-	-	-	-	1	-	6	10	11		
16 Heart disease	M	266	-	-	-	4	4	7	26	55	87	83	218	218	-	-	-	1	-	3	5	16	34	73	86		
	F	343	-	-	-	2	3	5	10	14	34	103	172	226	-	-	-	1	2	5	9	5	24	78	102		
17 Aneurysm	M	8	-	-	-	-	-	-	2	4	1	1	9	9	-	-	-	-	-	1	2	1	1	4	-		
	F	3	-	-	-	-	-	-	1	1	-	-	1	7	-	-	-	-	-	1	-	1	2	3	-		
18 Other circulatory	M	84	-	-	-	-	-	-	2	16	35	31	45	45	-	-	-	-	-	1	-	1	12	11	20		
	F	76	-	-	-	-	-	-	2	3	10	29	32	75	-	-	-	-	-	-	3	9	28	35	35		
19 Bronchitis	M	47	2	-	1	-	-	-	1	4	7	10	22	34	4	-	-	-	-	1	-	5	8	9	7		
	F	43	3	-	-	-	-	2	1	2	5	6	24	28	3	-	-	-	-	3	-	1	1	6	14		
20 Pneumonia	M	56	6	4	-	-	2	1	3	10	13	10	7	82	14	3	1	-	1	2	4	6	18	20	13		
	F	51	9	4	-	1	2	1	3	3	6	9	13	68	7	2	-	-	2	2	5	4	11	15	20		
21 Other respiratory	M	17	-	-	-	-	1	-	1	1	6	2	6	9	-	-	-	-	-	-	-	2	4	2	1		
	F	20	-	1	-	1	-	-	2	-	1	3	12	14	-	-	-	-	-	-	-	3	3	2	6		
22 Peptic ulcer	M	25	-	-	-	-	-	-	3	6	10	3	3	14	-	-	-	-	-	-	2	3	3	4	2		
	F	6	-	-	-	-	-	-	-	2	3	-	1	6	-	-	-	-	-	-	1	-	-	1	4		
23 Diarrhœa	M	18	14	1	-	-	1	-	-	-	1	-	1	18	15	1	-	-	-	1	-	-	-	1	-		
	F	16	13	-	-	-	-	1	1	-	-	-	1	10	6	2	-	-	-	-	1	-	-	-	1		
24 Appendicitis	M	4	-	-	-	-	1	1	1	-	1	-	-	4	-	-	-	1	-	1	-	-	1	-	1		
	F	5	-	-	-	-	-	-	1	-	3	1	-	6	-	-	1	-	1	-	-	3	1	-	-		
25 Cirrhosis of liver	M	4	-	-	-	-	-	-	1	-	1	2	-	1	-	-	-	-	-	-	-	-	1	-	-		
	F	2	-	-	-	-	-	-	-	-	-	2	-	7	-	-	-	-	-	1	1	2	1	2			
26 Other liver diseases	M	3	-	-	-	-	-	-	-	2	-	1	-	2	-	-	-	-	-	1	-	-	-	-	-		
	F	4	-	-	-	-	-	-	-	-	1	-	3	8	-	-	-	-	-	-	1	1	2	2	2		
27 Other digestive	M	25	1	1	2	-	1	-	-	3	7	7	3	18	2	-	-	1	1	-	3	2	6	1	2		
	F	18	1	-	-	2	1	-	1	1	3	3	6	22	1	-	-	1	1	3	-	1	4	5	6		
28 Nephritis	M	24	-	-	-	1	2	-	3	3	5	3	7	18	-	-	-	-	-	2	1	4	2	4	5		
	F	43	-	-	-	1	-	1	5	2	9	11	14	24	-	-	-	-	1	-	3	5	8	7	7		
29 Puerperal sepsis	F	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-		
30 Other puerperal	F	3	-	-	-	-	1	-	2	-	-	-	-	6	-	-	-	-	1	4	1	-	-	-	-		
31 Congenital causes, etc.	M	41	39	1																							

TABLE 24—*contd.* Metropolitan Boroughs.

223

Causes of Death. See first page of Table.		POPLAR.													ST. MARYLEBONE.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	935	75	13	9	18	35	45	40	112	189	206	193	577	38	1	-	2	5	22	27	73	135	152	122		
	F	793	54	8	13	17	24	34	31	68	112	188	244	625	25	-	4	2	20	24	26	64	117	149	194		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-		
	F	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-		
2 Measles	M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4 Whooping cough	M	3	-	1	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-		
	F	5	4	1	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-		
Diphtheria	M	7	1	-	2	4	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-		
	F	8	-	1	5	2	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-		
6 Influenza	M	21	-	1	-	-	2	-	-	5	7	2	4	23	-	-	-	-	3	1	5	3	5	6	6		
	F	15	-	-	-	-	2	-	-	3	3	3	4	21	-	-	-	2	2	1	3	4	6	3	3		
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-		
8 Cerebro-spinal fever	M	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	62	-	-	-	-	11	15	7	15	9	5	-	27	-	-	-	1	6	3	7	10	-	-	-		
	F	46	-	-	1	-	12	15	6	6	5	1	-	24	1	-	-	5	9	1	3	2	3	-	-		
10 Other tuberculosis	M	9	-	2	2	1	1	1	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
	F	2	-	-	-	1	-	-	-	-	1	-	-	2	-	-	-	-	1	-	-	1	-	-	-		
11 Syphilis	M	5	-	-	-	-	-	-	-	-	3	2	-	6	-	-	-	-	-	-	3	1	2	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
12 Gen. paralysis of insane, etc.	M	3	-	-	-	-	-	-	1	1	-	1	-	4	-	-	-	-	-	-	-	1	3	-	-		
	F	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1	-	-	1	-	-	-		
13 Cancer	M	134	1	-	-	1	-	4	3	16	44	49	16	77	-	-	-	-	1	2	9	19	30	16	16		
	F	107	-	-	-	2	1	1	8	14	25	32	24	102	-	-	-	1	-	3	17	26	32	23	23		
14 Diabetes	M	5	-	-	-	1	-	-	-	1	-	-	-	5	-	-	-	-	-	-	1	2	1	1	1		
	F	8	-	-	-	-	-	-	-	-	4	3	1	13	-	-	-	-	1	-	-	5	4	3	3		
15 Cerebral hæmorrhage	M	26	-	-	-	-	-	-	1	3	9	4	9	21	-	-	-	-	-	2	1	6	6	6	6		
	F	34	-	-	-	-	-	-	-	4	8	14	8	39	-	-	-	-	1	1	5	13	5	14	14		
16 Heart disease	M	265	-	-	-	1	3	1	4	16	40	88	112	149	-	-	-	1	3	-	11	33	54	47	47		
	F	302	-	-	-	-	7	7	12	37	96	143	148	148	-	-	-	-	1	2	8	29	43	65	65		
17 Aneurysm	M	2	-	-	-	-	-	-	-	-	2	-	-	7	-	-	-	-	-	-	1	4	2	-	-		
	F	3	-	1	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	1	-	-	1	1		
18 Other circulatory	M	31	-	-	-	-	-	1	-	-	9	12	9	23	-	-	-	-	-	-	1	5	11	6	6		
	F	28	-	-	-	-	-	-	-	2	3	8	15	33	-	-	-	-	-	1	4	2	13	13	13		
19 Bronchitis	M	61	17	2	-	-	1	-	-	8	17	9	7	17	1	-	-	-	-	1	1	8	2	4	4		
	F	31	4	-	1	-	-	-	-	1	4	9	12	27	1	-	-	-	1	1	-	3	2	19	19		
20 Pneumonia	M	59	11	5	2	1	1	2	7	10	7	6	7	44	6	-	1	-	1	2	5	15	9	5	5		
	F	42	12	3	3	1	2	-	3	-	4	7	7	45	6	-	1	-	1	-	4	8	9	16	16		
21 Other respiratory	M	12	-	-	-	-	-	-	2	4	4	-	2	4	-	-	-	-	-	-	-	1	2	1	1		
	F	7	-	-	-	-	-	-	-	1	2	1	3	2	-	-	-	-	1	-	-	1	-	-	-		
22 Peptic ulcer	M	11	-	-	-	-	2	-	-	5	4	-	-	13	-	-	-	-	1	1	5	2	3	1	1		
	F	4	-	-	-	-	-	-	-	2	2	-	-	5	-	-	-	-	-	-	3	-	1	1	1		
23 Diarrhoea	M	16	14	-	-	-	-	-	-	-	2	-	-	7	7	-	-	-	-	-	-	-	-	-	-		
	F	16	12	-	-	-	1	-	-	-	-	1	2	5	2	-	-	-	-	-	-	1	1	1	1		
24 Appendicitis	M	4	-	-	-	-	1	-	-	2	1	-	-	7	-	-	-	-	-	2	2	2	1	-	-		
	F	4	-	-	-	-	-	1	1	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-		
25 Cirrhosis of liver	M	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	1	-	1	1	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	1	-	3	2	-	-	-		
26 Other liver diseases	M	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	1		
	F	3	-	-	-	-	-	-	-	1	2	-	-	3	-	-	-	-	-	-	1	1	1	-	-		
27 Other digestive	M	9	-	-	1	-	-	-	1	1	2	3	1	16	1	-	-	1	-	1	3	3	4	3	3		
	F	6	-	-	-	2	-	-	-	1	2	1	-	10	-	-	-	-	1	1	1	1	4	2	2		
28 Nephritis	M	23	-	-	-	-	3	3	2	1	7	3	4	13	-	-	-	-	-	1	4	3	2	3	3		
	F	12	-	-	-	1	-	2	-	2	3	1	3	14	-	-	-	1	-	1	1	3	6	2	2		
29 Puerperal sepsis	F	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-		
30 Other puerperal	F	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-		
31 Congenital causes, etc.	M	25	24	-	-	-	-	-	-	1	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-		
	F	19	17	-	-	2	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-		
32 Senility	M	4	-	-	-	-	-	-	-	-	1	-	3	7	-	-	-	-	-	-	-	-	1	6	6		
	F	8	-	-	-	-	-	-	-	-	-	-	8	14	-	-	-	-	-	-	-	-	1	13	13		
33 Suicide	M	12	-	-	-	-	-	2	3	3	1	2	1	14	-	-	-	-	2	1	5	2	4	-	-		
	F	3	-	-	-	-	-	1	1	1	1	3	-	9	-	-	-	4	2	2	-	1	-	-	-		
34 Other violence	M	54	1	-	-	6	7	5	5	10	11	3	6	24	2	-	-	1	3	5	4	4	-	5	5		
	F	17	-	-	1	1	1	-																			

TABLE 24—contd. Metropolitan Boroughs.

Causes of Death. See first page of Table.		SOUTHWARK.												STEPNEY.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	1,187	90	14	9	13	27	43	58	108	238	308	279	1,364	95	23	21	28	40	67	56	158	289	359	228
	F	887	50	10	8	10	36	38	47	66	138	204	280	1,115	71	17	11	15	41	33	57	97	167	305	301
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
2 Measles	M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4 Whooping cough	M	8	5	2	1	-	-	-	-	-	-	-	-	5	1	2	2	-	-	-	-	-	-	-	-
	F	5	3	2	-	-	-	-	-	-	-	-	-	9	5	3	1	-	-	-	-	-	-	-	-
5 Diphtheria	M	1	-	-	1	-	-	-	-	-	-	-	-	5	-	1	4	-	-	-	-	-	-	-	-
	F	7	-	1	2	4	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-
6 Influenza	M	39	1	-	-	-	1	1	1	5	11	8	11	37	2	1	1	-	2	2	1	8	6	9	5
	F	34	-	-	1	-	4	1	1	7	1	4	15	36	-	-	-	-	1	2	1	2	6	10	14
7 Encephalitis lethargica	M	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
8 Cerebro-spinal fever	M	3	2	-	-	-	1	-	-	-	-	-	-	4	2	-	1	-	-	-	-	1	-	-	-
	F	2	-	2	-	-	-	-	-	-	-	-	-	4	-	1	-	-	1	-	1	-	1	-	-
9 Respiratory tuberculosis	M	75	-	-	-	-	5	8	16	12	23	11	-	115	-	-	1	-	17	27	18	24	17	10	1
	F	41	-	-	-	-	13	14	5	3	2	4	-	38	-	-	-	1	15	6	4	5	5	1	1
10 Other tuberculosis	M	6	1	-	-	1	2	1	-	-	-	1	-	9	1	-	3	-	2	1	-	2	-	-	-
	F	7	-	-	-	1	2	2	1	-	1	-	-	8	-	1	3	1	1	-	2	-	-	-	-
11 Syphilis	M	6	1	-	-	-	-	-	-	1	1	2	1	3	-	-	-	-	-	-	-	-	1	1	1
	F	6	-	-	-	-	-	-	1	3	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-
12 Gen. paralysis of insane, etc.	M	10	-	-	-	-	1	-	1	4	3	1	-	5	-	-	-	-	-	1	2	1	1	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	1	4	-	-	-	-	2	2	-	-	-	-	-
13 Cancer	M	166	-	-	-	2	-	3	5	25	49	60	22	181	-	-	1	3	1	3	7	19	57	67	23
	F	113	-	-	-	1	1	-	10	20	24	32	25	150	-	-	-	-	2	4	10	25	36	47	26
14 Diabetes	M	7	-	-	-	-	-	-	1	-	1	5	-	17	-	-	-	-	-	-	-	2	7	5	3
	F	17	-	-	-	-	-	-	-	-	5	9	3	36	-	-	-	-	-	-	-	4	9	22	1
15 Cerebral hæmorrhage	M	27	-	-	-	-	-	-	1	1	1	11	13	32	-	-	-	-	-	1	-	5	10	11	5
	F	22	-	-	-	-	-	-	1	2	4	8	7	42	-	-	-	-	-	1	-	3	10	17	11
16 Heart disease	M	321	-	-	-	3	4	5	6	16	50	88	149	408	-	-	-	3	3	7	7	38	90	140	120
	F	296	-	-	-	2	7	11	16	38	85	137	137	376	-	1	1	2	8	6	13	18	51	114	162
17 Aneurysm	M	8	-	-	-	-	-	-	-	1	4	3	-	5	-	-	-	-	-	-	2	2	1	-	-
	F	3	-	-	-	-	-	-	1	-	-	-	2	3	-	-	-	-	-	1	1	1	-	-	-
18 Other circulatory	M	53	-	-	-	-	-	-	-	-	9	21	23	49	-	-	-	-	-	-	2	13	21	13	13
	F	49	-	-	-	-	-	-	1	1	10	19	18	62	-	-	-	-	-	1	1	9	27	24	24
19 Bronchitis	M	57	1	-	-	-	1	2	-	6	15	16	16	44	3	-	1	-	-	1	-	9	12	11	7
	F	40	2	-	-	-	-	-	2	3	7	7	19	23	1	-	-	1	-	-	-	3	4	7	7
20 Pneumonia	M	106	25	10	2	-	1	3	7	11	18	18	11	105	24	8	4	2	3	2	2	8	21	16	15
	F	57	11	1	2	-	1	3	2	1	10	10	16	66	13	5	2	-	2	1	4	6	4	8	21
21 Other respiratory	M	11	-	-	-	-	-	-	1	1	6	3	-	18	-	-	-	2	1	1	1	3	2	6	2
	F	9	-	-	-	-	-	1	-	4	1	3	-	6	-	1	-	-	1	-	1	1	1	-	1
22 Peptic ulcer	M	15	-	-	-	-	-	1	3	4	2	4	1	19	-	-	-	-	-	3	-	5	6	4	1
	F	5	-	-	-	-	-	-	2	1	2	-	-	6	-	-	-	-	-	-	-	2	3	1	1
23 Diarrhœa	M	16	12	1	-	-	-	1	-	1	1	-	-	22	17	3	-	-	-	-	1	1	-	-	-
	F	9	8	-	-	-	-	-	-	-	1	-	-	26	19	2	1	-	1	-	1	1	1	1	1
24 Appendicitis	M	2	-	-	-	1	-	-	-	1	-	-	-	8	-	-	-	2	-	-	1	2	1	2	-
	F	2	-	-	-	-	1	-	-	-	-	1	-	6	-	-	1	-	1	1	1	1	-	-	-
25 Cirrhosis of liver	M	4	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	1
	F	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	3	-	-	-
26 Other liver diseases	M	3	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	12	-	-	-	-	-	1	-	2	2	5	2
27 Other digestive	M	13	-	-	-	-	-	1	-	1	4	6	1	19	1	1	-	2	1	1	-	4	4	4	1
	F	11	1	-	1	1	-	-	-	1	2	3	2	18	1	-	1	-	1	-	2	1	3	5	4
28 Nephritis	M	48	-	-	-	1	-	3	2	6	16	13	7	29	-	-	-	-	2	1	1	5	6	9	5
	F	32	-	-	-	-	3	1	1	2	8	7	10	19	-	-	-	-	1	-	3	5	5	5	-
29 Puerperal sepsis	F	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-
30 Other puerperal	F	6	-	-	-	-	3	2	1	-	-	-	-	5	-	-	-	-	-	4	1	-	-	-	-
31 Congenital causes, etc.	M	35	35	-	-	-	-	-	-	-	-	-	-	32	30	1	-	1	-	-	-	-	-	-	-
	F	21	20	-	-	-	-	-	-	-	1	-	-	26	26	-	-	-	-	-	-	-	-	-	-
32 Senility	M	7	-	-	-	-	-	-	-	-	-	3	4	2	-	-	-	-	-	-	-	-	-	-	2
	F	10	-	-	-	-	-	-	-	-	-	1	9	3	-	-	-	-	-	-	-	-	1	-	2
33 Suicide	M	20	-	-	-	-	-	3	5	2	5	4	1	13	-	-	-	-	-	2	2	2	4	3	-
	F	4	-	-	-	-	-	1	-	-	1	2	-	8	-	-	-	-	1	1	3	1	-	2	-
34 Other violence	M	30	1	-	-	1	7	9	1	1	2	7	1	55	6	3	1	4	8	7	1	5	6	7	7
	F	15	2	2	-	1	1	-	-	1	4	-	4	32	1	1	1	4	-	1	-	3	3	9	9
35 Other defined causes	M	86	6	1	4	4	4	2	8	7	14	21	15	120	8	3	2	9	-	8	12	10	21	31	16
	F	57	3	2	2	2	5	6	5	5	8	11	8	77	5	1	-	5	3	4	8	9	12	18	12
36 Ill-defined causes	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	2	2

TABLE 24—contd. Metropolitan Boroughs.

Causes of Death. See first page of Table.		STOKE NEWINGTON.													WANDSWORTH.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	294	15	3	1	1	11	8	18	27	54	80	76	2,052	157	13	24	29	50	67	105	213	417	483	494		
	F	337	13	3	2	3	11	8	17	18	45	81	136	2,191	94	18	14	21	53	81	75	194	312	515	814		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	1	-	-	1	-	-	-	-		
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	10	8	1	1	-	-	-	-	-	-	-	-		
	F	1	-	1	-	-	-	-	-	-	-	-	-	13	7	4	2	-	-	-	-	-	-	-	-		
5 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	8	2	1	3	2	-	-	-	-	-	-	-		
	F	1	-	-	1	-	-	-	-	-	-	-	-	10	-	-	2	7	-	-	-	-	-	-	-		
6 Influenza	M	10	-	1	-	-	-	-	1	1	1	3	3	54	1	-	1	-	1	2	1	10	13	16	9		
	F	8	-	1	-	-	1	-	-	-	-	2	4	73	1	1	-	1	1	2	1	10	10	17	29		
7 Encephalitis lethargica	M	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-		
	F	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	1	-	1	1	-	-	-		
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1	1	-	1	-	1	-	-	-	-		
	F	1	-	-	-	-	-	-	-	-	1	-	-	3	1	-	1	-	-	-	-	1	-	-	-		
9 Respiratory tuberculosis	M	26	-	-	-	-	2	6	6	7	3	1	1	119	-	-	-	-	12	29	19	23	28	8	-		
	F	7	-	-	-	-	3	2	2	-	-	-	-	76	-	1	-	-	23	21	13	7	9	2	-		
10 Other tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	16	-	-	1	2	5	1	2	3	1	-	-		
	F	2	-	1	-	-	1	-	-	-	-	-	-	13	-	-	1	1	1	4	-	3	2	1	-		
11 Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	2	3	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-		
12 Gen. paralysis of insane, etc.	M	1	-	-	-	-	-	-	1	-	-	-	-	9	-	-	-	-	-	1	3	2	3	-	-		
	F	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	1	-	3	-	-	-		
13 Cancer	M	45	-	-	-	-	-	-	2	6	13	17	7	284	-	-	-	-	2	18	36	79	89	60	-		
	F	54	-	-	-	-	-	1	3	8	11	15	16	313	-	-	1	-	3	1	17	48	85	91	66		
14 Diabetes	M	4	-	-	-	-	-	-	-	-	-	-	-	29	-	-	-	1	-	1	2	-	6	12	7		
	F	6	-	-	-	-	-	-	1	-	2	1	2	31	-	-	-	-	-	1	1	4	3	10	12		
15 Cerebral hæmorrhage	M	8	-	-	-	-	-	-	-	2	1	3	2	55	-	-	-	-	-	1	1	5	8	16	24		
	F	11	-	-	-	-	-	-	-	-	3	4	4	93	-	-	-	-	-	1	1	8	13	32	38		
16 Heart disease	M	73	-	-	-	-	-	-	3	4	12	22	32	558	-	-	1	3	2	4	14	36	109	158	231		
	F	116	-	-	-	-	1	-	4	2	12	31	66	761	-	-	-	-	3	11	11	37	79	200	420		
17 Aneurysm	M	1	-	-	-	-	-	-	-	-	-	1	-	12	-	-	-	-	-	1	4	3	4	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	12	-	-	-	-	-	1	3	2	4	2	-		
18 Other circulatory	M	23	-	-	-	-	-	-	1	-	4	7	11	71	-	-	-	-	-	-	6	10	24	31	-		
	F	20	-	-	-	-	-	-	-	-	2	6	12	107	-	-	-	-	-	-	12	18	29	46	-		
19 Bronchitis	M	7	-	-	-	1	-	-	-	1	-	2	3	109	3	1	1	1	-	1	6	13	17	36	30		
	F	12	-	-	-	-	-	-	-	-	3	2	7	70	2	-	-	-	-	-	3	7	19	39	-		
20 Pneumonia	M	28	1	1	-	-	-	-	-	4	5	9	8	116	19	4	2	2	2	1	7	11	29	25	14		
	F	27	2	-	-	1	1	-	-	4	4	4	15	101	14	5	1	1	-	1	6	13	11	23	26		
21 Other respiratory	M	2	-	-	-	-	-	-	-	-	1	1	-	14	2	-	-	-	-	-	3	2	5	1	1		
	F	3	-	-	-	-	-	-	1	1	1	-	-	16	-	-	2	-	-	-	-	3	2	6	3		
22 Peptic ulcer	M	4	-	-	-	-	-	-	-	1	-	2	1	43	-	-	-	-	-	3	5	8	15	10	2		
	F	1	-	-	-	-	-	-	1	-	-	-	-	10	-	-	-	-	-	-	1	2	4	1	2		
23 Diarrhœa	M	7	5	1	-	-	-	-	-	-	-	-	-	40	34	1	-	-	1	-	-	2	-	-	-		
	F	1	-	-	-	-	-	1	-	-	-	-	-	18	9	1	1	-	-	3	1	-	2	-	-		
24 Appendicitis	M	1	-	-	-	-	-	-	-	-	-	-	-	16	-	-	3	-	-	-	-	7	3	-	-		
	F	2	-	-	-	-	1	-	-	-	-	1	-	17	-	-	-	2	1	1	4	4	2	-	-		
25 Cirrhosis of liver	M	1	-	-	-	-	-	-	-	-	-	-	1	11	-	-	-	-	-	-	1	2	5	2	-		
	F	1	-	-	-	-	-	-	-	1	-	-	-	8	1	-	-	-	-	-	3	2	2	-	-		
26 Other liver diseases	M	1	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	-	-	1	-	13	-	-	-	-	-	1	-	2	1	3	-		
27 Other digestive	M	7	-	-	-	-	2	1	1	-	2	1	-	36	3	-	1	1	1	1	-	6	7	11	-		
	F	8	-	-	-	-	-	-	1	3	1	3	-	36	1	1	-	-	1	1	1	8	7	9	-		
28 Nephritis	M	4	-	-	-	-	-	-	-	-	3	1	-	62	-	-	-	-	3	4	5	6	19	14	1		
	F	6	-	-	-	-	1	2	-	-	1	2	-	56	-	-	-	-	4	2	2	-	11	17	2		
29 Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	3	3	1	-	-	-	-		
30 Other puerperal	F	3	-	-	-	-	2	1	-	-	-	-	-	4	-	-	-	-	4	-	-	-	-	-	-		
31 Congenital causes, etc.	M	7	7	-	-	-	-	-	-	-	-	-	-	75	73	-											

TABLE 24—*contd.* Metropolitan Boroughs.

227

Causes of Death. See first page of Table.		WESTMINSTER.													WOOLWICH.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	750	38	3	2	3	23	29	44	97	172	188	151	862	51	5	5	17	36	39	55	94	172	230	158		
	F	698	20	5	6	6	19	28	45	75	100	169	225	798	35	4	7	15	20	36	47	74	124	165	271		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4 Whooping cough	M	1	-	1	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-		
	F	3	1	1	1	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-		
5 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	2	-	-	-	-	-	-	-		
	F	3	-	1	-	2	-	-	-	-	-	-	-	7	1	-	4	2	-	-	-	-	-	-	-		
6 Influenza	M	15	-	1	-	-	-	-	2	2	2	5	3	26	-	-	-	1	1	3	1	10	5	5			
	F	21	-	-	-	-	-	-	1	5	5	5	5	40	-	-	-	1	3	-	4	9	7	16			
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-			
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	2	-	-	-	1	-	-			
	F	1	-	-	-	-	1	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-			
9 Respiratory tuberculosis	M	57	-	-	-	-	5	13	9	12	10	7	1	64	-	2	-	1	8	9	8	13	18	5	-		
	F	29	-	-	-	-	7	7	9	2	2	2	-	41	-	-	-	10	11	11	5	2	2	-	-		
10 Other tuberculosis	M	8	-	-	1	-	4	1	2	-	-	-	-	7	-	-	-	2	3	-	1	-	1	-	-		
	F	3	-	1	-	-	-	-	2	-	-	-	-	7	-	-	1	1	2	2	-	1	-	-	-		
11 Syphilis	M	3	1	-	-	-	-	-	-	-	2	-	-	4	-	-	-	1	1	-	2	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	1	-	-	-	-	-	1			
12 Gen. paralysis of insane, etc.	M	4	-	-	-	-	-	1	2	-	-	1	-	4	-	-	-	-	-	-	2	1	1	-	-		
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
13 Cancer	M	117	-	-	-	-	1	1	10	15	46	31	13	123	-	-	-	-	-	6	18	29	50	20			
	F	122	-	-	-	-	1	1	10	26	25	34	25	122	-	-	-	1	-	3	11	16	32	33	26		
14 Diabetes	M	10	-	-	-	-	-	-	-	2	2	3	3	3	-	-	-	-	-	-	-	-	3	-	-		
	F	15	-	-	-	-	1	-	-	-	2	8	4	17	-	-	-	-	-	1	3	4	6	3	3		
15 Cerebral hæmorrhage	M	29	-	-	-	-	-	-	-	2	8	10	9	25	-	-	-	-	-	1	4	9	7	4			
	F	44	-	-	-	-	-	-	1	4	11	12	16	39	-	-	-	1	-	-	3	11	9	15			
16 Heart disease	M	198	-	-	-	1	1	1	3	26	33	60	73	233	-	-	-	2	3	6	11	14	39	85	73		
	F	183	-	-	-	-	3	4	5	10	22	51	88	234	-	-	-	1	1	4	7	18	31	60	112		
17 Aneurysm	M	7	-	-	-	-	1	-	-	-	-	4	2	8	-	-	-	-	-	1	-	3	4	-	-		
	F	5	-	-	-	-	-	-	-	2	-	1	2	4	-	-	-	-	1	-	-	1	2	-	-		
18 Other circulatory	M	22	-	-	-	-	-	1	3	4	8	6	29	-	-	-	-	-	-	1	-	7	8	12			
	F	31	-	-	1	-	-	-	2	1	10	17	21	21	-	-	-	-	-	1	1	6	7	8	8		
19 Bronchitis	M	41	-	-	-	-	-	-	4	8	21	8	23	-	-	-	1	-	1	1	1	4	9	6			
	F	26	2	-	-	-	1	-	1	4	4	14	33	33	2	-	-	-	1	3	3	1	10	17			
20 Pneumonia	M	39	3	-	-	-	3	-	6	11	7	7	62	6	2	1	-	2	3	2	9	15	17	5			
	F	36	1	1	1	1	1	1	3	3	11	11	43	6	1	-	2	-	2	3	4	7	7	18			
21 Other respiratory	M	6	-	-	-	-	-	2	1	1	1	1	6	-	-	1	-	-	-	-	-	2	2	1			
	F	7	-	-	-	-	-	1	2	-	1	3	5	-	-	-	-	1	-	-	-	1	-	3			
22 Peptic ulcer	M	19	-	-	-	-	-	1	4	8	5	1	17	-	-	-	-	-	-	4	7	5	1	-			
	F	4	-	-	-	-	-	-	-	1	-	3	5	-	-	-	-	-	-	-	2	2	1	-			
23 Diarrhœa	M	10	7	-	-	-	1	-	-	1	-	1	9	8	-	-	-	-	-	-	-	1	-	-			
	F	8	4	-	-	-	1	-	1	1	1	-	7	5	-	-	-	-	-	-	-	-	-	-			
24 Appendicitis	M	4	-	-	-	-	1	-	1	-	-	1	-	5	-	-	-	-	-	2	1	2	-	-			
	F	4	-	-	-	-	1	-	1	-	-	1	1	7	-	-	-	2	2	1	1	-	-	-			
25 Cirrhosis of liver	M	6	-	-	-	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	2	-	-	-	-	-	-	1	1	-	-	-	5	-	-	-	-	1	2	-	-	-	1			
26 Other liver diseases	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-			
	F	2	-	-	-	-	-	1	-	-	-	1	-	5	-	-	-	-	1	-	-	1	2	1			
27 Other digestive	M	15	1	1	-	-	-	2	3	3	4	1	16	1	-	-	-	-	3	-	2	3	6	1			
	F	21	-	-	-	1	-	1	3	2	5	4	5	14	1	1	-	-	2	-	2	-	3	5			
28 Nephritis	M	11	-	-	-	-	-	1	2	2	3	3	22	-	-	-	1	1	4	-	1	7	2	6			
	F	8	-	-	-	-	1	-	-	2	3	2	16	-	-	-	-	-	2	2	2	2	4	6			
29 Puerperal sepsis	F	3	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
30 Other puerperal	F	3	-	-	-	-	1	1	1	-	-	-	-	3	-	-	-	3	-	-	-	-	-	-			
31 Congenital causes, etc.	M	17	17	-	-	-	-	-	-	-	-	-	-	26	26	-	-	-	-	-	-	-	-	-			
	F	10	10	-	-	-	-	-	-	-	-	-	-	16	15	1	-	-	-	-	-	-	-	-			
32 Senility	M	4	-	-	-	-	-	-	-	-	-	-	4	16	-	-	-	-	-	-	-	-	-	12			
	F	10	-	-	-	-	-	-	-	-	-	-	10	20	-	-	-	-	-	-	-	-	4	20			
33 Suicide	M	20	-	-	-	-	2	2	2	7	6	-	1	17	-	-	-	1	1	3	5	2	2	1			
	F	5	-	-	-	-	1	2	2	-	-	-	-	6	-	-	-	-	2	2	1	2	2	-			
34 Other violence	M	27	2	-	-	1	4	5	3	2	5	3	2	38	4	-	-	2	9	7	3	5	2	3			
	F	29	-	-	2	-	1	3	-	2	7	8	6	19	-	-	-	1	1	1	2	2	3	8			
35 Other defined causes	M	58	7	-	1	1	2	4	1	1	15	14	12	67	3	-	3	4	5	2	6	10	12	14			
	F	57	2	1	1	2	2	4	6	9	8	10	12	53	2	-	1	3	2	3	8	8	9	6			
36 Ill-defined causes	M	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-			
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			

TABLE 24—*contd.* County Boroughs.

Causes of Death. See first page of Table.		BARNSELEY.												BARROW-IN-FURNESS.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	469	47	5	9	4	24	16	21	50	92	108	93	481	35	13	3	6	18	20	23	71	99	112	81
	F	424	19	8	4	16	19	25	19	38	70	102	104	447	37	3	5	14	12	21	23	46	71	109	106
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
5 Diphtheria	M	2	-	-	2	-	-	-	-	-	-	-	-	4	1	1	1	1	-	-	-	-	-	-	-
	F	3	-	-	-	3	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-
6 Influenza	M	11	-	-	-	-	-	2	-	2	4	2	1	23	-	-	-	-	1	3	1	5	9	4	3
	F	22	-	1	-	-	-	-	-	3	9	5	4	21	-	-	-	-	1	3	3	3	2	7	2
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	1	-	1	-	-	-	1	-	3	-	-	-	-	1	1	-	1	-	-	-
8 Cerebro-spinal fever	M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9 Respiratory tuberculosis	M	22	-	-	-	-	2	4	3	5	7	1	-	22	-	-	-	1	3	3	4	6	5	-	-
	F	21	-	-	-	1	6	8	3	1	2	-	-	15	-	-	-	5	5	2	3	-	-	-	-
10 Other tuberculosis	M	6	2	-	2	-	2	-	-	-	-	-	-	6	2	1	-	1	-	-	-	1	-	-	-
	F	5	-	1	-	1	2	-	-	1	-	-	-	7	1	-	1	3	1	-	-	-	-	-	-
11 Syphilis	M	4	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 Gen. paralysis of insane, etc.	M	3	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
13 Cancer	M	38	-	-	-	-	1	2	1	5	10	12	7	46	-	-	-	-	-	1	1	8	15	18	3
	F	51	-	-	-	-	-	2	3	12	12	15	7	54	-	-	-	-	-	1	4	13	14	15	7
14 Diabetes	M	3	-	-	-	-	1	-	-	1	-	1	-	2	-	-	-	-	1	-	-	-	-	-	-
	F	8	-	-	-	1	-	-	-	-	5	-	2	7	-	-	-	-	-	-	-	1	3	2	1
15 Cerebral hæmorrhage	M	14	-	-	-	-	-	-	-	2	1	3	8	22	-	-	-	-	-	-	-	6	3	9	4
	F	19	-	-	-	-	-	-	-	3	3	8	5	28	-	-	-	-	-	1	-	3	4	8	12
16 Heart disease	M	115	-	-	-	1	1	1	2	12	21	40	37	112	-	-	-	-	2	2	3	12	36	27	30
	F	122	-	-	-	2	4	5	3	7	17	37	47	124	-	-	-	-	3	1	6	8	24	37	45
17 Aneurysm	M	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	1	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18 Other circulatory	M	22	-	-	-	-	-	-	-	-	5	11	6	52	-	-	-	-	-	-	-	4	10	24	14
	F	20	-	-	-	-	-	-	-	-	1	9	10	20	-	-	-	-	-	-	-	4	4	10	6
19 Bronchitis	M	26	4	1	-	-	-	-	1	2	5	5	8	25	2	2	-	-	-	-	-	4	4	6	7
	F	23	3	-	-	-	-	-	-	1	4	5	10	31	3	-	-	-	-	-	-	3	11	14	2
20 Pneumonia	M	47	12	3	4	1	2	2	2	8	6	5	5	49	7	7	1	1	-	5	3	11	7	5	2
	F	22	4	3	1	-	1	2	1	2	3	3	2	19	3	3	1	1	-	-	1	5	2	3	-
21 Other respiratory	M	4	-	-	-	-	-	-	1	1	1	1	-	8	-	-	-	1	-	1	1	2	1	1	1
	F	3	-	-	1	-	-	1	-	1	-	-	-	3	-	-	-	-	-	-	-	1	2	-	-
22 Peptic ulcer	M	5	-	-	-	-	-	-	-	2	2	1	-	4	-	-	-	-	-	1	2	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
23 Diarrhœa	M	3	2	-	-	-	-	-	-	-	-	1	-	6	3	-	-	-	-	-	-	2	-	1	-
	F	3	-	-	1	-	-	-	1	-	-	-	-	5	3	-	1	-	-	-	-	1	-	-	-
24 Appendicitis	M	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	1	-	-	-	-	-	-	-
25 Cirrhosis of liver	M	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26 Other liver diseases	M	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
27 Other digestive	M	10	1	-	-	-	2	-	1	1	3	2	-	12	-	1	-	2	-	2	-	1	2	4	1
	F	14	-	1	1	2	1	-	-	-	2	3	4	8	2	-	-	2	-	1	1	-	-	2	1
28 Nephritis	M	25	-	-	-	1	1	-	1	5	9	7	2	5	-	-	-	-	1	2	-	-	-	2	-
	F	15	-	-	-	1	-	1	2	1	3	4	3	7	-	-	-	-	-	-	-	4	3	-	-
29 Puerperal sepsis	F	4	-	-	-	-	-	1	3	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
30 Other puerperal	F	2	-	-	-	-	1	1	-	-	-	-	-	4	-	-	-	-	3	-	-	-	-	-	-
31 Congenital causes, etc.	M	22	22	-	-	-	-	-	-	-	-	-	-	16	-	-	-	-	-	-	-	-	-	-	-
	F	11	11	-	-	-	-	-	-	-	-	-	-	16	-	-	-	-	-	-	-	-	-	-	-
32 Senility	M	10	-	-	-	-	-	-	-	-	-	2	8	7	-	-	-	-	-	-	-	-	-	1	6
	F	7	-	-	-	-	-	-	-	-	-	2	5	18	-	-	-	-	-	-	-	-	3	15	-
33 Suicide	M	5	-	-	-	-	1	1	-	-	1	1	1	3	-	-	-	-	-	-	-	3	-	-	-
	F	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34 Other violence	M	27	1	-	1	-	7	3	4	3	5	1	2	24	-	1	1	1	4	4	4	4	2	2	1
	F	8	-	1	-	1	-	-	-	-	5	-	1	11	-	-	-	3	-	1	3	-	-	-	-
35 Other defined causes	M	36	1	1	-	1	3	-	4	2	7	10	7	27	3	-	-	-	3	3	1	2	2	8	5
	F	28	-	-	-	3	3	2	3	5	4	6	2	29	6	-	-	-	1	2	3	3	6	4	1
36 Ill-defined causes	M	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	-	1	1	-

Causes of Death. See first page of Table.		BATH.													BIRKENHEAD.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	492	20	1	2	5	8	14	22	39	77	151	153	955	104	20	13	33	30	37	47	106	191	216	158		
	F	551	12	1	4	4	8	11	17	38	76	122	258	934	81	8	19	25	34	39	36	85	132	214	261		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	6	2	2	-	2	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	6	3	1	2	-	-	-	-	-	-	-	-		
5 Diphtheria	M	1	-	-	-	1	-	-	-	-	-	-	-	12	1	1	2	8	-	-	-	-	-	-	-		
	F	2	-	-	-	2	-	-	-	-	-	-	-	13	-	1	5	6	1	-	-	-	-	-	-		
6 Influenza	M	22	-	-	-	-	-	2	1	2	1	9	7	20	-	-	1	1	-	1	2	3	6	5	1		
	F	21	-	1	-	-	-	-	-	3	3	4	10	34	-	-	-	1	1	4	1	5	7	5	10		
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-		
	F	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-		
8 Cerebro-spinal fever	M	2	-	-	1	-	1	-	-	-	-	-	-	2	1	-	-	-	1	-	2	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	14	-	-	-	1	1	-	3	2	3	3	1	56	-	-	-	1	8	9	6	12	16	4	-		
	F	17	-	-	-	1	5	4	3	1	3	-	-	54	-	-	2	1	17	14	6	5	6	3	-		
10 Other tuberculosis	M	3	-	-	-	-	1	1	1	-	-	1	-	7	-	1	2	2	-	1	-	-	1	-	-		
	F	3	-	-	2	-	1	-	-	-	-	-	-	10	-	-	2	1	4	-	1	-	1	1	-		
11 Syphilis	M	6	1	-	-	-	-	-	-	1	1	3	-	5	-	-	-	-	-	-	1	3	1	-	-		
	F	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-		
12 Gen. paralysis of insane, etc.	M	3	-	-	-	-	-	-	-	1	1	1	-	3	-	-	-	-	-	-	1	1	-	1	-		
	F	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-		
13 Cancer	M	73	-	-	-	-	1	1	2	4	15	39	11	126	-	-	-	1	1	1	9	21	36	39	18		
	F	79	-	-	-	-	-	-	4	9	19	24	23	130	-	-	-	-	1	1	3	8	24	39	24		
14 Diabetes	M	5	-	-	-	-	-	-	-	-	-	3	2	6	-	-	-	-	1	-	-	-	1	4	-		
	F	9	-	-	-	-	-	-	1	3	3	1	1	19	-	-	-	-	2	-	2	-	5	6	4		
15 Cerebral hæmorrhage	M	11	-	-	-	-	-	-	-	2	2	3	4	30	-	-	-	-	1	-	-	8	4	7	10		
	F	29	-	-	-	-	-	-	-	2	4	10	13	30	-	-	-	-	-	-	-	4	6	9	11		
16 Heart disease	M	154	-	-	-	-	1	2	10	25	42	74	197	233	-	-	-	-	2	2	6	17	47	65	58		
	F	162	-	-	-	-	-	3	3	15	35	106	233					1	4	3	4	20	25	73	103		
17 Aneurysm	M	1	-	-	-	-	-	-	-	-	-	1	-	7	-	-	-	-	-	1	-	2	3	1	-		
	F	4	-	-	-	-	-	-	-	1	-	1	2	2	-	-	-	-	-	-	1	-	-	1	-		
18 Other circulatory	M	19	-	-	-	-	-	-	-	-	3	7	9	71	-	-	-	-	-	-	-	2	13	23	33		
	F	42	-	-	-	-	-	-	-	3	5	11	23	71	-	-	-	-	-	1	-	4	6	27	33		
19 Bronchitis	M	11	-	-	-	-	-	-	-	1	2	2	6	22	3	-	-	-	-	-	-	4	10	3	2		
	F	11	-	-	-	-	-	-	-	-	1	2	8	22	4	-	-	-	-	-	-	1	1	5	11		
20 Pneumonia	M	26	5	1	-	-	1	-	2	2	7	4	4	102	23	13	3	2	5	7	2	11	17	14	5		
	F	24	2	-	-	-	-	-	-	2	3	6	11	60	17	5	3	1	1	4	1	2	6	8	12		
21 Other respiratory	M	9	-	-	-	1	-	-	-	-	1	5	2	9	1	-	1	-	-	-	1	1	2	2	1		
	F	2	-	-	-	-	-	-	-	-	-	1	1	7	-	-	-	-	-	1	-	-	1	1	4		
22 Peptic ulcer	M	4	-	-	-	-	-	1	-	1	-	2	-	11	-	-	-	-	-	-	3	3	2	3	-		
	F	3	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	-	-	-	-	1	1		
23 Diarrhœa	M	-	-	-	-	-	-	-	-	-	-	-	-	15	12	1	-	-	-	-	1	-	-	1	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	12	9	-	-	-	1	-	-	-	-	-	1		
24 Appendicitis	M	2	-	-	-	-	-	-	-	-	-	1	1	5	-	-	1	-	1	-	2	-	-	-	-		
	F	2	-	-	-	-	-	1	-	-	-	1	-	6	-	-	-	2	-	-	1	-	3	-	-		
25 Cirrhosis of liver	M	3	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	1		
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	3	-	-		
26 Other liver diseases	M	3	-	-	-	-	-	-	-	1	-	1	1	4	-	-	-	-	-	1	-	-	-	2	1		
	F	5	-	-	-	-	-	-	-	1	-	1	3	8	-	-	-	-	1	-	2	1	2	2	2		
27 Other digestive	M	12	-	-	-	-	-	-	1	3	3	4	1	8	1	-	-	1	-	-	2	1	1	2	-		
	F	18	-	-	1	1	-	1	1	3	3	3	5	19	1	-	-	1	-	-	-	-	3	6	7		
28 Nephritis	M	16	-	-	-	-	-	-	1	2	3	6	4	38	-	-	-	-	-	3	-	4	11	13	7		
	F	14	1	-	-	-	1	-	1	1	1	4	6	31	-	-	-	-	-	-	3	3	6	13	6		
29 Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
30 Other puerperal	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-		
31 Congenital causes, etc.	M	15	14	-	-	-	1	-	-	-	-	-	-	54	53	-	-	-	1	-	-	-	-	-	-		
</																											

Causes of Death. See first page of Table.		BIRMINGHAM.													BLACKBURN.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes		M F	6,332 5,827	560 451	106 66	77 83	138 126	201 203	265 236	389 321	734 503	1292 942	1503 1305	1117 1591	822 931	48 45	14 7	11 10	15 21	10 20	30 36	54 45	93 92	165 163	221 265	161 227	
1	Typhoid fever, etc.	M F	- 1	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
2	Measles	M F	42 32	11 6	20 11	7 12	4 3	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
3	Scarlet fever	M F	5 4	- -	2 -	- 1	1 1	2 2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
4	Whooping cough	M F	12 16	6 9	4 2	2 2	3 -	- -	- -	- -	- -	- -	- -	- 4	1 -	2 -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	
5	Diphtheria	M F	36 45	4 -	9 1	5 14	16 28	1 1	- 1	- -	- -	1 -	- -	5 7	- -	1 -	2 3	2 4	- -	- -	- -	- -	- -	- -	- -	- -	
6	Influenza	M F	219 205	8 6	1 4	1 2	3 5	4 7	13 11	21 17	31 20	61 43	36 49	40 41	26 40	- 1	2 -	- 1	- 2	- 2	1 -	3 1	2 4	7 8	5 8	6 13	
7	Encephalitis lethargica	M F	8 16	- -	- -	- -	- -	2 2	- 3	1 3	1 1	3 4	1 3	- -	3 4	- -	- -	- -	- -	1 1	- -	2 1	- 1	- 1	- 1	- -	
8	Cerebro-spinal fever	M F	8 9	2 3	2 -	- 1	1 2	2 2	1 1	- -	- -	- -	- -	- 2	- -	- -	1 1	- -	- -	- -	- -	- -	- -	- -	- 1	- -	
9	Respiratory tuberculosis	M F	474 274	2 2	3 3	4 4	3 6	53 79	78 63	79 57	123 31	91 22	31 7	7 -	41 30	- -	- -	- 1	5 8	8 10	12 5	7 5	5 1	4 -	- -	- -	
10	Other tuberculosis	M F	50 39	5 3	2 3	6 6	10 6	8 9	5 2	3 1	4 3	4 3	1 1	2 2	7 5	- -	1 -	1 -	3 -	- 1	1 4	1 -	- -	- -	- -	- -	
11	Syphilis	M F	47 13	1 4	- -	- -	- -	1 -	1 3	6 3	5 2	20 2	12 2	1 -	1 2	- -	- -	- -	- -	- -	- 1	- -	- -	1 1	- -	- -	
12	Gen. paralysis of insane, etc.	M F	42 8	- -	- -	- -	- -	- -	1 -	8 -	12 1	12 5	5 1	4 1	5 -	- -	- -	- -	- -	- -	2 -	2 -	1 -	- -	- -	- -	
13	Cancer	M F	887 814	- 1	1 1	2 -	1 3	8 2	15 15	39 47	99 147	294 221	301 218	127 159	79 127	- -	- -	- 1	- -	1 4	1 11	10 30	24 25	29 43	14 13		
14	Diabetes	M F	72 106	- -	- -	- -	1 1	1 -	3 1	3 4	4 8	17 24	32 43	11 25	8 20	- -	- -	1 -	- -	2 -	1 -	- 1	2 6	2 7	- 6		
15	Cerebral hæmorrhage	M F	204 350	- -	- -	- -	- -	- 2	2 5	4 5	16 30	44 87	80 109	58 117	33 57	- -	- -	- -	- -	- -	2 3	5 11	8 23	12 20	6 20		
16	Heart disease	M F	1,262 1,546	- 2	1 -	2 2	10 6	9 26	14 25	42 47	121 78	277 216	422 463	364 681	245 269	- -	- -	- -	1 3	- 5	3 7	9 19	21 42	53 101	68 92		
17	Aneurysm	M F	28 25	- -	- -	- -	- 1	- 2	1 3	5 3	9 5	8 11	5 2	- 1	1 -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -		
18	Other circulatory	M F	345 245	- -	- -	- -	- -	- -	- 2	4 5	14 13	58 39	148 93	121 93	46 46	- -	- -	- -	- -	- 1	- -	3 10	11 13	17 19	18 19		
19	Bronchitis	M F	244 194	5 7	1 1	2 -	- -	2 -	3 1	5 6	29 14	30 15	72 50	95 100	29 34	3 3	1 1	- -	- -	- -	1 3	5 8	5 9	8 10	6 7		
20	Pneumonia	M F	591 318	82 65	33 19	13 14	13 8	19 3	33 15	47 23	95 27	118 37	81 53	57 54	49 47	6 8	5 4	5 2	1 2	1 2	5 1	8 5	7 6	3 7			
21	Other respiratory	M F	63 49	5 2	- -	1 2	1 -	3 -	4 6	13 3	16 8	8 9	8 19	8 19	9 12	- -	- -	- -	1 -	1 1	- 2	3 4	2 2	1 1	3 4		
22	Peptic ulcer	M F	105 19	- -	- -	- -	- -	1 -	5 1	15 -	23 3	31 7	22 6	8 2	12 3	- -	- -	- -	- -	1 -	2 -	3 -	4 2	2 1	- -		
23	Diarrhœa	M F	59 58	42 36	- 6	2 -	- 1	- -	3 3	1 2	3 3	5 2	1 1	2 4	3 3	2 -	- 1	- -	- -	- -	- -	- -	1 -	- 1	- 1		
24	Appendicitis	M F	40 40	- -	- -	4 2	3 8	4 6	8 4	2 2	6 4	3 5	6 6	4 3	5 5	- -	- -	1 -	- -	2 -	1 -	- -	1 -	1 4	- -		
25	Cirrhosis o liver	M F	25 13	- -	- -	- -	- -	- -	- -	3 -	4 3	11 5	6 1	1 4	1 2	- 1	- -	- -	- -	- -	- -	1 1	- -	- -	- -		
26	Other liver diseases	M F	17 44	- -	- -	- -	- -	2 2	2 1	3 4	3 2	3 13	3 9	4 13	2 8	1 -	- -	- -	- -	- 1	- -	2 4	4 1	- -	- -		
27	Other digestive	M F	87 106	6 8	1 -	3 2	2 7	3 4	4 6	6 6	15 8	19 20	15 21	13 24	10 19	1 -	- -	2 -	- 4	- 2	- 1	3 7	1 8	- 9	3 9		
28	Nephritis	M F	138 134	- -	1 -	1 -	4 2	8 7	10 11	7 11	21 13	33 35	37 34	16 20	35 12	- -	- -	- -	- -	- -	2 2	7 1	8 5	9 4	- -		
29	Puerperal sepsis	F	13	-	-	-	-	3	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
30	Other puerperal	F	35	-	-	-	-	6	17	10	2	-	-	-	8	-	-	-	2	3	2	1	-	-	-		
31	Congenital causes, etc.	M F	322 242	318 242	2 -	- -	1 -	1 -	- -	- -	- -	- -	- -	- -	29 29	28 29	1 -	- -	- -	- -	- -	- -	- -	- -	- -		
32	Senility	M F	86 140	- -	- -	- -	- -	- -	- -	- -	- -	1 1	22 14	63 125	15 26	- -	- -	- -	- -	- -	- -	- -	- -	4 7	11 19		
33	Suicide	M F	101 61	- -	- -	- -	- 1	4 6	9 9	15 9	17 16	29 20	20 8	7 1	12 7	- -	- -	- -	- 1	- -	4 2	4 3	3 1	- -	- -		
34	Other violence	M F	231 166	3 7	8 3	10 9	24 17	37 12	22 8	22 5	24 12	22 14	31 27	28 52	43 27	3 2	1 -	1 1	3 2	- -	7 2	3 2	7 2	5 7	6 9		
35	Other defined causes	M F	530 445	60 48	15 12	12 12	40 17	28 28	28 29	45 39	42 53	81 83	104 74	75 50	64 79	4 1	1 -	- 1	3 4	3 6	2 6	6 9	14 26	17 20	10 6		
36	Ill-defined causes	M F	2 2	- -	- -	- -	- -	- -	- -	- -	- 1	- -	1 1	1 -	2 3	- -	- -	- -	- -	- -	- -	- -	1 1	1 1	- 2		

Causes of Death. See first page of Table.		BLACKPOOL.												BOLTON.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	972	36	4	4	13	15	21	54	104	238	281	202	1,203	83	13	16	21	33	51	64	128	255	332	207
	F	1,081	39	4	3	9	21	39	47	116	208	291	304	1,218	51	10	24	21	26	45	60	114	248	324	295
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2 Measles	M	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	2	1	-	-	-	-	-	-	-
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	5	1	2	2	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	9	4	2	3	-	-	-	-	-	-	-	-
5 Diphtheria	M	6	-	-	-	6	-	-	-	-	-	-	-	15	-	-	7	7	1	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	8	-	-	3	5	-	-	-	-	-	-	-
6 Influenza	M	29	-	-	-	2	1	3	7	7	4	5	46	46	-	-	-	-	3	3	4	7	19	7	3
	F	42	-	-	1	2	3	3	7	5	12	9	61	61	2	1	1	1	-	3	6	14	8	17	8
7 Encephalitis lethargica	M	1	-	-	-	-	1	-	-	-	-	-	-	3	-	-	-	-	1	1	-	-	1	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9 Respiratory tuberculosis	M	36	-	-	-	3	3	9	9	9	3	-	63	-	-	-	-	8	17	9	10	16	3	-	
	F	31	-	-	-	5	13	7	4	1	1	-	26	-	-	-	1	5	9	6	4	1	-	-	
10 Other tuberculosis	M	4	1	-	-	1	1	1	-	-	-	-	11	-	-	2	1	2	2	1	1	-	-	-	
	F	6	-	-	-	2	1	3	-	-	-	-	7	-	1	1	-	3	-	-	-	1	-	1	
11 Syphilis	M	1	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12 Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	
	F	3	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	
13 Cancer	M	125	-	-	-	1	1	7	11	41	49	15	116	-	-	-	-	1	3	5	13	39	48	7	
	F	155	-	-	-	1	3	8	27	40	49	27	177	-	-	-	-	2	11	36	53	51	24	-	
14 Diabetes	M	11	-	-	-	-	-	-	1	2	5	3	11	-	-	-	-	-	-	-	3	2	4	2	
	F	17	-	-	-	-	-	-	1	9	7	-	26	-	-	-	1	-	1	3	1	7	9	4	
15 Cerebral hæmorrhage	M	56	-	-	-	-	-	-	2	18	21	15	67	-	-	-	-	-	1	9	17	28	12		
	F	87	-	-	-	-	-	-	8	15	31	33	80	-	1	-	-	-	2	7	23	28	19		
16 Heart disease	M	292	-	-	-	1	1	9	30	70	104	76	290	-	-	1	1	6	3	12	36	82	91	58	
	F	295	-	-	-	1	3	10	19	57	87	118	313	-	-	-	2	5	7	9	28	73	102	87	
17 Aneurysm	M	2	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-	1	-	1	-	
	F	3	-	-	-	-	-	-	2	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-	
18 Other circulatory	M	53	-	-	-	-	-	-	2	17	17	17	55	1	-	-	-	-	-	-	1	12	21	21	
	F	74	-	-	-	-	-	1	8	8	24	33	51	-	-	-	-	-	-	-	2	12	16	21	
19 Bronchitis	M	32	-	-	-	-	1	2	2	8	7	12	40	-	-	1	-	2	1	3	8	8	17		
	F	27	1	-	-	-	-	-	1	4	5	16	42	2	-	-	-	2	1	1	9	12	15		
20 Pneumonia	M	63	8	3	-	2	1	3	7	17	10	5	77	13	6	2	1	1	5	11	11	13	11	3	
	F	45	5	2	-	1	-	3	1	6	11	8	57	9	4	7	-	2	1	4	2	12	10	6	
21 Other respiratory	M	7	-	-	-	2	-	2	-	3	-	-	11	2	-	1	-	-	1	1	6	-	-	-	
	F	5	-	-	-	1	-	1	-	-	3	-	6	-	-	-	-	-	-	1	3	2	-	-	
22 Peptic ulcer	M	9	-	-	-	-	-	1	3	3	1	1	13	-	-	-	-	1	1	1	5	3	2	-	
	F	4	-	-	-	-	-	-	1	1	3	-	7	-	-	-	-	-	1	3	-	-	3	-	
23 Diarrhoea	M	3	1	-	-	1	-	-	-	-	1	-	5	4	-	-	-	-	1	-	-	-	-	-	
	F	9	3	-	-	1	1	-	1	2	1	-	4	-	-	2	-	-	1	-	-	-	-	-	
24 Appendicitis	M	5	-	-	-	1	-	1	-	2	-	-	4	-	-	-	1	-	-	-	-	1	1	-	
	F	6	-	-	-	1	-	1	-	2	2	-	2	-	-	-	-	-	-	-	-	1	1	-	
25 Cirrhosis of liver	M	7	-	-	-	-	-	-	1	3	3	-	4	-	-	-	-	-	-	-	1	3	-	-	
	F	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	
26 Other liver diseases	M	6	-	-	-	-	-	-	1	-	2	3	5	-	-	-	-	-	-	-	1	-	2	2	
	F	15	-	-	-	1	-	-	2	5	3	4	9	-	-	-	-	-	-	-	-	4	3	2	
27 Other digestive	M	15	1	-	1	-	-	-	4	3	3	3	21	1	1	1	2	2	1	1	2	6	3	3	
	F	21	1	1	1	-	2	1	1	7	3	4	20	-	-	1	2	-	2	-	1	5	4	5	
28 Nephritis	M	36	-	-	-	1	-	1	8	8	9	9	40	-	-	-	-	1	4	3	7	6	16	3	
	F	41	-	-	-	-	1	3	6	9	13	9	39	-	-	-	-	1	1	2	6	11	11	7	
29 Puerperal sepsis	F	1	-	-	-	1	-	-	-	-	-	-	3	-	-	-	-	2	1	-	-	-	-	-	
30 Other puerperal	F	3	-	-	-	2	1	-	-	-	-	-	10	-	-	-	-	2	4	4	-	-	-	-	
31 Congenital causes, etc.	M	22	22	-	-	-	-	-	-	-	-	-	54	52	-	-	1	-	-	1	-	-	-	-	
	F	29	27	-	2	-	-	-	-	-	-	-	29</												

Causes of Death. See first page of Table.			BOOTLE.													BOURNEMOUTH.												
			All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes			M	494	66	9	17	12	20	16	31	67	88	94	74	780	32	4	3	14	18	17	27	82	137	205	241	
			F	455	61	4	12	9	22	32	25	47	59	101	83	983	30	6	1	7	9	22	41	62	147	241	417	
1 Typhoid fever, etc.	M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Measles	M	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4 Whooping cough	M	3	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-		
	F	5	4	1	-	-	-	-	-	-	-	-	-	3	-	2	-	1	-	-	-	-	-	-	-	-		
5 Diphtheria	M	8	-	-	3	5	-	-	-	-	-	-	-	3	-	-	-	3	-	-	-	-	-	-	-	-		
	F	6	-	-	2	3	-	-	1	-	-	-	-	5	-	1	-	4	-	-	-	-	-	-	-	-		
6 Influenza	M	11	2	-	1	-	-	1	2	1	2	2	-	25	-	-	-	-	-	1	2	4	5	6	7			
	F	7	-	-	-	-	1	-	-	2	2	2	-	31	-	-	-	-	2	3	2	7	3	14				
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-			
8 Cerebro-spinal fever	M	3	1	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-			
	F	3	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
9 Respiratory tuberculosis	M	38	-	-	-	-	9	4	5	13	5	2	-	40	-	-	-	-	4	-	7	14	11	4	-			
	F	34	-	-	1	1	12	9	5	3	-	3	-	36	-	-	-	-	3	7	11	6	4	3	2			
10 Other tuberculosis	M	5	-	-	2	2	-	1	-	-	-	-	-	7	2	-	-	1	1	1	-	1	1	-	-			
	F	5	-	-	-	1	3	1	-	-	-	-	-	7	-	1	1	-	-	2	1	-	1	1	-			
11 Syphilis	M	3	-	-	-	-	-	-	-	-	3	-	-	5	-	-	-	-	-	-	1	1	1	1	1			
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-			
12 Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-			
13 Cancer	M	58	-	-	-	-	-	2	2	9	21	21	3	96	-	-	-	-	-	2	2	13	24	29	26			
	F	54	-	-	-	-	-	3	2	11	12	17	9	165	-	-	-	-	-	3	8	23	38	48	45			
14 Diabetes	M	4	-	-	-	-	2	-	-	1	-	1	-	11	-	-	-	-	-	-	-	1	4	5				
	F	9	-	-	-	-	-	-	-	2	1	4	2	13	-	-	-	-	1	-	1	-	3	4	4			
15 Cerebral hæmorrhage	M	18	-	-	-	-	-	-	-	1	8	3	6	30	-	-	-	-	-	-	-	2	4	10	14			
	F	22	-	-	-	-	-	-	-	1	4	11	6	74	-	-	-	-	1	-	5	12	22	34				
16 Heart disease	M	77	-	-	-	-	1	-	-	6	17	25	28	234	-	-	-	-	1	1	3	12	38	77	102			
	F	97	-	-	-	1	-	2	5	7	15	31	36	276	-	-	-	-	3	1	3	9	28	64	168			
17 Aneurysm	M	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	2			
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-			
18 Other circulatory	M	13	-	-	-	-	-	-	-	-	1	4	8	39	-	-	-	-	-	-	-	2	9	18	10			
	F	20	-	-	-	-	-	-	-	-	4	7	9	54	-	-	-	-	-	-	-	1	6	18	29			
19 Bronchitis	M	14	2	-	-	-	-	1	1	4	3	3	-	28	1	-	1	-	-	-	1	2	5	7	11			
	F	6	-	-	-	-	-	-	-	1	-	3	2	33	1	-	-	-	-	1	1	1	3	10	16			
20 Pneumonia	M	64	11	2	5	-	1	-	6	12	8	10	9	33	7	1	-	-	1	-	-	4	4	4	12			
	F	58	17	3	2	1	1	6	3	7	7	6	5	33	4	1	-	-	-	1	2	-	5	6	14			
21 Other respiratory	M	5	1	-	-	-	-	-	1	1	2	-	-	14	-	-	-	-	-	-	2	3	4	1	4			
	F	3	1	-	-	1	-	-	-	-	1	-	-	16	1	-	-	-	-	-	-	3	3	9	4			
22 Peptic ulcer	M	10	-	-	-	-	-	-	3	2	3	2	-	21	-	-	-	-	1	-	1	2	8	5	4			
	F	2	-	-	-	-	-	-	-	-	-	2	-	9	-	-	-	-	-	-	-	3	4	2	2			
23 Diarrhœa	M	7	4	1	1	-	-	-	-	-	-	1	-	5	3	-	-	-	1	-	-	-	-	-	1			
	F	7	7	-	-	-	-	-	-	-	-	-	-	9	1	-	-	-	-	-	-	-	1	1	6			
24 Appendicitis	M	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	1	1	-	-	-	3	-	-			
	F	2	-	-	-	-	-	1	-	-	1	-	-	7	-	-	-	-	-	1	-	-	4	2	2			
25 Cirrhosis of liver	M	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	1	-	-	-	2	-			
	F	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	1	1	1			
26 Other liver diseases	M	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	-	-	-	1	2	1			
	F	2	-	-	-	-	-	-	-	1	-	-	1	9	-	-	-	-	-	1	-	-	2	4	2			
27 Other digestive	M	11	2	1	-	-	-	-	2	4	2	-	-	13	-	1	-	-	-	-	-	2	2	4	4			
	F	4	1	-	2	-	-	-	-	-	1	-	-	17	1	-	-	1	-	-	1	1	3	7	3			
28 Nephritis	M	7	-	-	-	1	-	1	-	2	1	2	-	34	-	-	1	-	-	-	2	6	5	9	11			
	F	15	-	-	-	-	2	1	1	3	4	3	1	29	-	-	-	-	-	2	-	4	10	13	13			
29 Puerperal sepsis	F	4	-	-	-	-	1	3	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-			
	F	3	-	-	-	-	-	2	1	-	-	-	-	3	-	-	-	-	2	1	-	-	-	-	-			
31 Congenital causes, etc.	M	35	34	-	-	1	-	-	-	-	-	-	-	17	16	-	-	1	-	-	-	-	-	-	-			

Causes of Death. <i>See first page of Table.</i>		BRADFORD.													BRIGHTON.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	2,101	160	17	23	39	52	59	127	227	465	545	387	970	66	9	3	11	16	20	46	84	188	272	255		
	F	2,164	119	17	24	41	61	76	105	188	358	579	596	1,061	35	9	7	9	16	31	33	72	143	274	432		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-		
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4 Whooping cough	M	8	6	2	-	-	-	-	-	-	-	-	-	4	-	2	1	1	-	-	-	-	-	-	-		
	F	4	2	-	2	-	-	-	-	-	-	-	-	5	3	2	-	-	-	-	-	-	-	-	-		
5 Diphtheria	M	21	1	-	5	14	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-		
	F	27	-	-	9	17	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-		
6 Influenza	M	53	1	-	-	1	6	4	5	8	13	7	8	19	-	-	-	-	1	1	2	8	5	2			
	F	85	3	-	1	-	5	3	10	7	15	18	23	21	-	1	-	-	-	-	1	4	7	8			
7 Encephalitis lethargica	M	3	-	-	-	-	-	1	-	-	1	1	-	2	-	-	-	-	1	1	-	-	-	-	-		
	F	4	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
8 Cerebro-spinal fever	M	4	1	-	-	1	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-		
	F	3	1	-	1	1	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	117	-	-	-	1	16	16	31	21	24	8	-	57	-	-	-	-	7	4	12	23	8	3	-		
	F	70	-	-	-	3	23	18	13	6	4	1	2	42	-	-	-	-	8	13	8	6	3	3	1		
0 Other tuberculosis	M	20	2	-	1	1	4	3	4	4	-	1	-	6	-	1	2	-	-	1	-	-	2	-	-		
	F	15	-	2	2	3	2	1	3	1	-	-	1	11	-	-	1	3	1	-	2	2	1	1	-		
1 Syphilis	M	14	3	-	-	-	-	-	2	2	5	2	-	3	-	-	-	-	-	-	-	2	1	-	-		
	F	4	-	-	-	-	-	-	-	1	1	2	-	2	-	-	-	-	-	-	1	1	-	-	-		
2 Gen. paralysis of insane, etc.	M	9	-	-	-	-	-	-	2	1	3	3	-	5	-	-	-	-	1	-	1	3	-	-	-		
	F	6	-	-	-	-	-	-	-	3	3	-	-	1	-	-	-	-	-	-	-	1	-	-	-		
3 Cancer	M	257	-	-	1	-	1	4	12	37	80	95	27	118	-	-	-	-	-	4	11	37	43	23			
	F	304	-	-	-	-	2	2	16	53	88	97	46	171	-	-	-	-	-	5	21	39	59	44			
4 Diabetes	M	24	-	1	-	-	-	1	-	1	2	13	6	10	-	-	-	-	-	-	-	1	7	2			
	F	26	-	-	-	-	1	-	2	-	10	10	3	18	-	-	-	-	1	1	1	1	8	6			
5 Cerebral hæmorrhage	M	104	-	-	-	-	-	-	1	6	27	43	27	64	-	-	-	-	-	1	2	15	25	21			
	F	148	-	-	-	-	-	-	-	6	28	60	54	88	-	-	-	-	-	1	7	10	32	38			
6 Heart disease	M	548	-	-	-	3	1	6	15	46	128	187	162	253	-	-	-	2	-	5	12	43	88	103			
	F	596	-	-	-	3	6	11	17	30	93	187	249	323	-	-	-	1	1	3	3	12	32	98	173		
7 Aneurysm	M	4	-	-	-	-	-	-	-	2	2	-	-	5	-	-	-	-	-	-	-	4	1	-			
	F	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-			
8 Other circulatory	M	97	-	-	-	-	-	-	-	2	19	39	37	58	-	-	-	-	-	-	1	9	25	23			
	F	130	-	-	-	-	-	-	-	3	22	43	62	71	-	-	-	-	-	-	3	10	19	39			
9 Bronchitis	M	79	6	-	1	2	-	1	3	9	15	23	19	31	4	-	-	-	-	1	-	4	5	5	12		
	F	75	1	1	-	-	1	-	-	5	7	25	35	25	-	-	-	-	-	-	-	2	5	18			
0 Pneumonia	M	145	32	9	5	1	4	5	14	21	30	17	7	54	9	4	-	1	-	1	7	6	10	11	5		
	F	105	13	8	2	3	3	2	12	12	13	24	13	43	5	3	2	1	-	1	4	1	8	5	13		
1 Other respiratory	M	23	-	-	-	1	-	2	2	3	9	4	2	8	-	-	-	-	-	1	1	-	4	2	-		
	F	15	-	-	-	-	-	1	3	3	2	-	6	7	-	-	-	1	-	-	-	1	2	2	1		
2 Peptic ulcer	M	24	-	-	-	-	-	-	1	4	12	6	1	18	-	-	-	-	-	1	1	5	10	1			
	F	5	-	-	-	-	-	-	-	2	2	1	-	3	-	-	-	-	-	-	-	1	-	2			
3 Diarrhœa	M	28	19	2	-	-	-	2	-	2	-	1	2	18	12	1	-	1	-	-	-	2	1	1			
	F	15	9	2	-	-	-	2	-	-	1	1	-	4	3	-	-	-	-	-	-	-	-	-			
4 Appendicitis	M	17	-	-	1	2	2	1	4	1	4	2	-	3	-	-	-	-	1	-	-	2	-	-			
	F	4	-	-	-	1	2	-	-	-	-	1	-	6	-	-	-	-	-	-	2	1	2	1			
5 Cirrhosis of liver	M	9	-	-	-	-	-	-	-	3	2	3	1	3	-	-	-	-	-	-	1	1	-	1			
	F	3	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-			
6 Other liver diseases	M	4	-	-	-	-	-	-	-	1	1	1	-	2	4	-	-	-	-	2	-	-	1	1			
	F	18	-	-	-	-	-	-	-	4	3	7	4	5	-	-	-	-	-	-	1	2	1	1			
7 Other digestive	M	37	2	-	3	-	1	1	3	5	12	6	4	18	1	-	-	2	-	-	3	2	2	5	3		
	F	28	1	-	-	1	2	2	2	2	5	10	3	16	1	-	-	1	1	1	1	2	5	3			
8 Nephritis	M	78	-	-	-	-	-	-	7	17	21	23	10	12	-	-	-	-	3	-	3	2	4	-			
	F	82	-	-	1	-	2	6	3	13	20	27	10	22	-	-	-	-	3	-	1	4	3	11			
9 Puerperal sepsis	F	4	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
0 Other puerperal	F	7	-	-	-	-	-	4	3	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-			
1 Congenital causes,																											

TABLE 24—contd. County Boroughs.

Causes of Death. See first page of Table.		BRISTOL.													BURNLEY.												
		All Ages.	0	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	2,376	148	25	24	43	72	100	121	234	470	592	547	718	51	5	3	17	17	22	40	83	173	177	130		
	F	2,419	129	18	15	32	80	106	110	200	346	563	820	675	28	7	11	11	16	20	39	63	129	172	179		
1 Typhoid fever, etc.	M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Measles	M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4 Whooping cough	M	12	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	3	2	1	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-		
5 Diphtheria	M	6	-	-	1	4	-	-	1	-	-	-	-	8	-	-	1	7	-	-	-	-	-	-	-		
	F	4	-	-	3	1	-	-	-	-	-	-	-	11	-	-	5	5	-	-	1	-	-	-	-		
6 Influenza	M	59	4	-	2	-	2	5	6	13	9	10	8	27	2	-	-	-	-	2	3	4	6	7	3		
	F	58	1	1	-	1	1	1	2	5	13	14	19	42	1	1	-	1	-	1	6	5	13	8	6		
7 Encephalitis lethargica	M	6	-	-	-	1	1	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	5	-	-	-	1	-	3	-	-	1	-	-	3	-	-	-	-	-	-	1	1	1	-	-		
8 Cerebro-spinal fever	M	5	-	2	-	-	-	2	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-		
	F	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	151	1	-	-	-	26	35	28	25	27	9	-	36	-	-	-	-	4	2	8	12	4	6	-		
	F	132	-	-	-	-	39	40	21	20	8	4	-	17	-	-	-	-	3	6	4	1	3	-	-		
10 Other tuberculosis	M	24	2	4	1	8	3	1	3	-	1	1	-	4	-	-	-	-	-	1	-	2	1	-	-		
	F	30	1	3	3	8	6	4	-	3	2	-	-	5	-	-	-	-	3	-	1	-	-	1	-		
11 Syphilis	M	10	2	-	-	-	-	-	1	5	2	-	-	2	-	-	-	-	-	-	1	1	-	-	-		
	F	6	2	-	-	-	-	1	1	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-		
12 Gen. paralysis of insane, etc.	M	10	-	-	-	-	-	-	-	4	3	3	-	2	-	-	-	-	-	1	1	-	-	-	-		
	F	5	-	-	-	-	-	-	2	1	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-		
13 Cancer	M	308	-	-	-	2	2	7	10	34	82	110	61	74	-	-	-	-	-	4	12	24	24	10	10		
	F	363	-	-	1	-	2	4	18	61	87	101	89	74	-	-	-	-	1	5	15	22	18	13	13		
14 Diabetes	M	31	-	-	-	1	-	-	1	-	14	10	5	13	-	-	-	1	-	-	1	5	6	-	-		
	F	45	-	-	-	-	-	1	1	2	12	17	12	20	-	-	-	-	1	2	1	5	8	-	-		
15 Cerebral hæmorrhage	M	123	-	1	-	-	-	-	-	6	35	40	41	32	-	-	-	-	-	-	2	10	10	10	10		
	F	163	-	-	-	-	-	-	2	4	27	64	66	37	-	-	-	-	-	1	3	7	16	10	10		
16 Heart disease	M	633	-	-	-	4	6	6	21	50	117	204	225	199	-	1	-	-	2	4	4	17	51	68	52		
	F	631	-	-	-	4	3	11	17	35	69	175	317	187	-	-	-	1	-	3	8	16	23	62	69		
17 Aneurysm	M	14	-	-	-	-	-	-	-	4	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-		
	F	12	-	-	-	1	1	-	-	3	-	4	3	-	-	-	-	-	-	-	-	-	-	-	-		
18 Other circulatory	M	109	-	-	-	-	-	-	-	8	25	35	41	60	-	-	-	-	-	-	-	3	20	19	14		
	F	113	-	-	-	-	-	-	-	3	21	34	55	53	-	-	-	-	-	-	-	11	19	23	23		
19 Bronchitis	M	90	3	-	1	-	-	2	5	7	17	20	35	26	1	-	-	-	1	-	1	3	8	5	7		
	F	67	1	-	1	-	-	-	1	2	7	16	39	20	-	-	-	-	-	1	1	1	3	2	12		
20 Pneumonia	M	107	24	6	5	2	2	4	6	16	18	18	6	44	10	3	2	-	2	3	3	8	8	4	1		
	F	106	21	7	3	1	1	7	1	8	15	18	24	23	2	-	5	1	2	-	3	1	2	5	2		
21 Other respiratory	M	34	-	-	1	-	1	-	1	5	4	9	13	10	-	-	-	-	-	3	2	2	1	2	2		
	F	39	-	-	-	2	-	2	1	-	4	6	24	6	-	-	-	1	1	-	-	3	-	-	7		
22 Peptic ulcer	M	31	-	-	-	-	-	2	5	4	10	10	-	10	-	-	-	-	1	2	3	2	2	-	-		
	F	17	-	-	-	-	-	-	1	-	4	6	6	1	-	-	-	-	-	-	-	1	-	-	-		
23 Diarrhœa	M	8	1	-	2	-	-	1	-	1	3	-	-	1	-	-	-	-	-	-	-	1	-	-	-		
	F	18	7	1	2	1	-	2	-	1	-	2	2	7	3	-	-	-	-	-	-	1	1	2	2		
24 Appendicitis	M	14	-	1	1	1	1	4	2	2	-	1	1	4	-	-	-	-	2	1	-	-	-	-	-		
	F	11	-	1	-	1	1	1	-	1	-	3	3	4	-	-	-	-	1	-	3	-	-	-	-		
25 Cirrhosis of liver	M	7	-	-	-	-	-	1	-	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-		
	F	3	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
26 Other liver diseases	M	9	-	-	-	-	-	-	-	1	6	1	1	2	-	-	-	-	-	-	-	-	1	3	-		
	F	22	-	-	-	-	-	1	-	3	2	6	10	4	-	-	-	-	-	-	-	-	-	-	-		
27 Other digestive	M	48	1	1	2	1	1	2	3	5	11	11	10	11	2	1	-	-	3	1	2	2	-	-	-		
	F	37	1	-	-	1	-	-	2	5	7	8	13	16	-	-	-	1	1	-	2	5	4	3	3		
28 Nephritis	M	67	-	-	-	1	1	2	4	6	13	25	15	19	-	-	-	-	1	3	1	2	6	4	2		
	F	73	-	-	-	1	1	2	8	7	14	23	17	12	-	-	-	-	1	-	2	1	6	2	-		
29 Puerperal sepsis	F	7	-	-	-	-	1	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
30 Other puerperal	F	15	-	-	-	-	1	9	5	-	-	-	-														

Causes of Death. <i>See first page of Table.</i>		BURTON-ON-TRENT.													BURY.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	317	22	4	2	5	6	10	10	41	57	81	79	461	24	4	4	6	7	13	19	47	113	136	88		
	F	279	13	2	3	6	7	10	11	23	45	56	103	461	19	7	5	7	11	17	29	40	88	126	112		
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—		
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—		
4 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—	—	—		
	F	4	—	—	1	3	—	—	—	—	—	—	—	4	—	—	2	2	—	—	—	—	—	—	—		
6 Influenza	M	3	—	—	—	—	—	—	—	—	3	—	—	27	1	—	—	—	—	—	—	7	8	7	4		
	F	14	—	—	—	—	—	2	1	5	2	2	2	30	—	—	—	—	—	—	4	2	7	8	9		
7 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—		
8 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	3	—	1	—	1	1	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Respiratory tuberculosis	M	17	—	—	—	—	2	3	2	6	4	—	—	19	—	—	—	—	2	4	3	5	5	—	—		
	F	10	—	—	—	1	2	4	2	—	1	—	—	11	—	—	—	—	2	6	2	1	—	—	—		
10 Other tuberculosis	M	2	—	—	—	—	1	—	—	—	1	—	—	6	1	—	1	—	1	—	—	2	1	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	3	—	2	—	—	—	—	—	1	—	—	—		
11 Syphilis	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—		
	F	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
12 Gen. paralysis of insane, etc.	M	1	—	—	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	2	—	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	3	—	—	—	—	—	—	1	2	—	—	—		
13 Cancer	M	46	—	—	—	—	—	—	1	5	11	17	12	61	—	—	—	—	—	3	2	1	23	25	7		
	F	38	—	—	—	—	—	—	2	3	9	12	12	51	—	—	—	—	—	1	4	7	19	12	8		
14 Diabetes	M	4	—	—	—	—	—	—	—	—	—	4	—	4	—	—	—	—	—	—	2	—	—	—	—		
	F	6	—	—	—	—	—	—	1	2	—	3	—	9	—	—	—	—	—	—	—	—	—	—	—		
15 Cerebral hæmorrhage	M	12	—	—	—	—	—	—	—	—	2	4	6	17	—	—	—	—	—	—	—	3	1	7	6		
	F	16	—	—	—	—	—	—	—	—	2	6	8	22	—	—	—	—	—	—	—	1	6	11	4		
16 Heart disease	M	77	—	—	—	—	—	—	1	10	14	30	22	120	—	—	—	—	—	—	2	12	28	51	27		
	F	61	—	—	—	—	—	—	—	4	11	20	26	136	—	—	—	—	—	2	6	11	29	42	46		
17 Aneurysm	M	1	—	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	1	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—		
18 Other circulatory	M	21	—	—	—	—	—	—	—	1	3	8	9	38	—	—	—	—	—	—	1	1	7	13	16		
	F	23	—	—	—	—	—	—	2	1	2	4	14	25	—	—	—	—	—	—	1	1	1	13	9		
19 Bronchitis	M	10	1	1	—	—	—	—	—	1	2	1	4	22	2	—	1	—	—	—	1	1	6	7	4		
	F	7	—	1	—	—	—	—	—	1	1	—	4	36	2	—	—	1	1	—	1	1	6	13	11		
20 Pneumonia	M	27	5	2	2	2	—	1	2	6	2	4	1	23	6	1	1	1	—	—	3	—	6	4	1		
	F	15	5	1	2	—	—	—	—	1	4	—	2	30	5	4	2	—	1	2	2	2	3	5	4		
21 Other respiratory	M	3	—	—	—	—	—	—	—	—	2	1	—	6	—	—	—	—	—	—	1	—	3	1	1		
	F	2	—	—	—	—	—	—	—	—	1	—	1	4	1	—	—	—	—	—	1	—	—	—	—		
22 Peptic ulcer	M	6	—	—	—	—	—	1	2	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—	—	—		
23 Diarrhoea	M	3	1	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
24 Appendicitis	M	2	—	—	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	—	1	—	—	—		
25 Cirrhosis of liver	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
26 Other liver diseases	M	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2	—	—	—		
	F	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	1		
27 Other digestive	M	3	—	—	—	—	—	—	1	—	1	—	1	8	—	1	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	—	—	—	—	3	—	1	6	—	—	1	1	—	—	2						

Causes of Death. See first page of Table.		CANTERBURY.													CARLISLE.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	158	7	-	3	4	4	4	7	18	29	42	40	403	28	-	3	8	5	18	29	33	85	111	83		
	F	174	4	-	-	2	4	3	8	9	28	38	78	383	22	4	5	7	18	14	19	40	52	86	116		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-			
4 Whooping cough	M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-			
5 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
6 Influenza	M	3	-	-	-	-	-	-	-	2	1	-	-	13	1	-	-	-	-	-	2	4	1	3	2		
	F	6	-	-	-	-	-	1	1	1	1	1	1	12	1	-	-	-	-	2	1	2	2	-	4		
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
8 Cerebro-spinal fever	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
9 Respiratory tuberculosis	M	7	-	-	-	-	-	1	1	3	2	-	-	20	-	-	-	-	2	2	7	2	6	1	-		
	F	3	-	-	-	-	1	-	1	-	-	1	-	15	-	-	-	-	7	3	-	3	-	-	-		
10 Other tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	-	1	-	-	5	-	1	-	3	1	-	-	-	-	-	-		
11 Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
12 Gen. paralysis of insane, etc.	M	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	1	1	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-		
13 Cancer	M	23	-	-	-	-	-	-	1	2	3	14	3	48	-	-	-	-	-	2	1	6	15	15	9		
	F	18	-	-	-	-	-	-	1	2	7	3	5	41	-	-	-	-	-	-	6	9	11	9	6		
14 Diabetes	M	1	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	2	1	1	-		
	F	3	-	-	-	-	-	1	-	-	-	1	1	7	-	-	-	1	-	1	-	1	4	-	-		
15 Cerebral hæmorrhage	M	12	-	-	-	-	-	-	-	-	2	3	7	27	-	-	-	-	-	-	1	3	11	7	5		
	F	12	-	-	-	-	-	-	-	1	3	2	6	17	-	-	-	-	-	-	1	3	6	7	7		
16 Heart disease	M	31	-	-	-	-	-	-	1	1	7	13	9	107	-	-	-	-	-	1	6	7	20	39	34		
	F	45	-	-	-	2	-	-	1	2	6	13	21	134	-	-	-	-	4	3	3	12	15	34	63		
17 Aneurysm	M	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-		
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
18 Other circulatory	M	3	-	-	-	-	-	-	-	-	-	-	2	40	-	-	-	-	-	-	1	1	6	18	14		
	F	11	-	-	-	-	-	-	-	-	2	4	5	29	-	-	-	-	-	-	-	2	10	17	17		
19 Bronchitis	M	5	-	-	-	-	1	-	-	1	2	-	1	7	1	-	-	-	-	-	-	2	1	3	3		
	F	5	-	-	-	-	-	-	-	-	-	1	4	13	2	-	1	-	-	-	-	1	1	3	5		
20 Pneumonia	M	11	2	-	-	-	-	-	1	4	2	1	1	16	4	-	-	-	-	1	1	1	5	2	2		
	F	5	-	-	-	-	-	-	1	1	-	1	2	15	2	1	2	-	-	-	1	-	2	3	4		
21 Other respiratory	M	2	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-		
	F	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	1	-	2	1	-		
22 Peptic ulcer	M	2	-	-	-	-	-	-	-	-	1	1	-	5	-	-	-	-	-	-	1	1	1	1	1		
	F	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
23 Diarrhœa	M	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	1	-	-		
	F	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-		
24 Appendicitis	M	3	-	-	1	-	-	-	1	-	-	-	-	3	-	-	-	-	-	3	-	-	-	-	-		
	F	1	-	-	-	1	-	-	-	-	-	-	-	3	-	-	-	1	1	-	-	-	-	1	-		
25 Cirrhosis of liver	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	1	1	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
26 Other liver diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	2	1	-	-	-		
27 Other digestive	M	3	-	-	1	1	-	-	-	-	1	-	-	3	-	-	-	-	-	1	-	1	1	-	-		
	F	4	1	-	-	-	-	-	-	-	1	-	2	13	1	-	-	-	1	-	1	3	3	3	1		
28 Nephritis	M	9	-	-	-	-	1	-	-	1	2	-	3	17	-	-	-	-	-	2	-	1	4	7	3		
	F	7	-	-	-	-	1	1	1	-	-	1	3	10	-	-	-	-	-	1	-	3	5	1	1		
29 Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
30 Other puerperal	F	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	1	3	1	-	-	-	-		
31 Congenital causes, etc.	M	4	3	-	-	1	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-		
	F	3	3	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-		
32 Senility	M	11	-	-	-	-	-	-	-	-	-	-	2	9	3	-	-	-	-	-	-	-	-	-	3		
	F	22	-	-	-	-	-																				

TABLE 24—*contd.* County Boroughs.

Causes of Death. <i>See first page of Table.</i>		CHESTER.												COVENTRY.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	315	17	7	5	8	12	14	27	33	63	57	72	1,136	87	19	12	26	44	51	83	164	218	252	180
	F	319	22	6	4	7	10	9	15	21	44	84	97	1,024	72	11	14	22	47	60	72	100	147	225	254
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Measles	M	2	1	1	-	-	-	-	-	-	-	-	-	4	-	-	3	1	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	3	-	1	1	1	-	-	-	-	-	-	-
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	4	2	1	1	-	-	-	-	-	-	-	-
5 Diphtheria	M	4	-	-	2	2	-	-	-	-	-	-	-	3	-	-	1	1	-	1	-	-	-	-	-
	F	3	-	-	2	1	-	-	-	-	-	-	-	4	-	-	2	2	-	-	-	-	-	-	-
6 Influenza	M	10	-	-	-	-	-	2	3	1	2	1	1	45	1	-	-	2	2	4	9	13	9	3	
	F	9	-	-	-	-	-	-	-	1	4	2	2	41	-	-	-	-	-	3	9	8	12	9	
7 Encephalitis lethargica	M	1	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
8 Cerebro-spinal fever	M	2	1	1	-	-	-	-	-	-	-	-	-	18	3	-	1	3	6	2	1	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	2	-	-	1	-	-	-	-	-
9 Respiratory tuberculosis	M	24	-	-	-	2	2	7	7	6	-	-	-	63	-	-	-	6	12	18	13	10	4	-	-
	F	12	-	-	-	4	3	1	3	1	-	-	-	62	-	-	1	22	23	9	4	2	1	-	-
0 Other tuberculosis	M	4	-	-	2	1	1	1	-	-	-	-	-	18	-	2	1	4	3	2	2	1	1	-	-
	F	4	1	-	-	2	1	-	-	-	-	-	-	12	-	2	2	4	2	1	1	-	-	-	-
1 Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	1	3	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
2 Gen. paralysis of insane, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	1	-	-	-	3	1	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
3 Cancer	M	40	-	-	-	-	1	2	2	12	17	6	147	-	-	-	1	-	5	9	39	42	41	19	19
	F	47	1	-	-	1	-	2	5	12	17	9	128	1	1	1	-	-	2	8	25	35	36	4	-
4 Diabetes	M	3	-	-	-	-	-	-	-	2	1	-	8	-	-	-	-	-	-	-	-	4	4	-	-
	F	11	-	-	-	-	1	-	1	3	5	1	17	-	-	-	-	1	-	-	6	6	6	4	-
5 Cerebral hæmorrhage	M	9	-	-	-	-	-	-	2	4	2	1	52	-	-	-	-	1	-	7	10	19	15	-	-
	F	20	-	-	-	-	-	-	1	4	7	8	49	-	-	-	1	-	3	3	12	18	12	-	-
6 Heart disease	M	72	-	-	-	-	-	3	6	15	13	35	274	-	-	-	1	3	2	9	33	55	94	77	77
	F	83	-	-	1	-	-	3	2	8	30	39	291	-	-	-	3	6	5	5	17	47	89	119	119
7 Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	F	2	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	1	1	-	-	-	-	-	-
8 Other circulatory	M	11	-	-	-	-	-	-	-	2	4	5	40	-	1	-	-	-	2	2	12	14	9	-	-
	F	19	-	-	1	-	-	-	-	2	6	10	30	-	-	-	-	-	1	5	5	7	12	-	-
9 Bronchitis	M	8	-	-	-	-	-	-	1	-	2	5	38	2	-	-	-	1	-	2	5	7	5	16	16
	F	11	-	-	-	-	-	1	-	2	3	5	39	3	-	-	-	1	1	2	1	13	18	-	-
0 Pneumonia	M	39	3	4	1	2	7	7	3	6	5	1	90	18	6	1	3	4	7	6	14	19	10	2	2
	F	30	5	4	2	1	1	2	1	3	1	3	57	12	2	1	-	2	3	8	10	1	13	5	5
1 Other respiratory	M	5	-	-	-	-	-	-	3	2	-	-	11	-	1	-	-	-	-	1	6	-	3	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	1	2	1	1	1	
2 Peptic ulcer	M	4	-	-	-	-	-	-	1	1	1	1	17	-	-	-	-	-	-	2	8	2	4	1	1
	F	2	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	1
3 Diarrhœa	M	2	1	-	-	-	-	-	1	-	-	-	16	13	1	-	-	1	-	1	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	12	4	1	1	-	3	-	-	1	1	1	-	-
4 Appendicitis	M	2	-	-	1	-	-	-	-	-	1	-	7	-	-	-	1	1	3	1	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	9	-	-	2	-	2	3	-	1	1	-	-	-
5 Cirrhosis of liver	M	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	1	1	1	-	-	-
6 Other liver diseases	M	3	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7 Other digestive	M	3	-	-	1	-	-	-	-	-	1	1	23	-	-	-	1	1	-	3	4	6	5	3	3
	F	7	-	-	-	1	-	-	1	4	-	1	21	-	1	-	1	2	5	2	4	2	2	3	3
8 Nephritis	M	4	-	-	-	-	-	-	-	-	2	1	26	1	-	1	-	2	-	3	7	3	5	4	4
	F	9	-	-	-	-	-	1	-	-	5	3	22	-	-	-	-	-	1	3	3	2	8	5	5
9 Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	1	2	1	-	-	-	-	-
0 Other puerperal	F	3	-	-	-	1	-	2	-	-	-	-	6	-	-	-	-	2	3	1	-	-	-	-	-
1 Congenital causes, etc.	M	10	9	-	-	1	-	-	-	-	-	-	42	39	-	1	1	-	1	-	-	-	-	-	-
	F	12	12	-	-	-	-	-	-	-	-	-	42	41	-	-	-	-	-	-	-	-	-	-	-
2 Senility	M	9	-	-	-	-	-	-	-	-	-	-	15	-	-	-	-	-	-	-	-	-	1	14	14
	F	7	-	-	-	-	-	-	-	-	-	-	31	-	-	-	-	-	-	-	-	3	28	-	-
3 Suicide	M	7	-	-	-	1	1	2	1	1	1	-	21	-	-	-	1	1	5	4	6	2	2	2	2
	F	3	-	-	-	-	-	-	1	1	1	-	12	-	-	-	-	2	6	1	2	1	-	-	-
4 Other violence	M	13	1	1	1	2	1	1	2	-	-	-	61	3	2	-	6	11	4	7	6	11	7	7	7
	F	5	1	-	2	-	1	1	-	-	-	-	30	5	1	2	3	2	2	3	-	2	3	7	7
5 Other defined causes	M	23	1	-	2	2	-	-	3	6	5	4	79	6	4	3	2	4	3	9	9	14	17	8	8
	F	13	-	1	-	1	-	2	2	1	2	4	72	3	-	-	5	6	6	10	13	13	8	-	-
6 Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 24—*contd.* County Boroughs.

Causes of Death. <i>See first page of Table.</i>		CROYDON.													DARLINGTON.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes		M	1,324	120	10	19	25	43	55	80	137	228	292	315	523	39	8	5	16	12	28	33	59	116	114	98	
		F	1,476	76	11	11	25	51	43	82	127	178	342	530	450	28	5	7	15	22	21	26	49	64	99	111	
1 Typhoid fever, etc.	M	16	-	-	-	2	6	4	1	2	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-		
	F	19	-	-	-	-	2	4	5	2	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
2 Measles	M	2	-	1	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
	F	3	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-		
	F	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
4 Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-		
	F	4	-	3	-	1	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-		
5 Diphtheria	M	8	-	-	5	3	-	-	-	-	-	-	-	6	1	-	-	4	1	-	-	-	-	-	-		
	F	7	1	-	1	4	-	-	-	-	-	1	-	11	-	-	1	10	-	-	-	-	-	-	-		
6 Influenza	M	29	-	1	-	2	-	-	3	3	5	7	8	23	-	-	-	-	1	4	3	4	6	3	2		
	F	42	-	-	1	1	2	-	2	2	8	10	16	14	-	1	-	1	-	1	1	1	4	4	1		
7 Encephalitis lethargica	M	2	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
8 Cerebro-spinal fever	M	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	74	-	-	-	2	6	13	21	12	16	3	1	43	-	-	-	-	4	9	9	6	13	1	1		
	F	62	-	-	-	1	26	9	10	8	4	2	2	25	-	-	-	-	10	5	4	2	3	1	-		
10 Other tuberculosis	M	8	3	-	-	1	1	2	-	1	-	-	-	3	2	-	-	1	-	-	-	-	-	-	-		
	F	11	-	1	1	1	6	-	2	-	-	-	-	8	-	-	-	1	4	2	-	1	-	-	-		
11 Syphilis	M	3	-	-	-	-	-	-	1	1	1	-	-	2	-	-	-	-	-	1	-	1	-	-	-		
	F	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-		
12 Gen. paralysis of insane, etc.	M	9	-	-	-	-	-	-	2	4	2	-	1	1	-	-	-	-	-	-	-	1	-	-	-		
	F	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13 Cancer	M	192	-	-	2	-	1	6	7	27	44	58	47	50	-	-	1	-	2	-	5	3	16	17	6		
	F	240	-	-	-	1	-	2	19	41	48	75	54	52	-	-	-	-	-	1	5	13	11	12	10		
14 Diabetes	M	19	1	-	-	1	-	-	-	2	5	9	1	6	-	-	-	-	1	-	-	-	2	1	2		
	F	25	-	-	-	-	-	-	2	2	8	9	4	6	-	-	-	-	-	-	1	1	2	2	-		
15 Cerebral hæmorrhage	M	42	-	-	-	-	-	-	2	2	12	14	12	23	-	-	-	-	-	2	1	-	7	8	5		
	F	68	-	-	-	-	-	-	-	4	8	20	36	27	-	-	-	-	-	-	5	3	9	10	10		
16 Heart disease	M	327	-	-	1	1	1	2	9	30	52	94	137	106	-	-	-	1	1	1	4	9	26	38	26		
	F	443	-	-	-	-	1	5	8	16	47	117	249	105	-	-	-	-	2	2	6	7	22	30	36		
17 Aneurysm	M	6	-	-	-	-	1	2	-	1	-	2	-	2	-	-	-	-	-	-	1	-	1	-	-		
	F	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
18 Other circulatory	M	66	-	-	-	-	-	-	1	3	18	25	19	30	-	-	-	-	-	-	-	2	6	11	11		
	F	64	-	-	-	-	-	1	1	2	3	26	31	26	-	-	-	-	-	-	2	4	8	12	12		
19 Bronchitis	M	24	2	1	-	-	1	1	-	3	2	5	9	19	1	-	-	-	-	-	1	1	4	4	8		
	F	26	1	-	-	1	-	-	-	1	-	4	19	14	1	-	-	-	-	-	1	3	2	7	7		
20 Pneumonia	M	93	23	2	5	2	1	2	8	10	14	13	13	41	8	6	-	1	-	1	2	11	7	2	3		
	F	86	11	2	3	3	3	4	8	8	6	16	22	30	7	2	2	-	-	2	1	2	3	5	6		
21 Other respiratory	M	7	-	-	-	1	1	-	-	-	1	1	3	5	-	-	-	1	-	-	1	-	3	-	-		
	F	5	1	-	-	-	-	-	-	1	2	1	-	3	-	-	-	1	-	-	-	1	-	1	1		
22 Peptic ulcer	M	22	-	-	-	-	1	1	2	4	6	5	3	4	-	-	-	-	-	-	1	-	1	2	-		
	F	4	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	1	-	-	-	-		
23 Diarrhœa	M	21	16	2	-	-	1	-	-	-	1	1	-	2	1	-	-	-	-	-	-	-	1	-	-		
	F	24	20	-	-	-	-	-	-	1	-	-	3	4	2	1	-	-	-	-	-	-	-	-	1		
24 Appendicitis	M	12	-	-	2	1	-	3	4	1	-	1	-	4	-	-	1	1	-	1	-	1	-	-	-		
	F	11	-	-	1	-	-	2	1	2	2	3	-	5	-	-	-	1	2	1	-	-	1	-	-		
25 Cirrhosis of liver	M	4	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
	F	5	-	-	-	-	-	-	1	2	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-		
26 Other liver diseases	M	3	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	2	-	-	-		
	F	11	-	-	-	-	-	1	-	1	1	2	6	5	-	-	-	-	-	1	2	1	-	1	1		
27 Other digestive	M	34	2	-	1	-	1	3	3	3	6	8	7	10	1	-	-	-	-	-	-	1	2	4	2		
	F	29	-	-	-	1	2	-	3	3	5	4	11	5	-	1	1	-	-	-	-	1	-	-	2		
28 Nephritis	M	30	-	-	-	-	2	5	5	7	7	3	8	11	-	-	-	-	1	-	2	5	1	2	2		
	F	54	-	-	-	1	-	2	2	9	7	16	17	16	-	-	-	-	1	1	-	2	1	6	5		
29 Puerperal sepsis	F	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
	F	11	-	-	-	-	1	6	4	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
31 Congenital causes, etc.	M	67	65	-	-	1	-	1	-	-	-																

TABLE 24—*contd.* County Boroughs.

Causes of Death. <i>See first page of Table.</i>		DERBY.													DEWSBURY.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	966	78	10	11	14	22	48	52	95	183	243	210	398	31	2	5	9	14	14	23	38	89	105	68		
	F	839	53	9	7	15	22	44	46	62	125	211	245	387	19	6	6	7	12	12	22	29	72	110	92		
1 Typhoid fever, etc.	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Measles	M	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-		
4 Whooping cough	M	2	1	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-		
	F	6	3	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
5 Diphtheria	M	2	-	1	-	1	-	-	-	-	-	-	-	3	-	-	-	3	-	-	-	-	-	-	-		
	F	4	-	-	2	-	-	-	1	-	-	1	-	6	-	-	3	2	1	-	-	-	-	-	-		
6 Influenza	M	48	2	2	-	-	3	3	10	3	16	5	4	11	-	-	-	-	1	-	1	1	2	4	2		
	F	34	1	1	-	1	1	2	2	3	7	7	9	15	-	-	-	1	-	-	3	-	4	4	3		
7 Encephalitis lethargica	M	4	-	-	-	1	-	1	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
8 Cerebro-spinal fever	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	1	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	48	-	-	-	-	1	14	11	11	9	2	-	14	-	-	-	1	5	4	1	2	1	-	-		
	F	28	-	-	-	-	8	9	7	3	1	-	-	8	-	-	-	1	5	2	-	-	-	-	-		
0 Other tuberculosis	M	4	-	-	1	1	2	-	-	-	-	-	-	5	1	-	1	-	1	1	1	1	-	-	-		
	F	6	-	1	-	2	2	1	-	-	-	-	-	3	-	1	-	-	1	-	-	-	1	-	-		
1 Syphilis	M	7	-	-	-	1	-	1	-	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Gen. paralysis of insane, etc.	M	7	-	-	-	-	-	-	-	2	3	-	2	1	-	-	-	-	-	-	1	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Cancer	M	99	-	-	-	-	1	3	4	10	29	36	16	52	-	-	-	-	1	-	1	5	19	20	6		
	F	107	-	-	-	-	1	1	8	23	27	35	12	50	-	-	-	-	-	2	2	7	16	16	7		
4 Diabetes	M	14	-	-	-	-	-	-	-	-	3	9	2	2	-	-	-	-	-	-	1	-	1	-	-		
	F	20	-	-	-	1	-	1	2	1	6	6	3	6	-	-	-	-	-	-	-	2	3	-	1		
5 Cerebral hæmorrhage	M	43	-	-	-	-	-	-	1	1	6	17	18	23	-	-	-	-	-	-	1	5	12	5	5		
	F	63	-	-	-	-	-	-	1	3	7	27	25	26	-	-	-	-	-	2	-	5	11	8	8		
6 Heart disease	M	249	-	-	-	1	1	1	7	19	49	89	82	93	-	-	-	1	1	1	10	22	33	24	24		
	F	222	-	-	-	1	1	4	5	12	38	68	93	109	-	-	-	-	1	2	6	10	24	37	29		
7 Aneurysm	M	4	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-	-	1	-	-	-	-		
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
8 Other circulatory	M	38	-	-	-	-	-	-	-	2	7	17	12	36	-	-	-	-	-	-	3	9	12	12	12		
	F	38	-	-	-	-	-	-	-	2	4	13	19	28	-	-	-	-	-	-	1	2	12	13	13		
9 Bronchitis	M	21	-	-	2	-	-	-	2	3	4	4	6	12	1	-	-	-	-	1	-	4	3	3	3		
	F	19	-	-	1	-	-	-	-	1	5	12	9	9	-	-	-	-	-	1	-	1	2	5	5		
0 Pneumonia	M	70	6	4	1	4	5	2	3	12	16	10	7	23	4	1	2	-	-	1	4	2	3	3	3		
	F	33	9	1	1	1	1	2	2	3	5	3	5	13	2	3	-	1	-	1	1	2	3	-	-		
1 Other respiratory	M	8	-	-	1	-	-	-	-	3	1	1	2	1	-	-	-	-	1	-	-	-	-	-	-		
	F	5	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-	-	1		
2 Peptic ulcer	M	18	-	-	-	-	-	1	2	5	7	3	-	9	-	-	-	-	1	3	2	3	-	-	-		
	F	3	-	-	-	-	-	-	-	2	-	1	-	3	-	-	-	-	-	-	2	-	1	-	-		
3 Diarrhœa	M	4	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-		
	F	3	2	-	-	1	-	-	-	-	-	-	-	6	3	1	-	-	-	-	-	-	-	-	2		
4 Appendicitis	M	4	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
	F	4	-	-	1	1	-	-	1	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-		
5 Cirrhosis of liver	M	3	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
	F	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
6 Other liver diseases	M	3	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-	1	1	1	-	-		
	F	4	-	-	-	-	-	-	2	1	-	1	-	3	-	-	-	-	1	-	-	1	1	-	-		
7 Other digestive	M	10	-	-	1	-	-	1	1	1	-	5	1	6	-	-	1	-	-	1	-	-	3	-	-		
	F	13	-	-	1	-	1	1	3	-	2	3	2	6	-	-	-	-	-	-	2	3	-	1	1		
8 Nephritis	M	28	-	-	-	-	1	3	1	2	5	8	8	14	-	-	-	-	-	1	-	9	4	-	-		
	F	31	-	-	-	1	1	4	3	1	3	9	9	13	-	-	-	-	-	1	1	4	6	1	1		
9 Puerperal sepsis	F	6	-	-	-	-	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0 Other puerperal	F	5	-	-	-	-	-	4	1	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-		
1 Congenital causes, etc.	M	55	55	-	-	-	-	-	-	-	-	-	-	19	18	-	1	-	-	-	-	-	-	-	-		
	F	29	28	-	-	1	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-		
2 Senility	M	40	-	-	-	-	-	-	-	-	2	3	35	8	-	-	-	-	-	-	-	-	1	7	7		
	F	44	-	-	-	-	-	-	-	-	-	8	36	20	-	-	-	-	-	-	-	-	3	17	17		
3 Suicide	M	10	-	-	-	-	-	3	1	4	-	2	-	3	-	-	-	-	-	2	-	1	-	-	-		
	F	7	-	-	-	-	-	-	-	1	3	3	-	4	-	-	-	-	-	1	-	2	-	-	1		
4 Other violence	M	41	5	1	2	1	5	6	3	6	4	4	4	15	-	-	-	3	2	2	2	2	3	-	1		
	F	24	4	1	-	1	2	3	3	-	-	5	5	7	-	-	-	1	1	-	2	1	1	-	-		
5 Other defined causes	M	76	4	1	1	3	4	6	6	9	15	19	8	40	5	-	-	1	2	2	5	5	7	8	5		
	F	75	6	1	1	4	3	7	5	7	19	10	12	33	3	-	1	-	2	2	4	4	5	9	3		
6 Ill-defined causes	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

TABLE 24—*contd.* County Boroughs.

Causes of Death. <i>See first page of Table.</i>		DONCASTER.													DUDLEY.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	456	39	3	6	15	14	19	24	65	92	96	83	378	46	8	6	8	8	14	31	51	64	66	70		
	F	369	26	4	3	3	11	23	24	36	52	90	97	368	46	10	15	18	13	15	22	30	39	74	86		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	6	2	3	1	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	5	-	1	3	1	-	-	-	-	-	-	-		
3 Scarlet fever	M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4 Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-		
5 Diphtheria	M	4	-	-	2	2	-	-	-	-	-	-	-	7	-	-	2	5	-	-	-	-	-	-	-		
	F	1	-	-	1	-	-	-	-	-	-	-	-	7	-	-	-	7	-	-	-	-	-	-	-		
6 Influenza	M	23	1	1	-	-	1	1	2	7	2	1	7	11	-	-	-	-	-	1	1	4	4	-	1		
	F	16	1	2	-	-	1	2	2	2	2	1	3	11	-	-	-	-	-	1	1	2	4	2	1		
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
8 Cerebro-spinal fever	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	28	-	-	-	-	2	4	6	8	5	3	-	26	1	-	-	-	4	3	7	7	2	2	-		
	F	11	-	-	-	-	6	4	-	1	-	-	-	22	1	-	-	1	5	3	6	4	1	1	-		
10 Other tuberculosis	M	7	-	2	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	2	-	-	-	-	-	2	-	-	-	-	-	3	-	-	-	1	2	-	-	-	-	-	-		
11 Syphilis	M	4	1	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
12 Gen. paralysis of insane, etc.	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
13 Cancer	M	50	-	-	-	-	-	2	2	8	17	18	3	37	-	-	-	-	1	-	4	5	10	9	8		
	F	56	-	-	-	-	-	1	7	9	12	18	9	42	-	-	1	-	-	1	5	9	10	7	7		
14 Diabetes	M	7	-	-	-	1	-	-	-	1	1	2	2	4	-	-	-	-	-	-	1	2	1	-	-		
	F	3	-	-	-	-	-	-	-	-	3	-	-	9	-	-	-	1	-	-	1	2	4	1	1		
15 Cerebral hæmorrhage	M	17	-	-	-	-	-	-	-	3	5	5	4	22	-	-	-	-	-	-	1	-	4	8	9		
	F	25	-	-	-	-	-	-	-	4	4	6	11	26	-	-	-	-	-	-	1	5	10	10	10		
16 Heart disease	M	90	-	-	-	-	-	1	4	7	22	36	20	56	-	-	-	1	1	-	3	9	14	15	13		
	F	79	-	-	-	-	2	4	3	7	11	27	25	66	-	-	1	1	3	2	3	8	6	25	17		
17 Aneurysm	M	5	-	-	-	-	-	1	-	1	1	2	-	3	-	-	-	-	-	-	1	2	-	-	-		
	F	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
18 Other circulatory	M	32	-	-	-	-	1	2	-	2	7	6	14	23	-	-	-	-	-	-	4	6	1	12	12		
	F	35	-	-	-	-	-	-	-	-	2	15	18	12	-	-	-	-	-	-	-	1	5	6	6		
19 Bronchitis	M	15	1	-	-	-	-	-	-	-	3	5	6	29	4	-	-	-	-	1	-	5	9	10	10		
	F	10	1	-	-	-	-	-	1	-	-	2	6	38	5	1	-	-	1	1	-	5	7	18	18		
20 Pneumonia	M	31	10	-	1	2	-	-	1	6	9	1	1	37	11	2	2	-	1	-	4	5	4	5	3		
	F	11	3	1	1	-	-	2	-	-	2	1	1	26	7	6	5	-	-	3	-	-	1	4	4		
21 Other respiratory	M	8	1	-	-	2	-	-	-	1	2	2	-	3	-	-	-	1	-	-	1	-	-	1	1		
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
22 Peptic ulcer	M	9	-	-	-	-	-	-	-	2	5	1	1	7	-	-	-	-	-	1	2	2	2	-	-		
	F	2	-	-	-	-	-	-	1	-	-	1	-	3	-	-	-	-	-	1	-	1	-	-	-		
23 Diarrhœa	M	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	9	5	1	-	-	-	2	-	-	-	-	-		
24 Appendicitis	M	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-		
	F	3	-	-	-	1	-	-	1	-	-	1	-	4	-	-	-	2	2	-	-	-	-	-	-		
25 Cirrhosis of liver	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
26 Other liver diseases	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	5	-	-	-	-	-	-	-	-	2	2	-	1	-	-	1	-	-	-	-	-	-	-	-		
27 Other digestive	M	5	1	-	-	-	1	-	-	1	-	1	1	6	-	-	-	-	-	-	1	-	3	2	-		
	F	13	-	-	-	-	-	2	2	5	2	2	-	8	1	-	-	1	-	-	-	2	3	3	-		
28 Nephritis	M	10	-	-	-	-	-	-	-	3	3	2	2	11	-	-	-	-	1	1	2	3	3	3	-		
	F	10	-	-	-	-	-	1	2	1	1	2	3	9	-	-	-	1	-	-	2	1	2	3	-		
29 Puerperal sepsis	F	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-		
30 Other puerperal	F	3	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-		
31 Congenital causes, etc.	M	19	19	-	-	-	-	-	-	-	-	-	-	23	23	-	-	-	-	-	-	-	-	-	-		
	F	20	19	-	1	-	-	-	-	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-			

Causes of Death.		EASTBOURNE.												EAST HAM.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	
All Causes		M	353	10	1	1	4	5	14	8	31	73	109	97	736	49	4	5	10	15	35	36	74	148	193	167
		F	431	9	1	-	1	8	8	16	26	67	108	187	686	46	3	3	6	22	29	35	52	97	171	222
1	Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	4	3	-	1	-	-	-	-	-	-	-	-	
		F	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
5	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	
		F	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	
6	Influenza	M	7	-	-	-	-	-	-	1	-	-	4	2	20	1	-	-	-	1	1	1	7	5	4	
		F	18	-	1	-	-	-	-	1	-	4	4	8	16	-	-	-	-	-	-	1	4	6	5	
7	Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	
8	Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
9	Respiratory tuberculosis	M	18	-	-	-	-	3	5	1	5	4	-	51	-	-	-	-	3	15	9	9	9	5	1	
		F	7	-	-	-	-	3	-	1	1	-	2	29	-	-	-	-	10	7	4	5	1	1	1	
0	Other tuberculosis	M	2	-	-	-	-	-	-	-	-	-	1	8	-	-	1	4	1	1	-	-	-	-	1	
		F	3	-	-	-	-	1	2	-	-	-	-	5	1	-	-	1	1	-	3	-	-	-	-	
1	Syphilis	M	3	-	-	-	-	-	-	-	1	1	1	3	-	-	-	-	-	-	-	2	1	-	-	
		F	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	
2	Gen. paralysis of insane, etc.	M	1	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	1	2	2	1	-	
		F	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	
3	Cancer	M	39	-	-	-	-	-	1	1	5	13	9	10	120	1	-	-	-	1	1	5	15	30	46	
		F	81	-	-	-	-	-	-	3	9	25	18	26	99	-	-	-	-	2	5	14	28	31	19	
4	Diabetes	M	4	-	-	-	-	-	-	-	-	3	1	-	4	-	-	-	-	-	-	-	2	1	3	
		F	9	-	-	-	-	-	-	-	-	1	6	2	14	-	-	-	1	2	-	1	2	5	3	
5	Cerebral hæmorrhage	M	27	-	-	-	-	-	-	1	3	10	13	39	-	-	-	-	-	-	-	3	12	14	10	
		F	46	-	-	-	-	-	-	-	7	12	27	49	-	-	-	-	-	-	-	5	8	21	15	
6	Heart disease	M	111	-	-	-	-	3	2	6	17	42	41	185	-	-	-	1	3	4	18	33	58	68		
		F	119	-	-	-	-	-	-	5	14	36	64	200	-	-	-	2	1	2	9	9	28	59	90	
7	Aneurysm	M	2	-	-	-	-	-	-	-	-	2	-	6	-	-	-	-	-	-	1	3	1	1	1	
		F	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	2	-	-	-	
8	Other circulatory	M	12	-	-	-	-	-	-	1	4	1	6	19	-	-	-	-	-	-	2	3	5	9	9	
		F	16	-	-	-	-	-	-	-	-	6	10	17	-	-	-	-	-	1	2	2	6	6	6	
9	Bronchitis	M	8	-	-	-	-	-	-	-	3	2	3	31	2	-	-	-	-	1	1	7	10	10	10	
		F	8	2	-	-	-	-	-	-	-	2	4	32	3	-	-	-	-	-	1	3	2	22	22	
0	Pneumonia	M	15	1	-	-	-	-	-	3	4	6	1	61	10	1	1	2	1	3	2	7	11	16	7	
		F	7	-	-	-	-	1	1	1	1	2	1	41	6	1	-	1	-	1	3	1	5	9	14	
1	Other respiratory	M	3	-	-	-	-	-	-	-	1	1	1	4	1	-	1	-	-	-	-	1	-	-	1	
		F	2	-	-	-	-	-	1	-	-	-	1	9	-	-	-	1	-	1	-	1	-	1	5	
2	Peptic ulcer	M	6	-	-	-	-	-	-	2	2	2	-	18	-	-	-	-	-	1	1	4	6	2	2	
		F	3	-	-	-	-	-	-	-	1	1	1	6	-	-	-	-	-	-	1	1	3	1	1	
3	Diarrhœa	M	-	-	-	-	-	-	-	-	-	-	-	11	8	1	-	-	-	-	-	1	-	-	1	
		F	1	-	-	-	-	-	-	-	-	1	-	7	3	2	-	-	1	-	-	-	-	-	1	
4	Appendicitis	M	4	-	-	-	1	-	-	-	2	-	-	2	-	-	-	-	-	1	1	-	-	-	-	
		F	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	1	-	1	-	1	-	-	
5	Cirrhosis of liver	M	2	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	2	-	-	-	
		F	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	2	-	-	-	
6	Other liver diseases	M	1	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	1	1	1	1	1	1	
		F	1	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	2	-	-	-	
7	Other digestive	M	10	-	-	-	1	-	1	-	2	6	-	11	-	-	1	-	-	-	2	2	4	3	3	
		F	10	-	-	-	-	1	1	1	-	5	3	10	1	-	1	-	1	-	1	1	1	2	2	
8	Nephritis	M	20	-	-	-	1	-	1	1	6	8	3	14	-	-	-	-	-	3	-	4	3	4	4	
		F	18	-	-	-	1	-	1	2	3	4	7	21	-	-	-	-	1	1	-	2	6	11	11	
9	Puerperal sepsis	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
0	Other puerperal	F	2	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	
1	Congenital causes, etc.	M	7	7	-	-	-	-	-	-	-	-	-	25	22	-	-	1	1	1	-	-	-	-	-	
		F	5	4	-	-	-	-	1	-	-	-	-	29	28	-	-	-	1	-	-	-	-	-	-	
2	Senility	M	5	-	-	-	-	-	-	-	-	2	3	7	-	-	-	-	-	-	-	-	2	5	5	
		F	16	-	-	-	-	-	-	-	-	1	15	14	-	-	-	-	-	-	-	-	1	13	13	
3	Suicide	M	6	-	-	-	-	2	-	1	1	1	2	8	-	-	-	-	1	1	1	3	-	2	2	
		F	4	-	-	-	1	-	1	1	-	2	-	5	-	-	-	-	1	-	-	1	1	1	1	
4	Other violence	M	4	-	-	-	1	-	1	1	1	2	-	24	-	-	1	1	4	6	3	-	2	4	3	
		F	11	1	-	-	1	-	1	1	2	2	3	11	1	-	-	1	1	1	-	-	5	5	3	
5	Other defined causes	M	35	2	1	1	2	-	3	-	3	5	7	11	45	-	1	-	1	2	4	5	9	9	12	
		F	34	1	-	-	2	-	2	4	4	7	4	10	53	1	-	1	3	9	8	4	5	11	10	
6	Ill-defined causes	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
		F	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 24—*contd.* County Boroughs.

Causes of Death. <i>See first page of Table.</i>		EXETER.													GATESHEAD.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	416	36	4	2	2	8	16	13	42	75	104	114	859	96	13	12	23	35	43	53	94	146	208	133		
	F	469	19	3	2	2	9	15	21	34	67	113	184	752	65	12	11	29	33	36	41	68	122	154	188		
1 Typhoid fever, etc.	M	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	3	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	5	2	2	1	-	-	-	-	-	-	-	-		
	F	2	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-		
5 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	14	1	-	1	11	1	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	12	-	-	2	9	1	-	-	-	-	-	-		
6 Influenza	M	8	-	-	-	-	-	-	-	-	3	3	2	24	1	-	-	-	1	1	3	5	4	8	1		
	F	23	-	-	-	-	-	4	2	2	3	6	6	27	1	-	-	4	1	-	3	4	5	6	3		
7 Encephalitis lethargica	M	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
8 Cerebro-spinal fever	M	1	1	-	-	-	-	-	-	-	-	-	-	4	3	1	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	19	-	-	-	-	2	6	3	5	2	1	-	77	-	-	1	3	14	16	11	21	8	3	-		
	F	22	-	-	-	-	6	4	6	1	2	2	1	44	-	-	-	2	17	7	3	7	5	1	2		
10 Other tuberculosis	M	2	1	-	-	-	-	-	-	-	-	1	-	6	-	-	1	-	1	2	-	2	-	-	-		
	F	5	-	2	-	1	-	-	-	2	-	-	-	8	1	-	-	3	2	1	-	1	-	-	-		
11 Syphilis	M	3	-	-	-	-	-	-	1	2	-	-	-	8	3	-	-	-	-	1	-	3	1	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
12 Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	-	-	-	1	1	-	7	-	-	-	-	-	2	4	-	1	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
13 Cancer	M	54	-	-	-	-	-	1	3	5	15	19	11	103	-	-	-	-	1	2	5	12	30	38	15		
	F	63	-	-	-	-	-	2	4	8	16	22	11	96	-	-	-	-	-	5	5	16	32	21	17		
14 Diabetes	M	3	-	-	-	-	-	-	-	-	1	1	1	5	-	-	-	-	-	2	1	1	1	1	-		
	F	9	-	-	-	-	-	-	-	-	2	4	3	8	-	-	-	-	-	1	1	3	3	-	-		
15 Cerebral hæmorrhage	M	18	-	-	-	-	-	-	1	2	1	7	7	57	-	-	-	-	-	-	-	7	12	20	18		
	F	34	-	-	-	-	-	-	-	5	2	8	19	52	-	-	-	-	-	1	-	1	8	26	16		
16 Heart disease	M	97	-	-	-	-	1	2	2	5	18	24	45	161	-	-	-	1	4	3	4	12	32	69	36		
	F	136	-	-	-	-	-	1	1	7	13	39	75	174	-	-	-	1	5	4	8	17	31	45	63		
17 Aneurysm	M	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
18 Other circulatory	M	29	-	-	-	-	-	-	-	1	7	12	9	39	-	-	-	-	-	-	-	4	6	11	18		
	F	25	-	-	-	-	-	-	1	-	3	8	13	29	-	-	-	-	-	-	-	1	5	10	13		
19 Bronchitis	M	16	1	-	-	-	-	-	2	2	1	1	9	32	6	-	-	-	-	-	2	2	6	6	10		
	F	24	-	-	-	-	-	-	-	2	5	3	14	27	5	-	2	-	-	1	1	-	2	5	11		
20 Pneumonia	M	23	7	2	1	-	-	1	-	2	3	4	3	71	23	5	4	1	2	7	9	6	5	5	4		
	F	23	2	-	1	-	-	-	2	1	3	5	9	53	14	7	6	2	2	1	2	5	4	8	2		
21 Other respiratory	M	4	-	-	-	-	-	-	-	1	3	-	-	5	-	-	-	-	-	-	-	1	-	3	1		
	F	8	-	-	-	-	-	-	-	1	1	1	4	7	-	1	-	-	-	-	-	1	-	1	3		
22 Peptic ulcer	M	3	-	-	-	-	-	-	-	1	-	2	-	12	-	-	-	-	-	2	2	6	-	-	-		
	F	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	1	1	-	-	-		
23 Diarrhoea	M	2	1	1	-	-	-	-	-	-	-	-	-	11	7	1	1	-	-	-	-	-	1	1	-		
	F	3	1	-	-	-	-	-	-	-	1	-	1	9	6	-	1	-	-	-	-	-	-	1	-		
24 Appendicitis	M	1	-	-	-	-	1	-	-	-	-	-	-	8	-	-	1	-	1	1	1	2	1	1	-		
	F	2	-	-	-	-	-	1	-	-	-	1	-	3	-	-	-	1	-	1	-	-	-	1	-		
25 Cirrhosis of liver	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1		
26 Other liver diseases	M	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	5	-	-	-	-	-	-	1	-	3	1	-	2	-	-	-	-	-	1	-	1	-	-	-		
27 Other digestive	M	8	-	-	-	-	-	-	-	1	3	1	3	20	1	-	-	-	1	-	4	3	5	5	1		
	F	7	-	-	-	1	-	-	-	-	3	1	2	17	1	-	-	1	1	1	-	5	3	4	-		
28 Nephritis	M	22	-	-	-	-	-	-	-	3	4	10	5	13	-	-	-	-	2	-	-	-	4	5	2		
	F	6	-	-	-	-	-	-	-	-	1	3	2	17	-	-	-	1	-	3	1	5	4	3	-		
29 Puerperal sepsis	F	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-		
30 Other puerperal	F	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	2	3	2	-	-	-	-	-		
31 Congenital causes, etc.	M	24	24	-	-	-	-	-	-	-	-	-	-	45	44	-	-	-	-	1	-	-	-	-	-		
	F	11	11	-	-	-	-	-	-																		

TABLE 24—*contd.* County Boroughs.

Causes of Death. <small>See first page of Table.</small>		GLOUCESTER.												GREAT YARMOUTH.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	388	25	3	1	6	13	18	15	43	72	94	98	379	13	2	7	5	6	12	19	30	60	104	121
	F	372	21	1	3	5	10	11	21	36	48	92	124	387	16	2	4	4	13	15	17	36	53	80	147
1 Typhoid fever, etc.	M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	2	1	-	-	-	-	-	-	
6 Influenza	M	8	-	1	-	-	-	-	1	2	1	1	2	12	-	-	-	-	-	1	1	1	4	5	
	F	17	1	-	-	-	-	-	-	2	1	8	5	7	-	-	-	-	-	1	1	2	1	2	
7 Encephalitis lethargica	M	5	-	-	-	-	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9 Respiratory tuberculosis	M	20	-	-	-	-	1	3	5	8	1	2	-	22	-	-	-	1	7	3	2	7	2	-	
	F	16	-	-	-	-	5	5	2	3	1	-	-	20	-	-	-	1	7	5	3	3	1	-	
0 Other tuberculosis	M	5	1	-	-	1	-	3	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	
	F	1	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	
1 Syphilis	M	2	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	
	F	2	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	
2 Gen. paralysis of insane, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	
3 Cancer	M	34	-	-	-	-	-	-	1	5	9	12	7	47	-	-	-	-	-	2	5	9	23	8	
	F	50	-	-	-	-	-	-	3	10	10	17	10	73	-	-	-	-	-	8	15	15	17	18	
4 Diabetes	M	2	-	-	-	-	-	-	-	-	-	1	1	7	-	-	-	-	-	-	-	-	5	1	
	F	5	-	-	-	-	-	-	-	-	1	4	-	5	-	-	-	-	-	1	-	-	3	2	
5 Cerebral hæmorrhage	M	16	-	-	-	-	-	-	-	3	6	2	5	11	-	-	-	-	-	-	1	2	4	4	
	F	14	-	-	-	-	-	-	-	-	4	3	7	22	-	-	-	-	-	-	2	3	5	12	
6 Heart disease	M	90	-	-	-	1	1	1	1	7	18	34	27	128	-	-	-	1	-	2	1	3	19	36	
	F	86	-	-	-	1	-	1	1	4	10	25	45	115	-	-	-	-	2	2	3	7	11	27	
7 Aneurysm	M	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	1	-	-	-	
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
8 Other circulatory	M	28	-	-	-	-	-	-	-	-	5	12	11	16	-	-	-	-	-	-	-	3	2	11	
	F	27	-	-	-	-	-	-	-	2	-	9	16	13	-	-	-	-	-	-	-	2	1	10	
9 Bronchitis	M	26	-	-	-	-	-	1	1	6	7	11	8	8	-	-	-	-	-	-	2	1	1	4	
	F	16	1	-	-	-	-	-	-	1	6	8	14	14	1	-	-	-	1	-	1	2	3	6	
0 Pneumonia	M	21	4	2	-	-	2	2	3	3	3	3	-	19	2	-	-	2	1	5	4	3	-	2	
	F	19	4	-	-	1	-	1	4	1	2	6	16	16	2	1	1	-	-	1	3	3	2	3	
1 Other respiratory	M	1	-	-	-	-	-	-	1	-	-	-	-	5	-	-	-	1	-	-	-	-	2	2	
	F	6	-	-	-	-	-	-	1	2	2	1	5	5	-	-	-	-	1	-	1	2	1	1	
2 Peptic ulcer	M	3	-	-	-	-	-	-	-	1	1	1	6	6	-	-	-	-	-	-	3	2	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	1	1	2	-	
3 Diarrhœa	M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	3	1	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	
4 Appendicitis	M	4	-	-	1	1	-	-	1	-	1	-	-	3	-	-	1	-	-	1	1	-	-	-	
	F	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	
5 Cirrhosis of liver	M	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	
6 Other liver diseases	M	-	-	-	-	-	-	-	-	1	2	-	-	2	-	-	-	-	1	-	-	-	-	1	
	F	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	
7 Other digestive	M	7	1	-	-	1	-	-	-	1	2	1	1	8	1	-	-	1	-	-	2	-	1	3	
	F	11	-	-	-	-	1	-	2	2	2	4	-	8	-	-	-	-	2	1	-	2	1	2	
8 Nephritis	M	21	-	-	-	-	-	1	-	2	6	6	6	18	-	-	-	-	-	1	1	4	8	4	
	F	26	-	-	1	-	-	1	6	3	5	6	4	7	-	-	-	-	-	-	-	3	3	1	
9 Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
0 Other puerperal	F	3	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1 Congenital causes, etc.	M	11	11	-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	
	F	12	10	-	1	1	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	
2 Senility	M	13	-	-	-	-	-	-	-	-	-	1	12	4	-	-	-	-	-	-	-	-	1	3	
	F	13	-	-	-	-	-	-	-	-	-	1	12	15	-	-	-	-	-	-	-	-	1	14	
3 Suicide	M	9	-	-	-	1	-	1	1	3	2	1	-	3	-	-	-	-	-	1	1	1	-	-	
	F	1	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	
4 Other violence	M	21	-	-	-	-	3	6	1	2	5	3	1	10	-	-	-	1	1	2	1	1	3	1	
	F	5	1	1	-	-	-	1	-	1	-	-	1	12	1	-	-	-	1	-	1	1	2	5	
5 Other defined causes	M	32	4	-	-	1	2	-	1	2	5	5	12	35	2	2	4	-	2	-	1	2	5	12	
	F	33	2	-	1	3	1	4	2	2	7	4	7	28	1	1	1	2	2	-	-	5	7	7	
6 Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Causes of Death. See first page of Table.		GRIMSBY.													HALIFAX.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	601	51	9	14	11	18	23	33	72	110	147	113	702	52	3	3	5	15	21	37	75	149	213	129		
	F	466	35	9	5	12	20	26	16	47	70	104	122	726	28	3	7	9	16	20	28	63	110	212	230		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Measles	M	3	1	-	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-			
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
3 Scarlet fever	M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-			
	F	4	3	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-			
5 Diphtheria	M	3	-	1	2	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-			
	F	2	-	-	1	1	-	-	-	-	-	-	-	3	-	-	1	1	-	-	-	-	-	-			
6 Influenza	M	16	3	-	1	1	-	1	-	1	2	6	1	25	1	-	1	-	1	2	6	4	6	4			
	F	16	1	3	-	-	2	1	1	1	1	3	3	23	-	-	-	2	3	2	2	4	5	3			
7 Encephalitis lethargica	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
8 Cerebro-spinal fever	M	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	2	-	1	-	-	-	-	-			
9 Respiratory tuberculosis	M	32	-	-	-	-	5	7	9	5	3	3	-	24	-	-	-	2	6	6	2	3	5	-			
	F	21	-	-	-	3	6	7	2	2	1	-	-	11	-	-	-	1	3	1	4	2	-	-			
10 Other tuberculosis	M	7	-	1	1	1	3	1	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-			
	F	3	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-			
11 Syphilis	M	7	-	-	-	-	-	1	-	4	1	-	1	6	-	-	-	-	-	3	1	1	1	-			
	F	4	-	-	-	-	-	2	2	2	-	-	-	2	-	-	-	-	1	-	1	-	-	-			
12 Gen. paralysis of insane, etc.	M	10	-	-	-	-	-	-	1	3	4	1	1	1	-	-	-	-	-	-	1	-	-	-			
	F	2	-	-	-	-	-	-	-	1	1	-	-	4	-	-	-	-	-	-	-	2	2	-			
13 Cancer	M	64	-	-	-	-	-	2	4	5	16	28	9	89	-	-	-	-	1	2	9	21	42	14			
	F	58	-	-	1	-	-	2	2	13	18	16	6	89	-	-	-	-	1	5	14	23	30	16			
14 Diabetes	M	8	-	-	-	-	-	-	2	-	3	2	1	11	-	-	-	-	-	-	3	2	3	3			
	F	10	-	-	-	-	-	-	-	3	1	4	2	10	-	-	-	-	-	-	-	3	4	3			
15 Cerebral hæmorrhage	M	40	-	-	-	-	1	-	1	3	8	12	15	27	-	-	-	-	-	1	1	8	13	4			
	F	38	-	-	-	-	-	-	-	3	9	11	15	46	-	-	-	-	-	-	4	8	19	15			
16 Heart disease	M	125	-	-	-	-	-	1	5	16	28	46	29	198	-	-	-	1	1	3	20	49	60	63			
	F	111	-	-	-	3	2	4	4	8	22	35	33	226	-	-	-	1	3	2	11	15	26	101			
17 Aneurysm	M	3	-	-	-	-	-	-	-	-	2	-	1	3	-	-	-	-	1	-	1	-	1	-			
	F	3	-	-	-	-	-	-	-	1	2	-	-	2	-	-	-	-	-	-	-	1	1	-			
18 Other circulatory	M	33	-	-	-	-	-	-	-	1	7	12	15	65	-	-	-	-	-	-	6	16	27	16			
	F	16	-	-	-	-	-	-	-	1	-	6	9	81	-	-	-	-	-	-	6	8	31	36			
19 Bronchitis	M	28	-	-	1	-	-	-	-	3	4	5	15	22	-	-	-	-	1	-	3	1	10	6			
	F	17	-	-	-	-	1	-	-	-	-	4	12	17	1	-	-	-	1	1	1	3	4	7			
20 Pneumonia	M	52	10	4	5	4	-	3	3	8	8	6	1	46	11	2	1	-	1	2	3	5	9	10			
	F	28	6	4	1	1	-	2	-	2	1	4	7	31	2	2	2	-	1	1	1	2	7	8			
21 Other respiratory	M	7	-	-	-	-	-	-	-	3	3	-	1	10	-	-	-	-	1	-	2	2	3	2			
	F	2	-	-	-	-	-	-	-	1	-	-	1	6	-	-	-	-	-	-	-	5	1	1			
22 Peptic ulcer	M	5	-	-	-	-	-	1	-	1	1	2	-	8	-	-	-	-	-	2	3	2	1	-			
	F	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	1	-	1	-	2	-			
23 Diarrhœa	M	10	8	-	1	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-			
	F	5	3	1	-	-	-	-	-	-	1	-	-	6	-	-	-	2	-	-	1	2	-	1			
24 Appendicitis	M	4	-	-	-	1	2	-	-	-	-	1	-	2	-	-	-	-	-	-	-	1	1	-			
	F	3	-	-	-	1	1	1	-	-	-	-	-	4	-	-	2	-	-	2	-	-	-	-			
25 Cirrhosis of liver	M	2	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	-	-	-	1	1	1			
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
26 Other liver diseases	M	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-			
	F	3	-	-	-	-	-	1	-	-	1	1	-	5	-	-	-	1	1	-	-	3	-	-			
27 Other digestive	M	10	2	-	-	-	-	-	2	-	3	3	-	8	-	-	-	-	-	2	4	2	-	-			
	F	7	1	-	-	-	-	1	-	2	1	1	1	10	-	-	-	1	1	-	3	1	3	1			
28 Nephritis	M	14	-	-	-	-	-	-	-	3	1	7	3	24	-	-	-	1	-	5	1	11	5	1			
	F	10	1	-	-	-	1	-	-	1	2	3	2	22	-	-	-	-	-	2	3	10	6	1			
29 Puerperal sepsis	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
30 Other puerperal	F	1	-	-	-	-	1	-	-	-	-	-	-	3	-	-	-	1	2	-	-	-	-	-			
31 Congenital causes, etc.	M	23	23	-	-	-	-	-	-	-	-	-	-	29	29	-	-	-	-	-	-	-	-	-			
	F	19	19	-	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-			
32 Senility	M	18	-	-	-	-	-	-	-	-	-	1	17	5	-	-	-	-	-	-	-	-	1	4			
	F	28	-	-	-	-	-	-	-	-	-	7	21	23	-	-	-	-	-	-	-	2	21	-			
33 Suicide	M	9	-	-	-	-	-	1	-	3	5	-	-	10	-	-	-	-	1	2	1	2	3	1			
	F	5	-	-	-	-	-	1	1	1	1	1	-	5	-	-	-	-	1	-	3	3	1	-			
34 Other violence	M	20	2	-	-	1	4	1	2	6	1	3	-	24	1	-	-	2	6	1	2	3	4	2			
	F	8	-	-	-	1	-	1	-	-	-	2	4	16	2	-	1	1	1	-	1	-	2	8			
35 Other defined causes	M	44	-	2	2	2	3	4	3	6	8	9	5	52	7	-	-	1	2	5	5	4	9	14			
	F	35	1	-	-	1	4	4	3	4	7	5	6	51	1	1	1	2	2	4	3	2	7	17			
36 Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			

TABLE 24—*contd.* County Boroughs.

Causes of Death.		HASTINGS.												HUDDERSFIELD.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	
All Causes		M	471	22	2	4	4	11	15	15	38	66	129	165	840	53	1	9	11	27	28	43	88	189	228	163
		F	596	12	1	1	4	7	20	19	42	78	149	263	891	41	3	6	8	16	34	37	86	145	270	245
1	Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
2	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
3	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	2	-	-	-	-	-	-	-
6	Influenza	M	12	-	-	1	-	1	-	1	2	1	3	3	28	-	-	-	-	2	1	-	6	4	9	6
		F	31	-	-	-	-	-	-	1	2	3	9	16	36	-	-	-	1	1	3	4	2	1	15	9
7	Encephalitis lethargica	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cerebro-spinal fever	M	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Respiratory tuberculosis	M	24	-	-	-	-	3	5	7	7	2	-	42	-	-	-	1	7	10	8	7	6	3	-	-
		F	22	-	-	-	4	4	4	2	3	5	-	19	-	-	-	-	2	10	1	2	3	1	-	-
0	Other tuberculosis	M	2	-	-	-	-	1	1	-	-	-	-	6	-	-	1	-	1	1	1	2	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	6	-	-	-	-	2	1	1	1	-	-	1	-
	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	1	4	1	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	5	1	-	-	-	-	-	-	2	2	-	-	-
2	Gen. paralysis of insane, etc.	M	1	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	1	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
3	Cancer	M	59	-	-	-	-	1	1	5	12	20	20	116	-	-	1	-	1	1	7	12	41	42	11	-
		F	87	-	-	-	-	1	1	8	24	26	27	115	-	-	-	-	1	2	6	18	31	33	24	-
4	Diabetes	M	4	-	-	-	1	1	-	1	-	-	-	19	-	-	-	-	-	1	1	6	9	2	-	-
		F	10	-	-	-	-	1	-	-	-	3	6	19	-	-	-	-	-	-	1	3	14	1	-	-
5	Cerebral hæmorrhage	M	29	-	-	-	-	-	1	-	8	14	6	36	-	-	-	-	-	3	2	14	9	8	-	-
		F	32	-	-	-	-	-	-	3	6	10	13	51	-	-	-	-	1	1	8	10	16	15	-	-
6	Heart disease	M	152	-	-	-	-	2	-	8	16	48	78	228	-	-	-	1	4	1	4	22	47	82	67	-
		F	190	-	-	-	-	1	2	1	17	52	117	257	-	-	-	1	1	1	8	19	41	94	92	-
	Aneurysm	M	4	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Other circulatory	M	17	-	-	-	-	-	-	2	-	7	8	45	-	-	-	-	-	-	1	6	19	19	-	-
		F	32	-	-	-	-	-	-	1	4	8	19	65	-	-	-	-	-	-	2	12	22	29	-	-
9	Bronchitis	M	13	1	-	-	-	-	-	-	-	5	7	23	-	-	-	1	1	-	-	9	4	7	-	-
		F	19	1	-	-	-	-	-	1	2	1	14	25	1	-	1	-	-	1	-	1	7	14	-	-
0	Pneumonia	M	17	4	1	2	1	-	1	1	3	1	2	46	7	1	1	1	4	5	5	11	8	2	-	-
		F	21	-	-	-	-	1	-	1	4	9	6	33	4	-	2	1	1	2	1	4	6	8	-	-
1	Other respiratory	M	5	-	-	-	-	-	-	1	-	2	2	8	-	-	-	-	1	1	1	1	-	3	-	-
		F	5	1	-	-	-	-	-	-	-	1	3	9	-	-	-	-	-	-	2	1	3	3	-	-
2	Peptic ulcer	M	8	-	-	-	-	-	1	1	2	3	1	13	-	-	-	-	2	2	2	4	3	-	-	-
		F	6	-	-	-	-	-	-	1	-	3	2	5	-	-	-	-	-	-	2	1	2	-	-	-
3	Diarrhœa	M	2	1	-	1	-	-	-	-	-	-	-	4	2	-	-	-	-	-	-	1	1	-	-	-
		F	4	1	1	-	-	-	-	1	-	-	-	3	-	1	-	-	1	-	-	-	-	-	-	-
4	Appendicitis	M	1	-	-	-	-	-	-	-	-	-	1	8	-	-	3	1	2	1	1	-	-	2	-	-
		F	4	-	-	-	-	-	1	1	1	-	-	7	-	-	-	1	-	2	2	-	2	-	-	-
5	Cirrhosis of liver	M	3	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	-	-	-	-	1	1	-	-
		F	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Other liver diseases	M	1	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	1	1	2	1	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	15	-	-	-	1	-	1	1	3	8	1	-	-
7	Other digestive	M	11	-	-	-	1	-	-	-	3	4	3	12	-	-	1	-	1	-	2	5	1	2	-	-
		F	10	-	-	-	-	1	1	2	2	1	3	10	-	-	-	1	3	1	3	1	1	-	-	-
8	Nephritis	M	16	-	-	-	-	-	1	1	2	6	6	41	-	-	-	1	2	2	1	12	8	11	4	-
		F	18	-	-	1	-	-	3	1	3	4	6	41	-	-	-	1	2	1	1	2	13	14	7	-
9	Puerperal sepsis	F	2	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
0	Other puerperal	F	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
1	Congenital causes, etc.	M	14	14	-	-	-	-	-	-	-	-	-	42	41	-	1	-	-	-	-	-	-	-	-	-
		F	8	8	-	-	-	-	-	-	-	-	-	34	34	-	-	-	-	-	-	-	-	-	-	-
2	Senility	M	7	-	-	-	-	-	-	-	-	-	7	15	-	-	-	-	-	-	-	-	1	14	-	-
		F	10	-	-	-	-	-	-	-	-	-	10	31	-	-	-	-	-	-	-	-	7	24	-	-
3	Suicide	M	9	-	-	-	1	-	2	2	2	2	-	9	-	-	-	1	1	2	2	1	1	1	1	-
		F	4	-	-	-	-	-	3	-	1	-	-	10	-	-	-	-	1	1	4	4	-	-	-	-
4	Other violence	M	15	-	-	1	5	2	1	3	2	-	1	27	1	-	-	1	2	1	3	2	7	5	5	-
		F	17	-	-	2	1	-	-	2	2	3	7	18	-	1	1	-	-	-	1	2	2	7	4	-
5	Other defined causes	M	43	1	1	-	2	4	-	3	5	9	16	51	2	-	1	1	2	1	8	9	16	10	-	-
		F	52	-	-	1	1	7	4	10	7	10	11	69	1	-	1	3	5	7	11	11	16	12	-	-
6	Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-

Causes of Death. See first page of Table.			IPSWICH.												KINGSTON UPON HULL.											
			All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	483	24	3	5	3	16	20	22	54	72	135	129	2,135	256	39	47	58	74	85	133	215	410	468	356	
	F	533	20	-	2	13	13	17	23	43	70	135	197	1,876	191	41	34	63	68	63	131	151	259	414	463	
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	24	9	9	5	1	-	-	-	-	-	-		
	F	1	1	-	-	-	-	-	-	-	-	-	-	17	6	9	2	-	-	-	-	-	-	-		
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	2	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-		
4 Whooping cough	M	1	-	1	-	-	-	-	-	-	-	-	-	4	1	2	1	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-		
5 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	28	1	3	6	17	-	-	1	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	30	-	1	8	18	3	-	-	-	-	-		
6 Influenza	M	25	-	-	-	-	-	1	1	4	3	11	5	53	1	-	-	1	1	3	9	8	9	11		
	F	29	1	-	-	2	-	-	-	5	5	7	9	64	1	-	-	1	3	3	11	5	7	14		
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	2	-	-	-	1	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	25	-	-	1	-	2	8	6	6	2	-	-	175	1	1	-	4	28	35	35	35	30	5		
	F	16	-	-	-	-	7	3	2	1	-	3	-	120	-	-	1	3	37	23	19	20	11	5		
10 Other tuberculosis	M	2	-	-	-	-	1	-	1	-	-	-	-	31	2	-	7	10	9	1	1	-	-	1		
	F	6	1	-	-	3	-	-	-	1	1	-	-	32	3	2	4	9	4	1	3	2	3	1		
11 Syphilis	M	4	-	-	-	-	-	-	-	1	-	3	-	20	-	-	-	-	-	5	3	7	5	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	13	2	-	-	-	-	3	1	5	2	-		
12 Gen. paralysis of insane, etc.	M	3	-	-	-	-	-	-	-	1	1	-	1	12	-	-	-	-	-	-	2	5	5	-		
	F	2	-	-	-	-	-	-	-	-	2	-	-	4	-	-	-	-	-	1	1	1	1	-		
13 Cancer	M	60	-	-	-	-	1	1	5	6	13	19	15	244	-	-	-	-	1	9	12	29	66	102		
	F	81	-	-	1	1	-	2	7	12	15	25	18	222	-	-	-	2	1	1	22	33	61	64		
14 Diabetes	M	9	-	-	-	-	-	1	1	-	3	2	3	16	-	-	-	1	-	-	1	1	3	5		
	F	10	-	-	-	-	-	1	1	1	1	5	2	25	-	-	-	-	-	2	2	7	10	4		
15 Cerebral hæmorrhage	M	27	-	-	-	-	-	-	-	2	5	9	11	76	-	-	-	2	-	-	4	4	19	25		
	F	47	-	-	-	-	-	-	-	3	6	16	22	108	-	-	-	-	-	-	3	7	29	37		
16 Heart disease	M	122	-	-	-	-	2	1	9	15	38	57	512	-	-	-	-	8	3	10	44	131	176	140		
	F	146	-	-	-	-	2	4	4	19	40	77	483	-	-	2	5	6	9	26	29	60	149	197		
17 Aneurysm	M	1	-	-	-	-	-	-	-	-	-	1	-	10	-	-	-	-	-	-	2	5	3	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-		
18 Other circulatory	M	25	-	-	-	-	-	-	-	2	4	12	7	100	-	1	-	-	-	-	5	24	35	33		
	F	19	-	-	-	-	-	-	-	1	5	13	7	78	-	-	-	-	-	-	4	14	34	20		
19 Bronchitis	M	17	1	1	-	-	-	-	-	2	1	6	6	64	10	-	-	1	-	-	5	12	15	7		
	F	14	-	-	1	-	-	-	-	-	2	2	9	53	10	1	-	-	-	2	2	3	4	13		
20 Pneumonia	M	24	4	-	-	-	1	2	1	4	3	6	3	180	51	14	8	3	4	9	12	25	27	14		
	F	17	3	-	-	-	-	-	-	-	6	1	7	119	31	17	6	5	3	4	7	10	7	11		
21 Other respiratory	M	4	-	-	-	-	-	-	-	1	-	2	1	19	1	-	-	-	-	2	1	3	3	4		
	F	-	-	-	-	-	-	-	-	-	-	-	-	16	-	-	-	-	-	1	1	2	1			
22 Peptic ulcer	M	4	-	-	-	-	-	-	-	3	1	-	-	24	-	-	-	-	1	2	8	5	3	3		
	F	1	-	-	-	-	-	1	-	-	-	-	-	4	-	-	-	-	-	-	1	2	1			
23 Diarrhoea	M	3	1	-	-	-	1	-	1	-	-	-	-	38	33	1	-	-	-	1	-	1	2	2		
	F	3	1	-	-	-	-	-	1	-	-	-	-	34	23	4	-	1	1	-	-	1	-	2		
24 Appendicitis	M	1	-	-	-	-	-	1	-	-	-	-	-	5	1	-	-	2	-	-	2	-	-	-		
	F	2	-	-	-	1	1	-	-	-	-	-	-	8	-	-	1	2	-	2	1	-	1			
25 Cirrhosis of liver	M	1	-	-	-	-	-	-	-	-	1	-	-	5	-	-	-	-	-	-	-	2	2	-		
	F	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	1	-	1	-	1	1	-	-		
26 Other liver diseases	M	2	-	-	-	-	-	-	-	-	-	1	1	4	-	-	-	-	-	-	2	1	1	-		
	F	3	-	-	-	-	-	-	-	-	2	1	-	11	-	-	-	-	-	-	-	2	6	-		
27 Other digestive	M	12	1	-	-	-	-	-	-	2	1	5	3	40	4	-	2	3	1	2	2	7	8	7		
	F	8	1	-	-	-	-	-	1	-	1	2	3	32	2	3	2	1	-	1	1	3	11	6		
28 Nephritis	M	18	-	-	-	-	1	-	1	2	7	4	3	33	1	-	-	1	-	5	1	9	9	9		
	F	32	-	-	-	1	-	2	3	4	4	13	5	50	1	-	-	1	-	1	11	6	9	1		
29 Puerperal sepsis	F	2	-	-	-	-	1	-	1	-	-	-	-	5	-	-	-	-	1	2	2	-	-	-		
30 Other puerperal	F	5	-	-	-	-	-	5	-	-	-	-	-	10	-	-	-	-	3	3	4	-	-	-		
31 Congenital causes, etc.	M	16	16	-	-	-	-	-	-	-	-	-	-	121	119	-	-	1	1	-	-	-	-	-		
	F	11	11	-	-	-	-	-	-	-	-	-	-	94	91	2	1	-	-	-	-	-	-	-		
32 Senility	M	5	-	-	-	-	-	-	-	-	-	2	3	38	-	-	-	-	-	-	-	-	6	3		
	F	10	-	-	-	-	-	-	-	-	-	1	9	65	-	-	-	-	-	-	-	-	14	5		
33 Suicide	M	11	-	-	-	-	1	2	1	2	2	2	1	27	-	-	-	-	2	3	3	6	10	1		
	F	4	-	-	-	-	1	-	-	1	-	2	-	8	-	-	-	-	-	2	3	2	1	-		
34 Other violence	M	19	-	-	2	1	4	1	2	4	3	-	2	77	3	2	7	5	8	8	9	10	6	10		
	F	12	-	-	-	1	-	-	-	-	1	1	9	45	6	1	1	6	2	1	3	4	4	6		
35 Other defined causes	M	42	1	1	2	2	4	2	1	3	7	12	7	149	18	5	7	7	9	8	9	8	26	30		
	F	50	1	-	-	4	2	2	3	11	4	10	13	113	13	1	5	10	1	9	7	12	17	24		
36 Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-		

Causes of Death. See first page of Table.		LEEDS.													LEICESTER.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	3,435	277	41	44	61	96	118	172	381	749	853	643	1,641	144	20	22	31	47	58	87	171	312	390	359		
	F	3,140	214	30	29	41	95	140	193	286	511	761	840	1,634	94	19	21	23	37	78	83	143	255	365	516		
Typhoid fever, etc.	M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Measles	M	4	3	-	1	-	-	-	-	-	-	-	-	6	2	3	1	-	-	-	-	-	-	-	-		
	F	5	3	2	-	-	-	-	-	-	-	-	-	4	-	3	1	-	-	-	-	-	-	-	-		
Scarlet fever	M	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Whooping cough	M	7	5	2	-	-	-	-	-	-	-	-	-	4	2	1	1	-	-	-	-	-	-	-	-		
	F	12	5	4	2	1	-	-	-	-	-	-	-	7	1	3	3	-	-	-	-	-	-	-	-		
Diphtheria	M	21	-	1	12	7	-	1	-	-	-	-	-	7	-	-	3	4	-	-	-	-	-	-	-		
	F	23	-	1	9	11	2	-	-	-	-	-	-	13	-	-	6	6	-	1	-	-	-	-	-		
Influenza	M	89	9	6	3	2	6	1	3	9	20	18	12	54	-	-	1	-	-	1	3	6	14	12	17		
	F	94	7	1	-	-	4	5	7	8	16	22	24	63	3	-	1	-	1	5	4	7	10	15	17		
Encephalitis lethargica	M	4	-	-	-	-	1	-	-	1	-	2	-	3	1	-	-	-	1	-	-	-	-	1	-		
	F	7	-	-	-	-	-	3	1	2	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-		
Cerebro-spinal fever	M	8	4	2	-	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-		
	F	6	3	1	-	1	1	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-		
Respiratory tuberculosis	M	196	-	1	-	2	18	34	34	52	47	8	-	134	-	1	-	2	15	25	26	34	19	9	3		
	F	157	1	-	-	2	42	43	31	14	15	6	3	83	-	-	-	1	18	25	17	13	6	3	-		
Other tuberculosis	M	30	3	3	6	-	7	2	4	3	1	1	-	23	4	1	2	2	3	2	2	5	-	-	-		
	F	20	-	1	1	1	1	4	2	6	2	-	2	15	2	3	2	1	1	5	-	-	1	-	-		
Syphilis	M	12	2	-	-	-	-	-	1	3	3	3	-	8	-	-	-	-	-	3	1	2	2	-	-		
	F	8	-	-	-	-	1	1	1	1	1	3	-	3	-	-	-	-	-	-	1	1	1	-	-		
Gen. paralysis of insane, etc.	M	17	-	-	-	-	2	1	6	6	2	-	-	13	-	-	-	-	1	1	1	6	4	-	-		
	F	7	-	-	-	-	-	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cancer	M	387	-	-	-	-	4	9	20	62	102	130	60	151	-	-	-	1	1	3	4	23	42	52	25		
	F	397	-	-	-	-	4	5	35	74	109	119	51	226	-	-	1	1	-	7	22	37	61	55	42		
Diabetes	M	38	-	-	-	-	1	-	4	2	10	14	7	18	-	-	-	-	-	-	1	4	10	3	-		
	F	70	-	-	-	-	-	2	4	8	19	27	10	21	-	-	-	-	-	1	2	1	4	9	4		
Cerebral hæmorrhage	M	163	-	-	-	-	-	-	1	16	38	68	40	100	-	-	-	-	-	-	3	7	14	35	41		
	F	225	-	-	-	-	-	2	2	19	51	82	69	145	-	-	-	-	-	3	11	21	52	58			
Heart disease	M	853	-	-	-	7	8	11	19	78	212	273	245	366	-	-	-	1	6	5	5	32	91	120	106		
	F	728	-	-	-	1	11	21	33	48	112	225	277	405	-	-	-	3	5	6	13	17	69	116	176		
Aneurysm	M	13	-	-	-	-	-	1	2	-	8	1	1	8	-	-	-	-	1	-	-	2	3	-	2		
	F	11	-	-	-	-	-	-	1	1	4	4	1	2	-	-	-	-	-	-	-	-	2	-	-		
Other circulatory	M	279	-	-	-	1	-	-	3	2	44	109	120	76	-	-	-	-	-	1	2	8	10	23	32		
	F	329	-	-	-	-	-	-	-	8	23	101	197	78	-	-	-	-	-	-	-	6	12	20	40		
Bronchitis	M	139	9	2	1	-	1	3	3	11	39	47	23	52	3	1	-	1	1	-	-	6	6	15	19		
	F	97	6	-	-	-	-	2	6	12	23	48	68	68	5	-	-	1	-	2	1	3	9	15	32		
Pneumonia	M	286	53	16	7	3	10	11	16	40	66	34	30	104	25	7	5	2	2	-	5	11	24	11	12		
	F	179	31	11	5	3	3	8	10	15	30	36	27	67	17	5	3	1	-	1	1	8	7	14	10		
Other respiratory	M	43	-	-	-	1	-	3	3	5	17	11	3	17	-	1	-	1	-	2	1	2	3	7	-		
	F	22	-	-	1	3	2	-	3	3	2	4	4	14	1	-	-	-	2	-	-	2	1	3	5		
Peptic ulcer	M	53	-	-	-	-	1	2	3	13	24	8	2	12	-	-	-	-	-	-	2	5	3	1	1		
	F	12	-	-	-	-	-	-	-	2	4	4	2	10	-	-	-	-	-	1	1	-	-	4	4		
Diarrhœa	M	37	30	-	-	-	-	1	1	1	2	2	-	17	11	2	1	-	-	-	-	1	-	1	1		
	F	39	27	2	1	-	-	3	2	1	1	2	-	10	6	2	-	-	-	-	-	1	1	-	-		
Appendicitis	M	13	-	-	1	2	3	1	1	3	2	-	-	12	-	-	-	-	1	2	1	-	2	6	-		
	F	17	-	-	-	3	2	2	3	2	4	1	-	9	-	-	1	1	-	-	-	1	2	3	1		
Cirrhosis of liver	M	12	-	-	-	-	-	-	-	4	7	1	-	8	-	-	-	-	-	1	1	3	2	1	-		
	F	10	-	-	-	-	-	-	1	3	5	1	-	4	-	-	-	-	-	1	2	1	-	-	-		
Other liver diseases	M	14	-	-	-	-	-	1	2	2	5	3	1	3	-	-	-	-	1	-	-	-	2	-	-		
	F	32	-	-	-	-	-	1	-	3	16	6	6	9	-	-	-	-	1	1	1	1	2	2	1		
Other digestive	M	47	4	-	3	1	2	1	3	7	13	9	4	36	3	1	1	2	1	-	1	2	6	10	9		
	F	47	3	-	1	-	2	4	7	8	15	7	-	17	-	-	-	1	-	3	3	2	3	4	1		
Nephritis	M	86	-	-	-	1	3	6	7	16	23	18	12	48	-	-	-	-	1	2	2	4	12	17	10		
	F	98	-	-	-	2	5	6	7	11	23	29	15	54	1	-	-	1	2	4	1	10	10	11	14		
Puerperal sepsis	F																										

Causes of Death. See first page of Table.			LINCOLN.												LIVERPOOL.											
			All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	442	35	6	4	6	12	13	19	39	89	114	105	6,007	759	160	136	164	210	282	340	658	1133	1323	842	
	F	435	23	2	1	1	17	15	15	43	78	109	131	5,463	616	135	146	150	212	255	302	443	791	1128	1290	
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	6	2	-	2	-	-	1	1	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	10	1	-	2	-	4	-	2	-	1	-	-	
2 Measles	M	1	-	-	-	1	-	-	-	-	-	-	-	60	9	29	21	1	-	-	-	-	-	-	-	
	F	1	1	-	-	-	-	-	-	-	-	-	-	54	14	21	15	4	-	-	-	-	-	-	-	
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	5	-	2	3	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	1	-	1	-	-	-	-	-	
4 Whooping cough	M	5	3	2	-	-	-	-	-	-	-	-	-	60	36	11	12	1	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	65	25	24	15	1	-	-	-	-	-	-	-	
5 Diphtheria	M	1	-	-	-	1	-	-	-	-	-	-	-	67	6	1	27	30	2	1	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	83	2	6	28	46	1	-	-	-	-	-	-	
6 Influenza	M	16	-	-	-	-	1	-	2	1	8	2	2	122	5	4	2	3	3	6	13	16	33	24	13	
	F	24	-	-	-	-	1	-	-	1	7	10	5	109	2	2	1	2	4	7	12	9	22	20	28	
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	11	-	-	-	-	1	4	2	1	2	1	-	
	F	1	-	-	-	-	1	-	-	-	-	-	-	11	-	-	-	-	1	3	1	4	2	-	-	
8 Cerebro-spinal fever	M	1	-	1	-	-	-	-	-	-	-	-	-	22	7	2	4	2	2	4	1	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	27	11	7	6	1	1	1	-	-	-	-	-	
9 Respiratory tuberculosis	M	17	-	-	-	-	3	3	1	3	7	-	-	403	2	1	3	4	71	64	58	99	72	27	2	
	F	13	-	-	-	-	3	4	2	3	1	-	-	298	2	3	2	7	96	83	44	26	26	9	-	
10 Other tuberculosis	M	7	1	-	-	2	1	-	-	1	-	2	-	62	5	10	6	13	14	1	4	6	3	-	-	
	F	4	-	-	-	1	-	1	-	-	1	-	1	51	10	3	8	7	8	5	4	4	1	-	1	
11 Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	42	2	-	-	-	1	-	11	9	11	8	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	11	2	-	-	-	-	1	3	2	3	-	-	
12 Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	-	-	1	-	1	-	29	-	-	-	-	-	-	6	11	8	4	-	
	F	1	-	-	-	-	-	-	-	1	-	-	-	12	-	-	-	-	-	1	2	4	5	-	-	
13 Cancer	M	60	-	-	-	-	1	1	-	1	23	27	7	684	-	-	2	1	3	16	34	99	215	243	71	
	F	66	-	-	-	-	-	1	5	12	16	14	18	649	-	-	2	1	6	15	48	114	171	190	102	
14 Diabetes	M	9	-	-	-	-	-	-	-	1	3	5	-	40	-	-	-	1	1	1	1	6	14	12	4	
	F	7	-	-	-	-	-	1	-	1	3	1	1	72	-	-	-	-	1	2	1	10	25	21	12	
15 Cerebral hæmorrhage	M	14	-	-	-	-	-	-	-	2	4	6	2	253	-	-	-	-	-	-	5	16	66	108	58	
	F	26	-	-	-	-	-	-	-	3	8	11	4	283	-	-	-	-	-	4	11	20	63	93	92	
16 Heart disease	M	100	-	-	-	-	-	-	4	7	18	36	35	1,308	-	-	1	13	19	43	47	133	299	445	308	
	F	107	-	-	-	-	1	2	1	9	16	37	41	1,361	-	-	2	13	26	35	58	105	202	386	534	
17 Aneurysm	M	3	-	-	-	-	-	-	1	1	1	-	-	16	-	-	-	-	-	1	3	3	4	4	1	
	F	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	1	-	-	-	2	1	1	
18 Other circulatory	M	30	-	-	-	-	-	-	-	2	2	10	16	190	-	-	1	-	1	-	-	10	30	84	64	
	F	33	-	-	-	-	-	-	1	2	5	9	16	197	-	-	-	-	-	-	4	9	32	64	88	
19 Bronchitis	M	27	8	-	2	-	-	1	-	2	2	4	8	184	19	3	1	4	2	3	9	20	48	43	33	
	F	17	-	1	-	-	-	-	-	3	1	4	8	188	16	1	3	-	1	2	7	8	27	45	78	
20 Pneumonia	M	26	2	1	1	-	-	2	4	4	6	4	2	708	165	63	25	17	23	36	52	90	109	83	43	
	F	18	4	1	-	-	1	1	3	1	2	3	2	517	118	42	35	14	13	27	26	40	49	80	73	
21 Other respiratory	M	5	1	-	-	-	1	1	-	-	1	1	-	60	-	3	3	4	3	3	6	13	13	7	4	
	F	1	-	-	-	-	-	-	-	-	-	-	1	38	5	1	1	2	1	2	-	6	3	7	10	
22 Peptic ulcer	M	6	-	-	-	-	-	1	-	3	2	-	-	70	-	-	-	-	1	9	13	21	17	9	-	
	F	1	-	-	-	-	-	-	-	1	-	-	-	19	-	-	-	-	-	-	1	4	9	4	-	
23 Diarrhoea	M	3	2	-	-	-	-	-	-	-	-	-	1	107	81	12	3	-	1	1	1	2	1	2	1	
	F	2	1	-	-	-	-	-	-	-	-	-	-	85	60	7	2	2	1	1	-	3	5	1	1	
24 Appendicitis	M	1	-	1	-	-	-	-	-	-	-	-	-	16	-	-	1	7	1	1	-	2	1	2	2	
	F	3	-	-	-	-	-	-	-	2	-	1	-	21	-	-	1	3	4	3	1	1	3	5	-	
25 Cirrhosis of liver	M	-	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	1	-	-	-	1	4	1	-	
	F	2	-	-	-	-	-	1	-	-	1	-	-	3	-	-	-	-	-	1	-	2	-	-	-	
26 Other liver diseases	M	1	-	-	-	-	-	-	-	-	-	-	1	14	-	-	-	-	-	3	-	1	4	4	-	
	F	3	-	-	-	-	-	-	-	-	-	1	2	36	-	-	-	-	1	-	5	3	7	11	-	
27 Other digestive	M	7	-	-	1	-	-	-	1	2	2	-	1	86	9	2	3	4	2	8	6	10	19	15	-	
	F	8	-	-	-	-	2	-	-	1	2	2	1	82	8	1	6	5	1	4	6	6	17	17	1	
28 Nephritis	M	20	-	-	-	-	1	-	2	3	4	5	5	160	-	1	-	4	5	7	6	19	43	36	3	
	F	15	-	-	-	-	3	-	1	2	4	2	3	169	1	-	-	7	11	6	9	14	39	44	3	
29 Puerperal sepsis	F	1	-	-	-	-	1	-	-	-	-	-	-	10	-	-	-	-	1	8	1	-	-	-	-	
30 Other puerperal	F	1	-	-	-	-	1	-	-	-	-	-	-	30	-	-	-	-	4	17	8	1	-	-	-	
31 Congenital causes, etc.	M	17	17	-	-	-	-	-	-	-	-	-	-	298	294	1	-	2	1	-	-	-	-	-	-	
	F	16	16	-	-	-	-	-	-	-	-	-	-	259	255	2	1	-	-	-	-	-	-	-	-	
32 Senility	M	20	-	-	-	-	-	-	-	-	1	2	17	189	-	-	-	-	-	-	-	1	14	55	11	
	F	17	-	-	-	-	-	-	-	-	-	2	15	159	-	-	-	-	-	-	-	-	4	28	12	
33 Suicide	M	3	-	-	-	-	1	-	1	-	1	-	-	45	-	-	-	-	2	8	6	8	11	8	-	
	F	6	-	-	-	-	1	1	-	-	3	-	1	19	-	-	-	-	3	4	3	3	6	-	-	
34 Other violence	M	12	-	-	-	-	2	3	2	2	-	2	1	193	7	3	6	25	25	34	18	19	22	22	1	
	F	9	-	-	1	-	1	-	-	-	-	3	4	118	5	4	7	10	9	4	4	6	14	20	3	
35 Other defined causes	M	27	-	1	-	2	1	1	1	3	4	7	7	487	110	12	10	27	26	27	37	42	69	76	5	
	F	32	1	-	-	-	1	2	2	1	8	9	8	411	79	11	8	24	14	20	41	41	52	77	4	
36 Ill-defined causes	M	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	

TABLE 24—*contd.* County Boroughs.

Causes of Death. See first page of Table.		MANCHESTER.												MIDDLESBROUGH.													
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes		M F	5,130 5,086	442 381	78 76	77 69	101 112	161 211	209 227	324 296	618 457	1097 836	1249 1204	774 1217	1,081 846	137 111	56 30	27 27	32 22	49 35	51 46	59 50	131 63	195 126	194 178	150 158	
1	Typhoid fever, etc.	M F	- 1	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
2	Measles	M F	20 24	2 8	7 7	8 7	3 2	- -	- -	- -	- -	- -	- -	- -	6 4	1 2	4 -	1 1	- 1	- -	- -	- -	- -	- -	- -	- -	
3	Scarlet fever	M F	3 4	1 -	- -	1 1	- 1	1 1	- 1	- -	- -	- -	- -	- -	2 1	- -	2 -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	
4	Whooping cough	M F	27 27	12 13	7 9	8 5	- -	- -	- -	- -	- -	- -	- -	- -	17 14	3 3	8 6	4 3	2 2	- -	- -	- -	- -	- -	- -	- -	
5	Diphtheria	M F	40 49	2 1	2 -	13 13	22 32	1 2	- -	- -	- -	- 1	- -	- -	5 5	- -	1 -	1 1	3 4	- -	- 2	- 2	- 5	- 8	- 9	- 9	
6	Influenza	M F	145 163	6 2	1 2	- 1	1 2	9 7	7 7	13 8	28 19	37 41	33 39	10 35	40 22	2 -	- -	- -	- -	2 -	2 3	5 3	8 3	9 4	9 6	3 6	
7	Encephalitis lethargica	M F	10 9	- -	- -	- -	- -	3 1	1 1	- 2	- 3	2 1	4 1	- 1	1 -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	
8	Cerebro-spinal fever	M F	6 15	2 6	1 -	1 2	1 2	1 1	- 1	- 1	- -	- 1	- -	- -	6 2	1 -	3 -	1 2	- -	1 -	- -	- -	- -	- -	- -	- -	
9	Respiratory tuberculosis	M F	395 279	1 1	2 1	2 2	44 32	60 92	81 68	89 51	74 24	33 26	7 10	7 1	78 58	- -	2 -	- 1	3 -	16 24	23 14	9 11	14 4	8 2	3 2	- -	
10	Other tuberculosis	M F	61 54	4 2	6 8	3 5	11 8	9 15	8 4	4 4	4 2	8 3	3 3	1 -	14 15	3 2	1 2	1 1	6 5	2 1	1 -	- 1	1 3	- -	- -	- -	
11	Syphilis	M F	13 13	3 6	- -	- -	- 1	- -	- 1	- 1	5 3	2 1	2 1	- -	4 1	1 1	- -	- -	- -	- 1	- -	- -	1 -	1 -	- -	- -	
12	Gen. paralysis of insane, etc.	M F	30 12	- -	- -	- -	- -	- -	4 6	14 4	7 2	3 -	2 -	2 -	5 2	- -	- -	- -	- -	- 2	1 1	2 -	1 -	2 1	- -	- -	
13	Cancer	M F	645 639	- -	- 1	- -	1 -	4 6	14 14	34 46	92 111	206 174	228 184	66 102	115 86	- -	- -	- -	- 1	- 1	2 3	5 10	12 10	47 29	37 19	12 13	
14	Diabetes	M F	49 73	- -	- -	- -	1 -	2 1	3 4	6 7	8 15	8 17	12 19	12 17	6 15	- -	- -	- -	- -	- -	1 1	2 2	8 8	2 2	2 2	- -	
15	Cerebral hæmorrhage	M F	184 232	- -	- -	- -	- -	1 -	2 8	18 19	47 61	80 75	36 69	57 46	- -	- -	- -	- -	- -	1 2	2 5	12 11	11 17	12 17	19 11		
16	Heart disease	M F	1,117 1,198	- 1	- -	- -	2 8	16 27	18 35	37 42	118 86	311 204	386 412	229 383	216 191	- -	- -	- -	1 2	4 3	5 3	5 8	22 17	45 31	69 57	65 70	
17	Aneurysm	M F	15 10	- -	- -	- 1	1 -	2 -	1 3	1 1	7 3	3 1	- 1	- 1	2 -	- -	- -	- -	- -	- -	- -	1 -	1 -	- -	- -	- -	
18	Other circulatory	M F	197 218	- -	1 1	- -	- -	1 -	2 1	9 17	37 35	87 75	60 89	40 49	- -	- -	- -	- -	- -	- -	1 1	3 4	6 4	14 24	16 20	- -	
19	Bronchitis	M F	240 235	20 12	2 -	1 1	- 1	4 1	4 -	6 6	33 13	65 50	55 72	53 33	15 13	2 1	- -	- -	1 -	- -	1 -	6 -	6 4	10 12	12 3	- -	
20	Pneumonia	M F	430 312	75 72	31 34	22 13	4 9	11 10	28 14	44 23	65 32	77 44	50 36	23 25	148 98	30 24	25 15	14 9	3 2	5 2	1 5	13 1	15 6	29 10	12 11	1 13	
21	Other respiratory	M F	61 38	2 1	1 1	- -	1 2	4 3	7 3	12 6	11 10	13 6	8 6	9 6	1 1	- -	- -	- -	- -	- -	1 1	4 -	2 -	1 3	- 1	- -	
22	Peptic ulcer	M F	70 14	- -	- -	- -	1 -	6 -	7 2	21 1	15 4	16 4	4 3	14 2	- -	- -	- -	- -	- -	2 -	7 -	4 2	1 -	- -	- -	- -	
23	Diarrhœa	M F	43 46	27 31	2 4	- 1	1 -	1 3	- -	3 -	2 -	2 2	4 2	1 1	19 11	13 8	2 1	- -	- 2	1 -	- -	1 -	- -	- 2	- -	- -	
24	Appendicitis	M F	36 24	- -	- -	2 3	3 5	3 3	5 3	5 4	5 2	6 3	2 -	6 1	- -	- -	- -	2 -	2 1	- -	1 -	- -	1 -	- -	- -	- -	
25	Cirrhosis of liver	M F	9 8	- 1	- -	- -	- -	1 -	- -	- -	- 2	4 4	3 -	1 1	1 -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	
26	Other liver diseases	M F	3 24	- -	- -	- 3	- -	- -	- -	- 3	- 4	- 9	2 5	1 5	1 3	- -	- -	1 -	- -	- -	- -	- -	- 2	1 -	- -	- -	
27	Other digestive	M F	77 104	11 6	1 3	1 1	3 3	5 7	3 4	8 14	12 18	14 27	15 20	4 20	11 17	2 3	- -	- -	- -	- 3	1 -	1 4	- 3	2 3	4 3	4 1	
28	Nephritis	M F	126 135	- 1	1 -	- -	1 5	6 5	4 4	6 10	19 18	36 35	32 39	21 18	20 22	- -	- 1	- 1	1 1	2 2	3 -	4 2	4 6	4 4	4 5	1 5	
29	Puerperal sepsis	F	13	-	-	-	-	3	8	2	-	-	-	-	5	-	-	-	-	4	1	-	-	-	-	-	
30	Other puerperal	F	33	-	-	-	-	4	16	13	-	-	-	-	8	-	-	-	-	3	5	-	-	-	-	-	
31	Congenital causes, etc.	M F	224 195	221 191	1 1	- 1	2 -	- -	- -	- 2	- -	- -	- -	- -	55 44	55 44	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
32	Senility	M F	221 358	- -	- -	- -	- -	- -	- -	- -	- 1	- 57	- 75	- 163	4 8	- -	- -	- -	- -	- -	- -	- -	- -	- 3	- 5	- 5	
33	Suicide	M F	48 22	- -	- -	- 1	- 2	- 6	2 2	10 6	18 4	7 1	1 -	9 7	- -	- -	- -	- -	- -	- -	3 -	2 2	3 3	1 2	- -	- -	
34	Other violence	M F	169 139	3 9	4 -	8 7	17 8	21 5	20 9	13 8	15 11	19 12	30 31	19 39	46 22	1 1	- 3	1 6	3 2	10 -	6 2	1 1	9 1	6 -	3 1	6 5	
35	Other defined causes	M F	411 365	49 17	8 5	7 6	25 19	17 19	19 23	33 42	40 51	83 74	83 69	47 40	70 48	12 9	4 2	4 -	8 2	3 3	3 6	8 4	7 3	13 9	5 3		
36	Ill-defined causes	M F	5 1	1 -	- -	- -	- -	- -	- -	- 1	- -	1 -	2 -	1 -	1 -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	

Causes of Death. <i>See first page of Table.</i>		NEWCASTLE-UPON-TYNE.													NORTHAMPTON.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	2,098	261	32	18	50	73	96	113	222	385	501	347	587	28	6	5	5	22	20	26	52	115	145	168		
	F	1,779	176	27	24	32	61	78	109	167	292	353	460	642	31	3	1	9	16	31	29	50	94	140	238		
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—		
2 Measles	M	8	1	3	3	1	—	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—	—	—		
	F	6	1	4	—	1	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—	—	—		
3 Scarlet fever	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Whooping cough	M	14	9	4	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—		
	F	13	6	5	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Diphtheria	M	10	—	2	—	8	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—		
	F	12	—	1	6	4	—	—	1	—	—	—	—	4	—	—	—	3	—	1	—	—	—	—	—		
6 Influenza	M	53	1	1	—	3	3	4	3	8	17	9	4	16	—	—	—	—	—	—	1	3	4	5	—		
	F	49	2	1	1	—	—	2	1	4	7	13	18	19	—	—	—	—	1	2	1	4	2	4	—		
7 Encephalitis lethargica	M	7	—	—	—	—	—	1	1	1	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
8 Cerebro-spinal fever	M	4	1	1	—	—	1	—	1	—	—	—	—	2	—	1	—	—	—	1	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Respiratory tuberculosis	M	162	—	1	—	3	25	40	29	25	30	9	—	33	—	—	—	—	8	9	7	5	3	1	—		
	F	110	2	—	2	6	32	22	21	8	13	4	—	27	—	—	—	—	9	6	8	3	1	—	—		
10 Other tuberculosis	M	33	3	—	2	6	5	7	3	4	3	—	—	7	—	1	3	1	—	—	—	1	—	1	—		
	F	21	—	2	2	4	7	1	—	3	2	—	—	3	—	—	—	1	1	—	—	1	—	—	—		
11 Syphilis	M	7	1	—	—	—	—	—	—	3	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	8	1	—	—	1	—	1	—	3	1	1	—	2	—	—	—	—	—	—	1	1	—	—	—		
12 Gen. paralysis of insane, etc.	M	9	—	—	—	—	—	—	2	3	3	1	—	1	—	—	—	—	1	—	—	—	—	—	—		
	F	4	—	—	—	—	—	—	1	1	2	—	—	2	—	—	—	—	—	—	—	2	—	—	—		
13 Cancer	M	227	1	—	1	1	3	5	9	24	58	85	40	85	—	—	—	—	—	1	3	7	33	22	19		
	F	183	—	—	—	—	—	1	14	45	63	35	25	96	—	—	—	—	—	7	14	23	31	21	—		
14 Diabetes	M	25	—	—	—	—	1	1	1	2	5	11	4	10	—	—	—	—	1	—	—	1	3	3	—		
	F	38	—	—	—	2	2	1	1	4	9	8	11	10	—	—	—	—	—	—	1	4	4	1	—		
15 Cerebral hæmorrhage	M	72	1	—	—	—	—	1	1	7	20	25	17	40	—	—	—	—	—	—	3	10	13	14	—		
	F	81	—	—	—	—	—	—	2	10	16	25	28	40	—	—	—	—	—	1	1	4	11	23	—		
16 Heart disease	M	500	—	—	1	3	4	9	16	61	104	171	131	188	—	—	—	1	—	4	—	12	31	58	82		
	F	447	—	—	—	2	4	14	15	32	81	140	159	222	—	—	—	—	2	3	4	11	24	47	131		
17 Aneurysm	M	5	—	—	—	—	1	—	2	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	1	1	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—		
18 Other circulatory	M	154	—	—	—	—	—	—	—	6	25	72	51	35	—	—	—	—	—	—	1	2	3	16	13		
	F	166	—	—	—	—	—	—	—	7	22	56	81	29	—	—	—	—	—	1	—	1	4	14	9		
19 Bronchitis	M	74	9	1	1	1	—	2	3	8	13	13	23	13	2	—	—	—	—	—	3	2	3	3	—		
	F	53	4	1	—	—	—	1	1	4	3	6	33	17	1	—	—	—	—	—	1	—	1	2	12		
20 Pneumonia	M	174	55	14	5	4	5	5	11	14	31	20	10	23	4	2	—	1	—	1	1	6	5	1	2		
	F	113	40	8	7	2	4	4	7	6	10	11	14	24	6	2	1	1	—	1	2	6	1	2	2		
21 Other respiratory	M	19	1	—	—	—	1	1	3	6	3	3	1	5	—	—	—	—	2	—	—	1	1	1	—		
	F	17	—	—	—	—	—	4	3	—	2	4	4	2	—	—	—	—	—	—	—	—	2	—	—		
22 Peptic ulcer	M	20	—	—	—	—	—	1	2	4	9	2	2	4	—	—	—	—	—	—	2	—	2	—	—		
	F	5	—	—	—	—	—	—	1	3	—	—	1	4	—	—	—	—	—	—	—	3	1	—	—		
23 Diarrhoea	M	59	53	1	—	—	—	—	—	2	2	—	1	4	2	—	—	—	—	—	—	—	—	2	—		
	F	32	23	1	—	—	—	1	2	1	—	2	2	4	1	1	—	—	—	1	—	—	1	—	—		
24 Appendicitis	M	4	—	—	—	1	1	1	—	—	1	—	—	5	—	—	—	—	3	—	1	—	1	—	—		
	F	9	—	—	—	3	1	2	1	1	1	—	—	2	—	—	—	—	2	—	—	—	—	—	—		
25 Cirrhosis of liver	M	11	—	—	—	—	—	—	—	2	1	7	1	1	—	—	—	—	—	—	1	—	—	—	—		
	F	2	—	—	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	2	—	—	—		
26 Other liver diseases	M	8	—	—	—	1	—	—	—	2	3	1	1	1	—	—	—	—	—	—	—	—	—	—	—		
	F	12	—	—	—	—	1	—	—	—	8	1	2	6	—	—	—	—	—	—	—	3	2	—	—		
27 Other digestive	M	22	4	1	—	1	—	2	—	6	4	2	2	4	—	—	—	—	1	—	1	—	—	1	—		

TABLE 24—*contd.* County Boroughs.

Causes of Death. See first page of Table.		NORWICH.												NOTTINGHAM.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	674	44	3	9	12	13	18	22	73	96	194	190	1,948	207	24	32	31	55	78	102	206	388	439	386
	F	754	44	7	8	18	15	22	28	55	85	172	300	1,799	151	21	19	29	72	74	103	136	261	415	518
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	14	3	2	6	3	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	8	1	4	2	1	-	-	-	-	-	-	-
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	-	-
	F	3	1	-	2	-	-	-	-	-	-	-	-	6	2	2	1	1	-	-	-	-	-	-	-
5 Diphtheria	M	3	-	-	1	2	-	-	-	-	-	-	-	5	-	1	4	-	-	-	-	-	-	-	-
	F	5	-	-	-	5	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
6 Influenza	M	17	-	-	1	1	-	2	1	1	4	2	5	59	1	1	-	1	1	3	5	11	13	10	13
	F	11	1	-	-	-	-	-	-	1	-	3	6	62	2	1	-	-	1	6	3	6	9	17	17
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	3	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	2	-	1	1	-	-	-	-
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9 Respiratory tuberculosis	M	36	1	-	-	2	5	6	11	6	5	-	-	128	-	-	-	1	18	35	23	17	23	9	2
	F	25	-	-	-	4	11	5	5	-	-	-	-	106	-	1	-	5	38	27	14	10	6	4	1
0 Other tuberculosis	M	8	1	1	1	1	1	-	1	1	1	-	-	23	-	2	7	3	3	6	1	-	-	1	1
	F	3	-	1	1	1	-	-	-	-	-	-	-	20	1	2	3	5	4	-	3	-	-	1	1
1 Syphilis	M	2	-	-	-	1	-	-	-	-	1	-	-	3	-	-	-	-	-	1	-	-	1	1	1
	F	1	-	-	-	-	-	-	1	-	-	-	-	4	1	-	-	-	-	-	-	2	1	-	-
2 Gen. paralysis of insane, etc.	M	3	-	-	-	-	-	-	-	1	2	-	-	6	-	-	-	-	-	1	2	1	2	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	1	1	1	1	-	-
3 Cancer	M	115	-	-	-	1	-	1	5	18	16	53	21	215	-	-	-	-	1	3	14	38	68	66	25
	F	104	-	-	1	-	-	1	8	19	27	30	18	222	-	-	-	-	1	1	25	33	59	61	42
4 Diabetes	M	8	-	-	-	-	-	-	-	-	2	4	2	19	-	-	-	1	-	-	-	-	7	4	7
	F	10	-	-	-	-	-	-	1	-	2	4	3	31	-	-	-	-	-	-	2	6	15	8	8
5 Cerebral hæmorrhage	M	47	-	-	-	-	-	-	-	5	7	21	14	90	-	-	-	-	-	-	7	22	28	33	33
	F	62	-	-	-	-	-	-	-	1	3	18	40	119	-	-	-	-	-	1	12	20	44	42	42
6 Heart disease	M	124	-	-	-	1	1	1	4	8	18	41	50	466	-	-	-	2	5	4	14	38	88	164	151
	F	181	-	-	-	2	1	1	4	9	19	61	84	449	-	-	-	3	7	9	12	22	74	135	187
7 Aneurysm	M	3	-	-	-	-	-	-	1	1	1	-	-	8	-	-	-	-	-	1	4	2	1	-	-
	F	5	-	-	-	-	1	-	-	3	1	-	-	4	-	-	-	-	-	-	2	1	1	-	-
8 Other circulatory	M	41	-	-	-	-	-	1	1	9	7	23	58	58	-	-	-	-	-	-	3	11	25	19	19
	F	42	-	-	-	-	-	-	-	4	13	25	77	77	-	-	-	-	-	-	6	6	31	34	34
9 Bronchitis	M	21	1	-	-	-	-	-	2	3	6	9	100	6	-	-	-	1	-	2	13	14	30	34	34
	F	31	-	-	1	-	-	1	-	2	8	19	70	4	1	-	-	-	-	3	4	3	21	34	34
0 Pneumonia	M	44	11	2	4	1	-	1	-	6	5	6	8	203	73	11	7	4	1	3	7	19	43	23	12
	F	44	9	2	2	2	-	1	7	5	6	8	136	40	8	8	4	2	2	5	9	14	20	24	24
1 Other respiratory	M	13	-	-	-	-	-	-	3	2	4	4	18	-	-	-	-	1	-	-	1	6	7	3	3
	F	8	-	-	-	1	-	1	1	1	1	3	12	-	-	-	-	1	1	1	1	2	5	2	2
2 Peptic ulcer	M	12	-	-	-	-	-	-	1	3	7	1	26	-	-	-	-	1	2	1	5	10	6	1	1
	F	1	-	-	-	-	-	-	-	1	-	-	9	-	-	-	-	-	1	1	-	4	2	1	1
3 Diarrhœa	M	4	2	-	-	-	-	-	-	-	-	2	36	30	-	-	1	1	-	-	-	-	1	3	3
	F	9	6	1	-	-	-	-	-	-	-	2	30	18	1	2	-	2	-	1	1	2	2	2	2
4 Appendicitis	M	1	-	-	-	1	-	-	-	-	-	-	7	-	-	-	2	1	2	1	1	-	-	-	-
	F	4	-	-	1	-	-	-	-	1	-	2	12	-	-	-	2	1	1	3	3	1	1	-	-
5 Cirrhosis of liver	M	2	-	-	-	-	-	-	-	1	1	-	8	-	-	-	-	-	1	-	4	3	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	6	-	-	-	-	-	1	-	4	1	-	-	-
6 Other liver diseases	M	2	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	1	-	-	-	2	-	-
	F	2	-	-	-	-	-	1	-	-	-	1	9	-	-	-	-	1	-	1	2	2	2	3	3
7 Other digestive	M	15	1	-	1	-	-	-	-	3	5	5	25	1	1	-	1	-	4	1	6	5	2	4	4
	F	15	-	-	-	1	-	1	1	3	1	8	18	1	-	-	-	1	4	4	3	4	1	1	1
8 Nephritis	M	13	-	-	-	-	-	-	3	3	1	6	51	-	-	1	-	2	1	2	7	13	13	12	12
	F	18	-	-	-	2	-	-	5	1	6	4	44	-	-	-	-	-	2	2	5	10	13	12	12
9 Puerperal sepsis	F	2	-	-	-	-	1	1	-	-	-	-	4	-	-	-	-	2	1	1	-	-	-	-	-
0 Other puerperal	F	3	-	-	-	-	3	-	-	-	-	-	9	-	-	-	-	1	4	4	-	-	-	-	-
1 Congenital causes, etc.	M	25	25	-	-	-	-	-	-	-	-	-	78	78	-	-	-	-	-	-	-	-	-	-	-
	F	27	25	1	-	1	-	-	-	-	-	-	68	68	-	-	-	-	-	-	-	-	-	-	-
2 Senility	M	26	-	-	-	-	-	-	-	-	7	19	32	-	-	-	-	-	-	-	-	1	4	27	27
	F	62	-	-	-	-	-	-	-	-	-	9	53	81	-	-	-	-	-	-	-	1	7	73	73
3 Suicide	M	7	-	-	-	1	-	-	1	3	2	-	33	-	-	-	-	2	2	4	9	9	5	2	2
	F	4	-	-	-	1	-	-	1	2	-	-	12	-	-	-	-	1	2	2	4	2	1	1	1
4 Other violence	M	21	-	-	-	3	3	5	1	2	1	5	1	83	1	2	1	4	13	6	14	11	20	5	6
	F	11	-	1	-	2	-	1	-	1	-	6	43	3	-	1	3	2	2	2	3	4	7	16	16
5 Other defined causes	M	61	2	-	1	3	3	2	4	8	6	13	19	141	12	2	6	8	4	4	7	14	27	28	29
	F	57	2	1	-	4	3	3	2	5	8	11	18	113	10	1	1	3	9	12	13	8	23	17	16
6 Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	1
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1

Causes of Death. See first page of Table.			OLDHAM.												OXFORD.											
			All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	
All Causes	M	1,036	72	11	12	20	27	45	63	126	229	259	172	469	30	4	8	9	16	19	28	45	78	114		
	F	992	44	8	6	25	28	39	60	102	172	262	246	484	19	7	5	12	8	24	16	29	62	111		
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Measles	M	2	—	2	—	—	—	—	—	—	—	—	—	3	—	1	1	1	—	—	—	—	—	—		
	F	3	—	3	—	—	—	—	—	—	—	—	—	8	1	1	5	1	—	—	—	—	—	—		
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Whooping cough	M	2	—	2	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	—	—	—	4	—	4	—	—	—	—	—	—	—	—		
5 Diphtheria	M	8	—	—	3	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	9	—	—	—	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6 Influenza	M	25	—	—	—	1	1	2	2	6	7	4	2	12	—	—	—	—	—	—	1	2	5	4		
	F	41	2	—	—	—	3	1	5	2	9	6	13	14	—	—	—	—	1	—	—	2	2	2		
7 Encephalitis lethargica	M	1	—	—	—	—	—	—	—	—	1	—	—	2	—	—	—	—	1	—	—	—	—	1		
	F	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
8 Cerebro-spinal fever	M	5	1	—	1	—	2	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—		
	F	3	—	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Respiratory tuberculosis	M	41	—	—	—	—	5	11	9	11	4	1	—	27	—	—	—	—	3	5	7	4	8	—		
	F	41	—	—	—	—	14	10	7	6	3	1	—	26	—	—	—	—	4	9	1	3	8	1		
10 Other tuberculosis	M	10	—	—	1	2	2	3	1	1	—	—	—	8	—	—	3	1	1	1	1	—	—	—		
	F	7	—	—	1	1	2	—	1	1	1	—	—	3	—	1	—	—	1	—	—	—	—	—		
11 Syphilis	M	4	—	—	—	—	—	—	1	—	3	—	—	2	—	—	—	—	—	1	—	—	—	1		
	F	4	1	—	—	—	—	1	—	2	—	—	—	1	—	—	—	—	—	—	1	—	—	—		
12 Gen. paralysis of insane, etc.	M	7	—	—	—	—	—	—	2	4	—	1	—	5	—	—	—	—	—	—	2	3	—	—		
	F	3	—	—	—	—	—	—	2	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—		
13 Cancer	M	120	—	—	—	—	3	2	7	20	35	47	6	58	—	—	—	—	1	—	3	15	24	—		
	F	112	—	—	—	—	—	7	—	28	27	36	14	63	—	—	—	—	3	3	10	11	20	—		
14 Diabetes	M	13	—	—	—	—	1	1	—	1	3	5	2	4	—	—	—	—	—	—	—	—	—	—		
	F	14	—	—	—	—	—	—	—	1	3	7	3	11	—	—	—	—	—	—	2	2	4	—		
15 Cerebral hæmorrhage	M	50	—	—	—	—	—	—	1	5	13	16	15	18	—	—	—	1	—	—	1	3	7	—		
	F	54	—	—	—	—	—	—	2	3	11	20	18	21	—	—	—	—	—	—	1	3	11	—		
16 Heart disease	M	244	—	—	—	—	1	4	7	28	61	84	59	119	—	—	—	—	1	7	12	12	41	—		
	F	267	—	—	—	1	5	4	10	16	44	88	99	149	—	—	—	1	1	5	3	18	38	—		
17 Aneurysm	M	3	—	—	—	—	—	—	—	—	3	—	—	1	—	—	—	—	—	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—		
18 Other circulatory	M	65	—	—	—	—	—	—	—	1	11	25	28	35	—	—	—	—	—	1	—	—	—	—		
	F	64	—	—	—	—	—	—	1	5	9	25	24	27	—	—	—	—	—	—	1	6	10	—		
19 Bronchitis	M	57	1	—	—	—	—	2	1	8	20	15	10	10	—	—	—	—	—	—	—	3	—	—		
	F	56	4	—	—	—	—	—	1	9	10	13	19	9	—	—	—	—	—	—	—	—	—	—		
20 Pneumonia	M	72	16	4	1	3	3	5	7	11	10	5	7	15	4	1	1	1	—	—	3	—	—	—		
	F	49	6	3	3	1	—	1	4	7	11	7	6	14	3	1	—	1	—	1	2	—	—	—		
21 Other respiratory	M	12	—	—	—	1	—	1	2	1	1	4	2	4	—	1	—	—	—	2	—	1	—	—		
	F	4	—	—	—	—	—	—	—	—	1	2	1	3	—	—	—	1	—	—	—	—	—	—		
22 Peptic ulcer	M	12	—	—	—	—	—	—	4	3	3	1	1	8	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	—	—	—	—	2	1	1	1	—	—	—	—	—	—	—	—	—	—		
23 Diarrhœa	M	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	2	—	—		
	F	5	2	—	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—		
24 Appendicitis	M	3	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—		
	F	6	—	—	1	2	—	1	—	1	1	—	—	4	—	—	—	—	—	1	—	1	—	—		
25 Cirrhosis of liver	M	5	—	—	—	—	—	—	—	1	3	1	—	1	—	—	—	1	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
26 Other liver diseases	M	1	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	1	—	—		
	F	4	—	—	—	—	—	—	—	1	2	1	—	4	—	—	—	—	—	—	—	—	—	—		
27 Other digestive	M	14	1	—	1	1	—	—	—	4	1	4	1	10	1	—	1	—	—	1	—	1	—	—		
	F	8	—	—	—	—	—	—	1	1	3	1	1	7	—	—	—	—	—	—	—	—	—	—		
28 Nephritis	M	29	—	—	—	—	—	1	3	4	9	8	4	20	—	—	—	1	—	—	—	—	—	—		
	F	35	—	—	—	—	—	4	6	6	4	13	2	27	—	—	—	1								

TABLE 24—*contd.* County Boroughs.

Causes of Death.		PLYMOUTH.													PORTSMOUTH.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	1,402	75	14	16	20	46	69	79	135	290	363	295	1,520	99	8	15	29	43	47	87	169	316	365	342		
	F	1,368	66	6	18	19	36	50	58	112	204	334	465	1,427	68	13	14	10	30	52	62	115	226	336	501		
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-		
Measles	M	1	-	-	-	-	1	-	-	-	-	-	-	3	-	2	1	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-		
Scarlet fever	M	1	-	1	-	-	-	-	-	-	-	-	-	3	-	-	-	3	-	-	-	-	-	-	-		
Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-		
	F	1	-	1	-	-	-	-	-	-	-	-	-	4	2	1	1	-	-	-	-	-	-	-	-		
Diphtheria	M	9	1	1	3	4	-	-	-	-	-	-	-	7	1	1	1	3	-	-	1	-	-	-	-		
	F	9	-	-	4	5	-	-	-	-	-	-	-	6	-	1	5	-	-	-	-	-	-	-	-		
Influenza	M	43	1	-	-	2	-	5	1	4	10	13	7	35	1	-	-	1	1	1	3	6	8	3	11		
	F	22	1	-	-	-	-	-	3	5	1	4	8	22	-	-	-	-	1	1	2	5	3	3	11		
Encephalitis lethargica	M	2	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-		
	F	3	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
Cerebro-spinal fever	M	5	-	-	2	2	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-		
	F	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-		
Respiratory tuberculosis	M	95	-	-	1	-	17	22	17	20	12	5	1	96	-	-	-	1	9	15	24	22	20	5	-		
	F	56	-	-	-	-	13	18	7	5	8	2	3	46	-	-	-	-	15	17	4	2	7	1	-		
Other tuberculosis	M	9	-	3	1	-	1	2	1	-	-	1	-	9	1	2	-	2	1	1	-	2	-	-	-		
	F	7	-	1	-	2	3	1	-	-	-	-	-	8	3	-	1	-	1	1	-	1	-	1	-		
Syphilis	M	16	1	-	-	-	2	-	2	3	8	-	-	9	1	-	-	-	-	-	-	1	5	2	-		
	F	4	-	-	-	-	-	2	1	-	1	-	-	8	1	-	-	-	-	-	-	3	2	2	-		
Gen. paralysis of insane, etc.	M	4	-	-	-	-	-	-	-	3	1	-	-	10	-	-	-	-	-	2	4	2	1	-	1		
	F	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	3	4	4	-	-	-		
Cancer	M	174	-	-	-	-	3	8	20	52	62	29	213	-	-	-	-	2	4	6	23	64	71	43			
	F	191	-	-	-	1	2	2	6	25	48	63	44	214	-	-	-	1	1	4	13	45	57	51	42		
Diabetes	M	12	-	-	-	-	-	-	-	4	1	5	2	11	-	-	-	-	-	1	1	3	5	1	1		
	F	26	-	-	1	-	-	2	1	1	4	12	5	18	-	-	-	-	1	-	3	2	6	6	6		
Cerebral hæmorrhage	M	66	-	-	-	-	1	2	7	20	19	17	63	-	-	-	-	-	3	5	14	23	23	18			
	F	62	-	-	-	-	-	-	4	9	23	26	89	-	1	-	-	-	1	2	23	31	31	31			
Heart disease	M	341	-	-	1	3	3	9	18	68	131	108	363	-	-	-	-	1	2	6	33	96	132	93			
	F	451	-	-	-	2	5	8	31	54	125	226	420	-	-	-	2	3	5	14	21	54	127	194			
Aneurysm	M	13	-	-	-	-	-	-	5	4	2	2	8	-	-	-	-	-	-	-	2	1	4	1			
	F	2	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	1	1			
Other circulatory	M	66	-	-	-	-	-	1	3	12	21	29	51	-	-	-	-	-	-	1	5	9	16	20			
	F	71	-	-	-	-	-	-	2	13	25	31	51	-	-	-	-	-	-	-	1	8	14	28			
Bronchitis	M	56	1	-	1	-	-	-	1	11	10	31	46	1	-	1	-	-	-	3	6	9	10	16			
	F	58	2	-	-	-	-	1	-	8	11	36	30	3	-	-	-	-	1	1	1	9	9	16			
Pneumonia	M	74	16	3	1	2	2	5	11	13	14	4	3	72	10	-	4	2	2	2	12	16	14	9	1		
	F	66	13	3	5	1	-	1	3	7	10	6	17	44	7	3	1	-	2	2	1	4	6	5	13		
Other respiratory	M	18	-	-	1	-	1	1	2	4	4	4	1	16	-	-	-	-	1	-	2	3	4	1	5		
	F	9	-	-	-	-	-	-	-	1	3	5	7	7	-	-	-	-	1	-	-	1	2	3	3		
Peptic ulcer	M	19	-	-	-	-	3	3	3	6	4	-	19	-	-	-	-	-	3	4	5	4	2	1	1		
	F	6	-	-	-	-	-	-	1	4	-	1	7	-	-	-	-	-	-	-	2	-	3	2	2		
Diarrhœa	M	12	4	1	2	-	-	-	1	1	-	2	1	20	14	-	2	-	-	-	-	1	2	1	1		
	F	5	3	-	1	-	-	-	1	-	-	-	-	11	7	-	-	-	-	-	-	-	1	-	2		
Appendicitis	M	10	-	-	2	-	1	2	1	2	1	-	-	11	-	-	-	3	3	1	1	2	1	-	-		
	F	5	-	-	-	1	-	-	1	1	1	1	1	5	-	-	-	-	1	1	1	1	-	-	-		
Cirrrosis of liver	M	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	1	4	-	1	1		
	F	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	2	1	1	1		
Other liver diseases	M	2	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	1	-	-	-	1	1	1		
	F	10	-	-	-	-	-	1	-	1	6	2	15	-	-	-	-	-	1	1	1	5	4	3	3		
Other digestive	M	26	3	-	-	2	3	3	2	2	4	3	4	18	-	-	2	1	-	-	4	1	2	3	5		
	F	19	-	-	2	1	1	1	2	4	5	1	2	22	2	1	-	-	-	3	3	5	6	2	2		
Nephritis	M	74	1	-	-	1	3	4	5	8	19	17	16	55	-	-	-	-	1	1	3	7	17	14	12		
	F	48	-	-	-	2	1	1	3	9	7	17	8	58	-	-	-	-	1	3	4	6	13	22	9		
Puerperal sepsis	F	6	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other puerperal	F	10	-	-	-	-	1	6	2	1	-	-	-	6	-	-	-	-	3	3	-	-	-	-	-		
Congenital causes, etc.	M	40	40	-	-	-	-	-	-	-	-	-	-	58	58	-	-	-	-	-	-	-	-	-	-		
	F	37	37	-	-	-	-	-	-	-	-	-	-	40	37	2	-	-	1	-	-	-	-	-	-		
Senility	M	25	-	-	-	-	-	-	-	-	-	3	22	87	-	-	-	-	-	-	-	-	14	73			
	F	27	-	-	-	-	-	-	-	-	-	5	22	119	-	-	-	-	-	-	-	-	14	105			
Suicide	M	11	-	-	-	-	1	2	1	-	4	3	-	36	-	-	-	-	4	4	9	8	7	-	-		
	F	8	-	-	-	-	-	3	1	2	2	-	10	-	-	-	-	-	1	2	2	3	2	-	-		
Other violence	M	55	1	1	2	5	5	7	6	5	10	9	4	54	3	-	1	2	12	6	4	5	6	5	10		
	F	44	3	1	3	1	3	-	1	3	5	11	13	43	1	-	3	1	3	1	3	2	6	11	12		
Other defined causes	M	122	5	4	-	1	6	6	5	6	29	42	18	130	7	1	3	9	6	5	3	10	23	35	28		
	F	102	5	-	2	5	7	7	14	12	20	16	14	102	3	4	1	4	2	9	8	11	21	19	20		
Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-		

Causes of Death. See first page of Table.		PRESTON.													READING.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-			
All Causes	M	774	74	14	12	11	21	35	40	89	147	215	116	629	49	9	7	11	17	19	33	51	122	140			
	F	842	49	9	9	7	33	34	45	82	161	186	227	673	32	5	2	12	19	19	30	50	98	155			
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2 Measles	M	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-			
	F	1	1	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-			
5 Diphtheria	M	6	-	1	5	-	-	-	-	-	-	-	-	3	-	-	1	1	-	1	-	-	-	-			
	F	2	1	-	1	-	-	-	-	-	-	-	-	5	-	-	-	5	-	-	-	-	-	-			
6 Influenza	M	31	-	1	-	-	2	1	1	7	11	6	2	30	-	-	1	2	-	3	3	6	5	3			
	F	38	1	-	1	1	2	4	2	6	3	8	10	21	-	-	-	-	2	2	1	2	7	7			
7 Encephalitis lethargica	M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	5	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-			
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
9 Respiratory tuberculosis	M	39	-	-	-	-	5	9	6	12	5	2	-	31	-	1	-	-	5	4	9	6	6	-			
	F	38	-	-	-	1	14	11	4	2	4	2	-	23	-	-	-	-	8	5	6	2	1	1			
10 Other tuberculosis	M	12	3	2	1	2	1	1	-	2	-	-	-	8	1	-	1	2	1	2	1	-	-	-			
	F	7	1	1	1	1	1	-	1	1	-	-	-	12	-	1	1	3	1	3	1	-	2	-			
11 Syphilis	M	2	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-			
	F	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
12 Gen. paralysis of insane, etc.	M	5	-	-	-	-	-	-	1	2	1	1	-	6	-	-	-	-	-	-	3	3	-	-			
	F	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
13 Cancer	M	89	-	-	-	-	1	1	8	8	25	31	15	61	-	-	-	-	-	2	2	14	29	29			
	F	116	-	-	-	-	-	4	11	16	30	37	18	97	-	-	-	-	1	1	2	18	25	23			
14 Diabetes	M	13	-	-	-	-	-	-	-	-	3	6	4	9	-	-	-	-	-	1	1	2	3	2			
	F	19	-	-	-	-	1	-	1	1	7	8	1	13	-	-	-	-	-	1	1	-	2	5			
15 Cerebral hæmorrhage	M	36	-	-	-	-	-	-	-	3	8	17	8	16	-	-	-	-	-	2	-	3	4	4			
	F	51	-	-	-	-	-	-	2	6	19	11	13	24	-	-	-	-	1	-	6	3	8	8			
16 Heart disease	M	210	-	-	-	1	-	5	6	14	46	88	50	150	-	-	-	-	2	4	4	12	34	41			
	F	234	-	-	-	1	4	3	4	14	50	61	97	160	-	-	-	1	2	-	4	11	21	43			
17 Aneurysm	M	4	-	-	-	-	-	1	1	1	1	-	-	3	-	-	-	-	-	-	-	2	1	1			
	F	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-			
18 Other circulatory	M	21	-	-	-	-	-	-	-	2	4	8	7	83	-	-	-	-	-	-	4	13	18	18			
	F	38	-	-	-	-	-	-	-	3	7	10	18	116	-	-	-	-	-	-	1	13	33	33			
19 Bronchitis	M	20	2	-	-	-	1	-	1	1	3	7	5	16	-	-	1	-	1	1	-	5	6	6			
	F	25	2	-	-	-	-	-	2	1	1	10	9	29	1	-	-	-	-	-	-	3	6	6			
20 Pneumonia	M	60	16	8	3	1	-	2	1	9	8	8	4	48	12	1	3	1	-	2	1	6	7	10			
	F	44	11	5	2	-	1	1	4	5	3	8	4	38	5	3	-	-	-	1	1	2	2	8			
21 Other respiratory	M	8	-	-	-	-	-	-	1	3	4	-	-	7	-	-	-	-	-	-	-	3	2	2			
	F	8	-	-	-	-	1	-	1	1	1	-	3	8	1	-	-	1	-	-	1	-	3	3			
22 Peptic ulcer	M	10	-	-	-	-	-	5	1	-	3	-	1	6	-	-	-	-	-	-	1	3	1	1			
	F	4	-	-	-	-	-	-	-	1	2	1	-	2	-	-	-	-	-	-	-	-	-	-			
23 Diarrhœa	M	9	8	-	-	-	-	-	-	-	-	1	-	7	6	-	-	-	-	-	-	-	1	1			
	F	3	2	-	-	-	-	-	-	1	-	-	-	6	4	1	-	-	-	-	1	-	-	-			
24 Appendicitis	M	5	-	-	-	-	2	1	-	1	1	-	-	2	-	-	-	-	1	-	-	1	-	-			
	F	3	-	-	-	-	1	-	-	-	1	1	-	2	-	-	-	1	-	-	-	-	-	-			
25 Cirrhosis of liver	M	2	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	-	1	-	1	-	-			
	F	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-			
26 Other liver diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-			
	F	7	-	-	-	-	-	-	1	2	2	1	1	6	-	-	-	-	1	1	-	2	1	1			
27 Other digestive	M	6	2	-	-	-	-	-	-	-	1	1	2	10	-	1	-	-	1	-	1	1	3	3			
	F	14	2	1	-	1	1	2	-	1	3	2	1	10	-	-	-	1	-	-	1	1	3	2			
28 Nephritis	M	31	-	-	-	-	1	1	2	8	6	10	3	7	-	-	-	-	-	-	1	4	2	2			
	F	35	-	-	-	1	1	1	2	2	8	7	13	9	-	-	-	-	1	2	1	-	3	3			
29 Puerperal sepsis	F	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
30 Other puerperal	F	2	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-			
31 Congenital causes, etc.	M	37	36	-	-	1	-	-	-	-	-	-	-	26	24	2	-	-	-	-	-	-	-	-			
	F	26	26	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-			
32 Senility	M	3	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	-	-	-			
	F	25	-	-	-	-	-	-	-	-	-	4	21	10	-	-	-	-	-	-	-	1	-	-</			

Causes of Death. See first page of Table.		ROCHDALE.													ROTHERHAM.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	715	33	7	7	8	15	28	47	76	178	201	115	483	37	16	9	10	22	20	19	41	111	115	83		
	F	700	25	4	3	5	17	28	44	71	128	190	185	382	26	5	13	9	19	17	22	30	59	94	88		
1 Typhoid fever, etc.	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-			
3 Scarlet fever	M	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
4 Whooping cough	M	2	2	-	-	-	-	-	-	-	-	-	-	5	1	3	1	-	-	-	-	-	-	-			
	F	1	-	1	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-			
5 Diphtheria	M	2	-	-	1	1	-	-	-	-	-	-	-	5	-	-	4	1	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	12	-	-	7	4	1	-	-	-	-	-			
6 Influenza	M	33	-	-	-	-	1	3	4	8	9	4	4	23	2	1	1	1	2	1	2	3	2	3			
	F	34	2	-	1	-	-	-	6	6	5	5	9	13	-	-	-	-	3	1	3	2	1	2			
7 Encephalitis lethargica	M	3	-	-	-	1	-	-	1	-	-	1	-	3	-	-	-	-	2	-	-	1	-	-			
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-			
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
9 Respiratory tuberculosis	M	37	-	-	-	-	3	8	9	10	6	1	-	24	-	-	-	-	4	4	2	6	4	3			
	F	13	-	-	-	-	4	5	3	1	-	-	-	13	-	-	-	-	8	3	2	-	-	-			
10 Other tuberculosis	M	6	-	-	1	2	1	1	-	-	1	-	-	4	-	-	-	1	1	2	-	-	-	-			
	F	8	1	1	-	1	2	1	1	-	-	1	-	2	-	-	1	-	-	-	-	-	-	-			
11 Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
12 Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	1	1	-	-			
	F	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	1	1	-	-	-			
13 Cancer	M	82	-	-	-	-	-	1	2	9	27	34	9	46	-	-	-	1	-	-	2	6	18	11			
	F	83	-	-	-	-	1	3	8	15	26	20	10	44	-	-	-	-	-	1	3	9	9	13			
14 Diabetes	M	2	-	-	-	-	-	-	-	-	-	1	1	5	-	-	-	-	2	-	-	-	2	2			
	F	12	-	-	-	-	-	-	1	4	3	3	3	7	-	-	-	1	-	-	2	2	2	-			
15 Cerebral hæmorrhage	M	33	-	-	-	-	-	-	1	2	5	15	10	27	-	-	-	-	-	-	2	7	11	7			
	F	32	-	-	-	-	-	-	1	4	6	13	8	20	-	-	-	-	-	2	2	1	6	9			
16 Heart disease	M	186	-	-	-	-	4	1	11	59	67	44	74	110	-	-	-	-	2	2	3	3	24	44			
	F	202	-	-	-	2	4	2	7	12	35	66	74	109	-	-	-	-	2	2	5	3	21	38			
17 Aneurysm	M	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	2	-	-			
	F	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-			
18 Other circulatory	M	49	-	-	-	-	-	-	-	3	14	19	13	25	-	-	-	-	-	-	-	6	13	5			
	F	61	-	-	-	-	-	-	-	13	23	25	25	14	-	-	-	-	-	-	2	5	3	4			
19 Bronchitis	M	35	-	1	-	-	-	-	1	5	8	11	9	24	1	-	-	1	1	-	-	3	5	5			
	F	45	-	-	-	-	-	1	-	5	7	15	17	19	1	1	-	-	-	-	1	5	3	8			
20 Pneumonia	M	43	7	5	1	-	1	2	7	11	5	4	-	46	8	6	3	2	1	2	2	5	10	3			
	F	32	4	1	1	1	1	3	2	3	5	6	5	28	7	1	2	1	1	2	-	4	7	3			
21 Other respiratory	M	7	-	-	-	1	-	-	1	3	-	1	-	7	-	-	-	-	1	-	1	-	4	1			
	F	2	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-			
22 Peptic ulcer	M	13	-	-	-	-	-	-	2	2	5	3	1	6	-	-	-	-	-	1	1	1	2	1			
	F	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	1	1	-	-	-			
23 Diarrhoea	M	5	4	-	-	-	-	1	-	-	-	-	-	8	5	2	-	-	-	-	-	-	1	-			
	F	2	-	-	-	-	-	1	-	-	-	-	-	3	1	-	1	-	-	-	-	-	-	-			
24 Appendicitis	M	4	-	-	2	1	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-			
	F	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	1	1	1	-	-	-	-			
25 Cirrhosis of liver	M	3	-	-	-	-	-	-	-	1	2	-	-	3	-	-	-	-	-	-	1	1	1	-			
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-			
26 Other liver diseases	M	3	-	-	-	-	-	-	-	-	-	1	2	3	-	-	-	-	-	-	-	2	-	1			
	F	7	-	-	-	-	-	-	-	1	2	3	1	3	-	-	-	-	-	-	-	1	1	1			
27 Other digestive	M	17	1	-	1	-	1	-	1	6	6	-	-	4	-	-	-	-	-	1	-	2	-	1			
	F	11	-	-	-	-	-	1	1	2	5	1	-	7	1	-	-	-	-	2	-	1	-	-			
28 Nephritis	M	26	-	-	-	-	-	2	4	5	10	5	-	10	-	-	-	-	2	1	-	3	2	1			
	F	25	-	-	-	1	-	2	2	7	9	4	-	6	-	-	-	-	-	-	1	3	3	2			
29 Puerperal sepsis	F	3	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-			
30 Other puerperal	F	4	-	-	-	-	1	3	-	-	-	-	-	3	-	-	-	-	2	1	-	-	-	-			
31 Congenital causes, etc.	M	18	18	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-			
	F	17	17	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-			
32 Senility	M	3	-	-	-	-	-	-	-	-	-	1	2	8	-	-	-	-	-	-	-	-	-	8			
	F</																										

TABLE 24—contd. County Boroughs.

Causes of Death. See first page of Table.		ST. HELENS.													SALFORD.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	718	104	16	9	17	26	39	48	70	122	162	105	1,539	142	24	22	31	66	69	84	207	326	356	212		
	F	585	71	6	10	13	23	30	39	59	90	140	104	1,404	115	14	18	25	52	69	68	111	259	361	312		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2 Measles	M	2	-	1	-	1	-	-	-	-	-	-	-	6	3	2	1	-	-	-	-	-	-	-			
	F	1	1	-	-	-	-	-	-	-	-	-	-	6	1	2	2	1	-	-	-	-	-	-			
3 Scarlet fever	M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-			
4 Whooping cough	M	6	4	1	-	1	-	-	-	-	-	-	-	5	2	1	1	1	-	-	-	-	-	-			
	F	1	-	-	1	-	-	-	-	-	-	-	-	9	5	1	2	-	1	-	-	-	-	-			
5 Diphtheria	M	6	-	-	2	4	-	-	-	-	-	-	-	6	-	-	2	4	-	-	-	-	-	-			
	F	9	-	-	4	5	-	-	-	-	-	-	-	6	1	-	1	3	1	-	-	-	-	-			
6 Influenza	M	28	1	3	1	1	3	1	3	6	5	4	-	23	-	-	-	1	1	-	1	5	8	5			
	F	29	-	-	-	1	1	1	1	6	12	7	1	35	1	-	-	1	1	2	1	11	10	8			
7 Encephalitis lethargica	M	2	-	-	1	1	-	-	-	-	-	-	-	5	-	-	-	1	3	-	-	1	-	-			
	F	1	-	-	-	-	-	-	-	-	1	-	-	5	-	-	-	-	1	-	-	3	1	-			
8 Cerebro-spinal fever	M	2	1	-	-	1	-	-	-	-	-	-	-	3	1	-	-	1	-	1	-	-	-	-			
	F	1	-	-	-	1	-	-	-	-	-	-	-	4	1	-	-	1	1	-	1	-	-	-			
9 Respiratory tuberculosis	M	39	-	-	1	-	7	10	8	6	5	2	-	99	-	-	-	-	18	21	19	21	10	10			
	F	21	-	-	-	2	9	3	1	3	3	-	-	79	-	-	-	1	28	19	14	7	6	3			
10 Other tuberculosis	M	11	2	-	2	1	2	1	2	-	1	-	-	15	1	-	1	3	3	2	1	1	1	1			
	F	4	-	-	2	1	-	1	-	-	-	-	-	13	1	1	1	2	3	1	-	2	1	-			
11 Syphilis	M	2	-	-	-	-	1	-	-	-	-	1	-	7	1	-	-	-	-	-	-	4	2	-			
	F	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	1	-	1	-	-			
12 Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	-	-	1	-	1	-	4	-	-	-	-	1	2	-	1	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	-	2	-	-			
13 Cancer	M	70	-	1	-	-	-	-	5	8	19	29	8	207	-	-	-	-	2	6	6	35	66	72			
	F	74	-	-	-	-	-	2	6	13	20	24	9	184	-	-	-	1	-	6	10	27	51	57			
14 Diabetes	M	4	-	-	-	-	-	1	-	-	1	1	1	11	-	-	-	-	1	-	2	3	4	1			
	F	8	-	-	-	-	-	2	1	1	2	1	1	40	-	-	-	-	2	1	4	11	19	3			
15 Cerebral hæmorrhage	M	30	-	-	-	-	-	-	-	2	6	20	2	53	-	-	-	-	1	4	6	16	13	13			
	F	34	-	-	-	-	-	-	1	2	8	14	9	61	-	-	-	-	1	2	6	12	24	16			
16 Heart disease	M	163	-	-	-	3	4	7	20	44	50	35	35	419	-	-	-	1	7	6	10	54	103	147			
	F	121	-	-	-	1	1	3	10	16	17	47	26	359	-	-	1	2	4	8	12	19	68	121			
17 Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	1	-	-	1	2	1	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-			
18 Other circulatory	M	24	-	-	-	-	-	1	-	1	6	6	10	49	-	-	-	-	-	1	3	8	24	13			
	F	17	-	-	-	-	-	-	-	2	1	5	9	53	1	-	-	-	-	1	3	9	24	15			
19 Bronchitis	M	38	6	-	-	-	-	2	2	3	4	13	8	73	5	2	1	1	3	-	5	11	23	12			
	F	28	4	1	-	-	-	2	2	2	-	4	13	68	3	1	1	-	1	2	2	9	26	23			
20 Pneumonia	M	55	15	9	1	-	1	5	7	3	8	4	2	152	26	13	8	5	5	7	14	23	28	16			
	F	31	14	2	-	-	1	4	2	1	5	2	-	93	23	5	6	3	-	2	4	7	16	13			
21 Other respiratory	M	8	-	-	-	-	-	-	-	3	3	2	-	18	1	-	-	1	1	-	-	3	8	3			
	F	4	-	-	-	-	-	-	-	-	2	2	-	10	-	-	-	-	-	-	1	2	4	3			
22 Peptic ulcer	M	7	-	-	-	-	-	2	1	2	-	-	2	18	-	-	-	1	1	-	11	4	1	-			
	F	4	-	-	-	-	-	-	1	1	-	2	-	7	-	-	-	1	-	-	2	3	1	-			
23 Diarrhoea	M	8	5	-	-	1	-	1	1	-	-	-	-	22	16	-	-	1	2	1	1	1	-	-			
	F	4	3	-	-	-	-	-	-	-	-	1	-	13	9	1	1	-	-	-	-	-	-	2			
24 Appendicitis	M	5	-	-	-	1	1	-	-	1	1	1	-	6	-	-	-	2	1	1	-	1	-	-			
	F	3	-	-	-	1	-	-	-	2	-	-	-	7	-	-	-	2	3	-	1	-	-	1			
25 Cirrhosis of liver	M	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	1	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-			
26 Other liver diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	1	1	-	1	-	1	1			
	F	4	-	-	-	-	-	-	-	-	2	1	1	6	-	-	-	-	1	1	-	3	1	-			
27 Other digestive	M	7	2	-	-	1	-	-	-	1	-	1	2	18	4	1	-	-	2	1	-	2	5	3			
	F	13	-	2	-	1	-	1	1	2	3	3	-	20	-	-	-	1	1	-	2	4	6	4			
28 Nephritis	M	15	-	-	-	1	-	-	1	5	4	3	1	44	-	-	-	2	2	2	10	13	7	6			
	F	13	-	-	-	-	-	-	-	4	3	5	1	31	-	-	-	-	1	1	7	12	6	4			
29 Puerperal sepsis	F	6	-	-	-	-	-	5	1	-	-	-	-	4	-	-	-	-	4	-	-	-	-	-			
30 Other puerperal	F	9	-	-	-	-	4	4	1	-	-	-	-	7	-	-	-	2	4	1	-	-	-	-			
31 Congenital causes, etc.	M	56	56	-	-	-	-	-	-	-	-	-	-	68	67	-	-	1	-	-	-	-	-	-			
	F	43	42	-	1	-	-	-	-	-	-	-	-	63	61	1	-	-	-	-	-	-	-	-			
32 Senility	M	34	-																								

Causes of Death. See first page of Table.		SHEFFIELD.												SMETHWICK.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	3,477	255	35	42	59	119	153	218	411	773	890	522	490	34	4	4	8	15	22	31	65	88	112	107
	F	3,021	182	29	21	71	124	133	189	286	495	740	751	441	28	7	8	9	16	17	19	43	93	93	108
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Measles	M	4	1	1	2	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
	F	4	2	-	-	2	-	-	-	-	-	-	-	3	1	-	2	-	-	-	-	-	-	-	-
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
4 Whooping cough	M	3	1	1	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	4	1	1	2	-	-	-	-	-	-	-	-	3	1	1	1	-	-	-	-	-	-	-	-
5 Diphtheria	M	14	-	-	6	8	-	-	-	-	-	-	-	4	-	-	1	2	1	-	-	-	-	-	-
	F	29	-	-	6	21	1	-	1	-	-	-	-	4	-	-	2	2	-	-	-	-	-	-	-
6 Influenza	M	139	1	3	2	3	4	3	12	22	42	28	19	21	-	-	-	1	3	1	-	4	6	3	3
	F	133	1	2	-	-	6	4	10	19	26	38	27	17	-	-	-	2	-	-	1	3	3	2	6
7 Encephalitis lethargica	M	5	-	-	-	-	-	2	-	-	2	-	1	1	-	-	-	-	-	1	-	-	-	-	-
	F	4	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
8 Cerebro-spinal fever	M	3	-	1	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	F	4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9 Respiratory tuberculosis	M	212	1	-	-	-	26	40	46	37	50	11	1	30	-	-	-	1	8	9	7	3	1	1	1
	F	143	-	-	-	3	46	38	28	16	8	3	1	27	-	-	-	1	11	5	1	2	6	-	1
10 Other tuberculosis	M	27	3	-	8	4	3	5	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	34	4	1	2	5	13	2	2	2	3	-	-	2	-	-	-	-	1	-	-	1	-	-	-
1 Syphilis	M	11	-	-	-	-	-	-	1	3	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	2	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Gen. paralysis of insane, etc.	M	15	-	-	-	-	-	-	4	5	6	-	-	4	-	-	-	-	-	2	1	-	-	-	1
	F	5	-	-	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
3 Cancer	M	413	-	-	-	-	5	7	24	66	147	126	38	51	-	-	-	-	1	1	2	9	18	13	7
	F	385	-	-	-	-	3	7	32	68	114	117	44	58	-	-	-	1	-	1	4	9	18	14	11
4 Diabetes	M	31	-	-	-	-	1	-	3	3	10	7	7	5	-	-	-	-	-	-	-	2	3	-	-
	F	53	-	-	-	-	-	-	-	6	15	23	9	10	-	-	-	-	-	-	-	3	5	-	2
5 Cerebral hæmorrhage	M	115	-	-	-	-	1	1	5	16	28	37	27	22	-	-	-	-	-	-	1	5	8	8	8
	F	129	-	-	-	-	-	-	6	11	32	48	32	25	-	-	-	-	-	-	3	10	7	5	5
6 Heart disease	M	909	-	-	-	4	12	17	29	100	208	333	206	114	-	-	-	1	5	2	17	16	43	30	30
	F	834	-	-	1	3	15	25	40	55	129	256	310	99	-	-	-	1	2	5	11	16	28	36	36
7 Aneurysm	M	10	-	-	-	-	-	-	-	-	4	5	1	2	-	-	-	-	1	-	-	1	-	-	-
	F	5	-	-	-	-	2	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
8 Other circulatory	M	267	-	-	-	-	-	-	5	3	42	111	106	24	-	-	-	-	-	-	-	8	7	9	9
	F	254	-	-	-	-	-	-	1	7	32	75	139	23	-	-	-	-	1	-	-	6	6	10	10
9 Bronchitis	M	88	1	1	-	1	-	1	3	10	28	25	18	29	2	-	-	-	-	-	3	4	4	16	16
	F	82	3	1	-	-	1	1	1	2	5	25	43	14	-	-	-	-	-	-	1	2	7	4	4
10 Pneumonia	M	325	53	18	7	6	10	25	28	49	71	46	12	49	5	2	1	1	2	6	7	13	8	3	3
	F	188	39	15	6	8	6	6	13	20	28	26	21	29	6	4	1	-	1	4	4	3	5	1	1
1 Other respiratory	M	28	-	2	1	2	2	1	2	8	5	5	-	4	-	-	-	-	-	-	-	-	1	3	3
	F	26	2	-	-	-	1	2	3	5	4	3	6	7	-	-	-	-	-	-	-	5	1	1	1
2 Peptic ulcer	M	52	-	-	-	-	-	4	9	11	19	9	-	6	1	-	-	-	-	1	1	1	1	1	1
	F	11	-	-	-	-	-	-	-	5	3	3	-	1	-	-	-	-	-	-	-	1	-	-	-
3 Diarrhœa	M	24	15	1	1	-	1	1	1	2	-	1	1	3	-	1	-	-	-	1	1	-	-	-	-
	F	19	10	-	-	1	-	1	1	2	1	1	2	3	2	-	-	-	-	-	-	1	-	-	-
4 Appendicitis	M	15	-	-	2	3	2	2	2	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	6	-	-	-	2	1	1	-	-	1	-	1	1	-	-	-	-	-	-	-	1	-	-	-
5 Cirrhosis of liver	M	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
	F	5	-	-	-	-	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
6 Other liver diseases	M	9	-	-	-	-	-	-	-	1	5	1	2	2	-	-	-	-	-	-	-	-	1	-	1
	F	22	1	-	-	-	-	2	-	-	7	9	3	1	-	-	-	-	-	-	-	1	-	-	-
7 Other digestive	M	46	5	-	2	1	2	3	5	3	9	12	4	3	-	-	-	1	-	-	1	-	-	1	2
	F	44	1	-	2	3	2	5	3	6	9	6	7	9	-	-	-	-	2	-	1	-	3	-	-
8 Nephritis	M	102	-	-	-	4	7	12	17	19	30	13	11	11	-	-	-	-	-	1	3	2	5	-	-
	F	115	-	-	-	3	5	9	15	18	40	24	12	12	-	-	-	-	-	-	4	6	2	-	-
9 Puerperal sepsis	F	17	-	-	-	-	1	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 Other puerperal	F	11	-	-	-	-	3	4	4	-	-	-	-	3	-	-	-	1	2	-	-	-	-	-	-
Congenital causes, etc.	M	155	154	-	-	1	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
	F	103	101	1	-	-	-	1	-	-	-	-	-	14	13	1	-	-	-	-	-	-	-	-	-
Senility	M	21	-	-	-	-	-	-	-	-	-	4	17	18	-	-	-	-	-	-	-	-	3	15	15
	F	38	-	-	-	-	-	-	-	1	-	3	34	29	-	-	-	-	-	-	-	-	7	22	22
Suicide	M	46	-	-	-	-	4	6	6	12	6	8	4	10	-	-	-	-	1	3	1	2	2	1	1
	F	19	-	-	-	-	-																		

TABLE 24—*contd.* County Boroughs.

Causes of Death. See first page of Table.		SOUTHAMPTON.													SOUTHEND-ON-SEA.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	1,215	80	13	13	16	26	60	65	114	267	304	257	836	40	3	7	6	24	25	44	82	158	208	233		
	F	1,002	58	8	5	15	36	39	41	70	153	228	349	989	32	6	6	7	20	28	45	95	142	267	344		
1 Typhoid fever, etc.	M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	-	-	-	1	-		
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	2	-	1	-	1	-	-	-	-	-	-	-	2	-	-	1	-	-	-	1	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4 Whooping cough	M	4	3	-	1	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-		
	F	4	3	1	-	-	-	-	-	-	-	-	-	3	-	1	2	-	-	-	-	-	-	-	-		
5 Diphtheria	M	4	1	-	-	3	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-		
	F	6	1	1	-	3	1	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-		
6 Influenza	M	36	2	2	1	2	1	3	3	4	7	5	6	27	1	-	-	-	1	-	1	4	5	9	6		
	F	30	2	-	-	1	1	-	1	4	6	6	9	41	-	-	-	-	2	1	1	6	4	14	13		
7 Encephalitis lethargica	M	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-		
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-		
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	2	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	80	-	1	-	-	5	18	16	15	18	7	-	46	-	-	1	-	5	13	13	3	8	3	-		
	F	51	-	-	-	-	14	10	12	7	5	3	-	30	-	-	-	-	4	9	5	8	4	-	-		
10 Other tuberculosis	M	11	1	-	-	3	-	2	1	1	2	1	-	5	4	-	-	-	1	-	-	-	-	-	-		
	F	7	2	-	-	2	2	-	-	1	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-		
11 Syphilis	M	6	-	-	-	-	-	-	-	-	3	2	1	5	1	-	-	-	-	-	-	2	-	2	-		
	F	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	1	2	-	-		
12 Gen. paralysis of insane, etc.	M	13	-	-	-	-	-	1	1	5	5	-	1	4	-	-	-	-	-	1	1	2	-	-	-		
	F	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-		
13 Cancer	M	152	-	-	2	-	1	3	3	10	48	64	21	116	-	-	-	-	2	1	5	15	24	47	22		
	F	162	-	-	-	-	-	2	6	24	41	50	39	156	-	-	-	1	-	1	11	28	33	51	31		
14 Diabetes	M	15	-	-	-	-	-	-	-	1	3	8	3	8	-	-	-	-	-	-	-	-	2	3	3		
	F	17	-	-	-	-	-	1	-	2	5	2	7	18	-	-	-	-	-	-	-	-	7	8	3		
15 Cerebral hæmorrhage	M	29	-	-	-	-	-	-	-	2	8	11	8	44	-	-	-	-	-	-	-	2	8	16	18		
	F	33	-	-	-	-	-	1	-	1	8	15	8	82	-	-	-	-	-	-	1	4	15	32	30		
16 Heart disease	M	354	1	-	-	3	5	8	23	78	110	126	236	236	-	-	-	-	3	1	5	14	46	71	96		
	F	323	-	-	-	2	3	3	10	37	94	174	260	260	-	-	-	-	1	2	1	12	27	73	144		
17 Aneurysm	M	16	-	-	-	-	-	-	1	2	7	4	2	3	-	-	-	-	-	-	-	1	-	1	1		
	F	7	-	-	-	1	1	1	1	1	-	2	-	1	-	-	-	-	1	-	-	-	-	-	-		
18 Other circulatory	M	33	-	-	-	-	-	-	-	1	9	12	11	37	-	-	-	-	-	-	-	3	6	8	20		
	F	34	-	-	-	-	-	-	-	3	4	8	19	54	-	-	-	-	-	1	3	9	19	22	22		
19 Bronchitis	M	23	1	-	-	-	-	1	1	1	3	7	9	16	-	-	-	-	-	-	2	3	3	8	8		
	F	25	1	-	-	-	-	-	1	-	5	4	14	27	-	-	-	-	1	-	-	-	1	5	20		
20 Pneumonia	M	87	15	7	1	-	2	-	7	10	24	13	8	46	4	-	3	-	-	1	3	7	12	8	8		
	F	39	8	3	1	-	1	-	3	-	4	7	12	63	8	3	2	2	1	-	3	6	9	15	14		
21 Other respiratory	M	8	-	-	-	1	-	1	1	-	-	3	2	10	-	-	-	-	-	1	-	4	2	1	2		
	F	7	-	-	-	1	-	-	-	-	1	-	5	5	-	-	-	-	1	-	3	-	1	-	-		
22 Peptic ulcer	M	18	-	-	-	-	-	1	2	6	3	4	2	9	-	-	-	-	-	-	3	3	1	2	2		
	F	3	-	-	-	-	-	-	-	-	1	2	-	8	-	-	-	-	-	-	-	3	2	3	3		
23 Diarrhœa	M	10	7	1	1	-	-	-	-	-	1	-	-	9	7	-	-	-	-	-	-	1	-	-	1		
	F	12	6	1	-	-	-	-	1	-	-	1	3	8	2	-	-	-	-	1	-	3	1	-	1		
24 Appendicitis	M	4	-	-	-	1	1	1	-	1	-	-	-	4	-	-	-	-	1	-	2	1	-	-	-		
	F	6	-	-	1	1	-	-	-	1	1	2	-	2	-	-	-	-	-	1	-	1	-	-	-		
25 Cirrhosis of liver	M	5	-	-	-	-	-	-	-	2	1	1	1	4	-	-	-	-	-	1	-	-	-	1	2		
	F	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	2	-	1	-	1		
26 Other liver diseases	M	5	-	-	-	-	-	-	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	4	-	-	-	-	-	-	-	-	2	2	-	10	-	-	-	-	-	3	2	-	4	1	1		
27 Other digestive	M	18	2	-	2	-	1	1	2	3	3	1	3	20	-	-	-	2	-	1	3	4	3	4	3		
	F	20	-	-	-	-	3	1	2	5	3	3	6	11	-	-	-	1	-	2	3	3	2	-	-		
28 Nephritis	M	65	-	-	2	-	-	2	4	9	12	20	16	32	-	-	-	1	2	-	2	4	7	8	8		
	F	37	-	-	-	1	-	2	5	2	7	8	12	15	-	-	-	-	1	1	-	2	1	7	3		
29 Puerperal sepsis	F	2	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
30 Other puerperal	F	3	-	-	-	-	2	1	-	-	-	-	-	6	-	-	-	-	2	2	2	-	-	-	-		
31 Congenital causes, etc.	M	44	44	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-		
	F	30	29	-	-	-	-	1	-	-	-	-	-	21	20	-	-	-	-	1	-	-	-	-	-		
32 Senility	M	6	-	-	-	-	-	-	-	-	-	-	-	14	-	-	-	-	-	-	-	-	3	11	11		
	F	19	-	-	-	-	-	-	-	-	-	1	18	23	-	-	-	-	-	-	-	-	1	-	22		
33 Suicide	M	21	-	-	-	-	2	3	3	4	3	5	1	11	-	-	-	-	2	1	2	3	2	-	1		
	F	7	-	-	-	-	1	2	1	-	1	1	1	8	-	-	-	-	1	1	2	1	2	1	-		
34 Other violence	M	46	-	1	2	2	6	13	3	3	8	3	5	21	1	1	1	-	2	1	2	3	3	2	5		
	F	29	-	-	2	1	3	5	1	4	2	3	8	37	1	1	1	-	2	-	2	2	3	10	17		
35 Other defined causes	M	98	3	-	1	3	4	4	6	11	19	22	25	81	6	-	-	3	3	3	5	4	19	17	21		
	F	81	6	2	1	4	8	4	4	8	17	14	13	80	-	1	-	1	4	6	11	13	13	17	14		
36 Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1		
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-		

Causes of Death. See first page of Table.		STOCKPORT.													STOKE-ON-TRENT.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	918	71	15	14	16	29	37	55	107	164	237	173	1,879	215	52	38	47	76	81	120	227	373	418	23		
	F	946	36	2	7	13	27	45	63	80	152	262	259	1,695	153	32	28	42	75	91	107	151	280	390	34		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Measles	M	1	-	1	-	-	-	-	-	-	-	-	-	8	2	2	3	1	-	-	-	-	-	-	-		
	F	1	-	-	1	-	-	-	-	-	-	-	-	3	1	-	1	1	-	-	-	-	-	-	-		
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	1	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	2	-	2	-	-	-	-	-	-		
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	9	2	2	4	1	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	10	5	4	1	-	-	-	-	-	-	-	-		
5 Diphtheria	M	1	-	-	1	-	-	-	-	-	-	-	-	14	1	1	5	7	-	-	-	-	-	-	-		
	F	3	-	-	1	1	-	-	-	-	-	1	-	18	-	-	6	11	1	-	-	-	-	-	-		
6 Influenza	M	19	-	-	1	-	-	3	5	2	4	1	3	77	5	3	3	1	7	4	10	10	17	10	1		
	F	28	1	1	-	-	1	4	3	3	1	7	7	63	1	-	1	2	3	2	2	10	16	12	1		
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-		
	F	6	-	-	-	-	-	2	3	-	1	-	-	3	-	-	-	-	1	-	-	-	1	1	-		
8 Cerebro-spinal fever	M	2	1	-	-	-	-	-	-	1	-	-	-	9	1	2	-	3	3	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1	2	-	-	-	-	1	-	-	-		
9 Respiratory tuberculosis	M	54	-	-	-	8	6	8	21	10	1	-	-	125	-	1	-	1	13	21	20	31	33	5	-		
	F	45	-	-	-	12	15	7	5	2	4	-	-	93	1	-	1	2	26	30	11	14	6	1	-		
10 Other tuberculosis	M	14	1	2	3	3	1	3	1	-	-	-	-	24	6	5	2	3	1	1	2	3	-	1	-		
	F	8	1	-	1	2	2	2	-	-	-	-	-	18	1	3	3	5	3	-	2	-	-	1	-		
11 Syphilis	M	2	2	-	-	-	-	-	-	-	-	-	-	4	-	-	-	1	-	-	-	3	-	-	-		
	F	3	-	-	-	-	-	1	2	-	-	-	-	3	-	-	-	-	1	-	2	-	-	-	-		
12 Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	1	-	-	1	-	-		
	F	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13 Cancer	M	103	-	1	-	2	2	5	11	28	39	15	-	200	-	-	-	-	2	4	12	36	68	55	2		
	F	137	-	-	-	-	-	6	22	40	48	21	-	192	-	-	-	-	4	2	18	28	44	64	3		
14 Diabetes	M	12	-	-	-	-	-	1	2	3	3	3	-	8	-	-	-	1	1	-	-	2	2	2	-		
	F	21	-	-	-	1	-	-	3	4	8	5	-	31	-	-	-	1	1	2	5	3	17	-	-		
15 Cerebral hæmorrhage	M	28	-	-	-	-	-	-	3	9	9	7	-	52	-	-	-	-	-	1	10	15	24	-	-		
	F	30	-	-	-	-	2	1	1	10	6	10	-	98	-	-	-	-	-	3	8	26	35	2	-		
16 Heart disease	M	272	-	-	-	1	3	4	8	27	46	101	82	449	-	-	2	6	4	4	11	44	116	169	9		
	F	276	-	-	-	1	6	9	17	36	87	120	-	459	-	-	-	3	10	15	20	33	97	140	14		
17 Aneurysm	M	3	-	-	-	-	-	1	1	-	1	-	-	5	-	-	-	-	-	1	-	2	2	-	-		
	F	3	-	-	-	-	-	-	-	1	1	1	-	3	-	-	-	-	-	-	-	2	1	-	-		
18 Other circulatory	M	58	-	-	-	-	-	1	5	13	22	17	-	67	-	-	-	-	-	3	2	11	22	2	-		
	F	77	-	-	-	-	-	1	5	8	33	30	-	74	-	-	-	-	1	-	4	14	20	3	-		
19 Bronchitis	M	29	2	1	-	-	-	1	5	6	7	7	-	76	10	4	-	-	-	1	9	15	26	1	-		
	F	30	1	-	1	-	-	1	2	8	5	12	-	49	4	-	-	1	1	6	9	12	1	-	-		
20 Pneumonia	M	61	12	6	2	1	1	2	6	5	11	9	6	187	37	23	9	1	12	10	16	29	27	14	-		
	F	27	3	1	2	-	1	2	1	4	5	7	-	114	34	14	3	4	3	3	14	8	11	14	-		
21 Other respiratory	M	5	-	-	-	-	1	-	-	3	-	1	-	34	1	-	-	1	-	1	6	11	13	-	-		
	F	13	-	-	-	1	-	1	2	2	4	1	-	15	1	-	-	1	-	1	3	1	3	1	-		
22 Peptic ulcer	M	12	-	-	-	-	1	3	6	-	2	-	-	25	-	-	-	-	4	4	7	6	3	-	-		
	F	4	-	-	-	-	-	1	-	-	3	-	-	9	-	-	-	-	-	-	3	2	2	-	-		
23 Diarrhœa	M	7	5	-	1	-	-	-	1	-	-	-	-	25	18	4	2	-	-	-	1	-	-	-	-		
	F	3	3	-	-	-	-	-	-	-	-	-	-	22	14	2	2	1	-	1	-	-	1	-	-		
24 Appendicitis	M	3	-	-	-	1	-	-	-	1	1	-	-	14	-	-	-	3	3	2	4	1	1	-	-		
	F	2	-	-	-	1	-	-	-	1	-	-	-	5	-	-	1	2	-	1	1	-	-	-	-		
25 Cirrhosis of liver	M	3	-	-	-	-	-	2	-	-	1	-	-	6	-	-	-	-	-	-	1	2	3	-	-		
	F	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-		
26 Other liver diseases	M	4	-	-	-	1	-	-	1	-	2	-	-	2	-	-	-	-	-	-	1	1	-	-	-		
	F	6	-	-	-	-	-	-	3	2	-	1	-	7	-	-	-	-	2	1	-	-	3	-	-		
27 Other digestive	M	13	1	1	-	1	1	1	1	1	2	3	-	38	3	2	-	1	2	3	1	7	9	8	-		
	F	25	1	-	2	-	1	2	3	8	5	3	-	30	2	1	-	1	1	2	7	6	6	-	-		
28 Nephritis	M	28	-	1	1	-	2	1	-	8	5	8	-	16	-	-	-	1	2	1	2	1	2	6	-		
	F	32	-	-	-	1	1	4	2	8	12	4	-	55	-	-	1	2	3	2	6	12	11	14	-		
29 Puerperal sepsis	F	6	-	-	-	-	2	4	-	-	-	-	-	5	-	-	-	3	1	1	-	-	-	-	-		
30 Other puerperal	F	11	-	-	-	1	6	4	-	-	-	-	-	19	-	-	-	5	10	4	-	-	-	-	-		
31 Congenital causes, etc.	M	44	44	-	-	-	-	-	-	-	-	-	-	111	110	-	-	-	1	-	-	-	-	-	-		
	F	21	21	-	-	-	-	-	-	-	-	-	-	74	73	1	-	-	-	-	-	-	-	-	-		
32 Senility	M	9	-	-	-	-	-	-	-	-	-	1	8	53	-	-	-	-	-	-	-	1	14	3	-		
	F	32	-	-	-	-	-	-	-	-	-	7	25	64	-	-	-	-	-	-	-	-	17	-	-		
33 Suicide	M	10	-	-	-	1	3	1	4	-	-	1	-	22	-	-	-	-	4	4	7	4	2	-	-		
	F	4	-	-	-	-	-	1	1	-	-	1	1	2	-	-	-	-	-	-	-	2	-	-	-		
34 Other violence	M	41	1	2	4	5	3	6	4	3	3	4	6	81	2	-	4	5	14	14	17	7	6	9	-		
	F	29	2	-	-	2	4	-	2	3	3	6	7	31	1	1	2	2	1	4	-	-	7	3	-		
35 Other defined causes	M	78	2	-	1	4	6	3	6	7	17	26	6	131	17	2	3	10	9	7	9	14	21	29	-		
	F	58	3	-	1	4	3	1	9	5	11	17	4	116	15	4	2	4	8	11	17	9	18	25	-		
36 Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	2	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-		

TABLE 24—contd. County Boroughs.

261

Causes of Death. See first page of Table.		SUNDERLAND.													TYNEMOUTH.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes		M 1,337 F 1,225	163 145	50 32	35 31	45 36	56 57	54 59	76 64	125 98	229 158	291 263	213 282	490 375	45 27	6 6	3 11	12 5	17 17	15 19	17 22	62 37	105 61	117 71	91 99		
1	Typhoid fever, etc.	M 1 F 1	- -	- -	- -	- -	- 1	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
2	Measles	M 11 F 9	1 3	5 4	4 2	1 -	- -	- -	- -	- -	- -	- -	- -	2 2	1 1	1 -	- 1	- -	- -	- -	- -	- -	- -	- -	- -		
3	Scarlet fever	M 1 F 5	- -	- -	1 2	- 3	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -		
4	Whooping cough	M 1 F 4	- 1	- 2	1 1	- -	- -	- -	- -	- -	- -	- -	- -	3 1	2 1	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
5	Diphtheria	M 10 F 11	- -	- -	5 5	5 5	- 1	- -	- -	- -	- -	- -	- -	3 4	1 1	- 2	1 1	- -	- -	- -	- -	- -	- -	- -	- -		
6	Influenza	M 53 F 54	3 6	4 1	3 1	1 3	2 6	1 4	3 3	9 6	13 9	9 6	5 9	16 11	- -	- -	- -	- -	1 1	- 3	1 -	5 -	4 2	2 2	3 3		
7	Encephalitis lethargica	M 5 F 1	- -	- -	- -	1 1	- 1	1 1	1 -	1 -	1 -	- -	- -	- 1	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -		
8	Cerebro-spinal fever	M 6 F 1	1 -	2 -	- 1	1 -	1 -	1 -	- -	- -	- -	- -	- -	1 1	1 -	- 1	- -	- -	- -	- -	- -	- -	- -	1 -	- -		
9	Respiratory tuberculosis	M 88 F 59	- -	1 -	- -	2 2	27 24	21 16	12 7	13 5	8 3	4 2	- -	34 20	- -	- -	- 1	- -	7 9	6 8	7 -	8 1	5 1	1 -	- -		
10	Other tuberculosis	M 26 F 17	1 1	- 3	5 3	6 -	4 1	5 4	1 3	3 -	1 2	- -	- -	5 6	- -	1 1	- -	2 1	2 3	1 1	- -	- -	- -	- -	- -		
11	Syphilis	M 4 F 3	3 2	- -	- -	- -	- -	- -	- -	- -	- 1	1 -	- -	- 3	- -	- -	- -	- -	- -	- 1	- 2	- -	- 3	- 1	- -		
12	Gen. paralysis of insane, etc.	M 5 F 2	- -	- -	- -	- -	- -	- -	1 -	- 2	2 -	2 -	- -	5 1	- -	- -	- -	- -	- -	- -	1 1	3 1	1 -	- -	- -		
13	Cancer	M 134 F 136	- -	- -	- -	1 1	1 2	3 8	10 26	21 26	39 40	41 39	18 21	64 41	- -	- -	- -	1 -	1 -	- 1	3 6	6 4	25 16	23 7	5 1		
14	Diabetes	M 11 F 12	- -	- -	- -	1 -	- -	- -	- -	1 2	2 4	5 4	2 2	4 10	- -	- -	- 1	- -	- 1	- -	- -	1 1	2 2	3 3	2 2		
15	Cerebral hæmorrhage	M 48 F 54	- -	- -	- -	- -	- -	- 3	2 2	7 3	23 7	13 19	13 23	29 25	- -	- -	- -	- -	- -	- -	4 4	10 5	7 8	8 8			
16	Heart disease	M 292 F 287	- -	- -	3 1	1 5	2 8	10 10	27 16	61 36	110 96	78 114	78 111	- -	- -	- -	1 1	4 -	2 5	- 4	12 4	28 14	34 21	34 29			
17	Aneurysm	M 3 F 1	- -	- -	- -	- -	- -	- 1	- -	2 -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
18	Other circulatory	M 88 F 91	- -	- -	- -	- -	- -	- -	- -	16 3	34 9	38 33	28 46	28 14	- -	- -	- -	- -	- -	- 1	1 2	5 2	12 2	10 8			
19	Bronchitis	M 53 F 60	13 20	1 -	1 1	- 1	2 -	1 1	2 1	3 2	9 3	8 14	13 17	32 27	4 1	- 1	- 1	- -	1 -	- 3	4 4	5 3	10 5	5 12			
20	Pneumonia	M 113 F 88	20 18	23 12	4 10	4 5	4 4	3 5	10 4	14 3	15 8	12 10	4 9	24 31	8 10	1 2	- 3	1 -	3 2	- 2	1 2	2 3	4 4	3 5			
21	Other respiratory	M 10 F 9	- -	1 -	1 -	- 2	- -	1 1	2 1	3 5	- 3	- 3	- 2	8 4	- -	- -	- 1	- -	- -	- 1	2 1	2 1	1 -	2 1			
22	Peptic ulcer	M 17 F 2	- -	- -	- -	- -	- -	6 1	1 -	3 1	3 -	3 -	2 -	5 2	- -	- -	- -	- -	- -	1 1	3 1	2 -	1 1	- -			
23	Diarrhoea	M 47 F 26	32 20	10 6	3 -	- -	- -	- -	- 1	- -	- -	- -	1 1	8 5	5 3	- -	- -	2 -	- -	- -	1 1	- 1	- -	- -	- -		
24	Appendicitis	M 6 F 8	- -	- -	- -	1 2	- 1	3 1	1 1	- 1	1 1	- 1	- -	1 -	- -	- -	- -	- -	- -	- -	- 1	1 1	- -	- -	- -		
25	Cirrhosis of liver	M 4 F 2	- -	- -	- -	- -	- -	- -	- -	- 1	- -	1 1	- -	3 1	- -	- -	- -	- -	- -	- -	2 1	1 -	- -	- -	- -		
26	Other liver diseases	M 2 F 10	- -	- -	- -	- -	- -	- 1	- -	- 1	1 3	- 5	1 -	2 2	- -	- -	- -	- 1	- -	- -	- -	- 1	1 1	- 1			
27	Other digestive	M 26 F 12	1 1	- -	2 1	4 2	4 -	1 -	1 -	4 2	3 2	4 2	2 2	6 3	1 -	1 -	1 1	1 -	- -	- -	- -	1 2	1 1	- -	1 -		
28	Nephritis	M 46 F 45	- -	- -	- -	2 -	1 -	- 4	5 4	7 9	11 10	8 10	12 8	13 11	- -	- -	- 1	- -	- -	1 -	3 2	1 2	8 5	- 1			
29	Puerperal sepsis	F 9	-	-	-	-	1	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
30	Other puerperal	F 4	-	-	-	-	1	1	2	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-			
31	Congenital causes, etc.	M 74 F 67	74 64	- 1	- 1	- 1	- -	- -	- -	- -	- -	- -	- -	14 6	14 6	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
32	Senility	M 14 F 22	- -	- -	- -	- -	- -	- -	- -	- -	- -	4 2	10 20	19 17	- -	- -	- -	- -	- -	- -	- -	2 2	2 13	8 13			
33	Suicide	M 12 F 3	- -	- -	- -	- -	- 2	- 4	- 1	- 4	- 2	- -	1 -	6 2	- -	- -	- -	- 1	- -	- 1	- 1	1 3	- 1	- 1			
34	Other violence	M 45 F 38	4 4	1 2	2 2	7 5	4 3	4 2	3 1	3 -	5 4	7 9	5 6	12 9	- -	1 -	- -	1 -	2 -	2 -	1 1	1 -	4 3	- 6			
35	Other defined causes	M 81 F 72	10 5	2 1	3 -	5 4	5 8	5 6	1 9	7 14	19 14	14 8	10 3	33 33	7 4	1 -	1 -	- 2	- 3	- 4	5 1	3 5	5 6	9 3			
36	Ill-defined causes	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	8 1	- -	- 1	- 1	- -	- -	- -	2 2	2 1	1 1	- -			

Causes of Death. See first page of Table.		WAKEFIELD.												WALLASEY.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	357	30	3	2	6	9	12	22	29	72	93	79	617	42	7	7	10	15	17	30	61	126	178	124
	F	328	15	3	6	5	17	12	23	38	40	83	86	653	33	4	4	12	15	25	26	52	97	149	236
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	3	2	-	1	-	-	-	-	-	-	-	-
5 Diphtheria	M	2	-	1	-	1	-	-	-	-	-	-	-	5	-	-	1	4	-	-	-	-	-	-	-
	F	5	-	-	2	1	1	-	1	-	-	-	-	7	-	-	-	7	-	-	-	-	-	-	-
6 Influenza	M	16	1	-	1	-	-	-	3	2	3	4	2	24	-	-	-	-	-	3	3	6	8	4	4
	F	14	-	-	-	-	1	-	1	-	6	6	6	26	-	-	-	1	1	1	3	2	6	5	7
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
	F	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	-	-	-	-	1
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9 Respiratory tuberculosis	M	11	-	-	-	-	2	2	2	2	2	1	-	38	-	-	-	5	10	3	9	7	4	-	-
	F	14	-	-	-	1	7	2	2	1	-	1	-	25	-	-	1	6	8	3	3	2	1	1	1
10 Other tuberculosis	M	5	-	-	-	1	1	1	1	-	1	-	-	5	-	1	1	1	-	-	-	1	-	-	-
	F	4	1	-	-	1	1	-	1	-	-	-	-	7	-	2	2	1	1	-	-	-	1	-	-
11 Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	3	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 Gen. paralysis of insane, etc.	M	4	-	-	-	-	-	-	1	1	2	-	-	5	-	-	-	-	-	-	1	4	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
13 Cancer	M	39	-	-	-	-	-	2	2	3	12	13	7	80	-	-	-	-	1	1	2	7	24	31	14
	F	47	-	-	-	-	1	3	3	14	9	10	7	115	-	-	-	-	2	7	20	22	38	26	26
14 Diabetes	M	6	-	-	-	-	-	-	-	1	2	3	-	10	-	-	-	-	-	-	3	2	5	-	-
	F	7	-	-	-	-	-	-	-	1	3	3	-	10	-	-	-	-	1	-	1	4	3	1	1
15 Cerebral hæmorrhage	M	32	-	-	-	-	-	-	-	2	12	12	6	17	-	-	-	-	-	-	-	4	7	6	6
	F	30	-	-	-	-	-	-	2	2	8	9	9	39	-	-	-	-	2	1	4	9	7	16	16
16 Heart disease	M	87	-	-	-	-	1	2	6	18	31	29	155	-	-	-	1	1	-	3	14	32	64	40	40
	F	90	-	-	-	-	3	4	10	7	36	30	171	-	-	-	1	1	2	2	3	21	48	93	93
17 Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
18 Other circulatory	M	7	-	-	-	-	-	-	1	-	1	2	3	44	-	-	-	-	-	-	1	4	21	18	18
	F	4	-	-	-	-	-	-	-	1	1	2	3	51	-	-	-	-	-	-	-	5	13	33	33
19 Bronchitis	M	15	1	-	-	-	-	-	1	2	6	4	15	-	-	-	-	1	-	-	2	6	2	4	5
	F	12	-	-	-	-	1	1	-	-	4	6	9	1	-	-	-	-	-	-	1	1	2	5	5
20 Pneumonia	M	23	6	-	-	1	2	1	1	1	5	3	3	45	5	2	-	2	1	3	7	14	8	3	3
	F	12	-	1	2	-	-	1	2	3	1	2	-	44	6	1	-	1	1	3	6	8	8	10	10
21 Other respiratory	M	3	-	-	-	-	-	-	-	2	-	1	5	-	-	1	-	1	-	1	-	2	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	-	-	1	1	1	1
22 Peptic ulcer	M	2	-	-	-	-	1	-	1	-	-	-	-	7	-	-	-	-	1	2	-	2	2	-	-
	F	3	-	-	-	-	-	-	-	2	-	1	-	5	-	-	-	-	-	1	-	1	2	1	1
23 Diarrhœa	M	4	2	-	1	-	-	-	-	1	-	-	-	8	6	-	-	-	-	1	-	1	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	4	2	-	-	-	-	-	1	-	-	-	1
24 Appendicitis	M	3	-	-	-	-	-	1	2	-	-	-	-	3	-	-	-	1	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
25 Cirrhosis of liver	M	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
26 Other liver diseases	M	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	-	-	2	2	2
	F	5	-	-	-	-	-	-	-	2	1	1	1	4	-	-	-	-	-	-	1	1	1	2	2
27 Other digestive	M	2	-	-	-	-	-	-	-	1	-	1	1	5	1	-	-	-	-	1	-	-	-	3	3
	F	8	-	-	-	-	1	1	-	3	3	2	1	10	-	-	-	1	1	1	-	1	3	3	3
28 Nephritis	M	9	-	-	-	-	-	-	-	3	1	2	3	21	-	-	-	-	-	-	3	3	9	6	6
	F	5	-	-	1	-	1	-	-	1	-	1	1	19	-	-	-	-	-	3	3	2	5	6	6
29 Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
30 Other puerperal	F	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
31 Congenital causes, etc.	M	20	19	-	-	-	1	-	-	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-
	F	13	13	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
32 Senility	M	21	-	-	-	-	-	-	-	-	-	7	14	8	-	-	-	-	-	-	-	-	1	7	7
	F	24	-	-	-	-	-	-	-	-	-	3	21	16	-	-	-	-	-	-	-	-	1	15	15
33 Suicide	M	7	-	-	-	-	1	-	-	2	2	1	1	5	-	-	-	-	1	2	1	-	-	-	1
	F	3	-	-	-	-	2	-	-	1	-	-	-	3	-	-	-	-	2	-	-	1	-	-	-
34 Other violence	M	12	-	-	-	-	1	3	2	1	4	1	-	19	1	3	3	2	-	1	2	3	-	3	1
	F	7	-	1	-	-	2	-	-	-	1	2	1	13	2	1	-	-	2	1	-	2	-	2	3
35 Other defined causes	M	25	1	2	-	3	-	1	3	3	1	6	5	54	4	-	-	1	2	2	6	9	9	14	7
	F	14	-	-	1	2	-	1	3	1	4	1	1	40	3	-	1	-	2	2	6	10	8	8	8
36 Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2

TABLE 24—*contd.* County Boroughs.

Causes of Death. See first page of Table.		WALSALL.												WARRINGTON.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	
All Causes		M F	662 621	67 42	10 17	15 19	18 16	23 26	24 20	38 30	79 60	118 86	164 162	106 143	538 447	68 43	2 9	9 6	12 11	26 17	21 16	31 23	49 37	114 71	131 96	75 118
1	Typhoid fever, etc.	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	
2	Measles	M F	5 7	2 1	2 3	- 3	1 -	- -	- -	- -	- -	- -	- -	- -	- 1	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	
3	Scarlet fever	M F	1 2	- -	- -	1 2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
4	Whooping cough	M F	3 5	3 2	- 1	- 2	- -	- -	- -	- -	- -	- -	- -	- -	1 2	1 -	- 1	- 1	- -	- -	- -	- -	- -	- -	- -	
5	Diphtheria	M F	6 4	- -	- -	4 4	2 -	- -	- -	- -	- -	- -	- -	- -	6 4	- -	1 -	1 1	3 3	- -	1 -	- -	- -	- -	- -	
6	Influenza	M F	20 32	1 -	- 1	- 1	- -	1 2	1 1	3 4	8 6	3 12	2 5	29 45	3 1	1 1	- 1	- 1	1 3	1 4	3 5	4 6	11 10	4 10	2 13	
7	Encephalitis lethargica	M F	1 1	- -	- -	- -	1 -	- -	- -	- 1	- -	- -	- -	- -	1 1	- -	- -	- 1	- -	- -	- -	- -	1 -	- -	- -	
8	Cerebro-spinal fever	M F	1 2	1 2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- 1	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	
9	Respiratory tuberculosis	M F	50 33	- -	- -	- -	6 12	6 8	10 3	19 5	6 3	2 1	1 -	50 21	- -	- -	- -	- -	10 9	7 2	7 4	10 4	8 2	8 -	- -	
0	Other tuberculosis	M F	9 6	3 1	1 -	2 -	2 1	- -	- -	- -	1 -	- 1	- -	2 1	- -	- 1	- -	2 -	- -	- -	- -	- -	- -	- -	- -	
1	Syphilis	M F	1 -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	2 -	1 -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	
2	Gen. paralysis of insane, etc.	M F	2 1	- -	- -	- -	- -	- 1	- -	- -	- -	2 -	- -	4 2	- -	- -	- -	- -	1 -	- -	- 1	2 1	1 -	- -	- -	
3	Cancer	M F	70 78	- -	- -	1 -	- -	2 -	3 8	2 11	17 21	32 28	13 10	63 38	- -	- -	- -	1 1	1 1	3 1	6 5	21 15	21 9	9 7		
4	Diabetes	M F	2 9	- -	- -	1 -	- -	- -	- -	1 -	- 2	- 5	- 2	3 9	- -	- -	- -	- -	- 1	- 2	1 -	1 2	1 3	1 1	- 1	
5	Cerebral hæmorrhage	M F	35 33	- -	- -	- -	- -	- -	1 -	1 3	10 3	13 17	10 10	14 21	- -	- -	- -	- -	- -	- -	1 2	3 5	5 9	5 5		
6	Heart disease	M F	146 133	- -	- -	1 -	3 5	2 -	3 9	11 12	35 18	53 45	38 44	114 117	- -	- -	- -	3 1	2 5	7 3	7 6	34 27	36 32	25 43		
	Aneurysm	M F	2 1	- -	- -	- -	- -	- -	- -	1 1	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
8	Other circulatory	M F	22 22	- -	- -	- -	- -	- -	- -	- -	3 2	16 9	3 11	29 25	- -	- -	- -	- -	- -	- -	- -	1 2	5 1	13 9	10 13	
9	Bronchitis	M F	39 16	2 -	- -	- -	- -	- -	2 -	7 1	6 1	14 4	8 9	27 17	7 1	- -	- -	- 2	1 -	- -	- -	2 1	5 3	7 3	5 6	
0	Pneumonia	M F	67 46	13 6	6 7	6 6	1 1	1 2	5 6	8 3	11 7	35 10	53 4	39 20	10 4	1 4	3 1	- 2	1 1	1 1	4 1	5 -	6 1	5 2	3 3	
1	Other respiratory	M F	8 4	1 -	- -	1 -	1 -	2 -	1 -	1 1	2 1	1 -	- -	7 10	- -	- -	- -	- -	- -	- -	1 -	- -	3 3	3 7		
2	Peptic ulcer	M F	5 3	- -	- -	- -	- -	1 -	1 -	2 -	1 1	- 2	- -	3 1	- -	- -	- -	- -	- -	- -	1 -	2 1	- -	- -		
3	Diarrhœa	M F	10 6	10 2	- 2	- -	- -	- -	- -	- -	- 2	- -	- -	6 4	4 2	- -	- -	- -	1 -	- -	- -	1 1	- -	- -	1 -	
4	Appendicitis	M F	2 3	- -	- -	- -	- -	- -	- -	- -	- 1	1 1	1 1	2 2	- -	- -	- -	- 1	- -	- -	- 1	- 2	- -	- -	- 1	
5	Cirrhosis of liver	M F	2 2	- -	- -	- -	- -	- -	- -	1 1	1 1	- -	- -	1 1	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- 1		
6	Other liver diseases	M F	1 2	- -	- -	- -	- -	- -	- -	- 1	- -	- -	1 1	- 2	- -	- -	- -	- -	- -	- -	- 1	- 1	- -	- -	- -	
7	Other digestive	M F	8 5	1 1	1 -	- 2	1 1	- -	- -	2 -	2 -	1 -	- 1	10 4	1 -	- -	- -	- -	2 -	3 1	- -	1 -	2 3	1 1		
8	Nephritis	M F	9 11	1 -	- -	- 1	- -	1 -	- -	5 1	- 2	1 6	1 1	9 7	- -	- -	- -	- -	- 2	1 -	1 -	2 1	5 3	- 1		
9	Puerperal sepsis	F	4	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
0	Other puerperal	F	4	-	-	-	1	1	2	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	
1	Congenital causes, etc.	M F	26 24	25 23	- 1	- -	- -	1 -	- -	- -	- -	- -	- -	37 29	36 29	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	
2	Senility	M F	20 35	- -	- -	- -	- -	- -	- -	- -	- -	- 2	18 28	5 12	- -	- -	- -	- -	- -	- -	- -	- -	1 1	- 4	- 11	
3	Suicide	M F	6 12	- -	- -	- -	1 -	- 1	2 1	1 8	2 2	- 2	- -	5 1	- -	- -	- -	1 -	2 -	- -	1 1	1 1	- -	- -	- -	
4	Other violence	M F	32 22	1 1	- 1	6 2	5 1	2 1	3 -	6 -	2 2	2 2	4 12	28 12	1 -	- 1	2 1	2 -	3 2	1 -	3 3	6 3	6 1	1 3	- 1	
5	Other defined causes	M F	50 53	3 3	- 2	2 1	2 4	3 5	5 1	8 5	5 11	16 10	4 3	38 32	4 4	- 1	1 -	4 2	1 1	1 3	- 4	3 3	5 6	13 6	6 2	
6	Ill-defined causes	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	2 3	- -	- -	1 -	- -	1 -	- -	- -	- -	1 1	- 1	- 1	

Causes of Death. See first page of Table.			WEST BROMWICH.												WEST HAM.											
			All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	539	61	15	15	20	21	25	31	65	90	113	83	1,629	152	21	20	30	73	74	84	178	285	374	338	
	F	477	46	20	11	9	19	21	23	43	68	81	136	1,478	107	18	27	28	56	60	55	120	240	362	403	
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Measles	M	3	-	1	-	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-		
	F	6	1	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	-	-	-	-	-	-	-		
4 Whooping cough	M	3	-	1	2	-	-	-	-	-	-	-	-	5	2	2	1	-	-	-	-	-	-	-		
	F	8	5	2	-	1	-	-	-	-	-	-	-	13	3	4	6	-	-	-	-	-	-	-		
5 Diphtheria	M	8	-	-	4	4	-	-	-	-	-	-	-	6	-	-	2	4	-	-	-	-	-	-		
	F	5	-	1	2	2	-	-	-	-	-	-	-	12	1	1	3	6	1	-	-	-	-	-		
6 Influenza	M	26	-	-	1	-	1	3	5	6	6	2	2	49	3	-	1	-	-	-	3	15	15	8		
	F	16	-	-	-	-	1	-	4	2	2	3	4	44	-	-	-	-	4	2	2	10	15	11		
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-		
	F	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	2	2	-	-		
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	5	3	-	1	-	1	-	-	-	-	-		
	F	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	1	-	-	-	1	-	-		
9 Respiratory tuberculosis	M	35	-	-	-	2	7	7	5	7	5	1	1	127	-	-	1	1	27	22	17	28	25	6		
	F	26	-	-	1	-	9	8	1	6	1	-	-	76	4	-	1	27	19	7	9	7	2	-		
10 Other tuberculosis	M	3	1	-	-	1	1	-	1	-	-	-	-	11	-	5	2	1	-	2	-	1	-	-		
	F	2	-	1	-	1	-	-	-	-	-	-	-	13	-	1	1	4	-	2	1	1	2	-		
11 Syphilis	M	2	1																							

TABLE 24—*contd.* County Boroughs.

Causes of Death. <i>See first page of Table.</i>		WEST HARTLEPOOL.													WIGAN.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M F	515 409	43 38	14 8	10 9	11 13	14 16	25 22	43 24	61 39	93 77	106 78	95 85	635 551	75 50	12 5	9 13	22 17	22 20	22 31	47 32	73 54	124 90	131 134	98 105		
1 Typhoid fever, etc.	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -			
2 Measles	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	2 3	- -	1 1	1 1	- 1	- -	- -	- -	- -	- -	- -			
3 Scarlet fever	M F	1 -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -			
4 Whooping cough	M F	4 4	1 1	3 1	- 1	- 1	- -	- -	- -	- -	- -	- -	- -	1 -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -			
5 Diphtheria	M F	6 3	- -	- 1	4 2	2 -	- -	- -	- -	- -	- -	- -	- -	7 15	- -	- -	1 4	6 11	- -	- -	- -	- -	- -	- -			
6 Influenza	M F	12 19	- -	- -	- -	- -	- 3	4 2	3 4	2 4	2 2	1 4	23 19	- -	- -	2 -	1 1	1 2	2 2	4 2	4 5	2 4	2 4	3 2			
7 Encephalitis lethargica	M F	2 1	- -	- -	- 1	1 -	- 1	- -	- -	- -	- -	- -	3 -	- -	- -	- -	- -	2 -	1 -	- -	- -	- -	- -				
8 Cerebro-spinal fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -				
9 Respiratory tuberculosis	M F	31 23	- -	1 -	- 1	- 1	2 6	5 6	8 4	10 3	3 1	2 1	- -	31 22	- -	- -	- -	7 10	5 4	8 6	9 1	2 -	- 1	- -			
10 Other tuberculosis	M F	7 7	- -	1 1	2 3	- -	- -	- -	- -	- -	2 -	- -	1 -	8 5	- -	4 1	- -	2 -	1 2	- 2	1 -	- -	- -	- -			
11 Syphilis	M F	1 1	- 1	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	1 1	- -	- -	- -	- -	- -	- -	- -	- -	1 1	- -			
12 Gen. paralysis of insane, etc.	M F	1 2	- -	- -	- -	- -	- 1	- 1	- -	- -	- -	- -	1 -	1 -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -			
13 Cancer	M F	51 52	- -	- -	- 1	1 -	- 1	- 4	2 4	7 16	17 19	18 7	6 -	60 69	- -	- -	- -	1 1	- 2	7 4	8 21	29 18	12 14	3 9			
14 Diabetes	M F	7 11	- -	- 1	- -	- -	- -	- 2	2 2	- 3	- 3	- 2	8 13	- -	- -	- -	- -	- 2	- -	1 3	3 4	4 4	- -	- -			
15 Cerebral hæmorrhage	M F	29 26	- -	- -	- -	- -	- -	- 1	3 4	6 7	3 8	10 7	34 46	- -	- -	- -	- -	- 2	- 7	6 9	12 9	8 22	8 49	8 26			
16 Heart disease	M F	119 98	- -	- -	- 2	1 4	3 4	6 3	6 9	20 22	43 21	40 33	122 101	1 -	- -	- -	2 -	3 4	1 4	6 4	12 9	22 20	49 37	26 25			
17 Aneurysm	M F	2 -	- -	- -	- -	- -	- -	- -	2 -	- -	- -	- -	2 -	- -	- -	- -	- -	- 1	- -	1 -	- -	- -	- -				
18 Other circulatory	M F	20 15	- -	- -	- -	- -	- -	- 1	7 7	4 3	8 5	- -	25 20	- -	- -	- -	- -	- -	- -	- 1	7 2	10 9	8 8				
19 Bronchitis	M F	19 19	1 7	1 -	- -	- -	- -	1 -	4 -	2 2	5 4	5 6	62 36	5 2	- -	- -	- -	1 1	1 1	3 4	9 5	12 15	18 9	13 9			
20 Pneumonia	M F	44 23	7 6	7 5	3 1	1 -	4 1	7 2	4 2	6 3	3 2	2 1	61 37	16 8	4 3	4 5	2 3	3 2	1 3	6 1	7 2	9 4	3 5	6 1			
21 Other respiratory	M F	6 4	- -	- -	- -	- -	- 1	- -	3 1	2 2	- -	1 -	2 7	- -	- -	- -	- -	- 1	- 1	- 2	- 4	2 5	- -	- -			
22 Peptic ulcer	M F	9 2	- -	- -	- -	- -	- 1	2 -	3 1	1 1	2 -	- -	14 -	- -	- -	- -	- 1	2 2	2 -	4 -	5 -	- -	- -				
23 Diarrhœa	M F	4 4	3 -	- -	- 3	- -	- 1	- -	- -	- -	- -	1 -	10 8	7 -	1 -	- -	- -	1 -	- 1	1 -	- 1	- 1	- 1	- -			
24 Appendicitis	M F	- 1	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- 1	8 1	- -	- -	3 -	1 -	- 1	1 -	1 -	1 -	1 -	- -			
25 Cirrhosis of liver	M F	1 -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	2 1	- -	- -	- -	- -	- -	- -	- -	1 -	1 -	- -				
26 Other liver diseases	M F	- 4	- -	- -	- -	- -	- -	- 2	- 1	- 1	- -	- -	1 1	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -				
27 Other digestive	M F	7 4	1 -	- -	- 1	1 -	1 -	1 -	1 -	1 2	1 7	- 1	9 9	1 -	- 1	- 1	1 -	1 1	- 1	1 3	2 4	2 1	- 4	- -			
28 Nephritis	M F	12 8	- -	- -	- -	- 1	- 1	- -	1 1	2 2	2 1	7 3	11 11	- -	- -	- -	1 1	1 2	- -	- -	3 5	4 -	- -	2 3			
29 Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
30 Other puerperal	F	2	-	-	-	-	-	2	-	-	-	-	4	-	-	-	-	4	-	-	-	-	-	-			
31 Congenital causes, etc.	M F	22 17	22 17	- -	- -	- -	- -	- -	- -	- -	- -	- -	42 35	40 35	- -	- -	1 -	1 -	- -	- -	- -	- -	- -	- -			
32 Senility	M F	7 9	- -	- -	- -	- -	- -	- -	- -	- -	- -	7 9	34 38	- -	- -	- -	- -	- -	- -	- -	- -	10 7	24 31				
33 Suicide	M F	11 4	- -	- -	- -	- -	4 1	1 1	1 1	4 1	- -	1 -	12 5	- -	- -	- -	- -	1 1	2 1	3 1	3 1	3 2	- -	- -			
34 Other violence	M F	28 11	1 1	1 -	1 -	2 -	3 1	3 4	4 1	4 -	4 -	3 4	15 15	1 2	- -	- -	- -	2 2	1 1	5 -	1 2	2 1	2 1	2 6			
35 Other defined causes	M F	47 32	7 5	1 -	1 1	2 1	4 3	2 1	3 4	2 5	9 3	8 8	23 36	4 2	1 1	1 1	3 -	- 2	3 2	1 7	1 1	5 8	3 9	1 3			
36 Ill-defined causes	M F	5 3	- -	- -	- -	- -	1 -	- -	- -	2 -	1 1	- 1	1 1	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -			

TABLE 24—contd. County Boroughs.

Causes of Death. See first page of Table.		WOLVERHAMPTON.													WORCESTER.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	898	93	10	11	30	19	44	65	86	153	209	178	357	25	4	4	10	7	15	20	30	55	97	90		
	F	810	74	17	20	24	21	26	28	72	137	181	210	390	15	9	3	12	6	10	18	34	65	95	123		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Measles	M	6	1	2	2	1	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-		
	F	7	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4 Whooping cough	M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	5	1	2	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-		
5 Diphtheria	M	6	2	-	-	3	-	1	-	-	-	-	-	5	-	-	1	4	-	-	-	-	-	-	-		
	F	14	-	-	4	9	-	-	1	-	-	-	-	9	-	2	1	6	-	-	-	-	-	-	-		
6 Influenza	M	24	-	-	-	1	1	2	2	2	10	3	3	8	1	-	-	-	-	1	2	1	2	1	1		
	F	17	-	-	1	1	2	-	2	-	1	4	6	18	1	-	-	-	-	-	1	6	3	3	7		
7 Encephalitis lethargica	M	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-		
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	65	-	-	-	1	4	12	16	17	12	3	-	27	1	-	-	-	4	6	3	5	5	3	-		
	F	34	-	-	-	1	9	7	5	3	7	2	-	18	-	-	-	-	4	5	3	-	2	2	-		
10 Other tuberculosis	M	12	2	1	2	3	-	2	-	1	-	1	-	7	1	-	-	1	1	1	2	-	-	-	-		
	F	8	2	-	1	2	1	-	-	1	-	1	-	6	-	1	1	3	-	-	-	-	-	-	-		
11 Syphilis	M	5	-	-	-	-	-	-	1	1	2	1	-	1	-	-	-	-	-	-	-	1	-	-	-		
	F	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-		
12 Gen. paralysis of insane, etc.	M	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-		
13 Cancer	M	108	-	-	-	2	-	3	5	11	26	39	22	40	-	-	1	-	-	-	1	11	19	-	-		
	F	98	-	-	-	-	-	2	6	14	29	32	15	61	-	-	-	-	-	4	13	11	20	1	-		
14 Diabetes	M	6	-	-	-	1	-	1	-	-	-	1	3	4	-	-	-	-	-	1	-	1	1	-	-		
	F	22	-	-	-	-	-	-	-	1	9	3	9	6	-	-	-	-	-	-	-	3	2	-	-		
15 Cerebral hæmorrhage	M	27	-	-	-	-	-	-	1	1	10	8	7	16	-	-	-	-	-	1	3	2	7	-	-		
	F	41	-	-	-	-	-	-	-	3	13	13	12	25	-	-	-	-	-	-	6	10	4	-	-		
16 Heart disease	M	219	-	-	-	1	3	7	7	13	32	81	75	85	-	-	-	-	2	4	5	10	24	4	-		
	F	214	-	-	1	2	2	5	4	17	32	67	84	103	-	-	-	1	1	5	6	16	27	4	-		
17 Aneurysm	M	3	-	-	-	-	-	-	-	1	-	2	-	6	-	-	-	1	-	-	2	1	2	-	-		
	F	3	-	-	-	-	-	-	-	1	-	2	-	3	-	-	-	-	1	-	-	-	1	-	-		
18 Other circulatory	M	34	-	-	-	-	-	-	1	3	8	7	15	21	-	-	-	-	-	-	1	4	11	-	-		
	F	40	-	-	-	-	-	-	-	3	5	18	14	19	-	-	-	-	-	1	-	5	7	-	-		
19 Bronchitis	M	20	3	-	1	-	-	1	1	1	3	5	5	12	1	1	-	-	-	-	1	1	2	-	-		
	F	35	3	-	-	-	-	-	-	1	4	11	16	6	-	-	-	-	-	1	2	1	1	-	-		
20 Pneumonia	M	66	14	3	2	1	-	3	9	13	13	7	1	16	1	2	-	-	2	-	2	2	5	-	-		
	F	41	7	6	3	2	-	3	3	2	7	3	5	13	4	3	1	-	-	-	1	2	1	-	-		
21 Other respiratory	M	8	-	1	-	1	-	-	-	-	3	3	-	3	-	-	-	-	-	-	-	-	1	-	-		
	F	2	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	1	-	-	-		
22 Peptic ulcer	M	5	-	-	-	-	-	-	2	2	-	1	-	5	-	-	-	-	-	-	-	2	1	-	-		
	F	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-		
23 Diarrhœa	M	17	14	-	-	-	-	1	1	-	-	1	-	2	-	-	-	-	-	-	-	-	2	-	-		
	F	14	13	1	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	1	-	-		
24 Appendicitis	M	5	-	-	1	1	1	-	-	1	1	-	-	2	-	-	-	-	1	-	1	1	1	-	-		
	F	2	-	-	-	-	-	-	-	-	1	1	-	5	-	-	-	1	-	-	1	1	1	-	-		
25 Cirrhosis of liver	M	3	-	-	-	-	-	-	1	1	1	-	-	4	-	-	-	-	-	-	1	1	2	-	-		
	F	3	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-		
26 Other liver diseases	M	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-		
	F	4	-	-	-	-	-	-	-	1	1	1	1	5	-	-	-	-	-	-	-	4	-	-	-		
27 Other digestive	M	16	1	-	1	1	2	-	1	2	3	1	4	4	-	-	-	-	1	1	-	-	1	5	-		
	F	15	2	1	2	1	1	-	-	2	1	3	2	8	-	-	-	1	-	-	1	-	5	-	-		
28 Nephritis	M	32	-	-	-	1	1	-	1	1	7	15	6	9	-	-	-	-	-	1	1	2	3	-	-		
	F	26	-	1	-	2	1	-	2	7	7	5	1	12	-	-	-	1	-	1	1	2	3	-	-		
29 Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
30 Other puerperal	F	4	-	-	-	-	-	2	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
31 Congenital causes, etc.	M	49	47	-	1	-	-	-	-	1	-	-	-	21	20	-	1	-	-	-	-						

TABLE 24—*contd.* County Boroughs.

Causes of Death.		YORK.												CARDIFF.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	581	36	9	9	10	10	20	20	75	120	125	147	1,504	133	20	20	25	48	57	104	173	286	354	284
	F	587	35	7	4	5	20	12	33	53	84	143	191	1,285	87	14	24	29	52	53	53	123	204	304	342
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	9	2	4	2	1	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	3	2	-	1	-	-	-	-	-	-	-	-
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Whooping cough	M	4	2	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	6	2	4	-	-	-	-	-	-	-	-	-	7	1	3	3	-	-	-	-	-	-	-	-
Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	7	1	-	2	4	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	13	-	-	6	6	-	-	-	-	-	-	-
Influenza	M	20	-	-	1	-	-	1	-	4	4	4	6	29	-	-	-	-	-	1	1	8	3	8	8
	F	28	-	-	1	-	-	2	2	3	5	5	10	21	-	-	1	-	1	1	3	5	3	8	6
Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebro-spinal fever	M	2	-	-	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	1	-	-	2	1	-	-	1	-	-	-	-	-	-	-
Respiratory tuberculosis	M	26	-	-	-	-	1	8	4	6	5	2	-	100	-	-	-	1	14	23	20	24	14	4	-
	F	17	-	-	-	-	7	3	4	1	1	1	-	81	-	-	-	3	26	21	13	12	2	4	-
Other tuberculosis	M	8	-	3	1	1	1	-	-	2	-	-	-	21	1	2	2	2	3	2	5	3	-	1	-
	F	3	-	-	-	1	1	-	-	-	1	-	-	17	1	-	5	4	5	1	-	1	-	-	-
Syphilis	M	1	-	-	-	-	-	-	-	-	1	-	-	10	2	-	-	-	1	-	1	2	3	1	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gen. paralysis of insane, etc.	M	4	-	-	-	-	-	-	-	2	-	2	-	9	-	-	-	-	-	1	3	5	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	1	1	2	-	-	-
Cancer	M	66	-	-	-	1	1	1	1	12	23														

Causes of Death. See first page of Table.		MERTHYR TYDFIL.													NEWPORT.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	479	39	1	6	6	21	26	30	64	114	103	69	693	56	7	7	10	26	23	40	74	122	171	1		
	F	427	32	7	5	19	20	30	24	48	72	92	78	537	42	9	3	9	21	23	29	60	78	112	1		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Measles	M	1	-	-	1	-	-	-	-	-	-	-	-	3	2	-	-	1	-	-	-	-	-	-	-		
	F	1	-	-	-	1	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4 Whooping cough	M	3	2	-	1	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-		
	F	1	-	1	-	-	-	-	-	-	-	-	-	4	2	2	-	-	-	-	-	-	-	-	-		
5 Diphtheria	M	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-		
	F	6	-	2	2	2	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-		
6 Influenza	M	12	-	-	-	-	-	1	1	-	8	2	-	19	-	-	-	1	2	-	6	4	1	-	-		
	F	11	-	-	-	-	-	-	3	1	3	4	-	12	-	-	-	1	1	1	2	-	1	-	-		
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-		
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	28	-	-	1	1	5	6	7	5	2	1	-	43	-	-	-	8	7	10	9	7	2	-	-		
	F	20	-	1	-	1	6	8	3	-	1	-	-	30	-	-	-	8	10	3	7	-	1	-	-		
10 Other tuberculosis	M	4	-	-	1	1	1	-	-	-	1	-	-	6	-	-	-	2	2	-	2	-	-	-	-		
	F	4	-	-	-	2	-	1	-	-	-	1	-	6	-	-	2	3	-	-	-	1	-	-</			

TABLE 24—*contd.* County Boroughs.

Causes of Death. See first page of Table.			SWANSEA.											
			All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	1,098	72	20	18	20	41	43	68	135	217	269	195	
	F	965	66	12	7	28	39	51	49	96	165	217	235	
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	
2 Measles	M	5	-	5	-	-	-	-	-	-	-	-	-	
	F	6	2	3	-	1	-	-	-	-	-	-	-	
3 Scarlet fever	M	1	-	1	-	-	-	-	-	-	-	-	-	
	F	1	-	-	-	1	-	-	-	-	-	-	-	
4 Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	
5 Diphtheria	M	10	-	1	4	4	-	1	-	-	-	-	-	
	F	14	-	1	3	9	-	1	-	-	-	-	-	
6 Influenza	M	31	-	1	-	-	-	-	3	6	3	7	11	
	F	21	-	-	-	-	-	1	2	1	5	6	6	
7 Encephalitis lethargica	M	3	-	-	-	-	-	1	1	-	1	-	-	
	F	1	-	-	-	-	-	-	1	-	-	-	-	
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	
	F	2	-	-	-	-	2	-	-	-	-	-	-	
9 Respiratory tuberculosis	M	65	-	-	-	1	10	18	16	11	7	2	-	
	F	60	-	-	-	21	17	9	4	7	7	1	1	
10 Other tuberculosis	M	20	4	2	3	1	5	1	1	2	1	-	-	
	F	9	-	-	1	3	1	-	1	3	-	-	-	
11 Syphilis	M	2	-	-	-	-	-	-	-	1	-	1	-	
	F	1	-	-	-	-	-	-	1	-	-	-	-	
12 Gen. paralysis of insane, etc.	M	7	-	-	-	-	-	-	2	1	3	1	-	
	F	1	-	-	-	-	-	-	1	-	-	-	-	
13 Cancer	M	134	-	-	-	2	-	-	8	21	48	40	15	
	F	127	-	-	-	-	-	3	9	28	37	37	13	
14 Diabetes	M	7	-	-	-	-	1	-	-	-	2	4	-	
	F	14	-	-	-	-	-	-	-	2	4	4	4	
15 Cerebral hæmorrhage	M	49	-	-	-	-	-	-	1	3	9	21	15	
	F	52	1	-	-	-	-	-	-	5	9	21	16	
16 Heart disease	M	283	1	-	-	-	3	2	7	35	71	97	67	
	F	267	-	-	-	2	5	4	11	25	51	77	92	
17 Aneurysm	M	5	-	-	-	-	-	-	-	1	3	1	-	
	F	1	-	-	-	-	-	-	-	-	1	-	-	
18 Other circulatory	M	66	-	-	-	-	-	-	-	2	15	20	29	
	F	58	-	-	-	-	-	2	-	5	10	16	25	
19 Bronchitis	M	51	4	1	-	-	-	1	-	5	14	13	13	
	F	29	4	-	-	-	-	-	-	-	4	7	14	
20 Pneumonia	M	75	12	7	5	3	1	1	5	13	7	14	7	
	F	50	7	4	1	1	2	7	1	1	7	10	9	
21 Other respiratory	M	13	-	-	-	-	1	1	-	3	5	3	-	
	F	8	1	-	-	1	-	-	1	1	2	-	2	
22 Peptic ulcer	M	16	-	-	-	-	-	1	1	11	2	-	1	
	F	2	-	-	-	-	-	-	-	1	-	1	-	
23 Diarrhœa	M	6	5	-	-	-	-	-	-	1	-	-	-	
	F	7	2	2	-	-	-	2	-	-	1	-	-	
24 Appendicitis	M	6	-	-	-	1	2	1	-	-	1	1	-	
	F	3	-	-	-	-	1	-	2	-	-	-	-	
25 Cirrhosis of liver	M	1	-	-	-	-	-	-	-	1	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	
26 Other liver diseases	M	3	-	-	-	-	-	-	-	-	-	2	1	
	F	6	-	-	-	-	1	-	-	-	-	4	1	
27 Other digestive	M	18	3	1	-	-	1	1	2	3	2	3	2	
	F	16	1	-	-	-	-	1	1	2	4	5	2	
28 Nephritis	M	34	-	-	-	-	1	1	3	4	7	14	4	
	F	33	-	-	-	2	-	3	3	3	6	11	5	
29 Puerperal sepsis	F	6	-	-	-	-	1	5	-	-	-	-	-	
30 Other puerperal	F	4	-	-	-	-	1	2	1	-	-	-	-	
31 Congenital causes, etc.	M	38	38	-	-	-	-	-	-	-	-	-	-	
	F	46	46	-	-	-	-	-	-	-	-	-	-	
32 Senility	M	22	-	-	-	-	-	-	-	-	-	6	16	
	F	38	-	-	-	-	-	-	-	-	-	5	33	
33 Suicide	M	10	-	-	-	-	-	3	1	-	2	3	1	
	F	2	-	-	-	-	-	-	1	-	1	-	-	
34 Other violence	M	47	2	-	4	6	10	5	8	6	-	3	3	
	F	18	-	-	-	2	-	-	-	1	6	1	8	
35 Other defined causes	M	69	2	1	2	2	6	5	9	5	14	13	10	
	F	62	2	2	2	6	4	3	4	14	10	11	4	
36 Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	

Causes of Death. See first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	973	74	6	9	32	36	35	48	89	176	241	227	510	29	3	8	10	18	19	22	38	79	135	149
	F	964	36	8	10	32	26	30	53	89	137	218	325	473	22	5	5	10	14	17	21	35	54	115	175
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Measles	M	2	1	—	—	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
	F	2	1	—	—	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
3 Scarlet fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	11	—	1	2	8	—	—	—	—	—	—	—	7	—	—	3	4	—	—	—	—	—	—	—
	F	14	—	1	2	10	1	—	—	—	—	—	—	3	—	—	1	2	—	—	—	—	—	—	—
6 Influenza	M	54	3	—	—	3	3	7	8	8	15	7	22	22	1	—	—	—	1	—	2	6	4	2	6
	F	45	—	2	—	2	3	3	1	12	5	10	7	22	1	—	—	—	—	1	2	1	2	6	9
7 Encephalitis lethargica	M	1	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1
8 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Respiratory tuberculosis	M	50	—	—	—	8	5	7	12	12	5	1	12	12	—	—	—	—	1	6	1	3	1	—	—
	F	35	—	—	—	2	8	10	5	6	2	2	19	19	—	—	—	1	7	6	3	—	1	1	—
10 Other tuberculosis	M	5	1	—	—	1	1	—	—	—	2	—	6	6	—	1	1	—	2	1	—	—	—	—	—
	F	10	1	—	4	2	1	—	1	—	—	1	9	9	—	1	1	1	1	1	2	—	1	1	—
11 Syphilis	M	3	—	—	—	—	—	—	—	2	1	—	3	3	1	—	—	—	—	—	—	2	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Gen. paralysis of insane, etc.	M	4	—	—	—	—	—	—	—	—	3	1	—	3	—	—	—	—	—	2	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13 Cancer	M	118	—	—	—	2	2	1	19	31	41	22	76	76	—	—	—	—	1	1	6	7	15	26	20
	F	170	1	—	—	2	1	13	23	45	51	34	69	69	—	—	—	—	1	1	4	12	19	18	14
14 Diabetes	M	10	—	—	—	1	—	1	—	—	1	6	6	6	—	—	—	—	—	—	—	—	1	4	1
	F	18	—	—	—	—	—	—	—	8	8	2	6	6	—	—	—	1	—	—	—	1	2	2	2
15 Cerebral hæmorrhage	M	43	—	—	—	1	—	—	2	12	14	14	31	31	—	—	—	—	—	—	2	5	11	13	13
	F	68	—	—	—	—	—	—	5	12	21	30	28	28	—	—	—	—	—	—	1	3	11	13	13
16 Heart disease	M	209	—	—	—	2	4	8	13	39	81	62	114	114	—	—	—	—	1	—	5	22	43	43	43
	F	196	—	—	—	1	2	9	8	30	59	87	113	113	—	—	—	—	1	1	2	3	13	40	53
17 Aneurysm	M	1	—	—	—	—	—	—	1	—	—	—	2	2	—	—	—	—	—	—	1	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18 Other circulatory	M	47	—	—	—	—	—	1	3	2	9	32	36	36	—	—	—	—	—	—	1	4	8	23	23
	F	67	—	—	—	1	1	—	1	8	15	41	32	32	—	—	—	—	—	—	1	1	10	20	20
19 Bronchitis	M	28	1	—	—	—	—	—	1	6	6	14	17	17	3	—	1	—	—	—	—	1	8	4	4
	F	32	1	—	—	1	—	—	3	1	10	15	12	12	—	—	—	1	—	—	1	2	2	2	2
20 Pneumonia	M	51	7	4	4	3	—	4	7	4	7	6	20	20	5	1	1	2	1	2	1	—	4	1	2
	F	28	6	3	—	2	—	2	3	5	3	4	15	15	2	—	—	1	—	1	1	2	1	4	3
21 Other respiratory	M	11	—	—	—	1	1	1	—	3	2	3	2	2	—	—	—	—	—	—	—	—	2	—	—
	F	8	—	—	—	1	—	2	1	—	1	3	4	4	1	—	—	—	—	—	—	—	1	—	—
22 Peptic ulcer	M	21	—	—	—	—	—	3	4	10	2	2	3	3	—	—	—	—	2	—	—	1	—	—	—
	F	3	—	—	—	—	—	—	1	—	2	—	1	1	—	—	—	—	—	—	1	—	—	—	—
23 Diarrhoea	M	12	6	—	—	2	—	—	1	1	1	1	2	2	2	—	—	—	—	—	—	—	—	—	—
	F	5	1	—	—	—	—	—	—	—	—	4	1	1	—	—	—	—	—	—	1	—	—	—	—
24 Appendicitis	M	6	—	—	1	1	—	2	1	—	1	—	3	3	—	—	—	—	1	—	—	—	1	—	—
	F	8	—	—	1	2	—	2	3	—	—	—	2	2	—	—	—	—	—	—	1	—	1	—	—
25 Cirrhosis of liver	M	6	—	—	—	—	—	—	1	4	1	—	3	3	—	—	—	—	—	—	—	1	1	—	—
	F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
26 Other liver diseases	M	3	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	—	—	—	1	2	3	2	2	—	—	—	—	—	—	1	—	1	—	—
27 Other digestive	M	12	1	—	1	1	1	1	2	—	3	1	11	11	—	—	—	—	2	1	1	—	3	—	—
	F	23	1	1	—	1	—	3	3	7	3	4	8	8	—	1	1	1	1	—	—	1	1	—	—
28 Nephritis	M	30	—	—	—	1	1	—	2	3	7	9	16	16	—	—	—	1	2	—	—	1	3	4	—
	F	15	—	—	—	—	—	2	2	3	4	4	15	15	—	—	—	—	—	1	2	1	4	—	—
29 Puerperal sepsis	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other puerperal	F	6	—	—	—	—	1	4	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—
31 Congenital causes, etc.	M	47	47	—	—	—	—	—	—	—	—	—	17	17	16	—	—	1	—	—	—	—	—	—	—
	F	23	21	—	1	—	—	—	1	—	—	—	18	18	16	—	—	2	—	—	—	—	—	—	—
32 Senility	M	39	—	—	—	—	—	—	—	—	—	4	35	35	—	—	—	—	—	—	—	—	3	13	13
	F	71	—	—	—	—	—	—	—	—	—	5	66	30	—	—	—	—	—	—	—	—	1	20	20
33 Suicide	M	20	—	—	—	1	1	3	3	4	5	3	6	6	—	—	—	—	1	2	1	2	—	—	—
	F	12	—	—	—	—	1	4	1	5	1	—	6	6	—	—	—	—	1	2	2	1	—	—	—
34 Other violence	M	49	—	1	1	5	8	6	2	6	8	6	32	32	—	—	1	1	6	5	—	9	3	3	—
	F	25	—	1	—	1	5	1	1	5	1	2	21	21	—	2	—	1	2	—	1	2	6	6	—
35 Other defined causes	M	72	4	—	1	7	6	4	2	4	11	20	36	36	1	1	—	1	4	2	2	1	5	12	—
	F	62	3	—	1	3	3	2	6	7	7	17	28	28	2	1	1	—	—	2	3	6	3	5	—
36 Ill-defined causes	M	4	—	—	—	—	—	—	—	—	1	2	4	4	—	—	—	—	—	—	—	1	1	—	—
	F	5	—	—	—	—	—	—	—	2	1	2	6	6	—	—	—	—	—	—	—	3	—	—	—

TABLE 24—*contd.* **Administrative County of Berks.**

Causes of Death. first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	508	24	5	4	6	15	18	22	50	92	125	147	857	58	8	7	10	31	26	43	63	130	214	267
	F	540	12	3	6	3	11	17	19	43	75	123	228	836	45	7	6	12	16	34	38	65	101	178	334
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	M	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	-	5	2	1	2	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	-	-	-	-	-	-	
Diphtheria	M	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
	F	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	
Influenza	M	15	-	1	-	-	1	1	1	2	4	3	2	32	2	1	-	-	1	1	1	5	11	10	
	F	17	-	-	2	-	-	1	1	3	5	2	4	21	1	-	-	-	1	-	3	2	7	7	
Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
	F	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	
Respiratory tuberculosis	M	16	-	-	-	-	2	3	5	2	4	-	-	31	-	-	-	4	7	12	5	-	3	-	
	F	12	-	-	-	1	2	6	1	1	-	-	1	29	-	-	-	1	10	10	4	2	-	1	
Other tuberculosis	M	2	-	1	-	-	1	-	-	-	-	-	-	5	1	1	-	-	1	1	-	-	-	-	
	F	5	-	-	-	-	2	-	-	-	2	-	1	10	1	-	2	1	2	-	-	2	1	-	
Syphilis	M	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	
Gen. paralysis of insane, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	2	1	1	-	-	
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer	M	65	-	-	-	-	-	-	2	9	18	18	18	116	-	-	-	-	2	1	3	10	30	36	34
	F	71	-	1	-	-	-	2	3	8	13	25	19	123	-	-	-	-	-	8	21	22	38	34	
Diabetes	M	4	-	-	-	-	-	-	-	-	1	2	1	6	-	-	-	-	-	1	-	1	2	2	
	F	10	-	-	-	-	-	-	-	-	-	6	4	13	-	-	-	-	1	1	1	3	3	4	
Cerebral hæmorrhage	M	16	-	-	-	-	-	-	-	-	1	6	9	32	-	-	-	-	-	-	-	3	12	17	
	F	52	-	-	-	-	-	-	1	5	6	20	20	47	-	-	-	-	-	1	2	9	16	19	
Heart disease	M	135	-	-	-	1	3	1	2	12	26	39	51	200	-	-	-	1	-	2	-	14	39	63	
	F	149	-	-	-	-	1	2	3	8	19	35	81	213	-	-	-	-	2	5	7	29	58	112	
Aneurysm	M	8	-	-	-	-	-	-	-	3	2	3	-	4	-	-	-	-	-	1	-	1	2	-	
	F	3	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
Other circulatory	M	36	-	-	-	-	-	-	-	1	6	8	21	70	-	-	-	-	-	-	-	11	28	30	
	F	48	-	-	-	-	-	-	-	3	6	10	29	63	-	-	-	-	-	-	5	8	10	40	
Bronchitis	M	17	-	-	-	-	-	-	-	3	2	6	6	27	4	-	-	-	-	-	3	2	7	11	
	F	12	-	-	-	-	-	-	1	3	3	5	5	25	2	-	-	-	1	-	-	2	4	10	
Pneumonia	M	28	-	3	-	1	1	1	1	5	5	7	4	25	4	2	-	-	1	2	3	3	6	4	
	F	21	3	-	-	-	1	1	-	1	4	3	8	32	4	2	-	-	1	3	4	2	6	10	
Other respiratory	M	3	-	-	-	-	-	-	-	1	-	1	1	8	-	-	-	-	1	-	2	-	1	-	
	F	6	-	-	1	-	-	-	1	-	1	3	-	5	-	-	-	-	-	-	2	2	1	-	
Peptic ulcer	M	7	-	-	-	-	-	-	1	1	2	3	-	8	-	-	-	-	-	1	1	2	4	-	
	F	5	-	-	-	-	-	-	2	-	1	-	2	3	-	-	-	-	-	-	2	-	-	-	
Diarrhœa	M	3	3	-	-	-	-	-	-	-	-	-	-	9	4	1	-	-	-	1	2	-	-	-	
	F	2	1	-	-	-	-	-	-	-	-	-	1	6	1	-	-	1	-	1	1	1	1	-	
Appendicitis	M	3	-	-	-	-	-	1	-	1	-	1	-	5	-	-	-	2	1	-	1	-	1	-	
	F	2	-	-	1	-	-	-	-	-	1	-	-	4	-	-	-	1	-	-	-	1	2	-	
Cirrhosis of liver	M	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	1	2	-	
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other liver diseases	M	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	
	F	1	-	-	-	-	-	-	-	-	-	-	1	5	-	-	-	-	-	-	1	1	1	-	
Other digestive	M	5	-	-	-	-	1	-	1	-	1	2	2	12	1	-	-	-	2	1	3	-	3	-	
	F	8	-	-	-	-	-	1	-	3	2	1	1	15	1	-	-	-	1	1	5	2	4	4	
Nephritis	M	15	-	-	-	-	-	1	-	-	3	8	3	25	-	1	-	-	1	1	2	5	5	4	
	F	14	-	-	-	-	-	1	3	-	2	2	6	17	-	-	-	-	1	2	3	1	4	3	
Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
Other puerperal	F	2	-	-	-	-	-	2	-	-	-	-	-	6	-	-	-	1	4	-	1	-	-	-	
Congenital causes, etc.	M	17	17	-	-	-	-	-	-	-	-	-	-	37	37	-	-	-	-	-	-	-	-	-	
	F	11	8	1	1	-	1	-	-	-	-	-	-	31	31	-	-	-	-	-	-	-	-	-	
Senility	M	14	-	-	-	-	-	-	-	-	-	2	12	33	-	-	-	-	-	-	-	-	3	3	
	F	32	-	-	-	-	-	-	-	-	-	2	30	51	-	-	-	-	-	-	-	-	5	4	
Suicide	M	12	-	-	-	-	-	3	1	2	4	-	2	15	-	-	-	-	2	1	3	1	4	2	
	F	3	-	-	-	-	-	-	-	-	1	2	-	4	-	-	-	-	2	1	1	-	-	-	
Other violence	M	33	1	-	1	1	5	3	5	4	5	3	5	52	2	-	1	4	17	7	4	3	5	5	
	F	12	-	-	-	-	1	-	1	2	-	3	5	20	-	1	1	2	1	1	3	-	3	3	
Other defined causes	M	47	1	-	1	3	1	3	3	4	7	12	12	78	1	1	4	1	2	1	5	6	15	18	
	F	37	-	-	1	1	3	2	2	8	6	4	10	74	2	2	3	5	1	6	9	8	9	12	
Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	10	-	-	-	-	-	1	-	3	2	1	
	F	-	-	-	-	-	-	-	-	-	-	-	-	10	-	-	-	-	-	-	-	-	-	3	

TABLE 24—*contd.* Administrative County of Buckingham.

Causes of Death. <i>See first page of Table.</i>		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	852	65	6	12	16	31	41	45	87	162	181	206	856	51	4	7	11	24	27	34	65	140	217	2		
	F	790	26	4	5	7	24	44	41	62	113	196	268	939	40	5	5	12	15	26	46	69	120	223	3		
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Measles	M	2	—	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—		
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Whooping cough	M	1	1	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—		
5 Diphtheria	M	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	1	2	—	—	—	—	—	—	—		
6 Influenza	M	36	—	—	—	1	5	—	2	6	11	6	5	37	—	—	—	—	2	1	3	4	5	7	—		
	F	42	—	—	—	—	2	3	2	4	2	13	16	58	—	—	1	—	2	1	2	9	8	14	—		
7 Encephalitis lethargica	M	4	—	—	—	—	—	3	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
8 Cerebro spinal fever	M	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—		
	F	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Respiratory tuberculosis	M	44	1	—	—	—	3	13	8	12	5	2	—	26	—	—	—	—	5	7	7	3	2	2	—		
	F	43	—	—	—	—	11	15	5	4	4	3	1	29	—	—	—	1	7	9	7	1	3	1	—		
10 Other tuberculosis	M	3	—	—	1	1	—	—	1	—	—	—	—	9	—	—	—	—	—	5	1	2	—	—	—		
	F	5	—	—	—	1	2	1	—	1	—	—	—	7	1	—	—	1	2	—	1	—	—	—	—		
11 Syphilis	M	2	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—	—	1	1	—	—		
	F	1	—	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—		
12 Gen. paralysis of insane, etc.	M	6	—	—	—	—	—	1	—	1	3	1	—	1	—	—	—	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—	1	—	—		
13 Cancer	M	103	—	—	—	—	1	1	4	7	28	40	22	133	—	—	—	—	1	2	2	13	28	57	—		
	F	136	—	1	—	—	—	4	6	19	29	41	36	147	—	—	—	1	—	1	11	12	32	44	—		
14 Diabetes	M	4	—	—	—	—	—	—	—	—	1	1	2	10	—	—	—	—	—	1	—	—	4	1	—		
	F	13	—	—	—	—	1	—	—	—	5	5	2	16	—	—	—	—	1	—	2	—	1	8	—		
15 Cerebral hæmorrhage	M	31	—	—	—	—	—	—	1	4	7	10	9	27	—	—	—	—	—	—	—	—	4	12	—		
	F	52	—	—	—	—	—	—	1	1	16	9	25	55	—	—	—	—	1	—	3	9	19	—	—		
16 Heart disease	M	198	—	—	—	1	4	4	4	13	46	45	81	210	—	—	—	—	3	4	10	34	59	—	—		
	F	171	—	—	—	1	2	1	5	9	25	48	80	220	—	—	—	1	—	2	6	9	20	67	1		
17 Aneurysm	M	4	—	—	—	1	—	—	2	—	—	1	—	2	—	—	—	—	—	1	—	—	—	—	—		
	F	1	—	—	—	—	—	—	—	—	1	—	—	5	—	—	—	—	—	—	1	1	2	—	—		
18 Other circulatory	M	44	—	—	—	—	—	—	—	1	11	17	15	47	—	—	—	—	—	1	—	2	8	10	—		
	F	38	—	—	—	—	—	—	—	2	5	14	17	53	—	—	—	—	—	—	—	4	3	13	—		
19 Bronchitis	M	47	2	1	1	—	—	1	1	4	7	11	19	27	2	—	—	—	—	—	—	1	5	7	—		
	F	36	1	1	—	—	—	—	1	—	1	8	24	44	1	—	—	—	—	—	—	—	2	10	—		
20 Pneumonia	M	62	14	3	1	—	1	1	5	11	5	11	10	46	6	1	2	2	—	—	1	7	8	13	—		
	F	44	7	1	—	—	—	2	2	8	4	12	8	38	6	3	—	2	—	1	2	3	2	8	—		
21 Other respiratory	M	13	—	—	—	—	1	1	—	1	1	4	5	6	—	—	—	—	—	—	—	3	1	2	—		
	F	6	—	—	—	—	—	—	1	—	—	3	2	12	—	—	—	—	—	—	1	7	2	—	—		
22 Peptic ulcer	M	13	—	—	—	—	—	1	—	5	3	3	1	11	—	—	—	—	1	—	2	3	2	2	—		
	F	7	—	—	—	—	—	—	1	1	1	3	1	5	—	—	—	—	—	1	—	2	1	—	—		
23 Diarrhoea	M	10	5	1	—	—	2	—	—	—	1	—	1	5	2	—	—	—	—	—	—	—	1	2	—		
	F	6	1	—	1	—	—	2	1	—	1	—	—	9	2	—	1	—	—	—	—	2	—	—	—		
24 Appendicitis	M	9	—	—	1	1	1	3	1	1	—	1	—	8	—	—	1	—	—	2	1	1	—	—	—		
	F	4	—	—	—	—	1	—	1	—	1	1	—	8	—	—	—	1	—	1	2	2	—	—	—		
25 Cirrhosis of liver	M	2	—	—	—	—	—	—	1	—	—	—	1	3	—	—	—	—	—	—	—	—	2	1	—		
	F	2	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—		
26 Other liver diseases	M	1	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	1	—		
	F	7	—	—	—	—	—	2	—	—	—	2	3	6	—	—	—	—	—	1	1	1	2	—	—		
27 Other digestive	M	15	1	1	—	1	—	—	—	4	4	2	2	19	3	—	—	1	—	—	1	3	5	—	—		
	F	12	—	—	—	1	—	—	—	1	1	1	8	24	1	1	1	—	3	2	1	3	6	—	—		

Causes of Death.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	354	19	4	1	4	14	10	16	28	58	85	115	461	28	2	1	5	11	10	13	34	63	129	165
	F	398	13	2	3	4	6	15	16	31	46	105	157	450	17	1	2	4	2	11	21	32	68	118	174
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	M	1	-	1	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
	F	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	M	6	-	-	-	-	-	-	1	-	3	2	-	12	-	-	-	-	1	-	2	2	5	3	2
	F	14	-	-	-	-	1	-	-	2	2	5	4	19	-	-	-	-	-	-	3	5	3	-	8
Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis	M	18	-	1	-	-	1	4	4	4	4	-	-	16	-	-	-	-	3	1	3	4	1	4	-
	F	18	-	-	-	-	1	7	6	2	1	1	-	8	-	-	-	-	3	2	-	2	1	-	-
Other tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	5	-	1	-	1	-	-	2	1	-	-	-
	F	3	-	-	1	1	1	-	-	-	-	-	-	3	-	-	2	1	-	-	-	-	-	-	-
Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gen. paralysis of insane, etc.	M	4	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Cancer	M	50	-	-	-	-	-	2	1	4	9	18	16	62	-	-	-	-	1	1	2	5	14	25	14
	F	76	-	-	-	-	-	1	4	13	14	25	19	91	-	-	-	-	2	5	12	22	27	4	23
Diabetes	M	5	-	-	-	1	-	-	-	-	-	3	1	8	-	-	-	-	-	-	-	2	2	4	2
	F	10	-	-	-	-	-	1	-	1	1	2	5	5	-	-	-	-	-	-	-	3	2	-	-
Cerebral hæmorrhage	M	30	-	-	-	-	-	-	1	-	6	10	13	23	-	-	-	-	-	-	1	4	8	10	10
	F	27	-	-	-	-	-	-	-	-	4	13	10	26	-	-	-	-	-	-	2	5	11	8	8
Heart disease	M	72	1	-	-	-	-	-	1	5	10	25	30	120	-	-	-	-	-	1	3	14	39	63	63
	F	81	-	-	-	-	1	1	-	6	9	19	45	108	-	-	-	-	-	4	5	12	28	59	59
Aneurysm	M	4	-	-	-	-	-	-	-	2	1	1	-	2	-	-	-	-	-	-	1	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other circulatory	M	29	-	-	-	-	-	-	-	-	3	7	19	23	-	-	-	-	-	-	-	3	7	13	13
	F	31	-	-	-	-	-	-	-	-	2	14	15	28	-	-	-	-	-	-	-	6	10	12	12
Bronchitis	M	10	1	-	-	-	-	-	-	1	1	3	4	7	-	-	-	-	-	-	-	-	-	2	5
	F	19	-	1	-	-	-	-	-	-	2	8	8	18	-	-	-	-	-	-	-	-	3	15	15
Pneumonia	M	15	2	1	-	-	-	-	1	2	3	1	5	17	4	-	-	-	-	1	2	3	4	3	3
	F	10	3	-	-	1	-	-	1	-	-	2	3	11	4	-	-	-	-	1	-	-	2	4	4
Other respiratory	M	4	-	-	-	-	-	-	-	2	-	1	1	4	-	-	-	-	-	-	1	1	1	1	1
	F	2	-	-	-	-	-	-	-	-	-	-	2	5	1	-	-	-	-	-	-	-	2	2	2
Peptic ulcer	M	4	-	-	-	-	-	-	-	1	2	1	-	9	-	-	-	-	-	1	2	1	2	3	3
	F	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1	-	1	-	-	-	-
Diarrhœa	M	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	1	-	-	3	1	-	-	-	-	1	1	-	-	-	-
Appendicitis	M	4	-	-	-	-	3	1	-	-	-	-	-	5	-	-	-	-	1	-	-	2	2	-	1
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	1
Cirrhosis of liver	M	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	2	1	1
	F	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	1	-	-	-	-
Other liver diseases	M	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	2	-	-
	F	5	-	-	-	-	-	-	-	1	1	1	2	7	-	-	-	1	-	1	-	1	1	3	3
Other digestive	M	10	1	-	-	-	2	1	-	-	3	2	1	8	-	-	-	-	1	-	-	2	4	1	1
	F	8	-	-	-	-	-	1	-	1	1	4	1	8	-	-	-	-	-	-	-	1	7	-	-
Nephritis	M	6	-	-	-	-	-	2	-	2	2	-	-	15	-	-	-	-	-	-	1	1	1	12	12
	F	6	-	-	-	-	1	1	-	2	2	1	1	12	-	-	-	-	-	2	-	1	5	4	4
Puerperal sepsis	F	2	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Other puerperal	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-
Congenital causes, etc.	M	11	11	-	-	-	-	-	-	-	-	-	-	20	19	-	1	-	-	-	-	-	-	-	-
	F	6	6	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
Senility	M	18	-	-	-	-	-	-	-	-	-	4	14	24	-	-	-	-	-	-	-	-	2	22	22
	F	32	-	-	-	-	-	-	-	-	-	-	32	31	-	-	-	-	-	-	-	-	4	27	27
Suicide	M	7	-	-	-	-	-	1	1	1	4	-	-	7	-	-	-	-	3	-	4	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	1	1	-	2	-	-
Other violence	M	15	-	1	-	2	5	1	2	1	1	-	2	19	-	1	-	3	4	1	2	3	2	2	1
	F	10	-	-	-	-	1	-	-	2	-	3	4	9	-	-	-	1	-	-	-	3	2	3	3
Other defined causes	M	25	2	-	1	1	3	-	1	3	3	4	7	44	2	-	-	1	3	1	2	3	8	12	12
	F	27	3	-	1	1	2	1	2	1	4	7	5	32	1	1	-	2	1	1	2	5	8	6	5
Ill-defined causes	M	2	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	1	-	-	1	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-

Causes of Death. See first page of Table.			Aggregate of Urban Districts.												Aggregate of Rural Districts.											
			All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	3,483	242	40	32	94	93	117	202	380	697	866	720	957	54	9	7	9	20	29	41	91	164	230	300	
	F	3,495	179	26	42	66	83	129	160	288	601	884	1037	887	52	6	10	15	16	38	46	68	133	222	290	
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	3	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2 Measles	M	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3 Scarlet fever	M	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4 Whooping cough	M	5	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	14	10	3	1	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	
5 Diphtheria	M	45	-	2	8	32	2	-	1	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	
	F	39	-	-	11	24	3	1	-	-	-	-	-	7	-	-	1	4	2	-	-	-	-	-	-	
6 Influenza	M	158	4	5	3	3	6	3	12	29	38	36	19	41	-	-	-	1	2	-	4	3	12	7	1	
	F	136	6	-	3	1	4	10	6	10	36	29	31	42	-	-	1	-	1	3	5	3	6	8	1	
7 Encephalitis lethargica	M	13	-	-	-	-	4	2	-	-	1	4	2	-	-	-	-	-	-	-	-	-	-	-	-	
	F	10	-	-	-	-	1	2	1	1	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
8 Cerebro-spinal fever	M	5	1	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9 Respiratory tuberculosis	M	150	-	-	-	1	13	22	39	35	32	7	1	37	-	-	-	-	3	9	6	11	3	4	-	
	F	107	1	-	2	2	25	27	14	18	6	6	6	21	-	-	1	1	1	8	3	4	2	1	-	
10 Other tuberculosis	M	22	-	2	3	4	1	4	4	1	1	1	1	6	-	2	-	1	1	1	-	-	-	-	-	
	F	22	1	-	1	6	2	5	5	1	-	1	-	8	1	1	-	3	1	1	-	-	-	-	-	
11 Syphilis	M	9	2	-	-	-	-	1	-	1	1	3	1	1	-	-	-	-	-	-	-	1	-	-	-	
	F	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12 Gen. paralysis of insane, etc.	M	10	-	-	-	-	-	-	3	4	2	1	-	2	-	-	-	-	-	-	-	1	1	-	-	
	F	6	-	-	-	-	1	-	1	3	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	
13 Cancer	M	426	-	-	-	2	-	8	17	48	127	156	68	123	-	-	-	-	-	1	4	14	27	45	3	
	F	489	-	-	-	-	-	12	21	72	138	162	84	118	-	-	-	-	-	1	6	14	39	28	3	
14 Diabetes	M	47	-	-	1	-	-	-	2	5	10	23	6	12	-	-	-	-	1	-	-	-	2	7	-	
	F	66	-	-	-	1	2	2	1	7	11	35	7	21	-	-	-	-	1	1	-	2	3	7	-	
15 Cerebral hæmorrhage	M	145	-	-	-	-	-	1	6	12	37	52	37	50	-	-	-	-	-	-	1	2	9	16	2	
	F	210	-	-	-	-	-	1	2	12	50	74	71	55	-	-	-	-	-	-	3	2	11	18	2	
16 Heart disease	M	957	-	1	-	5	9	18	37	84	211	298	294	258	1	-	-	-	2	2	4	15	41	76	11	
	F	958	-	-	1	4	9	11	34	50	147	300	402	228	-	-	1	-	2	2	10	10	28	80	9	
17 Aneurysm	M	8	-	-	-	-	-	-	1	3	2	2	-	3	-	-	1	-	-	-	1	-	-	-	-	
	F	2	-	-	-	-	-	-	-	1	-	-	1	3	-	-	-	-	-	-	-	-	-	3	-	
18 Other circulatory	M	191	-	-	-	-	-	-	2	11	34	70	74	59	-	-	-	-	1	2	3	7	17	2	-	
	F	182	-	-	-	-	-	-	1	5	23	58	95	43	-	-	-	-	1	2	1	7	13	1	-	
19 Bronchitis	M	88	5	-	-	-	2	2	6	15	17	20	21	27	1	-	-	-	-	1	1	6	2	1	1	
	F	120	5	3	1	1	-	1	2	2	12	32	61	27	-	-	-	-	2	-	1	1	4	8	1	
20 Pneumonia	M	216	38	14	5	6	3	12	14	33	34	36	21	41	10	2	-	1	-	3	2	8	7	4	-	
	F	147	31	10	8	6	5	4	9	13	23	12	26	34	8	2	-	2	1	1	3	3	3	6	-	
21 Other respiratory	M	35	-	-	1	-	1	2	6	5	7	8	5	5	-	-	-	-	-	-	-	-	3	-	-	
	F	32	1	-	-	-	-	2	4	3	6	9	7	8	-	-	-	-	-	1	1	1	1	1	-	
22 Peptic ulcer	M	30	-	-	-	-	2	2	2	10	10	1	3	8	-	-	-	-	-	-	1	3	2	2	-	
	F	13	-	-	-	-	-	1	-	4	4	-	-	4	-	-	-	1	-	1	-	-	1	1	-	
23 Diarrhœa	M	23	14	3	1	-	-	-	2	1	1	1	-	5	4	-	-	-	-	-	-	1	-	-	-	
	F	16	6	-	-	1	-	2	-	-	1	3	3	4	2	1	-	-	1	-	-	-	-	-	-	
24 Appendicitis	M	24	-	-	-	4	5	3	5	1	3	1	2	9	-	-	-	2	-	-	2	2	3	-	-	
	F	19	-	-	2	4	3	2	4	1	3	-	-	5	-	1	-	-	-	-	1	-	3	-	-	
25 Cirrhosis of liver	M	10	-	-	-	-	-	-	1	4	4	1	-	2	-	-	-	-	-	-	-	1	1	-	-	
	F	4	-	-	-	-	-	-	-	-	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
26 Other liver diseases	M	17	-	-	-	-	-	1	1	-	4	7	4	2	-	-	-	-	-	-	-	-	1	-	-	
	F	28	-	-	-	-	-	2	2	3	8	9	4	10	-	-	-	1	-	-	1	-	3	-	-	
27 Other digestive	M	47	4	1	-	2	2	1	5	8	11	8	5	15	1	-	-	-	2	-	2	3	2	2	-	
	F	75	2	-	1	3	1	1	6	14	14	20	13	22	-	-	1	-	3	1	4	3	5	-	-	
28 Nephritis	M	121	1	-	-	2	2	4	5	15	27	39	26	33	-	-	1	-	1	2	4	8	12	-	-	
	F	113	-	2	-	3	4	3	7	10	31	32	21	33	-	-	-	1	1	1	4	7	10	-	-	
29 Puerperal sepsis	F	12	-	-	-	-	2	7	3	-	-	-	-	5	-	-	-	-	4	1	-	-	-	-	-	
30 Other puerperal	F	17	-	-	-	-	3	12	2	-	-	-	-	3	-	-	-	-	2	1	-	-	-	-	-	
31 Congenital causes, etc.	M	144	140	1	1	1	-	1	-	-	-	-	-	34	33	1	-	-	-	-	-	-	-	-	-	
	F	103	100	1	2	-	-	-	-	-	-	-	-	41	40	-	-	-	1	-	-	-	-	-	-	
32 Senility	M	79	-	-	-	-	-	-	-	-	-	-	-	24	-	-	-	-	-	-	-	-	3	2	-	
	F	135	-	-	-	-	-	-	-	-	-	15	120	32	-	-	-	-	-	-	-	-	3	2	-	
33 Suicide	M	40	-	-	-	-	-	4	5	9	11	9	2	20	-	-	-	-	2	6	2	3	5	-	-	
	F	33	-	-	-	-	-	4	7	10	9	2	1	6	-	-	-	-	-	3	-	1	2	-	-	
34 Other violence	M	133	6	3	5	16	19	15	15	20	11	8	45	45	2	1	3	1	6	2	1	7	10	9	-	
	F	84	4	-	3	1	4	3	4	5	13	20	27	26	1	-	2	1	2	1	1	3	2	5	-	
35 Other defined causes	M	277	25	3	2	15	21	10	10	30	51	61	49	91	2	3	1	2	3	4	5	9	19	13	3	
	F	286	11	5	4	8	14	12	24	41	53	59	55	70	-	-	2	4	4	4	10	16	15	1	-	
36 Ill-defined causes	M	4	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	-	-	-	-	1	-	
	F	7	1	-	-	-	-	-	-	-	2	2	2	6	-	-	-	-	-	-	-	-	-	2	-	

TABLE 24—*contd.* Administrative County of Cornwall.

Causes of Death.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	1,194	80	12	9	18	35	47	55	103	214	288	333	970	36	5	3	11	25	26	40	73	151	292	308
	F	1,330	38	10	7	7	27	36	49	115	180	323	538	1,011	44	5	4	8	21	33	36	72	122	245	421
Typhoid fever, etc.	M	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	M	3	-	2	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	M	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	2	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria	M	3	-	-	-	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Influenza	M	50	-	-	-	-	-	2	5	6	14	12	11	55	-	-	-	2	1	3	4	7	10	14	14
	F	53	-	-	-	-	-	3	2	8	9	11	20	70	-	-	-	2	-	3	3	10	9	20	23
Encephalitis	M	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
lethargica	F	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-
Cerebro-spinal fever	M	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis	M	57	-	-	-	-	5	10	13	13	10	5	1	36	-	-	-	1	1	7	9	7	7	3	1
	F	52	-	-	-	-	12	11	11	9	5	4	-	23	-	-	-	2	7	10	2	1	1	-	-
Other tuberculosis	M	9	1	1	2	1	2	1	1	-	-	-	-	8	1	-	-	2	3	1	1	-	-	-	-
	F	7	-	-	-	1	2	-	-	1	1	1	1	4	-	-	-	1	1	2	-	-	-	-	-
Syphilis	M	1	1	-	-	-	-	-	-	-	-	-	-	5	2	-	-	-	-	-	1	1	1	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	4	-	-	-	-	-	1	1	-	-	2	
Gen. paralysis of insane, etc.	M	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	-	-	1	-	-
	F	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	M	139	-	-	-	-	2	3	3	9	39	57													

Causes of Death. See first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	576	47	13	10	13	21	17	28	46	113	152	116	909	70	7	15	8	26	27	46	65	151	238	25
	F	527	33	5	14	12	24	19	32	36	64	118	170	794	42	9	11	9	19	25	30	69	129	193	25
1 Typhoid fever, etc.	M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
2 Measles	M	3	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	2	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	3	1	-	2	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
5 Diphtheria	M	1	-	-	1	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-
	F	4	-	1	1	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
6 Influenza	M	18	1	-	-	-	-	-	3	2	4	7	1	36	-	-	1	-	-	1	6	3	5	13	-
	F	15	-	-	-	-	1	1	2	1	2	3	5	45	-	1	-	2	2	3	3	3	8	12	1
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	1	1	-	-
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
9 Respiratory tuberculosis	M	33	-	-	-	1	11	5	4	7	4	1	-	34	-	-	-	-	4	5	5	9	5	6	-
	F	29	-	-	-	1	14	4	5	2	2	-	1	27	-	-	-	1	8	7	4	3	2	2	-
10 Other tuberculosis	M	7	-	1	1	2	1	2	-	-	-	-	-	11	1	-	3	1	2	2	2	1	1	-	-
	F	6	-	-	2	1	1	1	-	-	-	-	-	11	-	-	3	-	5	1	1	-	-	-	-
11 Syphilis	M	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 Gen. paralysis of insane, etc.	M	4	-	-	-	-	-	-	-	1	3	-	-	2	-	-	-	-	-	-	-	2	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
13 Cancer	M	65	-	-	-	1	-	-	1	6	21	2													

Causes of Death.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	2,147	168	29	30	45	66	95	108	208	409	547	442	1,628	124	19	26	41	54	58	77	157	275	405	392
	F	1,928	111	23	21	40	58	82	86	175	273	516	543	1,490	104	24	24	24	37	64	79	110	237	371	416
Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	2	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	M	3	—	1	2	—	—	—	—	—	—	—	—	5	—	3	2	—	—	—	—	—	—	—	—
	F	4	2	—	1	1	—	—	—	—	—	—	—	9	1	4	3	1	—	—	—	—	—	—	—
Scarlet fever	M	5	—	—	1	2	1	—	1	—	—	—	—	5	—	—	1	2	2	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—
Whooping cough	M	1	1	—	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—	—	—
	F	4	1	1	2	—	—	—	—	—	—	—	—	5	1	1	3	—	—	—	—	—	—	—	—
Diphtheria	M	19	—	—	9	10	—	—	—	—	—	—	—	10	—	—	5	4	—	—	1	—	—	—	—
	F	19	1	—	4	13	1	—	—	—	—	—	—	12	—	—	5	5	1	—	1	—	—	—	—
Influenza	M	103	1	1	1	5	4	5	11	12	26	21	16	66	3	3	1	1	2	2	4	12	14	14	10
	F	82	2	1	1	1	3	3	8	10	20	19	14	67	—	—	—	1	1	4	9	6	14	15	17
Encephalitis lethargica	M	4	—	—	—	—	—	2	—	1	—	1	—	5	—	—	—	—	1	—	1	1	1	1	1
	F	1	—	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—	1	—	—	—	—	—	—
Cerebro-spinal fever	M	3	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	2	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Respiratory tuberculosis	M	81	1	—	—	—	14	14	17	16	16	3	—	52	1	—	—	1	8	11	7	11	11	2	—
	F	64	—	1	—	—	20	18	12	7	5	1	—	52	—	—	—	1	11	17	8	6	3	5	1
Other tuberculosis	M	19	1	6	3	2	1	2	2	1	1	—	—	17	2	4	2	2	2	2	1	—	2	—	—
	F	21	—	7	3	6	—	1	—	1	2	1	—	9	2	1	2	1	—	—	—	2	—	—	1
Syphilis	M	9	1	1	—	—	—	—	—	—	4	3	—	6	2	—	—	—	—	—	2	1	1	—	—
	F	3	2	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—
Gen. paralysis of insane, etc.	M	2	—	—	—	—	—	—	—	—	1	—	1	5	—	—	—	—	—	—	1	3	1	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	M	258	—	—	—	1	1	3	9	33	85	89	37	188	—	—	1	—	—	4	6	18	47	69	43
	F	246	—	—	—	—	—	8	17	40	59	78	44	180	—	—	—	—	—	4	13	25	49	52	37
Diabetes	M	22	—	—	—	—	—	—	—	2	4	9	7	34	—	—	—	2	1	—	2	3	6	12	8
	F	45	—	—	—	—	1	1	—	4	10	20	9	33	—	—	—	—	1	—	—	4	18	9	—
Cerebral hæmorrhage	M	94	—	—	—	—	—	1	4	8	23	32	26	102	—	—	—	—	—	2	8	22	41	29	—
	F	144	—	—	—	—	—	—	1	9	19	62	53	118	—	—	—	—	—	6	8	30	33	41	—
Heart disease	M	474	—	—	—	3	4	10	15	42	107	161	132	352	—	—	—	3	5	2	10	23	57	131	121
	F	443	—	—	—	—	8	11	11	34	70	153	156	331	—	—	—	1	5	4	15	10	52	116	128
Aneurysm	M	5	—	—	—	—	—	—	1	1	2	1	—	6	—	—	—	—	—	—	2	2	2	—	—
	F	3	—	—	—	—	—	—	—	—	—	3	—	2	—	—	—	—	1	—	—	—	1	—	—
Other circulatory	M	108	—	—	—	—	—	—	—	2	25	44	37	75	—	—	—	—	—	—	1	3	20	22	29
	F	107	—	—	—	—	—	—	—	9	9	42	47	69	—	—	—	—	—	—	1	1	12	29	26
Bronchitis	M	78	6	1	—	—	—	2	3	7	11	23	25	68	3	1	—	1	—	—	—	3	13	20	27
	F	69	7	—	—	—	1	1	—	3	6	16	35	54	5	1	—	—	1	—	—	6	2	15	23
Pneumonia	M	145	23	13	4	3	5	5	10	17	23	32	10	86	19	3	6	3	—	5	6	7	8	19	10
	F	81	13	7	3	3	1	2	6	10	8	12	16	81	15	9	6	3	—	9	3	6	8	10	12
Other respiratory	M	25	—	—	1	—	1	1	1	4	9	6	2	25	2	1	1	1	1	1	2	3	6	6	1
	F	22	—	—	2	—	—	—	4	2	2	6	6	10	—	1	1	—	1	—	2	1	1	2	1
Peptic ulcer	M	25	—	—	—	—	1	4	4	7	5	4	—	25	—	—	—	—	—	2	2	5	8	4	4
	F	9	—	—	—	—	—	1	1	2	3	1	1	4	—	—	—	—	—	—	—	1	3	—	—
Diarrhœa	M	20	11	1	—	1	—	1	1	—	1	2	2	12	5	1	—	1	1	—	1	1	—	—	1
	F	13	6	—	2	—	—	—	—	—	—	1	4	17	7	1	—	—	2	1	1	1	2	—	2
Appendicitis	M	19	—	—	—	5	4	1	3	3	—	3	—	4	—	—	—	—	—	—	—	1	—	3	—
	F	4	—	—	—	—	1	1	—	—	1	1	—	6	—	1	1	1	—	1	—	1	—	—	—
Cirrhosis of liver	M	9	—	—	—	—	—	—	—	3	2	3	1	2	—	—	—	—	—	—	—	—	2	—	—
	F	4	—	—	—	—	—	—	—	—	2	2	—	5	—	—	—	—	—	—	1	2	1	—	1
Other liver diseases	M	5	—	—	—	—	—	—	—	1	2	2	—	4	—	—	—	—	1	—	—	—	—	—	3
	F	13	—	—	—	—	—	—	—	—	—	6	7	8	—	—	—	—	—	1	—	2	5	—	—
Other digestive	M	34	3	—	1	1	2	1	2	4	8	5	7	24	1	—	—	2	—	—	4	6	3	1	7
	F	27	1	1	—	—	1	1	2	3	6	4	8	34	—	—	1	—	1	1	5	8	8	9	—
Nephritis	M	53	—	—	—	—	1	6	—	10	9	17	10	44	—	—	—	1	4	3	6	5	16	9	—
	F	77	1	—	—	2	1	5	2	10	18	19	19	53	1	—	—	—	1	1	6	16	17	10	—
Puerperal sepsis	F	5	—	—	—	—	1	4	—	—	—	—	—	4	—	—	—	—	1	2	1	—	—	—	—
Other puerperal	F	11	—	—	—	—	1	7	3	—	—	—	—	14	—	—	—	—	3	8	3	—	—	—	—
Congenital causes, etc.	M	109	106	1	—	1	—	1	—	—	—	—	—	79	76	1	1	—	1	—	—	—	—	—	—
	F	66	65	—	—	1	—	—	—	—	—	—	—	65	63	2	—	—	—	—	—	—	—	—	—
Senility	M	115	—	—	—	—	—	—	—	—	1	20	94	70	—	—	—	—	—	—	—	—	7	63	—
	F	116	—	—	—	—	—	—	—	—	1	17	98	78	—	—	—	—	—	—	—	—	5	73	—
Suicide	M	27	—	—	—	—	2	4	3	5	6	7	—	18	—	—	—	—	1	2	3	3	7	1	1
	F	14	—	—	—	—	1	2	4	4	2	—	1	10	—	—	—	—	2	1	5	1	1	—	—
Other violence	M	107	2	1	4	5	16	24	9	14	13	10	9	108	4	—	3	9	19	12	17	21	15	4	4
	F	53	4	—	1	4	5	3	1	4	4	14	13	40	3	1	2	4	4	—	3	5	7	5	6
Other defined causes	M	146	11	2	4	6	7	8	11	13	22	37	25	112	6	1	2	8	9	8	4	16	21	21	16
	F	140	5	3	1	8	11	13	13	20	22	33	11	108	6	2	—	6	7	6	7	15	19	26	14
Ill-defined causes	M	20	—	1	—	—	—	—	1	2	3	12	1	15	—	—	—	—	—	—	1	2	2	5	5
	F	12	1	—	—	—	—	—	1	—	4	5	1	8	—	—	—	—	—	—	—	2	2	4	

Causes of Death. <i>See first page of Table.</i>		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	
All Causes	M	1,657	71	11	15	19	35	39	59	131	263	457	557	1,572	85	8	7	20	40	53	87	103	255	406	557		
	F	1,842	65	5	11	17	26	39	71	132	251	477	748	1,460	69	7	8	14	19	52	75	94	206	336	557		
1 Typhoid fever, etc.	M	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-		
	F	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
2 Measles	M	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-		
3 Scarlet fever	M	2	1	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-		
	F	2	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-		
4 Whooping cough	M	4	1	1	2	-	-	-	-	-	-	-	-	5	3	-	2	-	-	-	-	-	-	-	-		
	F	2	1	1	-	-	-	-	-	-	-	-	-	5	3	1	1	-	-	-	-	-	-	-	-		
5 Diphtheria	M	3	-	-	1	2	-	-	-	-	-	-	-	5	-	-	-	3	-	-	1	-	-	-	1		
	F	6	-	-	1	5	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	1		
6 Influenza	M	67	4	1	-	2	1	-	3	6	8	14	28	81	1	-	-	-	2	3	9	9	17	12	-		
	F	90	1	-	-	-	-	-	3	6	21	21	38	64	-	-	-	-	1	2	3	10	16	11	-		
7 Encephalitis lethargica	M	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-		
	F	3	-	-	-	-	-	1	-	-	-	1	1	2	-	-	-	-	2	-	-	-	-	-	-		
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-		
9 Respiratory tuberculosis	M	70	-	-	-	-	9	13	13	15	12	5	3	64	-	-	1	-	9	10	18	12	9	5	-		
	F	63	-	-	-	2	14	17	14	7	4	2	3	52	-	-	1	1	8	18	4	6	7	6	-		
10 Other tuberculosis	M	8	-	1	-	1	3	2	-	1	-	-	-	9	-	-	1	3	1	-	3	-	1	-	-		
	F	13	2	-	1	1	-	2	1	2	2	2	-	13	1	2	-	2	1	3	-	1	-	-	-		
11 Syphilis	M	4	-	-	-	-	-	-	-	-	2	2	-	5	-	-	-	-	-	-	-	2	2	1	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-		
12 Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-		
13 Cancer	M	219	-	1	1	-	-	1	7	13	44	83	69	175	-	-	-	1	3	5	2	14	51	61	-		
	F	278	-	-	-	1	-	1	9	40	66	90	71	223	-	-	-	-	-	17	24	50	69	-	-		
14 Diabetes	M	20	-	-	-	-	-	-	-	-	3	10	7	17	-	-	-	-	1	-	1	2	10	-	-		
	F	43	-	-	-	-	-	-	-	4	7	15	17	27	-	-	-	-	-	1	1	7	14	-	-		
15 Cerebral hæmorrhage	M	97	-	-	-	-	-	-	1	5	21	38	32	75	-	-	-	-	-	2	4	9	28	-	-		
	F	118	-	-	-	-	-	1	7	17	31	62	96	96	-	-	-	-	-	3	2	19	31	-	-		
16 Heart disease	M	450	-	-	-	2	3	3	10	23	70	142	197	383	-	-	-	-	2	9	16	73	123	10	-		
	F	505	-	-	-	1	-	3	13	28	52	162	246	363	-	-	-	-	1	12	17	41	108	10	-		
17 Aneurysm	M	8	-	-	-	-	-	-	1	-	2	3	2	6	-	-	-	-	-	-	1	2	2	-	-		
	F	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	1	-	-	-	1	-	-		
18 Other circulatory	M	119	-	-	-	-	-	-	1	5	16	40	57	100	-	-	-	-	-	2	4	7	38	-	-		
	F	154	-	-	-	-	-	-	1	4	5	45	99	103	-	-	-	-	-	-	4	11	22	-	-		
19 Bronchitis	M	61	3	-	2	-	-	-	1	4	7	18	26	62	2	-	-	1	-	-	1	4	3	12	-		
	F	55	3	-	1	-	-	-	1	-	6	15	29	59	3	-	-	-	1	-	2	3	13	-	-		
20 Pneumonia	M	78	7	4	-	2	-	1	2	9	18	15	20	89	10	5	-	-	3	9	7	16	16	-	-		
	F	75	9	1	1	2	1	2	3	7	9	15	25	58	9	2	1	1	-	2	6	1	9	7	-		
21 Other respiratory	M	15	-	-	-	1	-	-	1	4	2	3	4	18	-	1	-	-	1	2	1	2	5	5	-		
	F	14	-	-	-	-	1	-	-	2	1	6	4	10	1	-	-	-	1	-	-	2	1	-	-		
22 Peptic ulcer	M	18	-	-	-	-	-	1	1	6	6	4	-	13	-	-	-	-	-	3	-	6	1	-	-		
	F	3	-	-	-	-	-	-	-	1	-	-	2	5	-	-	-	-	1	-	1	1	-	-	-		
23 Diarrhœa	M	4	1	-	-	-	-	-	1	-	-	1	1	11	6	-	1	-	-	1	1	-	-	1	-		
	F	6	1	1	-	-	-	1	1	1	1	-	-	9	2	-	-	-	2	-	1	-	2	-	-		
24 Appendicitis	M	11	-	-	-	2	3	1	1	1	2	1	-	11	-	1	-	-	2	2	3	2	1	-	-		
	F	11	-	-	-	1	-	-	-	2	6	1	1	5	-	-	2	1	-	-	1	-	1	-	-		
25 Cirrhosis of liver	M	6	-	-	-	-	-	-	-	2	4	-	-	6	-	-	-	-	-	-	-	4	2	-	-		
	F	3	-	-	-	-	1	-	-	-	1	-	1	2	-	-	-	-	-	-	-	1	1	-	-		
26 Other liver diseases	M	7	-	-	-	-	-	-	-	-	-	4	3	3	-	-	-	-	-	-	-	-	2	-	-		
	F	8	-	-	1	-	-	-	-	-	4	2	1	8	-	-	-	-	-	-	-	1	3	-	-		
27 Other digestive	M	35	2	-	2	-	3	-	2	7	10	7	2	32	1	-	-	-	1	4	3	4	6	4	-		
	F	29	2	-	1	-	1	1	3	1	6	6	8	21	-	1	-	-	1	-	1	4	1	6	-		
28 Nephritis	M	51	-	-	-	1	1	2	1	4	7	18	17	50	-	-	1	1	-	-	1	3	10	10	-		
	F	58	-	-	-	-	-	-	4	8	10	15	21	42	-	-	-	-	1	3	1	5	7	12	-		
29 Puerperal sepsis	F	3	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
30 Other puerperal	F	3	-	-	-	-	1	2	-	-	-	-	-	11	-	-	-	-	3	7	1	-	-	-	-		
31 Congenital causes, etc.	M	51	46	2	2	-	1	-	-	-	-	-	-	52	51	-	-	1	-	-	-	-	-	-	-		
	F	41	41	-	-	-	-	-	-	-	-	-	-	50	48	-	1	1	-	-	-	-	-	-	-		
32 Senility	M	39	-	-	-	-	-	-	-	-	-	2	37	60	-	-	-	-	-	-	-	-	-	9	-		
	F	78	-	-	-	-	-	-	-	-	1	8	69	72	-	-	-	-	-	-	-	-	-	4	-		
33 Suicide	M	18	-	-	-	-	-	3	1	4	5	4	1	24	-	-	-	-	2	3	-	2	9	8	-		
	F	10	-	-	-	-	-	3	-	2	3	2	-	6	-	-	-	-	3	2	1	-	-	-	-		
34 Other violence	M	52	4	-	1	2	7	7	4	4	10	7	6	62	2	-	-	3	10	10	10	5	6	8	-		
	F	48	2	1	3	2	4	1	3	1	6	11	14	32	2	-	1	-	-	1	1	1	7	5	-		
35 Other defined causes	M	129	2	-	3	4	2	5	8	15	13	34	43	143	9	-	1	6	6	6	10	9	15	43	-		
	F	113	2	-	2	1	3	2	12	9	22	27	33	103	-	1	1	4	4	9	14	10	22	18	-		
36 Ill-defined causes	M	4	-	-	-	-	-	-	-	-	1	1	2	4	-	-	-	-	-	-	-	-	-	2	-		
	F	5	1	1	-	-	-	-	-	-	-	-	3	5	-	-	-	-	-	-	1	-	-	-	-		

TABLE 24—*contd.* Administrative County of Dorset.

Causes of Death.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes		M	984	73	3	9	18	19	27	42	87	163	260	283	635	31	3	9	4	18	14	13	63	106	183	191	
		F	1,003	39	4	11	6	19	26	34	76	156	242	390	553	17	2	2	5	8	15	25	51	75	148	205	
1	Typhoid fever, etc.	M	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-		
2	Measles	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	Scarlet fever	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-		
4	Whooping cough	M	6	4	2	-	-	-	-	-	-	-	-	-	4	2	1	-	-	-	-	-	-	-	-		
		F	5	3	-	2	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-		
5	Diphtheria	M	5	-	-	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6	Influenza	M	24	-	-	-	1	-	-	3	1	4	6	9	25	-	-	1	-	-	2	1	4	6	8	3	
		F	31	-	-	1	-	1	1	1	5	6	7	9	26	-	-	-	-	-	3	5	2	7	9		
7	Encephalitis lethargica	M	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-		
		F	3	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	1	-		
8	Cerebro-spinal fever	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9	Respiratory tuberculosis	M	39	-	-	-	-	3	7	10	9	8	2	-	13	-	-	-	-	1	3	2	4	3	-		
		F	28	-	-	-	6	5	5	5	5	5	1	1	9	-	-	-	-	1	2	2	3	1	-		
0	Other tuberculosis	M	8	-	-	3	1	-	2	1	1	-	-	-	7	-	1	-	1	1	-	2	2	-	-		
		F	8	3	1	-	-	-	1	1	-	1	1	-	4	-	1	-	1	-	2	-	-	-	-		
1	Syphilis	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Gen. paralysis of insane, etc.	M	3	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	1	-	-	-		
		F	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	Cancer	M	133	-	-	-	-	-	2	5	15	37	44	30	83	-	-	2	-								

Causes of Death. <i>See first page of Table.</i>		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	3,992	415	67	70	144	155	181	213	396	691	935	725	1,938	189	30	34	65	85	95	107	181	306	442	40-
	F	3,408	300	54	81	104	143	141	202	315	547	729	792	1,690	170	19	44	68	69	89	110	139	235	384	36-
1 Typhoid fever, etc.	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Measles	M	8	3	2	2	1	-	-	-	-	-	-	-	4	2	2	-	-	-	-	-	-	-	-	-
	F	8	3	1	3	1	-	-	-	-	-	-	-	7	2	1	2	2	-	-	-	-	-	-	-
3 Scarlet fever	M	6	-	2	1	3	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	1	-	-
	F	9	-	1	3	4	-	-	1	-	-	-	-	3	-	1	1	1	-	-	-	-	-	-	-
4 Whooping cough	M	14	7	6	1	-	-	-	-	-	-	-	-	6	4	1	1	-	-	-	-	-	-	-	-
	F	10	5	1	4	-	-	-	-	-	-	-	-	6	3	2	1	-	-	-	-	-	-	-	-
5 Diphtheria	M	85	1	2	26	54	2	-	-	-	-	-	-	35	1	-	8	23	2	-	-	1	-	-	-
	F	71	-	1	26	41	2	1	-	-	-	-	-	40	-	1	15	21	3	-	-	-	-	-	-
6 Influenza	M	136	2	2	2	3	7	10	9	18	37	28	18	78	1	3	-	3	7	5	13	12	16	13	5
	F	121	1	-	4	1	7	7	7	12	24	33	25	51	1	-	-	2	1	3	9	10	10	6	9
7 Encephalitis lethargica	M	6	-	-	-	-	1	-	1	2	1	1	-	3	-	-	-	-	2	-	-	-	-	1	-
	F	5	-	-	-	-	1	1	-	2	1	-	-	7	-	-	-	-	2	2	1	-	-	2	-
8 Cerebro-spinal fever	M	3	-	-	1	-	-	1	-	-	1	-	-	7	1	1	1	1	1	-	1	-	-	-	-
	F	4	1	1	-	2	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-
9 Respiratory tuberculosis	M	187	1	1	-	-	43	43	39	38	16	5	1	75	-	-	-	-	18	25	14	13	5	-	-
	F	163	-	-	-	5	53	32	28	28	10	6	1	80	-	-	1	5	19	32	6	10	4	3	-
10 Other tuberculosis	M	48	4	3	2	9	6	10	7	3	3	1	-	24	-	3	3	4	4	4	1	4	1	-	-
	F	51	5	5	6	5	14	3	5	2	2	3	1	24	1	2	4	7	4	2	2	1	-	1	-
11 Syphilis	M	14	2	-	-	-	1	2	2	2	5	-	-	1	-	-	-	-	-	-	-	-	-	-	1
	F	3	-	-	-	-	1	-	1	1	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-
12 Gen. paralysis of insane, etc.	M	23	-	-	-	-	-	1	3	9	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	2	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 Cancer	M	399	-	1	-	-	1	8	20	59	115	139	56	194	-	-	-	2	2	5	2	29	59	60	35
	F	414	-	-	1	2	1	7	39	63	107	112	82	158	1	-	1	1	2	3	20	24	39	46	21
14 Diabetes	M	37	-	-	1	1	2	3	1	3	7	13	6	15	-	-	-	1	2	-	-	2	2	5	3
	F	68	-	-	-	-	2	-	2	6	19	29	10	30	-	-	-	1	-	-	5	9	14	1	1
15 Cerebral hæmorrhage	M	203	-	-	-	-	-	6	16	44	85	52	113	-	1	-	-	-	-	1	3	21	46	41	33
	F	207	-	-	-	-	1	1	26	41	74	64	106	-	-	-	-	1	-	2	13	15	42	33	33
16 Heart disease	M	887	-	-	-	5	10	14	24	86	187	313	248	420	-	-	1	2	5	9	10	31	76	144	142
	F	799	1	-	1	6	14	16	28	66	164	234	269	457	-	-	2	5	5	14	21	40	78	152	140
17 Aneurysm	M	6	-	1	-	-	-	-	1	1	3	-	-	2	-	-	-	-	-	-	1	1	-	-	-
	F	4	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
18 Other circulatory	M	287	-	-	-	-	1	1	1	9	53	117	105	138	-	-	-	-	-	-	-	6	23	59	50
	F	180	-	-	-	-	-	-	1	5	26	54	94	82	-	-	-	-	-	-	-	2	10	32	38
19 Bronchitis	M	139	30	4	2	1	3	-	4	12	22	27	34	79	21	6	-	1	-	1	-	3	8	16	23
	F	114	16	4	1	1	-	-	-	4	13	35	40	70	23	1	1	-	-	-	-	3	7	13	22
20 Pneumonia	M	272	59	22	10	11	9	16	23	42	32	30	18	140	36	6	9	6	6	5	12	19	21	11	9
	F	172	44	25	13	6	8	7	13	5	15	22	14	84	22	6	7	7	7	5	5	4	6	12	3
21 Other respiratory	M	36	1	-	-	2	2	2	-	6	12	4	7	18	1	2	1	-	-	1	1	3	3	5	1
	F	36	-	1	1	2	1	1	4	4	7	4	11	17	1	-	-	1	1	3	2	-	4	4	1
22 Peptic ulcer	M	40	-	-	-	-	3	5	7	8	11	4	2	22	-	-	-	1	-	5	4	4	5	3	-
	F	6	-	-	-	-	-	-	-	2	2	1	1	5	-	-	-	-	-	-	1	-	3	1	-
23 Diarrhœa	M	52	31	3	2	3	1	-	2	2	3	1	4	21	13	1	2	-	2	1	-	1	-	-	1
	F	44	29	4	1	2	1	2	1	1	-	1	2	20	11	-	1	1	1	-	1	-	-	1	4
24 Appendicitis	M	30	-	-	2	5	8	2	3	5	3	2	-	13	-	1	-	3	2	4	-	2	1	-	-
	F	17	-	-	2	1	2	3	2	2	3	2	-	11	-	-	-	3	1	2	1	2	2	-	-
25 Cirrhosis of liver	M	7	-	-	-	-	-	-	-	3	-	4	-	2	-	-	-	-	-	-	-	1	-	1	-
	F	5	-	-	-	-	-	-	-	1	1	2	1	3	-	-	-	-	-	1	-	-	1	1	-
26 Other liver diseases	M	14	-	-	-	1	1	2	1	1	2	4	2	6	1	-	-	-	-	-	-	1	2	1	1
	F	30	-	-	-	-	2	4	1	5	7	7	4	12	-	-	-	-	-	-	2	-	4	3	3
27 Other digestive	M	68	10	3	3	4	3	1	8	6	8	11	11	22	1	-	-	1	1	-	4	6	2	3	4
	F	56	6	2	2	4	1	2	2	10	9	11	7	28	1	2	1	5	2	1	1	3	5	2	4
28 Nephritis	M	100	-	1	-	3	3	4	6	11	20	33	19	54	-	-	-	-	3	2	7	4	11	17	10
	F	110	1	-	-	3	6	5	13	13	31	20	18	49	-	-	-	1	4	3	5	5	10	14	7
29 Puerperal sepsis	F	12	-	-	-	-	2	6	4	-	-	-	-	3	-	-	-	-	1	1	1	-	-	-	-
30 Other puerperal	F	31	-	-	-	-	8	12	11	-	-	-	-	14	-	-	-	-	4	3	7	-	-	-	-
31 Congenital causes, etc.	M	231	229	-	-	1	1	-	-	-	-	-	-	88	88	-	-	-	-	-	-	-	-	-	-
	F	171	170	1	-	-	-	-	-	-	-	-	-	86	85	-	-	1	-	-	-	-	-	-	-
32 Senility	M	108	-	-	-	-	-	-	-	-	-	-	-	52	-	-	-	-	-	-	-	-	-	6	40
	F	135	-	-	-	-	-	-	-	-	1	23	111	80	-	-	-	-	-	-	-	-	-	13	6
33 Suicide	M	34	-	-	-	-	2	4	6	4	13	3	2	14	-	-	-	-	-	2	3	2	3	3	-
	F	19	-	-	-	-	1	3	6	5	1	3	-	7	-	-	-	-	-	1	1	2	3	-	-
34 Other violence	M	195	2	4	7	18	31	30	19	23	32	16	13	129	1	1	5	10	22	17	23	23	18	3	0
	F	74	1	4	6	7	4	6	1	9	8	11	17	28	3	-	5	3	1	3	3	3	1	3	0
35 Other defined causes	M	278	33	10	8	19	14	21	20	18	45	60	30	140	18	2	3	4	8	6	10	9	23	36	2
	F	229	15	3	7	11	12	22	26	35	47	36	15	114	15	2	2	1	10	11	18	12	23	14	0
36 Ill-defined causes	M	38	-	-	-	-	-	1	-	8	9	10	10	21	-	-	-	2	-	-	1	-	5	9	0
	F	22	2	-	-	-	-	-	3	3	4	5	5	4	-	-	-	-	-	-	-	2	2	-	-

TABLE 24—*contd.* Administrative County of Isle of Ely.

Causes of Death. first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	311	32	3	1	8	9	16	15	16	47	68	96	195	18	5	2	4	4	4	9	16	30	45	58
	F	315	18	4	4	6	6	13	18	22	38	81	105	166	8	2	-	4	1	11	14	12	14	43	57
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping cough	M	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
	F	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	2	-	-	1	1	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	
Influenza	M	6	-	-	-	-	-	-	1	-	-	4	1	5	-	-	-	-	-	-	-	-	3	2	
	F	4	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	1	-	-	
Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-	
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Respiratory tuberculosis	M	14	-	-	-	-	2	7	3	-	2	-	-	7	-	1	-	-	-	2	2	1	1	-	
	F	12	-	-	-	-	1	2	4	2	1	2	-	4	-	-	-	-	4	-	-	-	-	-	
Other tuberculosis	M	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	2	1	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	
Syphilis	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Gen. paralysis of insane, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer	M	35	-	-	-	-	-	-	2	2	9	12	10	24	-	-	-	-	-	1	2	9	5	7	
	F	53	-	-	-	-	-	2	3	6	9	19	14	21	-	-	-	-	-	1	2	2	11	5	

TABLE 24—*contd.* Administrative County of Essex.

Causes of Death. See first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	
	All Causes	M F	5,854 5,613	479 334	56 46	71 52	143 81	182 173	279 226	361 283	595 509	1036 838	1336 1269	1316 1802	1,300 1,189	49 48	13 6	9 10	25 16	25 25	46 36	51 45	87 89	179 130	347 309	4 4
1	Typhoid fever, etc.	M F	2 6	- -	- -	- -	- 1	2 1	- 1	- 1	- 2	- 1	- -	- -	1 1	- -	- -	- -	- -	- 1	- -	- -	- -	1 -	- -	
2	Measles	M F	9 5	- 2	1 2	4 -	3 1	- -	- -	- -	- -	- -	- -	- -	2 3	- -	1 -	- 2	- 1	1 -	- -	- -	- -	- -	- -	
3	Scarlet fever	M F	5 -	- -	- -	1 -	2 -	2 -	- -	- -	- -	- -	- -	- -	1 -	- -	1 -	- -	- -	- -	- -	- -	- -	- -		
4	Whooping cough	M F	11 22	5 13	3 4	3 3	- 2	- -	- -	- -	- -	- -	- -	- -	3 2	- 1	1 -	1 -	1 -	1 1	- -	- -	- -	- -	- -	
5	Diphtheria	M F	34 24	1 1	2 1	8 4	23 15	- -	- 2	- -	- -	- 1	- -	- -	2 -	- -	- -	- -	1 -	- 2	1 1	- -	- -	- -		
6	Influenza	M F	188 194	6 3	- 2	1 3	8 1	5 3	11 9	16 8	31 21	42 35	30 37	38 72	34 54	- 1	- -	- -	1 2	2 -	1 1	1 2	2 6	5 8	10 15	
7	Encephalitis lethargica	M F	4 8	- -	- -	- 2	- -	1 -	1 -	1 -	- 2	- 1	1 3	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
8	Cerebro-spinal fever	M F	3 1	3 -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	2 -	- -	- 1	- -	1 -	- -	- -	- -	- -	- -		
9	Respiratory tuberculosis	M F	393 230	1 2	- 2	- 1	8 1	25 68	68 62	82 37	63 22	40 17	14 16	2 2	39 31	- -	1 -	- -	- 8	3 8	10 8	13 4	6 3	3 4	2 2	
10	Other tuberculosis	M F	55 46	4 7	6 4	7 6	10 6	11 10	4 6	4 2	2 3	3 2	3 -	1 -	10 12	1 -	1 4	1 -	2 1	1 3	3 1	- -	1 -	- 1	1 1	
11	Syphilis	M F	16 6	2 2	- -	- -	1 -	1 -	1 -	3 1	5 3	3 -	3 -	- -	3 3	1 -	- -	- -	1 -	- -	- 1	1 -	- 2	- -		
12	Gen. paralysis of insane, etc.	M F	18 2	- -	- -	- -	1 -	1 -	4 -	3 1	4 -	5 1	- -	- -	6 -	- -	- -	- -	- -	- 1	2 -	2 -	2 -	1 -		
13	Cancer	M F	815 865	- 1	- -	2 1	3 2	5 8	11 55	42 152	103 207	207 239	281 246	161 159	191 185	- -	- -	1 -	- 1	- -	4 13	14 23	47 38	68 59		
14	Diabetes	M F	67 96	- -	- -	- -	1 1	2 4	3 1	8 8	15 16	24 40	14 26	- -	12 25	- -	- -	- -	- 1	- 1	1 1	1 1	4 4	8 14		
15	Cerebral hæmorrhage	M F	286 368	- -	- -	- -	1 -	- 1	4 4	17 29	58 64	109 126	97 144	- -	59 94	- -	- -	- -	- -	- -	- -	1 6	12 11	21 33		
16	Heart disease	M F	1,369 1,466	- -	- -	- -	4 7	23 20	25 30	48 32	123 98	275 193	441 419	430 667	345 308	- -	- -	- -	1 2	1 4	7 2	17 10	38 29	121 100		
17	Aneurysm	M F	25 22	- -	- -	- -	1 2	3 2	5 -	1 5	7 6	7 6	1 1	- -	3 -	- -	- -	- -	- -	- -	- -	1 -	1 -	- -		
18	Other circulatory	M F	221 231	1 -	- -	- -	- 1	- 1	2 4	10 14	43 29	79 69	86 113	- -	84 65	- -	- -	- -	- -	- -	- 3	2 1	10 7	28 17		
19	Bronchitis	M F	213 195	* 8 13	2 2	1 1	- -	3 2	5 1	9 3	16 22	24 43	58 108	87 108	47 34	1 -	- -	- -	- -	- -	- -	2 -	4 -	14 4		
20	Pneumonia	M F	349 263	84 40	23 12	13 10	10 2	4 7	12 8	23 25	33 26	57 30	52 41	38 65	62 51	9 9	4 -	1 -	3 -	- -	6 3	3 1	8 8	12 4	6 11	
21	Other respiratory	M F	72 51	2 1	1 -	2 -	3 1	1 3	9 2	15 2	11 7	12 10	15 21	11 17	- -	- -	- 1	- -	- 1	1 1	3 1	4 1	1 1	4 4		
22	Peptic ulcer	M F	64 25	- -	- -	- -	1 1	9 -	7 2	16 3	20 8	8 8	3 3	16 4	- -	- -	- -	1 -	- -	1 1	- -	4 2	3 -	4 -		
23	Diarrhœa	M F	65 52	50 28	1 3	- 3	- 1	2 3	1 2	2 2	3 2	4 3	1 4	1 4	8 10	4 4	- -	1 -	- 1	- 1	- 1	- -	1 -	- 2		
24	Appendicitis	M F	66 31	- -	2 1	4 5	13 3	5 2	11 2	4 2	9 5	7 6	8 4	3 3	9 5	- -	- 1	- 1	3 1	- 1	- -	- -	1 -	3 1		
25	Cirrhosis of liver	M F	16 9	- -	- -	- 1	- -	- -	2 -	3 -	4 -	6 4	1 3	1 -	2 -	- -	- -	- -	- -	1 -	- -	1 -	- -			
26	Other liver diseases	M F	14 35	- -	- -	- 1	- 2	2 1	1 3	- 5	3 5	4 7	3 12	3 -	4 9	- -	- -	- -	- 1	- -	- 2	2 1	1 1			
27	Other digestive	M F	108 108	6 10	3 2	4 2	2 4	3 5	7 13	4 13	19 20	32 20	14 16	14 16	30 17	1 -	1 -	1 2	2 -	1 2	3 3	2 -	3 -	4 8		
28	Nephritis	M F	147 125	3 -	- -	- 2	2 2	4 -	8 7	5 12	13 12	20 32	30 30	45 28	30 28	- -	- -	- -	- 3	1 3	- 6	2 6	4 6	9 8		
29	Puerperal sepsis	F	18	-	-	-	3	8	7	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-		
30	Other puerperal	F	34	-	-	-	3	22	8	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-		
31	Congenital causes, etc.	M F	271 192	266 183	2 4	2 1	1 2	- 1	- 1	- -	- -	- -	- -	- -	30 27	30 26	- -	- -	- -	- 1	- -	- -	- -	- -		
32	Senility	M F	179 273	- -	- -	- -	- -	- -	- -	- -	- -	- 1	21 33	158 239	75 80	- -	- -	- -	- -	- -	- -	- -	- -	11 8		
33	Suicide	M F	76 41	- -	- -	- -	2 3	12 4	11 9	13 12	28 6	9 7	1 -	21 7	- -	- -	- -	- -	- 4	4 1	4 1	4 3	4 -	3 -		
34	Other violence	M F	280 159	6 9	5 3	4 4	21 6	57 13	40 11	31 8	34 9	31 19	21 20	30 57	62 18	- 1	3 -	2 2	5 2	11 3	9 1	8 1	6 1	5 -		
35	Other defined causes	M F	497 401	31 19	5 4	15 10	28 21	23 18	43 31	41 41	55 55	79 69	93 74	84 59	91 91	2 5	- 2	- 2	6 7	3 2	4 3	6 10	11 17	21 18		
36	Ill-defined causes	M F	6 6	- -	- 1	- -	- -	- -	- -	- -	1 2	- 1	2 1	3 2	5 5	- -	- -	- -	- -	- -	- -	- -	2 -	3 3		

TABLE 24—contd. Administrative County of Gloucester.

Causes of Death. first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	765	40	9	8	13	18	26	33	52	137	236	193	1,503	89	18	8	20	44	55	59	116	219	436	439
	F	875	41	10	11	13	17	22	32	62	110	199	358	1,439	57	10	12	15	17	63	52	110	187	330	586
Typhoid fever, etc.	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	M	3	-	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-
Scarlet fever	M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	-	-
	F	5	1	1	3	-	-	-	-	-	-	-	-	4	1	2	-	1	-	-	-	-	-	-	-
Diphtheria	M	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	2	-	-	-	-	-	-	-	4	-	-	-	1	-	-	-	2	-	-	-
Influenza	M	26	-	-	-	2	1	-	2	4	5	5	7	64	1	2	-	-	3	2	3	7	10	16	20
	F	22	-	-	1	-	-	-	1	1	5	6	8	67	-	1	-	-	2	2	2	8	7	12	35
Encephalitis lethargica	M	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	-	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	1	-	-	1	-	1	-
Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis	M	35	-	-	-	1	5	7	9	6	4	3	-	59	-	-	-	-	7	13	11	19	5	4	-
	F	30	-	-	-	-	8	10	3	4	3	1	1	47	-	-	1	-	7	16	10	4	5	3	1
Other tuberculosis	M	6	1	2	-	-	-	-	2	-	1	-	-	13	-	2	2	1	3	4	1	-	-	-	-
	F	10	4	-	1	1	2	-	1	1	-	-	-	14	-	1	1	1	-	5	2	2	1	1	-
Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Gen. paralysis of insane, etc.	M	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	1	1	1	1	1	1
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	M	91	-	-	-	-	-	3	3	8	19	40	18	182	-	-	-	-	-	3	7	19	33	77	43
	F	125	-	-	-	1	-	2	6	14	24	39	39	201	-	-	-	1	1	4	9	30	51	50	55
Diabetes	M	13	-	-	-	1	-	1	-	-	3	3	5	21	-	-	-	1	-	1	2	7	6	4	-
	F	19	-	-	-	-	1	-	-	-	7	9	2	33	-	-	-	-	-	1	5	10	12	5	-
Cerebral haemorrhage	M	36	-	-	-	-	-	-	1	2	4	16	13	80	-	-	-	-	-	-	1	7	38	34	-
	F	45	-	-	-	-	-	-	-	3	4	15	23	92	-	-	-	-	-	-	1	2	6	27	56
Heart disease	M	220	-	-	-	-	-	2	15	39	79	85	420	420	-	-	-	-	3	2	6	21	76	137	175
	F	222	-	-	-	-	-	2	3	9	29	55	124	407	-	-	1	-	1	5	7	21	36	120	216
Aneurysm	M	3	-	-	1	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
	F	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other circulatory	M	43	-	-	-	-	-	-	-	-	12	23	8	109	-	-	-	-	-	-	1	14	40	53	-
	F	56	-	-	-	-	-	-	-	3	6	18	29	97	-	-	-	-	-	-	-	1	6	28	62
Bronchitis	M	32	-	-	-	-	-	-	-	2	5	16	9	49	2	1	-	-	-	1	1	3	8	16	17
	F	21	1	-	-	-	1	-	-	1	2	3	13	35	-	-	-	1	-	-	-	2	3	29	-
Pneumonia	M	36	9	3	4	-	2	1	3	1	5	4	4	57	12	5	1	-	2	3	5	6	8	9	6
	F	37	3	6	2	-	-	2	-	3	1	7	13	53	6	2	3	-	1	4	6	4	9	7	11
Other respiratory	M	6	-	-	1	-	-	-	1	1	1	2	-	25	-	-	-	-	1	2	2	7	7	4	-
	F	6	-	-	-	1	-	-	-	-	-	2	3	10	-	-	-	-	-	1	-	2	1	2	4
Peptic ulcer	M	12	-	-	-	-	-	2	1	2	2	5	-	20	-	-	-	-	-	1	1	4	6	7	1
	F	10	-	-	-	-	-	-	3	-	1	3	3	11	-	-	-	-	-	2	2	1	4	1	1
Diarrhoea	M	10	5	-	-	-	-	1	-	-	4	-	-	13	6	2	1	2	-	-	-	-	-	-	2
	F	6	3	1	1	-	-	1	-	-	-	-	-	9	2	-	2	-	-	1	-	1	1	1	1
Appendicitis	M	3	-	-	1	-	-	-	-	-	1	-	-	7	-	-	-	1	2	2	-	1	-	-	1
	F	2	-	-	-	-	1	-	-	-	-	1	-	7	-	-	-	-	1	-	2	3	-	-	1
Cirrhosis of liver	M	2	-	-	-	-	-	-	-	-	2	-	-	4	-	-	-	-	-	-	1	2	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Other liver diseases	M	4	-	-	-	-	-	-	1	-	2	1	-	5	-	-	-	-	-	-	1	-	2	2	4
	F	10	-	-	-	-	-	1	1	-	1	5	2	10	-	-	-	-	-	-	1	2	3	-	-
Other digestive	M	10	-	-	-	1	1	1	-	1	3	3	-	20	2	1	-	2	2	3	-	3	1	2	4
	F	16	-	-	-	-	1	1	1	1	4	-	8	29	1	1	-	1	1	-	4	3	7	10	-
Nephritis	M	22	-	-	-	-	-	1	1	1	4	11	4	46	-	-	-	-	1	1	-	7	6	14	17
	F	37	-	-	-	-	-	-	1	7	6	14	9	37	-	-	-	-	-	4	4	10	14	5	-
Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	4	-	-	-	-	-	-
Other puerperal	F	2	-	-	-	-	-	-	2	-	-	-	-	7	-	-	-	-	1	3	3	-	-	-	-
Congenital causes, etc.	M	21	21	-	-	-	-	-	-	-															

Causes of Death. See first page of Table.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	294	14	3	2	5	6	9	17	17	54	83	84	449	30	2	7	7	10	26	18	20	61	127			
	F	284	9	2	4	4	4	10	12	21	29	75	114	441	24	1	2	9	10	21	13	36	48	104			
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-				
	F	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-				
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
5 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
6 Influenza	M	9	-	-	-	-	-	1	-	-	3	3	2	23	-	-	2	-	-	6	1	3	4				
	F	12	-	-	1	-	-	-	2	-	3	3	3	20	-	-	1	-	-	2	1	1	1				
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
9 Respiratory tuberculosis	M	14	-	-	-	1	1	4	3	2	2	1	-	18	-	-	-	-	4	7	2	3	2				
	F	10	-	-	-	-	1	4	1	3	1	-	-	14	-	-	-	1	2	4	1	3	2				
10 Other tuberculosis	M	2	-	1	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	2	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	1	3	-	-	-				
11 Syphilis	M	3	1	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	1	-	-				
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-				
12 Gen. paralysis of insane, etc.	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
13 Cancer	M	44	-	-	-	1	-	-	1	3	12	12	15	59	-	-	-	-	-	-	3	4	18				
	F	40	-	-	-	-	-	-	1	2	9	17	11	53	-	-	-	-	-	-	3	10	11				
14 Diabetes	M	5	-	-	-	-	-	-	-	-	1	4	-	6	-	-	-	-	-	1	-	-	1				
	F	6	-	-	-	-	-	-	-	-	-	4	2	9	-	-	-	-	-	-	1	-	1				
15 Cerebral hæmorrhage	M	21	-	-	-	-	-	-	-	1	6	6	8	17	-	-	-	-	-	-	-	-	4				
	F	24	-	-	-	-	-	-	-	-	3	7	14	32	-	-	-	-	-	-	-	4	6				
16 Heart disease	M	69	-	-	-	-	-	2	2	5	14	25	21	118	-	-	-	-	1	-	1	2	13				
	F	72	-	-	-	-	-	2	2	5	5	24	34	138	-	-	-	-	1	2	1	9	15				
17 Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-				
18 Other circulatory	M	19	-	-	-	-	-	-	-	-	4	7	8	17	-	-	-	-	-	-	-	-	1				
	F	19	-	-	-	-	-	-	-	-	1	6	12	17	-	-	-	-	-	-	-	2	1				
19 Bronchitis	M	10	-	1	-	-	-	-	-	1	1	3	4	11	3	-	-	-	-	-	-	-	-				
	F	3	-	-	-	-	-	-	-	-	-	2	1	15	2	-	-	-	-	-	-	-	1				
20 Pneumonia	M	22	3	1	1	-	1	-	2	2	3	2	7	18	3	1	-	-	-	1	-	3	3				
	F	13	1	2	1	-	-	1	1	2	-	-	5	20	2	-	1	-	1	-	2	-	3				
21 Other respiratory	M	4	-	-	-	1	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-				
	F	1	-	-	-	-	-	-	-	-	-	-	1	6	-	1	-	-	-	1	-	1					
22 Peptic ulcer	M	5	-	-	-	-	-	-	2	-	1	2	-	6	-	-	-	-	-	1	-	3	1				
	F	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	1	-				
23 Diarrhoea	M	1	-	-	-	-	-	-	-	-	-	-	1	4	3	-	-	-	-	-	-	-	1				
	F	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-				
24 Appendicitis	M	4	-	-	-	-	1	-	2	-	-	-	1	6	-	-	1	-	-	2	2	-	-				
	F	1	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-				
25 Cirrhosis of liver	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	1	-	-				
	F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-				
26 Other liver diseases	M	1	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-				
	F	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	1	-	-	-				
27 Other digestive	M	3	-	-	-	-	-	-	-	-	-	2	1	10	1	-	-	-	-	1	-	2	4				
	F	4	-	-	-	-	-	-	-	-	1	1	2	6	-	-	-	-	-	-	1	-	3				
28 Nephritis	M	8	-	-	-	-	-	-	1	-	1	5	1	19	-	-	1	-	-	-	1	1	1				
	F	14	-	-	-	-	-	1	1	2	2	-	8	5	-	-	-	-	-	-	1	2	1				
29 Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-				
30 Other puerperal	F	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	4	-	-	-	-				
31 Congenital causes, etc.	M	8	8	-	-	-	-	-	-	-	-	-	-	19	18	-	-	-	1	-	-	-	-				
	F	8	8	-	-	-	-	-	-	-	-	-	-	20	19	-	-	1	-	-	-	-	-				
32 Senility	M	7	-	-	-	-	-	-	-	-	-	-	-	13	-	-	-	-	-	-	-	-	1				
	F	10	-	-	-	-	-	-	-	-	-	-	10	18	-	-	-	-	-	-	-	-	1				
33 Suicide	M	3	-	-	-	-	-	-	-	1	1	-	1	6	-	-	-	-	-	1	1	-	1				
	F	2	-	-	-	-	-	-	1	1	-	-	-	3	-	-	-	-	2	1	-	-	2				
34 Other violence	M	11	2	-	-	1	2	1	3	-	-	1	1	25	1	-	1	3	3	2	1	1	3				
	F	4	-	-	-	1	-	-	-																		

TABLE 24—*contd.* Administrative County of Hertford

Causes of Death. See first page of Table.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	1,733	129	10	13	27	65	66	99	149	303	407	465	652	38	5	2	10	17	22	36	51	95	171	205		
	F	1,813	71	13	16	21	41	55	81	144	268	437	666	624	25	3	2	13	12	30	34	52	83	145	225		
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Measles	M	3	2	1	-	-	-	-	-	-	-	-	-	3	-	-	1	1	-	1	-	-	-	-			
	F	2	-	-	-	1	1	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-			
Scarlet fever	M	2	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-			
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Whooping cough	M	3	1	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-			
	F	4	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Diphtheria	M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Influenza	M	61	1	-	-	-	4	2	7	8	15	11	13	20	1	-	-	1	-	4	3	6	3	2			
	F	80	2	1	1	1	2	1	4	9	16	16	27	31	1	1	-	-	1	4	3	5	8	8			
Encephalitis lethargica	M	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	1	1	-	-	-	-			
	F	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-			
Respiratory tuberculosis	M	78	-	-	-	-	8	16	18	13	15	5	3	29	-	-	-	-	3	8	6	3	5	2			
	F	62	-	-	-	-	12	18	15	6	8	2	1	12	-	-	-	-	2	5	-	2	1	1			
Other tuberculosis	M	14	3	2	2	4	1	-	1	-	-	-	1	7	1	-	-	1	2	2	-	-	1	-			
	F	10	-	-	2	2	3	1	2	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-			
Syphilis	M	4	-	-	-	-	-	-	1	-	2	1	-	1	-	-	-	-	-	-	1	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-			
Gen. paralysis of insane, etc.	M	7	-	-	-	-	-	-	-	-	5	2	-	3	-	-	-	-	-	-	-	2	1	-			
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-			
Cancer	M	233	-	-	-	-	3	4	7	29	51	84	55	99	-	-	-	1	1	2	4	5	21	40			
	F	307	-	-	1	1	-	7	23	39	70	84	82	89	-	-	-	-	2	3	9	8	17	26			
Diabetes	M	25	-	-	-	-	-	-	-	2	5	10	8	4	-	-	-	-	-	-	-	-	2	2			
	F	30	-	-	-	-	1	-	2	-	7	11	9	9	-	-	-	-	-	-	-	2	3	4			
Cerebral hæmorrhage	M	77	-	-	-	-	-	-	1	7	14	25	30	31	-	-	-	-	-	-	1	6	10	14			
	F	98	-	-	-	-	-	-	-	9	18	31	40	52	-	-	-	-	-	3	7	6	14	22			
Heart disease	M	440	-	-	-	-	3	5	13	29	80	128	182	166	-	-	-	1	-	3	3	12	24	54			
	F	518	-	-	-	3	2	4	8	27	51	158	265	159	-	-	-	1	-	1	3	13	18	56			
Aneurysm	M	12	-	-	-	-	-	1	3	1	3	3	1	2	-	-	-	-	-	-	1	-	-	1			
	F	6	-	-	-	1	-	-	-	-	1	4	-	2	-	-	-	-	1	-	-	-	1	1			
Other circulatory	M	90	-	-	-	-	-	-	1	6	19	24	40	47	-	-	-	-	-	-	1	8	15	23			
	F	109	-	-	-	-	-	-	2	5	16	28	58	35	-	-	-	-	-	1	1	2	11	20			
Bronchitis	M	51	1	-	-	1	1	-	3	4	10	14	17	15	3	-	-	-	-	-	-	1	1	10			
	F	54	2	-	-	-	-	1	3	1	4	13	30	21	-	-	-	1	-	-	1	2	2	15			
Pneumonia	M	100	20	1	1	1	2	5	6	12	21	17	14	27	2	-	1	1	1	2	2	4	4	4			
	F	78	4	3	3	2	1	2	2	7	11	20	23	20	3	-	1	1	-	2	-	3	2	4			
Other respiratory	M	15	-	-	1	1	-	1	2	-	4	3	3	2	-	-	-	-	-	-	1	1	-	-			
	F	10	-	1	1	-	-	-	-	-	2	-	6	7	-	-	-	-	-	-	-	2	1	4			
Peptic ulcer	M	27	-	-	-	-	-	3	2	4	15	-	3	8	-	-	-	-	1	-	3	2	1	1			
	F	14	-	-	-	-	-	-	-	2	3	5	4	3	-	-	-	-	-	1	1	-	-	1			
Diarrhœa	M	19	14	1	-	-	1	-	-	-	1	1	1	6	2	-	-	-	1	-	-	-	1	1			
	F	11	5	-	-	-	-	-	2	1	2	-	1	2	-	-	-	1	-	-	-	-	-	1			
Appendicitis	M	12	-	-	-	3	1	-	1	1	4	2	-	1	-	-	-	1	-	-	-	-	-	-			
	F	7	-	-	-	1	2	1	-	1	-	2	-	2	-	-	-	1	-	-	-	1	-	-			
Cirrhosis of liver	M	6	-	-	-	-	-	-	-	-	3	1	2	5	-	-	-	-	-	-	-	3	1	1			
	F	5	-	-	1	-	-	-	-	1	1	1	1	3	-	-	-	-	-	-	1	1	-	1			
Other liver diseases	M	2	-	-	-	-	-	-	-	1	-	-	1	4	-	-	-	-	-	-	-	1	2	1			
	F	10	-	-	-	-	-	-	-	-	5	5	-	7	-	-	-	-	1	-	-	2	-	4			
Other digestive	M	29	2	1	-	-	2	5	4	2	4	6	3	7	-	-	-	1	-	1	-	-	4	1			
	F	34	-	1	-	-	1	3	3	3	8	7	8	8	-	-	-	-	1	1	-	2	1	3			
Nephritis	M	41	-	-	-	-	2	2	5	3	9	9	11	18	-	-	-	1	-	-	3	1	5	8			
	F	40	-	-	-	1	-	-	2	7	6	10	14	29	-	-	-	2	-	3	5	6	4	9			
Puerperal sepsis	F	2	-	-	-	-	-	1	1	-	-	-	-	3	-	-	-	-	2	1	-	-	-	-			
Other puerperal	F	4	-	-	-	-	2	2	-	-	-	-	-	8	-	-	-	-	7	1	-	-	-	-			
Congenital causes, etc.	M	71	70	-	1	-	-	-	-	-	-	-	-	26	24	1	-	-	-	1	-	-	-	-			
	F	52	50	1	-	-	-	-	1	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-			
Senility	M	28	-	-	-	-	-	-	-	-	-	-	3	16	-	-	-	-	-	-	-	-	4	12			
	F	64	-	-	-	-	-	-	-	-	-	-	6	17	-	-	-	-	-	-	-	1	1	15			
Suicide	M	30	-	-	-	1	6	2	2	8	5	5	1	6	-	-	-	-	-	2	-	2	1	1			
	F	16	-	-	-	-	1	5	3	2	3	2	-	8	-	-	-	-	2	1	3	1	-	1			
Other violence	M	84	6	1	1	7	16	12	7	10	2	13	9	33	2	2	-	2	6	1	7	6	2	5			
	F	55	2	2	3	5	7	4	1	3	3	6	19	12	-	-	1	-	1	2	1	1	1	5			
Other defined causes	M	163	9	2	4	8	15	8	15	9	16	36	41	60	2	1	-	-	1	1	5	6	6	21			
	F	117	6	2	2	1	6	4	8	20	28	24	16	55	1	1	-	5	4	5	5	2	10	11			
Ill-defined causes	M	4	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-	-	-	1			
	F	9	-	-	-	-	-	-	-	1	3	2	3	5	-	-	-	-	-	-	-	-	-	-			

Causes of Death. See first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	168	9	-	5	3	4	7	9	16	28	50	37	223	14	3	-	4	6	5	10	12	39	64	
	F	176	11	3	1	4	2	4	11	18	21	29	72	189	5	-	1	3	4	5	9	13	24	48	
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
5 Diphtheria	M	1	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-		
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6 Influenza	M	5	-	-	-	-	-	-	-	2	2	-	1	5	1	-	-	-	-	1	1	-	1		
	F	7	-	1	-	-	-	-	-	1	1	2	2	7	-	-	-	1	-	-	-	1	3		
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-		
9 Respiratory tuberculosis	M	8	-	-	-	-	1	1	3	-	1	1	1	9	-	-	-	1	3	2	1	2	-		
	F	5	1	-	-	-	-	-	2	2	-	-	-	5	-	-	-	2	2	-	1	-	-		
10 Other tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-		
	F	2	-	-	-	-	-	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-		
11 Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
12 Gen. paralysis of insane, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13 Cancer	M	21	-	-	1	-	-	-	-	-	7	8	5	34	-	-	-	-	-	-	1	2	6	19	
	F	27	-	-	-	-	-	-	2	5	7	5	8	24	-	-	-	-	-	2	3	7	6		
14 Diabetes	M	2	-	-	-	-	-	1	-	-	1	-	-	3	-	-	-	-	1	-	-	-	-		
	F	2	-	-	-	-	-	-	1	-	-	1	-	5	-	-	-	-	-	-	-	1	2		
15 Cerebral hæmorrhage	M	6	-	-	-	-	-	-	-	1	1	2	2	4	-	-	-	-	-	-	-	1	1		
	F	8	-	-	-	-	-	-	1	2	2	1	4	15	-	-	-	-	-	-	-	1	7		
16 Heart disease	M	39	-	-	-	-	-	-	2	5	5	19	8	51	-	-	-	-	-	1	1	10	16		
	F	39	-	-	-	-	-	-	1	3	4	9	22	39	-	-	-	-	-	-	3	4	11		
17 Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
18 Other circulatory	M	13	-	-	-	-	-	-	-	-	-	4	9	14	-	-	-	-	-	-	-	2	2		
	F	9	-	-	-	-	-	-	-	-	-	1	8	18	-	-	-	-	-	-	1	2	5		
19 Bronchitis	M	3	-	-	-	-	-	-	-	-	-	3	-	8	-	1	-	-	-	-	-	1	2		
	F	6	-	-	-	-	-	-	-	-	-	1	5	7	-	-	-	-	-	-	1	-	-		
20 Pneumonia	M	8	3	-	-	-	1	1	-	-	2	1	-	9	1	-	-	-	-	-	1	3	2		
	F	8	-	1	-	-	-	-	-	1	1	1	4	14	2	-	-	-	1	1	1	1	5		
21 Other respiratory	M	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	1		
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	1	-	-	-		
22 Peptic ulcer	M	4	-	-	-	-	-	-	2	-	1	1	-	3	-	-	-	-	-	-	1	-	2		
	F	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-		
23 Diarrhœa	M	4	1	-	1	-	-	1	-	-	1	-	-	3	1	1	-	-	-	1	-	-	-		
	F	2	1	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	1	-	1		
24 Appendicitis	M	3	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-		
	F	2	-	-	-	1	-	-	-	-	1	-	-	2	-	-	1	-	-	-	1	-	-		
25 Cirrhosis of liver	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
26 Other liver diseases	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
	F	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
27 Other digestive	M	4	-	-	-	-	-	1	-	-	1	2	-	5	-	-	-	-	-	-	-	1	3		
	F	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-		
28 Nephritis	M	3	-	-	-	-	1	-	-	1	-	1	-	10	1	-	1	-	-	-	-	2	3		
	F	3	-	-	-	-	-	-	-	1	1	-	1	5	-	-	-	-	-	-	1	2	2		
29 Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-		
30 Other puerperal	F	2	-	-	-	-	-	1	1	-	-	-	-	3	-	-	-	-	-	3	-	-	-		
31 Congenital causes, etc.	M	4	4	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-		
	F	8	8	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-		
32 Senility	M	8	-	-	-	-	-	-	-	-	-	1	7	3	-	-	-	-	-	-	-	-	1		
	F	9	-	-	-	-	-	-	-	-	-	-	9	13	-	-	-	-	-	-	-	-	1		
33 Suicide	M	4	-	-	-	-	-	1	2	1	-	-	-	3	-	-	-	-	-	-	-	2	1		
	F	3	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
34 Other violence	M	11	-	-	1	1	-	2	-	1	3	1	2	14	-	-	1	1	1	1	-	3	2		
	F	5	1	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-		
35 Other defined causes	M	14	1	-	1	1	1	-	4	1	3	2	2	21	-	1	-	-	-	-	4	4	7		
	F	16	-	-	-	2	1	1	2	2	4	3	3	18	-	-	1	1	1	-	1	3	4		
36 Ill-defined causes	M	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	1		
	F	3	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	1		

TABLE 24—contd. Administrative County of Kent.

Causes of Death. See first page of Table.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M F	6,089 6,017	467 318	56 47	65 56	99 90	181 152	229 221	346 294	589 468	1083 803	1401 1438	1573 2130	1,758 1,575	107 79	16 11	7 8	42 15	56 32	49 58	89 85	136 118	260 220	442 359	554 590		
1 Typhoid fever, etc.	M F	1 4	- -	- -	- -	- 1	- -	- 1	- 1	- -	1 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
2 Measles	M F	1 1	1 -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
3 Scarlet fever	M F	9 3	- -	1 -	1 1	7 1	- -	- -	- 1	- -	- -	- -	- -	- 3	- 1	- -	- -	- 1	- 1	- -	- -	- -	- -	- -	- -		
4 Whooping cough	M F	14 21	7 9	4 6	2 5	1 1	- -	- -	- -	- -	- -	- -	- -	6 4	4 1	1 2	- 1	1 -	- -	- -	- -	- -	- -	- -	- -		
5 Diphtheria	M F	18 18	1 -	1 1	6 5	9 11	1 -	- 1	- -	- -	- -	- -	- -	3 1	- -	- 1	1 -	2 -	- -	- -	- -	- -	- -	- -	- -		
6 Influenza	M F	190 232	5 1	3 -	3 -	2 3	3 6	11 7	15 16	29 27	44 38	27 52	48 82	56 54	3 2	1 -	1 1	1 1	2 1	2 4	3 3	2 -	15 8	8 11	18 23		
7 Encephalitis lethargica	M F	5 3	- -	- -	- -	- 1	1 -	- -	- -	- 1	1 1	2 1	- -	2 3	- -	- -	- -	- 1	- -	- -	- 2	- 1	1 -	- -	- -		
8 Cerebro-spinal fever	M F	4 2	- 1	1 -	1 -	- -	2 -	- -	- 1	- -	- -	- -	- -	2 -	- -	2 -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
9 Respiratory tuberculosis	M F	339 249	- -	- 1	3 1	1 8	43 53	71 61	87 53	67 41	50 16	15 12	2 3	87 56	- -	- 1	- -	- -	8 11	11 17	32 12	15 8	12 4	8 2	1 1		
10 Other tuberculosis	M F	57 62	6 2	2 10	10 9	9 14	15 2	2 7	4 4	4 5	2 1	2 5	1 3	19 6	- -	2 -	- -	5 1	3 -	2 2	1 -	3 2	2 1	- -	- -		
11 Syphilis	M F	11 16	1 3	- -	- -	- -	2 2	1 1	2 2	- 2	4 5	1 1	- -	3 6	1 -	- -	- -	- -	- -	- 2	1 -	1 4	- -	- -	- -		
12 Gen. paralysis of insane, etc.	M F	28 10	- -	- -	- -	- -	1 -	1 -	1 3	6 2	10 4	5 1	4 -	7 1	- -	- -	- -	- -	- -	2 -	1 -	2 -	2 1	- -	- -		
13 Cancer	M F	809 852	- 1	- -	1 -	5 1	3 5	10 12	36 38	94 132	214 206	282 258	164 199	242 243	- -	- -	- -	2 2	- 4	3 12	6 38	19 57	59 75	89 75	64 55		
14 Diabetes	M F	58 101	- -	- -	- -	- 1	- -	- 1	3 6	4 9	16 22	19 34	16 28	18 24	- -	- -	- -	1 -	1 -	- -	- -	1 6	- 10	5 8	- -		
15 Cerebral hæmorrhage	M F	263 362	- -	- -	- -	- -	- 1	- 5	- 18	24 57	53 124	94 157	87 157	72 91	- -	- -	- -	- -	- 1	- 6	4 21	11 61	20 148	37 201			
16 Heart disease	M F	1,502 1,683	- -	1 -	1 -	2 3	9 21	18 24	39 39	97 51	282 217	461 471	592 857	440 447	- -	- -	- -	2 3	2 2	1 8	4 14	21 22	61 43	148 107	201 248		
17 Aneurysm	M F	34 15	- -	- -	- -	- -	1 -	3 1	4 2	11 2	9 4	6 5	5 1	5 3	- -	- -	- -	1 -	- -	2 -	- -	2 -	- 2	- 1	- -		
18 Other circulatory	M F	325 323	- -	- -	- -	- 1	- -	1 2	19 1	56 20	111 38	138 108	100 153	100 83	- -	- -	- -	- -	- -	2 -	4 3	9 14	25 28	60 38	- -		
19 Bronchitis	M F	215 182	9 8	2 2	1 2	1 3	1 6	1 9	3 1	18 8	32 13	46 34	101 111	37 57	2 2	- -	- 2	- -	- -	- -	5 -	4 4	5 10	21 39	- -		
20 Pneumonia	M F	350 277	70 51	20 12	10 14	6 4	13 4	9 14	26 22	41 19	48 20	59 49	94 68	94 79	11 6	8 2	1 -	4 1	- 2	1 4	3 10	12 8	19 6	25 20	- -		
21 Other respiratory	M F	66 50	- 2	- -	2 -	3 1	1 2	6 2	6 2	9 3	16 10	11 7	12 21	14 12	- -	- -	- -	- -	2 3	- 2	1 -	3 -	3 3	2 2	3 2		
22 Peptic ulcer	M F	114 35	- -	- -	- -	- 1	- 5	- 14	- 22	- 36	- 28	- 8	- 5	35 9	- -	- -	- -	- 1	- 1	- 4	- 9	- 12	- 5	- 3	- 2		
23 Diarrhoea	M F	74 58	51 31	9 5	1 1	1 1	2 4	2 1	2 2	2 1	2 2	- 2	3 8	14 14	9 6	- 1	- -	- 1	- 1	- 1	- 1	- 1	2 2	1 4	- -		
24 Appendicitis	M F	56 27	- -	- 1	1 1	6 2	6 -	6 3	7 3	7 5	13 5	9 5	1 2	11 4	- -	- -	- -	1 1	1 1	1 1	1 -	2 2	4 -	- -	- -		
25 Cirrhosis of liver	M F	16 12	- -	- -	- -	- -	- -	- 1	- -	3 -	4 5	6 5	3 1	11 1	- -	- -	- -	- -	1 -	2 -	1 -	2 1	4 -	1 -	- -		
26 Other liver diseases	M F	11 38	- 1	- -	- -	- -	- -	- 3	- -	1 3	2 5	5 17	3 9	1 12	- -	- -	- -	- 1	- 1	- 2	- 2	- 1	1 2	- 3	- -		
27 Other digestive	M F	118 113	17 5	3 1	4 4	4 5	5 8	6 7	7 11	21 17	12 17	20 22	19 28	27 34	- 2	- -	- -	- 2	3 1	2 -	2 2	2 7	3 7	12 7	3 6		
28 Nephritis	M F	131 174	- 1	- -	1 3	4 4	5 7	2 10	9 4	21 20	29 30	28 46	32 53	50 52	- -	- -	- -	1 1	- 2	2 3	6 1	8 10	14 17	19 18	- -		
29 Puerperal sepsis	F	15	-	-	-	-	4	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
30 Other puerperal	F	34	-	-	-	-	9	13	12	-	-	-	-	6	-	-	-	-	4	2	-	-	-	-	-		
31 Congenital causes, etc.	M F	258 171	253 165	2 1	1 2	- 2	2 1	- -	- -	- -	- -	- -	- -	72 55	71 53	- 2	- -	- -	1 -	- -	- -	- -	- -	- -	- -		
32 Senility	M F	129 245	- -	- -	- -	- -	- -	- -	- -	- -	- -	14 25	115 220	47 54	- -	- -	- -	- -	- -	- -	- -	- -	10 1	37 53	- -		
33 Suicide	M F	86 41	- -	- -	- -	- -	4 1	11 5	13 6	20 14	19 6	14 9	5 -	24 4	- -	- -	- -	- 2	4 1	1 2	6 -	4 -	4 -	3 1	- -		
34 Other violence	M F	265 146	13 14	1 4	7 4	14 8	48 10	37 4	32 9	21 12	40 11	28 20	24 50	113 38	3 1	1 -	3 1	15 2	25 3	13 1	10 1	9 2	15 4	10 6	9 17		
35 Other defined causes	M F	526 437	33 23	6 2	9 7	24 16	13 19	28 31	32 43	55 58	85 62	114 108	127 68	142 118	3 5	- 3	1 2	6 3	4 6	4 8	13 12	15 19	20 15	36 25	40 20		
36 Ill-defined causes	M F	6 5	- -	- -	- -	- -	- -	- -	- -	- -	1 -	2 2	3 3	4 1	- -	1 -	- -	- -	- -	- -	- -	- -	- -	1 -	2 -		

Causes of Death. See first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	11037	846	124	131	193	313	416	623	1184	2248	2978	1981	1,514	98	12	21	26	43	62	84	159	265	392	352
	F	10748	591	88	129	155	305	422	599	1004	1846	2839	2765	1,431	78	14	14	17	45	55	70	129	215	378	416
1 Typhoid fever, etc.	M	4	—	—	—	1	1	1	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
2 Measles	M	18	4	8	4	2	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	
	F	5	3	1	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	
3 Scarlet fever	M	9	—	2	4	2	—	—	1	—	—	—	—	2	—	—	2	—	—	—	—	—	—	—	
	F	5	—	—	1	3	—	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	
4 Whooping cough	M	35	18	11	5	1	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	
	F	28	15	8	4	1	—	—	—	—	—	—	—	5	1	2	2	—	—	—	—	—	—	—	
5 Diphtheria	M	65	—	3	17	43	2	—	—	—	—	—	—	8	—	—	4	3	—	—	—	1	—	—	
	F	74	1	1	29	38	2	2	—	—	1	—	—	6	—	1	2	3	—	—	—	—	—	—	
6 Influenza	M	434	8	5	2	7	16	18	37	73	111	95	62	71	—	—	—	2	3	6	6	5	14	19	
	F	441	3	2	1	6	15	19	31	58	103	112	91	72	1	—	—	1	—	6	5	7	9	24	
7 Encephalitis lethargica	M	36	—	1	—	1	3	6	9	9	4	3	—	3	—	—	—	—	2	—	1	—	—	—	
	F	28	—	—	—	1	2	3	7	6	6	3	—	4	—	—	—	1	—	—	1	—	1	—	
8 Cerebro-spinal fever	M	22	5	1	3	5	3	2	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	20	8	3	—	3	3	2	—	1	—	—	—	3	—	—	2	1	—	—	—	—	—	—	
9 Respiratory tuberculosis	M	455	1	—	1	1	65	91	84	108	81	18	5	42	—	—	—	—	7	7	8	13	6	1	—
	F	327	—	1	—	7	91	94	62	35	22	14	1	41	—	—	—	—	12	11	7	7	1	3	—
10 Other tuberculosis	M	84	2	9	14	9	11	18	10	4	5	2	—	18	—	1	4	3	2	2	4	1	1	—	—
	F	84	4	6	7	15	22	12	7	1	5	3	2	12	1	3	1	2	1	2	—	1	1	—	
11 Syphilis	M	17	—	—	—	—	—	1	2	6	7	1	—	4	1	—	—	1	—	—	—	—	2	—	—
	F	18	1	—	—	—	—	—	2	4	6	4	1	—	—	—	—	—	—	—	—	—	—	—	
12 Gen. paralysis of insane, etc.	M	39	—	—	—	—	—	1	11	9	13	5	—	5	—	—	—	—	—	—	2	2	—	1	
	F	21	—	—	—	—	—	—	5	10	4	2	—	2	—	—	—	—	—	—	2	—	—	—	
13 Cancer	M	1,251	—	—	1	—	4	14	61	157	390	466	158	160	—	—	—	—	2	4	9	23	44	53	25
	F	1,352	1	—	1	—	5	26	94	238	390	422	175	197	—	—	—	—	4	4	15	30	49	62	33
14 Diabetes	M	121	—	—	—	2	2	3	8	10	29	48	19	28	—	—	—	—	—	1	—	1	7	14	5
	F	191	—	—	—	1	6	—	2	12	61	78	31	30	—	—	—	2	—	—	—	2	7	11	8
15 Cerebral hæmorrhage	M	618	—	1	—	—	—	3	11	42	153	258	150	83	—	—	—	—	2	—	7	19	32	23	
	F	726	—	—	—	—	1	4	15	66	162	266	212	98	—	—	—	—	—	1	12	19	35	31	
16 Heart disease	M	2,661	—	—	1	11	28	33	88	233	613	974	680	365	—	—	—	3	2	5	10	32	73	131	109
	F	2,810	—	—	2	8	31	57	105	220	474	927	986	381	—	—	—	—	2	1	10	23	55	126	164
17 Aneurysm	M	25	—	—	—	—	—	1	3	9	3	6	3	5	—	—	—	—	—	—	1	1	1	1	1
	F	6	—	—	—	—	—	—	3	1	1	1	—	2	—	—	—	—	—	—	2	—	—	—	
18 Other circulatory	M	602	1	—	—	—	—	1	1	27	117	251	204	95	—	—	—	—	—	—	3	14	36	42	
	F	567	—	—	1	1	—	4	7	25	92	198	239	75	—	—	—	—	1	—	1	2	12	25	34
19 Bronchitis	M	433	27	5	2	5	2	5	18	43	83	128	115	36	5	—	—	—	—	—	3	5	7	16	
	F	452	20	1	5	1	6	3	12	17	60	125	202	41	3	—	—	1	—	—	4	5	12	15	
20 Pneumonia	M	727	153	38	28	16	23	34	72	114	132	74	43	91	10	4	2	3	—	6	3	16	21	13	13
	F	457	65	32	29	11	13	18	38	44	70	78	59	59	7	2	3	—	3	2	5	5	7	16	9
21 Other respiratory	M	126	1	—	3	5	4	10	5	25	27	26	20	14	1	—	1	—	—	—	2	2	3	2	3
	F	79	—	2	1	—	3	9	8	11	14	20	11	12	1	—	—	—	—	—	—	5	5	1	
22 Peptic ulcer	M	136	—	—	—	—	6	10	14	39	35	25	7	20	—	—	—	—	1	—	6	7	2	1	3
	F	40	—	—	—	—	—	2	6	5	15	10	2	8	—	—	—	—	—	—	1	3	3	1	
23 Diarrhœa	M	88	56	7	3	—	—	3	4	3	4	5	3	9	7	—	1	—	—	—	—	—	—	—	
	F	69	24	7	2	1	6	3	6	5	3	8	4	8	2	2	—	—	—	—	—	—	2	—	
24 Appendicitis	M	56	—	—	5	7	8	6	8	6	11	5	—	11	—	—	1	1	1	1	1	4	—	2	—
	F	55	—	—	3	8	6	5	5	10	5	10	3	8	—	—	—	1	1	1	1	2	1	—	
25 Cirrhosis of liver	M	34	—	—	—	—	1	2	1	6	13	9	2	2	—	—	—	—	—	—	1	—	—	1	—
	F	18	—	—	—	—	—	—	1	6	8	2	1	—	—	—	—	—	—	—	—	—	—	—	
26 Other liver diseases	M	31	—	—	1	1	—	—	1	5	6	10	7	11	—	—	—	—	—	2	1	—	5	3	
	F	86	—	—	—	—	1	3	5	7	19	32	19	17	—	—	—	1	—	1	3	2	6	4	
27 Other digestive	M	188	15	5	5	7	11	6	25	27	35	33	19	16	3	—	—								

TABLE 24—*contd.* Administrative County of Leicester.

Causes of Death. <i>See first page of Table.</i>		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	837	49	10	13	20	27	32	45	83	143	204	211	953	68	5	10	17	31	45	58	71	146	218	284
	F	815	54	9	13	12	25	28	47	81	123	180	243	972	49	6	11	15	27	37	62	79	150	219	317
1 Typhoid fever, etc.	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Measles	M	3	-	1	1	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	2	-	1	1	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-
3 Scarlet fever	M	1	-	-	-	-	1	-	-	-	-	-	-	5	1	-	1	2	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-
	F	3	2	1	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
5 Diphtheria	M	4	-	1	2	-	1	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-
	F	2	-	-	2	-	-	-	-	-	-	-	-	6	-	1	1	1	-	-	2	-	-	1	-
6 Influenza	M	38	1	-	1	-	2	3	3	2	13	8	5	56	2	-	2	-	1	4	7	9	7	12	12
	F	36	-	-	-	1	2	1	4	3	8	10	7	43	1	-	1	-	1	-	3	5	10	8	14
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
8 Cerebro-spinal fever	M	2	-	-	1	-	-	-	-	-	1	-	-	2	-	-	-	-	1	-	-	1	-	-	-
	F	4	1	-	1	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
9 Respiratory tuberculosis	M	50	-	-	-	-	8	7	14	11	5	4	1	46	-	-	-	-	10	11	11	6	5	3	-
	F	32	-	-	-	1	10	9	5	6	1	-	-	34	-	-	-	1	11	11	7	1	3	-	-
10 Other tuberculosis	M	8	3	-	1	1	2	-	-	1	-	-	-	8	-	-	-	2	2	1	2	-	-	1	-
	F	10	1	2	-	-	3	2	1	-	1	-	-	14	3	1	-	2	2	3	2	1	-	-	-
11 Syphilis	M	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 Gen. paralysis of insane, etc.	M	3	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 Cancer	M	109	-	-	-	-	-	2	5	11	38	32	21	115	-	-	-	-	-	4	4	10	30	43	24
	F	136	-	-	-	-	-	1	9	19	37	41	29	156	-	-	-	-	-	3	15	26	40	41	31
14 Diabetes	M	9	-	-	-	-	-	1	1	-	2	4	1	12	-	-	-	-	-	-	1	2	-	3	6
	F	13	-	-	-	-	-	-	1	1	2	5	4	19	-	-	-	1	-	-	1	-	2	11	4
15 Cerebral hæmorrhage	M	41	-	-	-	-	-	-	-	4	6	16	15	50	-	-	-	-	1	-	1	2	9	14	23
	F	70	-	-	-	-	-	-	1	6	10	22	31	73	-	-	-	-	1	-	1	5	15	25	26
16 Heart disease	M	183	-	-	-	1	2	3	5	12	30	70	60	212	-	-	1	2	2	6	7	13	26	68	87
	F	173	-	-	-	2	2	3	7	16	21	58	64	210	-	-	-	-	3	2	6	13	35	64	87
17 Aneurysm	M	3	-	-	-	-	-	-	-	2	-	1	-	2	-	-	-	-	-	-	-	2	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	1
18 Other circulatory	M	30	-	-	-	-	-	-	-	1	10	10	9	50	-	-	-	-	-	-	-	1	8	14	27
	F	32	-	-	-	-	-	-	-	3	4	10	15	66	-	-	-	-	1	-	-	1	9	17	38
19 Bronchitis	M	34	4	-	1	-	1	-	-	1	4	10	13	29	1	-	-	-	-	1	1	4	7	15	15
	F	31	2	-	1	-	-	1	1	-	4	4	18	30	2	1	-	-	1	-	-	1	5	20	20
20 Pneumonia	M	45	11	4	1	2	2	3	4	6	6	3	3	39	14	1	-	1	-	2	4	2	5	6	4
	F	33	7	4	1	1	-	1	5	-	4	5	5	31	4	1	1	2	-	3	4	-	4	7	5
21 Other respiratory	M	14	-	-	-	-	1	-	-	4	3	3	3	11	-	1	-	-	-	1	1	1	4	2	1
	F	8	-	-	1	-	1	-	-	2	-	3	1	6	-	-	1	-	-	2	-	1	1	1	1
22 Peptic ulcer	M	12	-	-	-	-	-	-	3	5	3	-	1	12	-	-	-	-	-	1	-	1	6	2	2
	F	4	-	-	-	-	-	-	-	2	1	-	1	2	-	-	-	-	-	-	-	-	1	1	1
23 Diarrhœa	M	6	2	1	-	-	-	-	1	1	-	-	1	8	5	-	-	-	-	1	-	-	-	1	1
	F	7	3	-	-	-	-	1	-	-	-	1	2	7	-	-	-	1	-	1	-	1	-	-	4
24 Appendicitis	M	6	-	-	-	2	-	-	1	1	1	1	-	6	-	-	-	-	1	2	1	1	-	-	-
	F	3	-	-	-	-	-	-	1	-	-	-	2	5	-	-	-	-	-	1	1	-	2	1	1
25 Cirrhosis of liver	M	3	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	1	1
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
26 Other liver diseases	M	4	-	-	-	-	-	-	-	2	1	1	-	2	-	-	-	-	-	-	-	1	-	-	1
	F	4	-	-	-	-	-	-	2	-	1	-	1	4	-	-	-	-	-	-	1	-	1	2	2
27 Other digestive	M	11	-	-	-	1	1	-	-	2	1	3	3	13	2	-	-	-	2	-	-	2	3	4	4
	F	8	1	-	-	1	-	-	-	4	2	-	-	15	-	-	1	1	-	1	3	3	3	2	2
28 Nephritis	M	28	-	-	-	1	1	2	1	4	3	9	7	31	-	1	-	-	2	3	3	8	3	11	11
	F	20	-	-	-	1	-	-	4	5	6	3	1	42	-	-	-	-	1	1	2	3	8	11	16
29 Puerperal sepsis	F	3	-	-	-	-	1	2	-	-	-	-	-	7	-	-	-	-	1	3	3	-	-	-	-
30 Other puerperal	F	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	-	3	-	-	-	-	-	-
31 Congenital causes, etc.	M	27	26	-	-	-	1	-	-	-	-	-	-	37	34	-	-	2	-	-	1	-	-	-	-
	F	35	33	-	2	-	-	-	-	-	-	-	-	34	32	-	-	-	-	2	-	-	-	-	-
32 Senility	M	47	-	-	-	-	-	-	-	-	-	2	45	35	-	-	-	-	-	-	-	-	-	2	33
	F	49	-	-	-	-	-	-	-	-	-	3	46	40	-	-	-	-	-	-	-	-	-	3	37
33 Suicide	M	9	-	-	-	-	-	3	-	1	3	1	1	13	-	-	-	-	-	1	2	4	-	5	1
	F	6	-	-	-	-	-	-	1	4	1	-	-	6	-	-	-	-	-	1	1	3	-	2	-
34 Other violence	M	40	1	1	3	4	4	3	4	3	4	6	7	59	4	1	1	4	6	3	10	6	13	7	4
	F	23	1	1	3	1	-	1	-	1	4	2	9	22	1	1	3	2	-	-	-	1	-	3	11
35 Other defined causes	M	64	1	2	2	7	1	3	2	6	7	18	15	89	5	-	3	2	6	4	2	7	14	21	25
	F	63	3	-	1	3	5	5	5	13	12	9	7	85	3	-	3	3	3	6	9	15	16	12	15
36 Ill-defined causes	M	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
	F	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	1	1	-

Causes of Death. <i>See first page of Table.</i>		Aggregate of Urban Districts.												Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	
All Causes		M	253	13	4	3	6	9	11	10	19	43	71	64	380	34	8	6	11	22	15	14	26	58	76	110
		F	236	15	4	2	2	6	9	14	24	29	44	87	284	21	1	3	7	12	11	14	13	39	58	105
1	Typhoid fever, etc.	M	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Measles	M	1	-	-	-	1	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	
		F	2	1	1	-	-	-	-	-	-	-	-	-	3	-	-	2	1	-	-	-	-	-	-	
3	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	Whooping cough	M	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	
		F	1	-	1	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	
5	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
6	Influenza	M	13	2	1	-	-	-	1	2	-	4	1	2	15	1	-	-	1	3	-	-	5	2	1	2
		F	8	-	-	-	-	1	1	-	2	1	2	1	6	-	-	-	-	-	1	1	-	1	3	
7	Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	1	-	-	1	-	-	
		F	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	Cerebro-spinal fever	M	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	
9	Respiratory tuberculosis	M	11	-	-	-	-	2	5	1	2	1	-	-	12	-	-	-	-	4	3	3	1	1	-	-
		F	12	-	-	-	-	3	3	2	2	2	-	-	13	-	-	-	-	5	5	1	-	2	-	-
10	Other tuberculosis	M	1	1	-	-	-	-	-	-	-	-	-	-	8	2	2	1	1	1	-	-	-	1	-	-
		F	2	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-
11	Syphilis	M	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12	Gen. paralysis of insane, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	
13	Cancer	M	38	-	-	-	-	-	-	2	5	10	15	6	51	-	-	-	-	-	1	2	1	12	20	15
		F	55	-	-	-	-	-	-	4	8	13	12	18	41	-	-	-	-	-	1	3	3	11	13	10
14	Diabetes	M	8	-	-	-	-	-	-	1	-	3	2	2	5	-	-	-	-	-	-	1	2	2	2	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	9	-	-	-	-	-	-	2	1	3	3	
15	Cerebral hæmorrhage	M	14	-	-	-	-	-	-	-	-	3	7	4	22	-	-	-	-	-	-	2	2	8	10	
		F	8	-	-	-	-	-	-	-	-	4	1	3	22	-	-	-	-	-	-	-	5	6	11	
16	Heart disease	M	52	-	-	-	1	-	-	1	4	10	16	20	62	-	-	-	-	1	-	1	3	14	18	25
		F	46	-	-	-	-	-	1	-	3	3	17	22	62	-	-	-	-	2	-	3	4	7	16	30
17	Aneurysm	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	
18	Other circulatory	M	15	-	-	-	-	-	-	-	1	1	6	7	19	-	-	-	-	-	-	1	1	7	10	
		F	17	-	-	-	-	-	-	-	1	1	4	11	16	-	-	-	-	-	-	-	2	5	9	
19	Bronchitis	M	5	-	-	-	-	1	-	1	1	1	-	1	17	3	1	-	-	-	-	2	3	2	6	
		F	9	2	-	-	-	-	-	-	-	-	2	5	11	3	-	-	-	-	-	-	2	1	5	
20	Pneumonia	M	9	1	-	1	1	-	1	1	-	1	2	1	15	4	-	2	1	-	-	3	3	2	-	
		F	4	1	-	-	-	-	-	-	-	1	-	2	7	2	-	-	1	-	-	1	1	2	-	
21	Other respiratory	M	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	1	-	-	-	1	-	1	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
22	Peptic ulcer	M	2	-	-	-	-	-	1	-	-	-	1	-	5	-	-	-	-	-	-	1	4	-	-	
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
23	Diarrhœa	M	2	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	
		F	1	1	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	1	-	-	
24	Appendicitis	M	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	1	1	-	1	-	-	2	-	
		F	4	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
25	Cirrhosis of liver	M	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
26	Other liver diseases	M	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
		F	2	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	
27	Other digestive	M	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	1	-	-	-	1	4	
		F	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	1	
28	Nephritis	M	9	-	-	-	-	-	-	-	1	1	5	2	8	-	-	1	1	-	-	1	1	3	1	
		F	6	-	-	-	-	-	-	1	-	1	-	4	6	-	-	-	-	-	1	1	1	1	2	
29	Puerperal sepsis	M	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	
		F	2	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	
30	Other puerperal	M	5	5	-	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	
		F	8	7	-	-	1	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	
32	Senility	M	12	-	-	-	-	-	-	-	-	-	2	10	30	-	-	-	-	-	-	-	-	2	28	
		F	17	-	-	-	-	-	-	-	-	-	3	14	29	-	-	-	-	-	-	-	-	3	26	
33	Suicide	M	3	-	-	-	-	-	-	-	-	3	-	-	6	-	-	-	-	2	2	-	1	1	-	
		F	4	-	-	-	-	1	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	
34	Other violence	M	16	1	1	2	2	4	1	-	1	1	1	2	26	2	1	1	2	9	2	1	3	3	1	
		F	3	-	1	1	-	-	-	-	-	-	-	1	7	-	-	1	1	2	-	-	-	1	2	
35	Other defined causes	M	24	2	-	-	1	2	1	-	1	2	10	5	33	2	1	-	4	-	3	2	4	5	5	7
		F	18	2	1	1	-	-	1	3	1	2	2	5	22	2	-	-	2	2	4	3	1	3	3	2
36	Ill-defined causes	M	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	

Causes of Death. See first page of Table.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	263	18	2	3	4	9	7	11	28	50	59	72	427	41	3	2	8	14	15	14	27	66	95	142		
	F	269	17	2	1	4	10	6	12	16	24	72	105	425	27	3	1	6	7	14	14	39	53	90	171		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Measles	M	3	1	-	2	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	5	3	1	-	1	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-		
5 Diphtheria	M	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6 Influenza	M	5	-	-	-	-	-	-	1	1	2	-	-	19	1	-	-	-	-	-	1	2	4	4	7		
	F	13	-	1	-	-	1	2	-	-	-	4	5	17	-	-	-	-	-	1	1	3	4	3	5		
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	13	-	-	-	3	5	1	2	2	2	-	-	15	-	-	-	1	4	4	2	2	1	1	-		
	F	16	-	1	1	1	5	2	2	2	-	2	-	16	-	-	-	-	2	5	4	4	1	-	-		
10 Other tuberculosis	M	1	-	-	-	-	-	-	-	1	-	-	-	7	1	1	-	-	2	1	-	-	2	-	-		
	F	2	-	-	-	-	-	-	-	-	1	1	-	3	1	1	-	-	1	-	-	-	-	-	-		
11 Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
12 Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
13 Cancer	M	37	-	-	-	-	-	2	4	13	12	6	67	-	-	-	-	1	-	-	4	14	29	19			
	F	33	-	-	-	1	-	1	6	3	10	12	65	-	-	-	-	-	-	3	11	17	17	17			
14 Diabetes	M	4	-	-	-	-	-	-	1	1	2	-	9	-	-	-	-	-	-	-	5	7	3	1			
	F	5	-	-	-	-	-	-	-	2	1	2	9	-	-	-	-	1	-	-	2	3	1	2			
15 Cerebral hæmorrhage	M	19	-	-	-	-	-	1	2	4	6	6	24	-	-	-	-	-	1	1	3	8	11				
	F	35	-	-	-	-	-	-	1	5	16	13	33	-	-	-	-	1	-	2	5	9	16				
16 Heart disease	M	62	-	-	1	2	-	-	3	9	21	26	105	-	-	-	-	-	1	-	6	14	28	55			
	F	63	-	-	-	1	-	4	2	7	16	33	106	-	-	-	-	1	-	1	9	36	59				
17 Aneurysm	M	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-			
18 Other circulatory	M	8	-	-	-	-	-	-	-	-	1	7	17	-	-	-	-	-	-	-	-	4	6	7			
	F	10	-	-	-	-	-	-	-	-	3	7	18	-	-	-	-	-	-	-	-	-	6	12			
19 Bronchitis	M	12	-	-	1	-	1	-	1	4	1	4	20	3	-	1	-	-	-	-	3	3	10	10			
	F	7	2	-	-	-	-	-	-	-	3	2	13	1	-	-	-	-	-	1	-	1	10	10			
20 Pneumonia	M	5	-	-	-	-	1	-	1	1	2	-	12	1	1	-	-	1	2	1	2	3	1	3			
	F	5	2	-	-	-	1	-	-	-	1	1	12	4	1	-	1	-	-	3	-	-	3	3			
21 Other respiratory	M	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	1	-	1	-	2	-			
	F	3	-	-	1	-	-	-	-	-	1	1	4	1	-	-	-	-	-	2	1	-	-	-			
22 Peptic ulcer	M	6	-	-	-	-	-	-	1	2	3	-	5	-	-	-	-	-	1	-	-	3	1	-			
	F	2	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	1	1	-	-			
23 Diarrhoea	M	2	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	1	-	1	-			
	F	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
24 Appendicitis	M	2	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-			
	F	-	-	-	-	-	-	-	-	-	-	-	4	-	-	1	-	1	-	2	-	-	-	-			
25 Cirrhosis of liver	M	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
26 Other liver diseases	M	3	-	1	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	1			
	F	4	-	-	-	-	-	1	-	-	1	2	5	-	-	-	-	-	-	-	2	2	1	1			
27 Other digestive	M	5	2	-	-	-	-	-	-	-	2	1	6	1	-	-	1	1	1	-	1	1	-	-			
	F	1	-	-	-	1	-	-	-	-	-	-	11	-	-	-	1	1	-	2	1	1	4				
28 Nephritis	M	3	-	-	-	-	-	-	-	2	1	-	9	-	-	-	-	-	1	-	2	1	5	-			
	F	-	-	-	-	-	-	-	-	-	-	-	10	-	-	-	-	-	2	-	2	4	2				
29 Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-			
30 Other puerperal	F	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-			
31 Congenital causes, etc.	M	15	14	1	-	-	-	-	-	-	-	-	31	31	-	-	-	-	-	-	-	-	-	-			
	F	11	11	-	-	-	-	-	-	-	-	-	17	16	1	-	-	-	-	-	-	-	-	-			
32 Senility	M	10	-	-	-	-	-	-	-	-	-	-	10	13	-	-	-	-	-	-	-	2	11	-			
	F	20	-	-	-	-	-	-	-	-	-	20	26	-	-	-	-	-	-	-	-	1	25	-			
33 Suicide	M	2	-	-	-	-	-	-	1	1	-	-	8	-	-	-	-	1	-	3	4	-	-	-			
	F																										

Causes of Death.			Aggregate of Urban Districts.													Aggregate of Rural Districts.												
See first page of Table.			All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	F	798	59	6	10	9	21	36	50	73	132	185	217	913	65	10	8	13	33	32	30	54	145	214	309		
			767	41	11	7	8	25	25	36	83	103	178	250	798	45	7	8	12	22	22	37	50	115	181	295		
1 Typhoid fever, etc.	M	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Measles	M	F	1	-	1	-	-	-	-	-	-	-	-	-	3	-	-	1	1	1	-	-	-	-	-	-		
			1	-	-	-	1	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-		
3 Scarlet fever	M	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4 Whooping cough	M	F	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-		
			1	-	-	1	-	-	-	-	-	-	-	-	3	2	-	1	-	-	-	-	-	-	-	-		
5 Diphtheria	M	F	5	-	-	4	1	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-		
			1	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-		
6 Influenza	M	F	32	1	1	1	-	-	3	4	3	5	5	9	51	1	1	-	-	1	3	2	6	8	10	11		
			32	1	2	1	-	1	-	-	4	3	9	11	43	1	-	1	1	-	4	6	4	5	7	11		
7 Encephalitis lethargica	M	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
			2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
8 Cerebro-spinal fever	M	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
			1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	F	53	-	-	-	2	8	10	14	10	8	1	-	29	-	-	-	-	6	5	5	7	4	2	-		
			33	-	-	-	-	10	6	6	3	2	5	1	26	-	-	-	1	10	3	4	5	3	-	-		
10 Other tuberculosis	M	F	8	-	1	1	1	1	2	-	1	-	1	-	13	-	2	2	1	1	4	1	1	-	1	-		
			6	-	1	1	-	1	-	1	-	1	-	1	7	-	-	-	-	2	1	1	1	2	-	-		
11 Syphilis	M	F	3	-	-	-	1	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-		
			-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	1	1	-	-		
12 Gen. paralysis of insane, etc.	M	F	6	-	-	-	-	-	1	1	1	1	1	2	3	-	-	-	-	-	1	1	-	1	-	-		
			2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	1	-	-	1	-	-		
13 Cancer	M	F	96	-	-	-	-	-	1	1	11	24	38	21	105	1	-	-	1	1	1	4	7	26	35	2		
			111	-	-	-	-	-	1	5	24	28	34	19	118	-	-	-	-	2	3	14	30	36	3	3		
14 Diabetes	M	F	11	-	-	-	-	-	-	1	2	1	5	2	13	-	-	-	-	-	1	-	2	4	-	-		
			13	-	-	-	1	1	-	-	-	1	7	3	15	-	-	-	-	1	-	-	3	11	-	-		
15 Cerebral hæmorrhage	M	F	48	-	-	-	-	-	1	1	6	8	14	18	57	-	-	-	-	-	-	-	1	9	20	2		
			48	-	-	-	-	-	-	-	4	7	11	26	48	-	-	-	-	-	-	3	1	9	17	1		
16 Heart disease	M	F	172	-	-	-	-	1	1	7	12	32	57	62	221	-	-	-	-	3	-	4	9	42	63	10		
			178	-	-	-	-	-	1	2	15	23	53	84	219	-	-	-	1	-	1	4	8	27	67	11		
17 Aneurysm	M	F	3	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-		
			-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
18 Other circulatory	M	F	28	-	-	-	-	-	-	-	1	2	11	14	47	-	-	-	-	-	-	-	-	7	14	2		
			33	-	-	-	-	-	1	-	1	4	10	17	31	-	-	-	-	-	-	-	-	4	6	2		
19 Bronchitis	M	F	30	6	-	1	-	-	-	-	2	3	6	12	17	2	1	-	-	-	1	-	-	-	5	-		
			35	1	1	-	-	-	-	2	1	5	7	18	29	2	-	-	-	-	1	-	1	2	5	1		
20 Pneumonia	M	F	28	5	2	1	-	-	3	4	4	4	2	3	28	7	-	1	1	-	1	3	2	7	3	-		
			21	6	3	1	-	-	-	2	1	3	3	2	21	4	1	-	-	-	2	1	3	2	5	-		
21 Other respiratory	M	F	7	-	-	-	-	-	-	1	3	3	-	-	9	-	-	-	-	-	-	1	-	2	1	-		
			4	-	-	-	-	1	2	-	-	-	-	1	10	-	1	-	-	1	-	-	2	1	-	-		
22 Peptic ulcer	M	F	5	-	-	-	-	-	-	4	-	-	1	-	6	-	-	-	-	1	1	-	2	1	-	-		
			7	-	-	-	-	-	1	-	2	3	1	3	3	-	-	-	-	-	-	1	2	-	-	-		
23 Diarrhœa	M	F	8	2	-	-	-	-	1	-	-	1	1	3	3	1	-	-	-	-	-	-	-	-	1	-		
			5	3	-	-	-	-	-	-	-	-	-	2	6	1	-	-	-	-	-	-	3	-	-	-		
24 Appendicitis	M	F	3	-	-	-	1	1	-	-	-	1	-	-	4	-	-	-	1	-	-	-	-	2	1	-		
			5	-	-	1	-	1	-	1	2	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-		
25 Cirrhosis of liver	M	F	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-		
			2	-	-	-	-	1	-	-	-	-	-	1	3	-	-	-	-	-	-	-	1	2	-	-		
26 Other liver diseases	M	F	2	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	-	1	-	-	-		
			7	-	-	-	-	-	-	-	1	2	3	1	15	-	-	-	-	-	-	1	-	5	6	-		
27 Other digestive	M	F	14	-	-	-	1	-	-	1	-	5	3	4	25	3	1	-	1	-	1	-	3	3	6	-		
			18	1	-	-	2	-	2	2	4	-	2	5	13	1	-	1	-	2	3	-	1	1	1	-		
28 Nephritis	M	F	18	-	-	-	1	-	2	2	3	3	4	3	29	-	-	-	-	1	1	1	1	8	8	-		
			24	-	-	-	-	1	1	2	4	4	3	9	24	-	-	-	-	1	-	6	2	4	4	-		
29 Puerperal sepsis	F		1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
30 Other puerperal	F		7	-	-	-	-	1	3	3	-	-	-	-	3	-	-	-	-	2	1	-	-	-	-	-		
31 Congenital causes, etc.	M	F	42	40	-	1	-	-	-	-	-	-	-	1	48	45	2	-	-	1	-	-	-	-	-	-		
			28	27	-	-	-	1	-	-	-	-	-	-	33	28	2	2	1	-	-	-	-	-	-	-		
32 Senility	M	F	42	-	-	-	-	-	-	-	-	-	3	39	47	-	-	-	-	-	-	-	-	-	10	-		
			35	-	-	-	-	-	-	-	-	-	4	31	54	-	-	-	-	-	-	-	-	-	3	-		
33 Suicide	M	F	13	-	-	-	-	1	1	2	2	6	1	-	6	-	-	-	-	-	1	-	3	1	1	-		
			6	-	-	-	-	-	1	1	2	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-		
34 Other violence	M	F	32	3	-	-	-	7	5	3	1	4	5	4	49	1	1	-	1	13	9	4	5	8	2	-		
			18	-	1	1	1	-	3	-	1	1	-	10	19	1	1	2	1	-	1	2	2	1	3	-		
35 Other defined causes	M	F	85	2	-	1	1	2	5	4	10	18	23	19	86	2	1	4	4	4	4	2	5	13	24	-		
			81	1	2	1	3	5	4	8	16	15	20	6	41	4	1	1	3	3	2	3	5	9	5	-		
36 Ill-defined causes	M	F	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	2	-		
			1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

Causes of Death. See first page of Table.			Aggregate of Urban Districts.											
			All Ages.	0-	1-	2-	5-	15-	25-	35	45-	55-	65-	75-
All Causes	M	9,822	875	91	101	190	344	427	582	1056	1916	2190	2050	
	F	9,959	619	80	87	178	293	455	572	866	1361	2147	3301	
1 Typhoid fever, etc.	M	2	-	-	-	-	-	-	1	-	-	-	1	
	F	3	-	-	-	-	-	3	-	-	-	-	-	
2 Measles	M	6	3	2	1	-	-	-	-	-	-	-	-	
	F	7	1	2	2	1	1	-	-	-	-	-	-	
3 Scarlet fever	M	6	-	1	4	1	-	-	-	-	-	-	-	
	F	8	-	2	2	-	2	1	-	1	-	-	-	
4 Whooping cough	M	35	15	11	6	2	1	-	-	-	-	-	-	
	F	23	9	5	8	1	-	-	-	-	-	-	-	
5 Diphtheria	M	33	3	3	10	16	-	1	-	-	-	-	-	
	F	46	-	-	12	29	2	1	1	-	1	-	-	
6 Influenza	M	336	10	8	2	1	8	14	33	57	61	75	67	
	F	400	3	5	3	-	7	17	33	34	62	87	149	
7 Encephalitis lethargica	M	10	-	-	-	-	-	2	2	1	3	2	-	
	F	10	-	-	-	-	-	-	1	5	1	3	-	
8 Cerebro-spinal fever	M	25	7	3	1	2	7	4	1	-	-	-	-	
	F	8	3	-	1	3	-	-	-	1	-	-	-	
9 Respiratory tuberculosis	M	587	1	-	1	4	82	113	126	125	93	38	4	
	F	421	1	3	-	6	109	147	83	34	25	11	2	
10 Other tuberculosis	M	87	6	2	7	22	16	12	6	8	7	1	-	
	F	82	8	4	7	14	16	7	8	7	3	5	3	
11 Syphilis	M	21	1	-	-	-	-	-	2	4	8	6	-	
	F	17	1	-	-	-	1	-	4	4	5	1	1	
12 Gen. paralysis of insane, etc.	M	43	-	-	-	-	-	4	4	14	11	8	2	
	F	12	-	-	-	1	-	-	2	5	2	2	-	
13 Cancer	M	1,405	-	-	4	8	8	18	60	202	454	433	218	
	F	1,512	-	-	1	4	5	25	110	248	407	399	313	
14 Diabetes	M	98	-	2	-	3	1	2	4	4	21	36	25	
	F	169	-	-	-	3	3	3	6	14	31	65	44	
15 Cerebral hæmorrhage	M	319	-	-	-	-	-	2	2	24	82	125	84	
	F	519	-	-	-	-	1	2	6	37	88	162	223	
16 Heart disease	M	2,270	-	1	1	6	19	33	61	200	465	708	776	
	F	2,554	1	1	-	8	20	46	68	147	302	668	1,293	
17 Aneurysm	M	54	-	-	-	1	-	3	5	9	16	12	8	
	F	32	-	-	-	1	1	-	2	6	5	6	11	
18 Other circulatory	M	466	-	1	-	1	-	1	6	28	98	145	186	
	F	576	-	-	-	-	1	-	8	30	71	183	283	
19 Bronchitis	M	331	21	2	2	2	4	1	15	35	59	76	114	
	F	275	11	1	-	2	2	4	4	13	22	57	159	
20 Pneumonia	M	697	146	22	24	10	17	31	52	83	124	100	88	
	F	563	91	33	28	10	8	18	28	54	59	101	133	
21 Other respiratory	M	110	3	3	1	4	10	5	12	13	24	19	16	
	F	77	3	1	-	3	2	5	6	12	9	7	29	
22 Peptic ulcer	M	172	-	-	-	-	3	9	24	48	52	28	8	
	F	51	-	-	-	-	1	1	-	14	14	15	6	
23 Diarrhœa	M	157	120	11	-	3	2	1	2	6	5	2	5	
	F	156	109	4	4	1	1	14	6	4	1	4	8	
24 Appendicitis	M	81	-	1	3	14	11	8	7	12	14	8	3	
	F	53	-	-	-	3	9	7	7	5	5	10	7	
25 Cirrhosis of liver	M	36	-	-	-	-	-	-	1	2	12	18	3	
	F	20	-	-	-	-	-	-	1	3	7	6	3	
26 Other liver diseases	M	18	-	-	-	-	-	-	-	1	6	5	6	
	F	51	-	-	-	1	1	3	3	4	8	14	17	
27 Other digestive	M	165	16	-	3	13	13	12	7	24	30	24	23	
	F	160	5	2	-	10	3	8	15	16	21	38	42	
28 Nephritis	M	265	4	-	1	1	7	18	28	23	61	67	55	
	F	249	-	2	-	8	15	10	22	25	46	56	65	
29 Puerperal sepsis	F	29	-	-	-	-	3	20	5	1	-	-	-	
30 Other puerperal	F	56	-	-	-	-	10	26	19	1	-	-	-	
31 Congenital causes, etc.	M	445	437	2	-	1	4	1	-	-	-	-	-	
	F	322	311	4	1	3	1	1	1	-	-	-	-	
32 Senility	M	136	-	-	-	-	-	-	-	-	1	29	106	
	F	328	-	-	-	-	-	-	-	-	2	40	286	
33 Suicide	M	158	-	-	-	2	14	32	26	19	39	19	7	
	F	97	-	-	-	-	12	20	19	16	15	12	3	
34 Other violence	M	438	30	9	14	36	76	63	37	38	44	43	48	
	F	280	28	8	6	22	16	15	11	24	24	38	88	
35 Other defined causes	M	804	52	7	16	37	40	37	58	74	126	162	195	
	F	787	34	3	12	44	40	51	93	101	124	155	130	
36 Ill-defined causes	M	6	-	-	-	-	1	-	-	2	-	1	2	
	F	6	-	-	-	-	-	-	-	-	1	2	3	

Causes of Death. <i>See first page of Table.</i>		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	417	23	3	3	2	7	11	13	30	59	114	152	1,714	106	14	13	28	46	41	75	114	207	441	629		
	F	442	15	-	1	6	6	13	20	27	67	91	196	1,568	87	9	17	17	34	41	53	116	192	362	640		
1 Typhoid fever, etc.	M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	1	-	-	-	-	-	-	-	4	-	-	-	-	2	-	-	1	1	-	-		
2 Measles	M	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	2	1	-	-	-	-	-	-	-		
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-		
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	5	3	1	1	-	-	-	-	-	-	-	-		
	F	2	2	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-		
5 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	1	2	-	-	-	-	-	-	1		
6 Influenza	M	6	-	-	-	-	1	-	-	-	1	2	2	46	1	1	-	2	1	1	1	6	3	18	11		
	F	9	-	-	-	-	-	1	-	1	2	-	5	50	-	2	1	2	1	1	3	3	11	9	1		
7 Encephalitis lethargica	M	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	1	2	-	1	1	-		
	F	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	-	-	-	1	-	-	2	-		
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	18	-	-	-	-	1	1	3	4	5	3	1	61	-	-	-	1	5	10	16	18	6	5	-		
	F	8	-	-	-	1	-	5	-	2	-	-	-	57	-	-	-	-	10	13	8	7	12	6	-		
10 Other tuberculosis	M	1	1	-	-	-	-	-	-	-	-	-	-	14	-	3	4	2	2	1	2	-	-	-	-		
	F	6	-	-	-	-	2	1	1	-	-	2	-	11	3	-	3	-	2	-	1	-	-	2	-		
11 Syphilis	M	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	4	-	-	-		
	F	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	1	1	1	-	-		
12 Gen. paralysis of insane, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	1	3	2	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-		
13 Cancer	M	57	-	-	-	-	-	2	1	4	6	30	14	245	-	-	-	-	1	-	5	21	54	103	61		
	F	89	-	-	-	-	-	1	7	13	27	15	26	247	-	-	-	1	1	3	10	42	50	77	61		
14 Diabetes	M	5	-	-	-	-	-	-	-	-	-	-	-	38	-	-	-	-	1	1	1	3	6	13	1		
	F	9	-	-	-	-	-	-	-	-	2	4	3	29	-	-	-	2	1	1	-	2	6	8	-		
15 Cerebral hæmorrhage	M	26	-	-	-	-	-	-	1	1	4	9	11	71	-	-	-	-	-	1	2	5	20	43	4		
	F	25	-	-	-	-	-	-	-	1	2	6	16	98	-	-	-	-	-	1	-	1	8	40	4		
16 Heart disease	M	112	-	-	-	-	2	1	1	3	17	28	60	422	-	-	-	-	2	1	8	18	51	119	22		
	F	133	-	-	-	-	-	1	5	2	12	35	78	454	-	-	-	-	1	2	3	14	48	119	26		
17 Aneurysm	M	2	-	-	-	-	-	-	-	1	1	-	-	6	-	-	-	-	2	-	-	-	3	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	1	-	-	2	1	-	-		
18 Other circulatory	M	36	-	-	-	-	-	-	-	-	4	8	24	140	-	-	-	-	-	1	1	2	18	42	7		
	F	27	-	-	-	-	-	-	-	-	2	5	20	100	-	1	-	-	-	-	-	3	10	21	6		
19 Bronchitis	M	10	-	-	-	-	-	-	-	-	1	6	3	45	3	1	-	-	1	-	-	1	2	6	3		
	F	26	-	-	-	-	-	-	-	-	4	6	16	36	1	-	1	-	1	1	-	-	1	6	2		
20 Pneumonia	M	22	2	1	-	2	-	-	2	2	3	3	7	75	12	5	1	3	-	5	5	5	4	16	1		
	F	13	-	-	-	2	-	-	1	-	2	1	7	60	6	2	3	1	1	-	5	6	8	12	1		
21 Other respiratory	M	3	-	-	-	-	-	1	-	1	1	-	-	15	-	-	-	-	-	1	-	3	3	5	-		
	F	1	-	-	-	-	-	-	-	-	-	-	-	14	-	-	-	1	1	3	1	2	2	-	-		
22 Peptic ulcer	M	9	-	-	-	-	-	1	2	1	3	1	1	15	-	-	-	-	-	3	3	5	3	3	-		
	F	1	-	-	-	-	-	-	-	-	1	-	-	6	-	-	-	-	-	-	1	2	1	2	-		
23 Diarrhoea	M	-	-	-	-	-	-	-	-	-	-	-	-	8	5	-	-	-	-	1	-	-	-	-	-		
	F	3	1	-	-	-	-	-	-	1	-	-	1	13	6	-	-	1	2	-	-	-	1	1	-		
24 Appendicitis	M	1	-	-	-	-	-	-	-	-	1	-	-	11	-	-	-	4	2	1	-	-	1	2	-		
	F	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	1	-	1	1	-	-	-		
25 Cirrhosis of liver	M	2	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	1	1	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-		
26 Other liver diseases	M	1	-	-	-	-	-	-	-	-	-	-	1	7	-	-	-	-	-	1	-	1	2	4	-		
	F	3	-	-	-	-	-	-	-	-	-	2	1	15	-	-	-	-	2	-	-	1	1	4	-		
27 Other digestive	M	8	1	-	1	-	-	-	1	2	1	2	-	32	4	-	-	1	1	2	2	3	5	9	-		
	F	5	-	-	-	-	-	-	-	1	-	1	-	33	3	-	1	1	2	-	4	6	5	7	-		
28 Nephritis	M	9	-	-	-	-	-	-	-	1	2	5	1	29	-	-	-	-	-	-	-	1	3	9	1		
	F	6	-	-	-	-	-	-	-	-	1	3	2	27	-	-	-	-	-	1	2	1	2	11	1		
29 Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
30 Other puerperal	F	1	-	-	-	-	-	1	-	-	-	-	-	7	-	-	-	-	2	2	3	-	-	-	-		
31 Congenital causes, etc.	M	18	18	-	-	-	-	-	-	-	-	-	-	69	67	1	-	1	-	-	-	-	-				

Causes of Death. See first page of Table.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	624	26	4	4	12	19	21	26	59	120	161	172	775	59	1	10	8	15	31	39	39	116	198	259		
	F	574	16	2	4	6	10	28	25	45	92	132	214	716	35	6	4	14	17	22	22	57	93	155	291		
1 Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—		
2 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	1	—	—	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Whooping cough	M	1	—	—	1	—	—	—	—	—	—	—	—	3	1	—	2	—	—	—	—	—	—	—	—		
	F	3	3	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—		
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—	—	—		
	F	2	—	—	1	1	—	—	—	—	—	—	—	4	—	—	1	3	—	—	—	—	—	—	—		
6 Influenza	M	19	—	—	—	—	—	—	2	3	3	7	4	37	—	—	1	—	1	—	3	3	10	9	10		
	F	26	—	—	—	—	2	1	2	2	5	5	9	27	1	—	—	—	—	4	1	4	5	4	8		
7 Encephalitis lethargica	M	2	—	—	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	1	—	—		
	F	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—		
8 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—		
	F	1	—	1	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—		
9 Respiratory tuberculosis	M	33	—	1	1	—	7	6	4	7	7	—	—	20	—	—	—	—	7	4	3	4	2	—	—		
	F	26	—	—	—	6	12	6	—	—	2	—	—	15	—	—	—	3	3	4	2	2	1	—	—		
10 Other tuberculosis	M	7	2	—	—	2	1	—	1	—	—	—	—	8	2	—	1	—	3	2	—	—	—	—	—		
	F	4	—	1	—	2	—	1	—	—	—	—	—	9	1	1	—	1	1	—	1	—	2	1	—		
11 Syphilis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	—	1	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1		
12 Gen. paralysis of insane, etc.	M	2	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
13 Cancer	M	84	—	—	—	—	—	1	2	8	23	31	19	91	—	—	—	—	1	2	4	6	21	37	20		
	F	83	—	—	—	—	—	2	2	11	16	28	24	87	—	—	—	—	—	—	1	12	20	29	25		
14 Diabetes	M	8	—	—	—	—	—	—	—	—	—	—	—	7	—	—	—	—	—	—	—	2	2	3	3		
	F	15	—	—	—	—	—	1	1	1	4	5	3	10	—	—	—	—	1	—	—	1	2	4	2		
15 Cerebral hæmorrhage	M	45	—	—	—	1	—	—	—	2	9	16	17	44	—	—	—	—	—	—	—	1	10	12	21		
	F	41	—	—	—	—	—	—	—	2	12	11	16	39	—	—	—	—	—	—	2	6	11	20	20		
16 Heart disease	M	160	—	—	—	—	—	2	5	13	34	44	62	178	—	—	—	—	1	2	3	6	28	65	73		
	F	155	—	—	—	1	—	2	3	10	20	47	72	197	—	—	—	1	4	2	7	12	24	52	95		
17 Aneurysm	M	1	—	—	—	—	—	—	—	1	—	—	—	4	—	—	—	—	—	1	—	—	2	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—		
18 Other circulatory	M	33	—	—	—	—	—	—	—	2	1	14	16	51	—	—	—	—	—	—	—	6	15	29	29		
	F	31	—	—	—	—	—	—	—	1	4	4	22	32	—	—	—	—	—	—	—	2	11	19	19		
19 Bronchitis	M	21	2	—	—	—	—	—	2	2	4	5	6	23	1	—	—	1	—	—	—	—	2	4	15		
	F	7	—	—	—	—	—	—	1	—	1	2	3	28	3	—	—	—	—	—	1	2	1	2	19		
20 Pneumonia	M	28	1	3	—	1	—	1	2	2	5	7	6	32	6	1	2	1	—	3	3	1	6	5	4		
	F	14	—	—	1	—	—	—	—	1	4	4	4	26	2	2	1	—	—	1	2	1	3	3	11		
21 Other respiratory	M	4	—	—	—	—	1	—	—	1	—	1	1	8	—	—	1	—	—	2	—	—	—	3	2		
	F	4	—	—	—	—	—	1	—	2	—	—	1	3	—	—	—	—	—	—	—	1	—	1	1		
22 Peptic ulcer	M	9	—	—	—	—	—	1	1	3	2	1	1	10	—	—	—	—	—	—	1	1	—	5	3		
	F	6	—	—	—	—	—	—	—	1	1	3	1	1	—	—	—	—	—	—	1	—	—	—	—		
23 Diarrhœa	M	1	1	—	—	—	—	—	—	—	—	—	—	7	4	—	—	1	—	—	—	—	1	1	1		
	F	5	—	—	—	—	—	2	—	—	1	1	1	7	1	—	—	—	—	2	1	—	1	2	2		
24 Appendicitis	M	3	—	—	—	1	—	—	—	—	2	—	—	4	—	—	—	1	1	1	—	—	—	—	—		
	F	3	—	—	—	—	—	1	—	—	—	—	1	3	—	—	—	1	—	—	—	—	1	—	1		
25 Cirrhosis of liver	M	4	—	—	—	—	—	—	—	1	3	—	—	1	—	—	—	—	—	—	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—		
26 Other liver diseases	M	4	—	—	—	—	—	—	—	—	2	—	2	2	—	—	—	—	—	—	—	—	1	—	1		
	F	6	—	—	—	—	—	—	—	1	1	3	1	5	—	—	—	—	—	—	—	2	2	1	1		
27 Other digestive	M	10	—	—	—	—	1	1	—	—	—	4	4	19	1	—	—	—	1	1	1	2	1	3	9		
	F	11	—	—																							

Causes of Death. See first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	2,026	180	29	23	44	87	92	119	205	352	475	420	636	43	7	5	7	27	15	34	36	104	168	190
	F	1,856	138	26	36	43	69	76	91	146	318	466	447	625	46	2	2	8	14	14	34	54	85	150	210
1 Typhoid fever, etc.	M	4	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
2 Measles	M	5	1	1	2	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
	F	10	1	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3 Scarlet fever	M	3	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	F	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4 Whooping cough	M	5	4	1	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
	F	10	4	1	5	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
5 Diphtheria	M	9	1	-	3	4	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
	F	8	-	-	5	2	1	-	-	-	-	-	-	3	-	-	-	2	-	-	-	-	-	1	-
6 Influenza	M	72	3	1	-	3	5	2	7	7	15	20	9	23	-	1	-	-	1	2	3	2	1	3	10
	F	69	2	-	1	-	-	5	10	11	9	13	18	32	-	-	-	-	1	3	4	4	4	4	12
7 Encephalitis lethargica	M	6	-	-	-	-	2	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	1	1	1	-	1	-	-	2	-	-	-	-	-	-	1	-	1	-	-
8 Cerebro-spinal fever	M	5	-	1	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9 Respiratory tuberculosis	M	100	1	1	-	1	21	26	19	15	11	4	1	20	1	-	-	-	5	2	4	4	3	1	-
	F	83	-	-	1	4	29	28	12	4	5	-	-	16	-	-	-	-	5	2	5	2	1	1	-
10 Other tuberculosis	M	29	4	1	6	2	7	3	4	1	-	-	1	13	-	1	1	2	3	2	3	-	1	-	-
	F	27	1	4	2	5	6	5	1	1	1	1	-	9	-	-	-	1	2	3	-	2	1	-	-
11 Syphilis	M	5	1	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
12 Gen. paralysis of insane, etc.	M	9	-	-	-	-	-	-	1	3	4	-	1	2	-	-	-	-	-	-	1	-	-	1	-
	F	2	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
13 Cancer	M	229	-	-	-	1	1	7	5	27	64	78	46	70	-	-	-	-	-	-	2	6	17	24	2
	F	273	1	-	-	-	3	4	18	42	74	82	49	94	-	-	-	-	-	-	5	16	18	32	2
14 Diabetes	M	26	-	-	-	-	1	2	3	-	9	6	5	15	-	-	-	1	-	-	1	-	4	5	-
	F	30	-	-	-	1	1	-	1	4	8	10	5	8	-	-	-	-	-	-	-	1	5	-	-
15 Cerebral hæmorrhage	M	90	-	-	-	-	-	-	1	7	24	30	28	34	-	-	-	-	-	1	-	2	6	14	1
	F	122	-	-	-	-	-	-	-	6	27	45	44	40	-	-	-	-	-	-	1	2	5	13	1
16 Heart disease	M	434	-	-	-	2	7	8	14	42	100	141	120	156	-	-	-	-	1	3	8	30	55	5	5
	F	425	-	-	-	5	5	4	12	32	83	157	127	132	-	-	-	1	1	2	3	7	24	36	5
17 Aneurysm	M	8	-	-	-	-	-	1	-	4	2	1	-	2	-	-	-	-	-	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
18 Other circulatory	M	135	-	-	-	1	-	-	1	4	10	65	54	42	-	-	-	-	-	-	-	1	4	18	1
	F	96	-	-	-	-	-	-	-	5	23	29	39	50	-	-	-	-	-	-	1	2	-	18	2
19 Bronchitis	M	76	13	1	2	-	2	-	3	4	14	14	23	11	2	-	-	-	-	-	-	-	1	4	-
	F	54	7	-	2	1	-	2	-	1	5	14	22	16	-	-	-	-	-	-	1	1	1	4	1
20 Pneumonia	M	135	34	13	2	3	4	6	12	19	18	12	12	31	5	2	-	1	2	1	1	5	7	6	-
	F	98	20	10	9	5	5	3	5	6	12	15	8	19	3	1	-	-	-	-	1	3	4	2	-
21 Other respiratory	M	26	1	-	-	1	-	1	1	6	2	8	6	6	1	-	-	-	-	-	-	-	1	1	-
	F	7	-	-	-	-	-	-	-	1	1	-	5	5	-	-	-	-	-	-	-	-	2	1	-
22 Peptic ulcer	M	23	-	-	-	-	-	3	4	7	4	3	2	6	-	-	-	-	1	1	-	-	2	-	-
	F	5	-	-	-	-	-	-	-	-	3	-	2	3	-	-	-	-	-	-	1	-	-	2	-
23 Diarrhœa	M	19	12	2	1	-	-	-	2	-	-	-	2	6	3	1	-	1	-	-	-	-	1	-	-
	F	20	12	1	-	-	-	1	-	1	1	1	3	8	2	1	-	1	1	1	-	1	-	-	-
24 Appendicitis	M	8	-	-	-	3	-	2	-	1	1	1	-	8	-	-	1	1	1	1	-	-	1	2	-
	F	8	-	-	-	1	1	-	4	1	1	-	-	5	-	-	-	-	1	1	1	2	1	-	-
25 Cirrhosis of liver	M	5	-	-	-	-	-	-	-	1	2	1	1	2	-	-	-	-	1	-	-	-	1	-	-
	F	3	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
26 Other liver diseases	M	9	-	-	-	-	-	1	1	-	1	4	2	3	-	-	-	-	1	-	-	-	-	1	-
	F	18	-	-	-	1	1	1	1	-	6	5	3	3	-	-	-	-	-	-	-	-	-	2	-
27 Other digestive	M	29	1	-	1	4	2	2	1	5	4	7	2	10	-	-	-	-	-	-	-	-	3	5	-
	F	35	2	-	-	3	1	1	2	3	9	11	3	9	-	-	-	-	-	-	-	-	1	5	-
28 Nephritis	M	60	-	-	-	1	1	3	-	9	16	17	13	33	-	1	1	-	1	-	1	3	7	10	-
	F	70	-	1	-	2	-	3	3	7	12	23	19	27	-	-	-	-	-	-	-	7	6	4	1
29 Puerperal sepsis	F	5	-	-	-	-	1	2	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
30 Other puerperal	F	16	-	-	-	-	2	5	8	1	-	-	-	4	-	-	-	-	1	1	2	-	-	-	-
31 Congenital causes, etc.	M	90	86	-	1	2	1	-	-	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-
	F	76	74	-	1	1	-	-	-	-	-	-	-	35	35	-	-	-	-	-	-	-	-	-	-
32 Senility	M	68	-	-	-	-	-	-	-	1	-	11	56	21	-	-	-	-	-	-	-	-	-	3	1
	F	96	-	-	-	-	-	-	-	-	2	22	72	34	-	-	-	-	-	-	-	-	2	4	2
33 Suicide	M	19	-	-	-	-	1	1	4	6	5	1	1	2	-	-	-	-	-	-	1	-	1	-	-
	F	11	-	-	-	-	1	3	-	2	4	1	-	4	-	-	-	-	1	-	2	1	-	-	-
34 Other violence	M	113	4	3	-	10	20	12	21	12	15	7	9	30	2	-	1	-	7	3	6	2	2	2	-
	F	35	-	-	6	3	3	1	1	1	3	6	11	17	-	-	-	1	1	1	2	2	4	4	-
35 Other defined causes	M	152	14	4	3	3	7	10	11	18	24	39	19	49	3	1	1	1	4	1	5	1	8	10	-
	F	125	14	3	2	7	8	6	9	14	24	23	15	37	1	-	2	1	-	1	4	2	6	10	-
36 Ill-defined causes	M	20	-	-	-	-	1	-	1	3	3	5	7	11	-	-	-	-	-	-	1	1	1	3	-
	F	9	-	-	-	-	-	-	-	1	2	4	2	4	-	-	-	-	-	-	-	1	2	1	-

Causes of Death. <i>See first page of Table.</i>		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	1,887	196	29	19	43	71	75	93	168	310	474	409	779	48	8	10	10	41	39	41	70	136	168	208
	F	1,684	131	22	18	35	48	71	95	135	293	389	447	750	54	4	7	20	25	35	45	55	105	140	260
1 Typhoid fever, etc.	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2 Measles	M	8	-	4	2	2	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	
	F	6	1	3	1	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
4 Whooping cough	M	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	11	6	3	2	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	
5 Diphtheria	M	9	-	-	2	6	1	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	
	F	8	-	-	1	7	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	
6 Influenza	M	74	3	1	1	2	2	3	7	10	15	17	13	37	2	1	1	3	2	3	2	9	4	10	
	F	75	1	2	-	-	-	2	5	1	23	21	20	44	1	1	1	1	2	2	1	8	7	19	
7 Encephalitis lethargica	M	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	
8 Cerebro-spinal fever	M	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	
9 Respiratory tuberculosis	M	75	-	-	-	3	20	15	14	13	7	3	-	23	-	-	-	6	6	6	4	1	-	-	
	F	65	-	-	-	2	25	17	9	7	3	2	-	26	-	-	1	7	9	3	3	1	2	-	
10 Other tuberculosis	M	18	1	2	3	4	2	2	1	2	1	-	-	7	-	-	2	1	-	3	-	1	-	-	
	F	22	2	4	1	5	5	2	1	1	1	-	-	5	-	-	1	-	-	3	-	1	-	-	
11 Syphilis	M	4	-	-	-	-	-	-	1	1	2	-	-	2	-	-	-	-	-	-	2	-	-	-	
	F	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
12 Gen. paralysis of insane, etc.	M	7	-	-	-	-	-	-	1	3	3	-	-	2	-	-	-	-	-	-	-	2	-	-	
	F	5	-	-	-	-	-	-	2	2	1	-	-	2	-	-	-	-	1	-	-	-	1	-	
13 Cancer	M	219	-	-	-	-	1	4	10	17	66	83	38	108	-	-	-	1	2	6	7	31	45	16	
	F	231	-	-	-	-	1	6	19	37	63	69	36	91	-	-	-	-	3	6	13	23	21	25	
14 Diabetes	M	20	-	-	-	1	-	-	-	2	5	10	2	8	-	-	-	-	-	-	4	1	-	3	
	F	25	-	-	-	-	-	2	1	3	7	8	4	12	-	-	-	1	-	-	1	3	5	2	
15 Cerebral hæmorrhage	M	121	-	-	-	-	-	2	2	9	22	47	39	43	-	-	-	-	-	-	1	6	18	18	
	F	149	-	-	-	-	1	2	4	8	29	54	51	53	-	-	-	-	-	-	5	12	19	17	
16 Heart disease	M	368	-	-	-	-	3	4	5	24	80	135	117	155	-	-	-	3	2	5	4	7	37	59	
	F	377	-	-	-	3	4	13	10	25	77	113	132	185	-	-	-	3	2	7	8	9	17	40	
17 Aneurysm	M	4	-	-	-	-	-	-	1	1	1	1	-	3	-	-	-	1	-	-	2	-	-	-	
	F	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	
18 Other circulatory	M	97	-	-	-	1	-	-	-	-	13	42	41	49	-	-	-	-	1	-	2	6	9	31	
	F	79	-	-	-	-	-	-	1	4	15	20	39	33	-	-	-	-	-	2	1	2	7	21	
19 Bronchitis	M	79	10	-	-	-	-	1	1	6	9	18	34	30	3	-	1	-	1	1	5	2	4	12	
	F	62	4	2	-	1	-	-	1	2	5	16	31	27	2	-	-	1	1	1	2	2	6	12	
20 Pneumonia	M	132	32	12	3	3	4	5	10	16	19	18	10	34	9	3	1	-	1	2	3	4	3	4	
	F	70	14	7	4	3	3	3	6	4	6	10	10	32	6	1	1	4	-	1	3	3	3	7	
21 Other respiratory	M	23	1	-	1	1	1	1	3	3	6	2	4	5	-	-	-	-	-	-	1	3	1	-	
	F	8	-	-	-	-	-	-	-	2	1	3	2	4	-	-	-	1	-	1	1	1	-	-	
22 Peptic ulcer	M	30	-	-	-	-	-	-	6	6	8	7	3	12	-	-	-	-	-	1	5	5	1	-	
	F	6	-	-	-	-	-	-	1	1	1	2	1	4	-	-	-	-	1	1	-	2	-	-	
23 Diarrhœa	M	20	11	2	1	-	1	-	1	1	-	-	3	5	3	1	-	-	-	-	1	-	-	-	
	F	26	17	1	-	-	-	1	2	1	1	1	2	10	7	-	-	-	1	-	-	-	-	2	
24 Appendicitis	M	14	-	-	-	3	1	2	4	-	2	2	-	8	-	-	1	-	2	1	1	2	-	-	
	F	6	-	-	-	2	1	-	-	1	1	-	1	1	-	-	-	-	-	-	1	-	-	-	
25 Cirrhosis of liver	M	6	-	-	-	-	-	-	-	1	1	3	1	3	-	-	-	-	-	-	-	1	1	1	
	F	4	-	-	-	-	-	-	1	1	2	-	-	3	-	-	-	-	-	-	1	-	1	1	
26 Other liver diseases	M	5	-	-	-	-	-	-	-	2	2	1	-	4	-	-	-	-	-	-	1	-	2	1	
	F	17	-	-	-	-	-	-	1	3	5	5	3	3	-	-	-	-	-	-	-	2	1	-	
27 Other digestive	M	29	5	1	2	1	2	1	1	3	8	4	1	11	2	-	1	2	-	1	-	2	2	1	
	F	27	1	-	3	-	1	1	2	2	6	4	7	11	1	1	-	2	-	1	-	2	1	3	
28 Nephritis	M	32	-	-	-	3	6	1	5	3	9	5	7	28	-	-	-	2	4	-	3	7	5	7	
	F	42	-	-	-	1	-	-	5	7	9	14	6	22	-	-	1	4	1	-	-	5	5	6	
29 Puerperal sepsis	F	4	-	-	-	-	1	2	1	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	
30 Other puerperal	F	10	-	-	-	-	1	6	3	-	-	-	-	6	-	-	-	1	3	2	-	-	-	-	
31 Congenital causes, etc.	M	119	119	-	-	-	-	-	-	-	-	-	-	27	24	-	-	1	1	-	-	-	-	-	
	F	73	72	-	-	-	-	-	1	-	-	-	-	31	31	-	-	-	-	-	-	-	-	-	
32 Senility	M	75	-	-	-	-	-	-	-	-	1	13	61	24	-	-	-	-	-	-	-	-	4	20	
	F	87	-	-	-	-	-	-	-	-	2	16	69	30	-	-	-	-	-	-	-	-	5	25	
33 Suicide	M	23	-	-	-	-	-	6	3	6	5	3	-	12	-	-	-	-	1	-	3	6	2	-	
	F	15	-	-	-	-	-	1	3	4	4	1	2	4	-	-	-	-	1	-	1	1	1	1	
34 Other violence	M	110	-	2	2	6	22	14	16	19	10	12	7	62	1	1	3	3	15	9	10	3	7	2	
	F	30	1	-	4	4	1	5	1	2	2	3	7	17	-	-	1	1	2	-	1	5	1	6	
35 Other defined causes	M	139	12	5	1	9	8	7	4	15	17	32	29	65	3	1	-	1	3	4	4	7	18	21	
	F	117	11	-	2	5	4	8	14	17	23	18	15	72	3	-	2	4	4	4	9	12	8	12	
36 Ill-defined causes	M	20	-	-	-	-	-	1	-	3	4	11	1	8	-	-	-	-	-	-	2	1	3	2	
	F	22	-	-	-	-	-	-	1	-	3	9	9	10	-	-	-	-	-	1	-	2	5	2	

Causes of Death. See first page of Table.			Aggregate of Urban Districts.												Aggregate of Rural Districts.											
			All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	228	13	2	4	3	11	5	4	20	34	54	78	629	35	4	8	8	22	22	33	45	87	171	199	
	F	257	10	4	2	5	4	5	10	16	43	55	103	611	29	3	5	6	14	26	26	32	80	137	255	
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Measles	M	3	2	-	1	-	-	-	-	-	-	-	-	4	-	2	2	-	-	-	-	-	-	-		
	F	2	-	1	-	1	-	-	-	-	-	-	-	3	-	-	-	1	1	-	1	-	-	-		
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4 Whooping cough	M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	1	-	-	-	-	-	-	-	-	-	3	2	-	1	-	-	-	-	-	-	-		
5 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	1	-	-		
6 Influenza	M	8	-	-	-	-	-	-	-	1	-	2	5	19	-	-	-	-	1	-	2	4	6	4		
	F	15	1	-	-	1	1	-	1	1	4	-	6	28	1	-	-	-	2	4	3	6	6	6		
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	5	-	-	-	-	2	-	-	1	1	1	-	17	-	-	-	-	1	3	6	3	1	3		
	F	3	-	-	-	-	-	2	-	-	1	-	-	13	-	1	-	-	5	3	3	-	-	-		
10 Other tuberculosis	M	3	-	1	-	-	1	-	-	-	1	-	-	3	1	-	1	-	-	-	1	-	-	-		
	F	3	-	1	-	-	-	-	2	-	-	-	-	4	-	-	-	-	1	1	-	1	1	-		
11 Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	1	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
12 Gen. paralysis of insane, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	-	2	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-		
13 Cancer	M	27	-	-	-	-	-	-	1	4	4	12	6	102	-	-	-	-	1	1	2	7	28	47		
	F	45	-	-	-	-	-	-	1	5	7	17	15	94	-	-	-	-	-	4	6	7	24	27		
14 Diabetes	M	1	-	-	-	-	-	-	-	-	1	-	-	7	-	-	-	-	-	-	-	1	4	2		
	F	5	-	-	-	-	-	-	-	-	1	3	1	11	-	-	-	1	-	-	1	2	5	2		
15 Cerebral hæmorrhage	M	20	-	-	-	-	-	-	-	2	4	4	10	35	-	-	-	-	-	2	-	2	12	19		
	F	18	-	-	-	-	-	-	-	1	4	4	9	48	-	-	-	-	-	2	3	3	13	27		
16 Heart disease	M	58	-	-	-	-	1	-	-	5	11	15	26	144	-	-	-	-	1	3	7	14	45	74		
	F	62	-	-	-	-	-	-	1	-	14	15	32	166	-	-	-	-	1	2	1	4	21	44		
17 Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-		
	F	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-		
18 Other circulatory	M	7	-	-	-	-	-	-	-	-	1	1	5	32	-	-	-	-	-	-	-	4	11	17		
	F	11	-	-	-	-	-	-	-	-	2	4	5	27	1	-	-	-	-	-	2	4	9	17		
19 Bronchitis	M	12	2	-	-	1	-	-	-	1	-	2	6	25	2	-	1	1	-	-	2	1	-	6		
	F	7	-	-	-	-	-	-	-	-	2	1	4	20	1	-	-	-	1	-	1	2	6	9		
20 Pneumonia	M	11	1	-	1	-	-	-	1	2	3	1	2	27	2	1	-	-	-	4	5	5	5	5		
	F	15	2	1	-	1	-	-	1	3	4	-	3	22	3	1	2	1	-	2	1	3	6	3		
21 Other respiratory	M	4	-	-	-	-	1	-	-	-	-	-	3	9	-	1	1	1	-	-	1	-	4	-		
	F	3	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	1	-	-	-	1	-	-		
22 Peptic ulcer	M	1	-	-	-	-	-	1	-	-	-	-	-	7	-	-	-	-	1	-	3	1	-	-		
	F	2	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-		
23 Diarrhoea	M	1	-	-	-	-	-	-	-	-	-	1	-	3	2	-	-	-	-	1	-	-	-	-		
	F	3	-	-	-	-	-	1	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-		
24 Appendicitis	M	3	-	-	-	-	1	-	-	-	1	1	-	3	-	-	-	-	-	-	-	1	2	-		
	F	2	-	-	-	-	-	-	1	1	-	-	-	5	-	-	-	-	-	1	1	-	-	-		
25 Cirrhosis of liver	M	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
26 Other liver diseases	M	3	-	-	1	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	1	1	1		
	F	1	-	-	-	1	-	-	-	-	-	-	-	7	-	-	-	1	-	-	-	2	3	3		
27 Other digestive	M	2	-	-	-	-	-	-	-	-	1	-	1	10	-	-	1	-	-	1	1	3	3	3		
	F	3	-	-	-	-	1	-	-	-	-	1	1	7	-	-	-	-	2	-	-	-	1	-		
28 Nephritis	M	9	-	-	-	-	1	-	-	2	2	3	1	13	-	-	-	1	-	1	2	4	2	3		
	F	7	-	-	-	-	1	-	1	1	-	1	3	19	-	-	-	-	2	2	1	3	4	7		
29 Puerperal sepsis	F	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-		
30 Other puerperal	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	3	-	-	-	-	-		
31 Congenital causes, etc.	M	7	7	-	-	-	-	-	-	-	-	-	-	22	22	-	-	-	-	-	-	-	-	-		
	F	8	7	-	1	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-		
32 Senility	M	9	-	-	-	-	-	-	-	-	-	2	7	22	-	-	-	-	-	-	-	-	4	18		
	F	19	-	-	-	-	-	-	-	-	-	3	16	39	-	-	-	-	-	-	-	-	4	35		
33 Suicide	M	4	-	-	-	-	-	1	-	2	1	-	-	7	-	-	-	-	1	2	2	1	1	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
34 Other violence	M	10	1	-	-	2	4	2	1	-	-	-	-	52	-	-	2	3	14	11	6	4	7	2		
	F	-	-	-	-	-	-	-	-	-	-	-	-	17	-	1	1	1	1	-	1	1	2	8		
35 Other defined causes	M	18	-	-	1	-	1	-	-	-	2	8	6	52	6	-	-	3	1	1	1	4	7	13		
	F	20	-	-	1	1	-	1	1	3	3	6	4	45	2	-	-	1	3	5	4	4	8	11		
36 Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-		

Causes of Death. <i>See first page of Table.</i>		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	298	28	2	3	6	12	12	20	26	45	69	75	40	2	-	-	1	-	3	4	2	8	9	11		
	F	302	14	4	2	9	11	14	14	27	41	63	103	57	7	-	-	-	-	3	2	5	12	8	20		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2 Measles	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
5 Diphtheria	M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	5	-	-	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
6 Influenza	M	10	1	-	-	-	-	1	-	1	1	4	2	1	-	-	-	-	-	1	-	-	-	-			
	F	10	1	-	-	-	1	-	1	2	1	2	2	1	-	-	-	-	-	-	1	-	-	-			
7 Encephalitis lethargica	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
9 Respiratory tuberculosis	M	15	-	-	-	-	3	4	6	2	-	-	-	4	-	-	-	-	1	2	-	-	1	-			
	F	9	-	-	-	-	3	2	2	1	1	-	-	3	-	-	-	-	2	-	1	-	-	-			
10 Other tuberculosis	M	4	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	4	-	-	-	-	2	1	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-			
11 Syphilis	M	3	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
12 Gen. paralysis of insane, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
13 Cancer	M	32	-	-	-	-	-	-	2	1	10	9	10	4	-	-	-	-	-	-	-	-	2	2			
	F	45	-	-	-	-	1	1	3	7	17	9	7	7	-	-	-	-	-	-	-	3	1	3			
14 Diabetes	M	3	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-			
	F	8	-	-	-	-	-	-	-	1	2	3	2	3	-	-	-	-	-	-	1	1	1	-			
15 Cerebral hæmorrhage	M	17	-	-	-	-	-	-	1	-	4	4	8	2	-	-	-	-	-	-	1	-	1	-			
	F	23	-	-	-	-	-	-	-	1	2	5	15	4	-	-	-	-	-	-	-	1	-	3			
16 Heart disease	M	67	-	-	-	1	-	1	2	9	9	25	20	11	-	-	-	-	-	-	-	3	4	4			
	F	69	-	-	-	-	-	-	1	5	6	24	33	17	-	-	-	-	-	-	-	3	4	10			
17 Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
18 Other circulatory	M	15	-	-	-	-	-	-	-	2	2	5	6	5	-	-	-	-	-	-	-	2	1	2			
	F	9	-	-	-	-	-	-	-	-	1	4	4	3	-	-	-	-	-	-	-	2	-	1			
19 Bronchitis	M	10	-	-	-	-	-	-	-	2	-	1	7	-	-	-	-	-	-	-	-	-	-	-			
	F	17	-	1	-	-	-	1	-	-	2	3	10	1	-	-	-	-	-	-	-	-	-	1			
20 Pneumonia	M	9	1	1	-	1	2	1	1	-	1	1	-	1	-	-	-	-	-	-	-	1	-	-			
	F	9	1	-	-	1	-	2	-	1	-	1	3	1	-	-	-	-	-	-	-	-	1	-			
21 Other respiratory	M	4	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-			
22 Peptic ulcer	M	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
	F	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
23 Diarrhœa	M	8	5	-	-	1	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-			
	F	3	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-			
24 Appendicitis	M	3	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
25 Cirrhosis of liver	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
26 Other liver diseases	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	4	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	1	-	-			
27 Other digestive	M	6	2	-	-	1	-	-	-	-	2	1	-	2	-	-	-	-	-	1	-	1	-	-			
	F	3	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-			
28 Nephritis	M	14	-	-	-	-	-	1	-	2	1	6	4	-	-	-	-	-	-	-	-	-	-	-			
	F	14	-	-	-	-	-	1	-	4	2	4	3	1	-	-	-	-	1	-	-	-	-	-			
29 Puerperal sepsis	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
30 Other puerperal	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
31 Congenital causes, etc.	M	13	13	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-			
	F	10	9	1	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-			
32 Senility	M	10	-	-	-	-	-	-	-	-	-	-	9	-	-	-	-	-	-	-	-	-	-	-			
	F	13	-	-	-	-	-	-	-	-	-	-	13	3	-	-	-	-	-	-	-	-	1	2			
33 Suicide	M	6	-	-	-	-	-	-	1	2	2	1	-	2	-	-	-	-	-	-	-	1	-	1			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-</			

Causes of Death. See first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	28	3	-	-	-	-	1	1	2	4	4	13	111	5	2	-	2	1	5	4	6	16	27	43
	F	12	-	-	-	1	-	-	1	2	-	2	6	102	5	1	1	2	2	2	2	11	22	55	
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6 Influenza	M	3	-	-	-	-	-	-	-	-	1	2	-	4	-	-	-	1	1	-	1	-	-	1	
	F	-	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-	-	-	-	1	-	7	
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9 Respiratory tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	2	2	1	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	1	-	-	-	
10 Other tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
11 Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12 Gen. paralysis of insane, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 Cancer	M	2	-	-	-	-	-	-	-	1	-	-	1	12	-	-	-	-	-	-	-	2	3	7	
	F	4	-	-	-	-	-	-	-	1	-	-	3	12	-	-	-	-	-	-	1	3	4	4	
14 Diabetes	M	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	1	3	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	2	
15 Cerebral hæmorrhage	M	2	-	-	-	-	-	-	-	-	2	-	-	6	-	-	-	-	-	-	-	1	-	5	
	F	-	-	-	-	-	-	-	-	-	-	-	-	10	-	-	-	-	-	-	-	3	7	7	
16 Heart disease	M	5	-	-	-	-	-	-	-	1	1	-	3	24	-	-	-	-	1	-	-	3	7	13	
	F	-	-	-	-	-	-	-	-	-	-	-	-	24	-	-	-	-	-	1	3	8	12		
17 Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
18 Other circulatory	M	6	-	-	-	-	-	-	-	1	1	4	-	4	-	-	-	-	-	-	-	-	1	3	
	F	3	-	-	-	-	-	-	-	-	1	2	11	-	-	-	-	-	-	-	-	2	9	-	
19 Bronchitis	M	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	3	1	-	
	F	1	-	-	-	-	-	-	-	-	-	1	-	4	1	-	-	-	-	-	-	-	3	-	
20 Pneumonia	M	1	-	-	-	-	-	1	-	-	-	-	-	6	2	-	-	-	-	-	1	1	2	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1	-	-	-	-	2	1	-	-	
21 Other respiratory	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	
22 Peptic ulcer	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	
23 Diarrhœa	M	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
24 Appendicitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
25 Cirrhosis of liver	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
26 Other liver diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
27 Other digestive	M	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	1	-	-	-	1	2	3	-	
	F	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	1	-	-	-	-	-	2	-	
28 Nephritis	M	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	1	1	2	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	1	-	-	1	-	2	-	
29 Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
30 Other puerperal	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
31 Congenital causes, etc.	M	3	3	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	
32 Senility	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33 Suicide	M	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	1	-	2	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
34 Other violence	M	1	-	-	-	-	1	-	-	-	-	-	-	3	-	-	1	-	1	1	-	-	-	1	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
35 Other defined causes	M	2	-	-	-	-	-	-	-	1	-	1	14	-	-	-	-	-	-	-	2	3	2	7	
	F	3	-	-	1	-	1	-	-	-	1	-	9	1	-	1	-	2	1	-	1	-	3	3	
36 Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Causes of Death. <i>See first page of Table.</i>		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	901	74	14	9	11	22	38	35	81	163	222	232	782	50	8	7	13	28	34	34	51	103	216	238		
	F	824	37	5	6	11	16	30	43	64	108	196	308	729	33	6	3	14	16	23	41	54	85	180	274		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-			
2 Measles	M	2	-	1	-	-	1	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
4 Whooping cough	M	4	1	1	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-			
	F	6	3	1	2	-	-	-	-	-	-	-	-	3	1	1	-	1	-	-	-	-	-	-			
5 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-			
	F	1	-	-	-	1	-	-	-	-	-	-	-	5	-	-	1	4	-	-	-	-	-	-			
6 Influenza	M	50	1	-	-	-	1	3	2	5	15	13	10	30	2	-	1	-	1	4	3	3	6	7			
	F	51	1	-	-	-	-	1	-	5	9	16	19	47	1	-	1	-	1	2	6	8	13	15			
7 Encephalitis lethargica	M	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	1	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
8 Cerebro-spinal fever	M	2	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
9 Respiratory tuberculosis	M	30	-	-	-	1	2	10	6	7	3	1	-	23	-	-	-	5	4	7	3	1	1	2			
	F	30	-	-	-	-	6	10	7	5	1	-	1	14	-	-	-	1	3	3	2	2	1	-			
10 Other tuberculosis	M	11	1	4	-	1	-	1	2	1	-	-	1	12	-	1	1	2	2	2	1	1	-	-			
	F	8	2	-	-	2	1	-	1	2	-	-	-	8	-	2	-	1	1	1	2	-	-	1			
11 Syphilis	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-			
12 Gen. paralysis of insane, etc.	M	3	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	-	1	1	-	-			
	F	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-			
13 Cancer	M	117	-	-	-	-	-	-	3	13	41	42	18	109	-	-	-	-	-	2	4	9	26	44			
	F	112	-	-	-	-	-	2	7	23	21	34	25	108	-	-	-	-	-	1	8	15	24	29			
14 Diabetes	M	13	-	-	-	-	1	1	-	-	2	4	5	8	-	-	-	-	1	-	1	2	1	2			
	F	13	-	-	-	-	-	-	1	-	3	5	4	9	-	-	-	1	-	-	2	1	2	3			
15 Cerebral hæmorrhage	M	63	-	1	-	-	-	-	-	6	10	21	25	43	-	-	-	-	-	-	1	6	16	20			
	F	88	-	-	-	1	-	1	-	3	10	17	56	50	-	-	-	-	-	2	2	9	18	19			
16 Heart disease	M	214	-	-	1	1	2	3	1	17	37	65	87	210	-	-	-	-	1	3	4	8	28	74			
	F	170	-	-	-	-	-	1	6	8	26	49	80	200	-	-	-	2	2	3	6	5	18	54			
17 Aneurysm	M	3	-	-	-	-	-	1	1	-	-	1	-	2	-	-	-	1	-	-	1	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-			
18 Other circulatory	M	37	-	-	-	-	-	1	-	1	11	10	14	33	-	-	-	-	-	-	-	4	8	21			
	F	37	-	-	-	-	-	-	1	-	5	12	19	34	1	-	-	-	-	-	1	1	9	22			
19 Bronchitis	M	22	3	-	-	-	-	1	-	1	2	5	10	26	2	-	-	-	-	1	-	4	9	10			
	F	26	1	-	1	-	-	-	2	-	1	11	10	24	-	1	-	-	1	-	1	2	7	11			
20 Pneumonia	M	49	10	3	1	-	5	4	4	6	6	5	5	41	5	3	2	2	2	3	3	5	1	12			
	F	30	3	3	2	1	1	2	3	1	1	5	8	24	3	1	-	-	-	3	4	1	2	5			
21 Other respiratory	M	7	-	-	-	-	-	-	-	3	1	2	1	12	-	-	-	-	-	1	1	3	2	3			
	F	8	1	-	-	-	-	-	-	2	1	3	1	3	-	-	-	-	1	-	-	1	-	1			
22 Peptic ulcer	M	7	-	-	-	-	-	1	1	-	4	-	1	6	-	-	-	-	-	1	-	-	3	-			
	F	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	1	-	1	-			
23 Diarrhoea	M	6	1	1	-	-	-	2	-	-	-	-	2	3	1	-	-	-	-	-	-	-	1	1			
	F	5	2	-	-	-	-	1	-	-	1	-	-	4	3	-	-	-	-	-	-	-	-	1			
24 Appendicitis	M	7	-	-	-	1	1	1	1	-	2	1	-	5	-	-	1	-	-	-	1	-	2	-			
	F	3	-	-	-	-	-	1	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-			
25 Cirrhosis of liver	M	8	-	-	-	-	-	-	1	1	4	2	-	1	-	-	-	-	-	-	-	1	-	-			
	F	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-			
26 Other liver diseases	M	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-			
	F	4	-	-	-	-	-	-	-	-	-	4	-	7	-	-	-	-	-	1	-	2	3	1			
27 Other digestive	M	14	2	1	1	1	-	-	1	3	1	1	3	10	-	-	-	2	1	-	-	-	3	3			
	F	20	1	-	1	1	2	1	1	6	3	3	3	8	-	-	-	-	1	1	2	-	2	2			
28 Nephritis	M	25	-	-	-	-	-	-	1	4	4	9	7	29	-	1	-	1	1	2	-	3	3	6			
	F	30	1	-	-	-	2	-	2	2	5	11	7	21	-	-	-	-	1	-	1	4	6	6			
29 Puerperal sepsis	F	3	-	-	-	-	-	2	1	-	-	-	-	3	-	-	-	-	2	1	-	-	-	-			
30 Other puerperal	F	3	-	-	-	-	-	3	-	-	-	-	-	6	-	-	-	-	1	4	1	-	-	-			
31 Congenital causes, etc.	M	46	46	-	-	-	-	-	-	-	-	-	-	37	35	-	1	-	1	-	-	-	-	-			
	F	21	21	-	-	-	-	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-			
32 Senility	M	21	-	-	-	-	-	-	-	-	-	-	-	27	-	-	-	-	-	-	-	-	1	26			

Causes of Death. See first page of Table.			Aggregate of Urban Districts.													Aggregate of Rural Districts.												
			All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-			
All Causes	M	1,145	59	6	11	16	35	36	55	98	210	319	300	1,455	81	10	15	16	42	56	52	117	222	360				
	F	1,318	35	6	9	17	25	43	36	100	167	309	571	1,512	58	6	8	25	27	49	55	131	209	342				
1 Typhoid fever, etc.	M	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-				
3 Scarlet fever	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-				
4 Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	-	6	1	2	3	-	-	-	-	-	-	-				
	F	5	3	-	1	1	-	-	-	-	-	-	-	5	2	1	-	2	-	-	-	-	-	-				
5 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-				
	F	3	-	-	1	1	1	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-				
6 Influenza	M	34	1	-	-	1	-	-	2	8	7	8	7	73	-	-	-	-	2	7	6	10	13	15				
	F	62	1	-	-	1	1	1	3	5	13	16	21	76	1	1	-	1	-	3	5	6	7	19				
7 Encephalitis lethargica	M	4	-	-	-	1	2	-	-	-	-	1	-	3	-	-	1	-	1	-	-	-	-	-				
	F	4	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-				
8 Cerebro-spinal fever	M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-				
9 Respiratory tuberculosis	M	49	-	-	-	2	6	14	12	10	3	2	-	38	-	-	-	-	7	13	4	5	7	1				
	F	44	-	-	-	1	8	21	4	4	2	3	1	36	-	-	-	-	5	12	8	6	2	2				
10 Other tuberculosis	M	10	1	-	-	1	2	1	2	1	1	1	-	11	1	-	2	1	3	2	1	1	-	-				
	F	8	1	2	-	-	-	2	-	-	-	1	2	12	-	1	1	3	1	4	-	1	-	-				
11 Syphilis	M	4	-	-	-	-	-	-	-	-	1	3	-	4	2	-	-	-	-	1	-	-	1	-				
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-				
12 Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	-	-	-	2	-	-	5	-	-	-	-	-	1	-	-	1	2				
	F	2	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	1	-	-	-	1				
13 Cancer	M	169	-	-	-	-	2	3	11	13	52	59	29	172	-	-	-	-	1	2	2	10	32	63				
	F	200	-	-	-	-	-	3	5	27	44	69	52	245	-	-	-	2	1	1	8	40	52	76				
14 Diabetes	M	16	-	-	-	-	-	-	1	1	3	5	6	26	-	-	-	1	2	-	1	2	7	10				
	F	22	-	-	-	1	-	-	-	2	6	9	4	28	-	-	-	-	-	1	3	5	7	7				
15 Cerebral hæmorrhage	M	54	-	-	-	-	-	-	-	6	9	18	21	73	-	-	-	-	-	-	-	6	10	28				
	F	76	-	-	-	-	-	-	1	4	13	22	36	105	-	-	-	-	-	1	9	22	36					
16 Heart disease	M	275	-	-	1	1	-	2	4	16	45	101	105	353	-	-	-	1	3	3	8	25	63	108				
	F	361	-	-	-	1	-	1	8	14	37	92	208	355	-	-	-	-	3	3	10	19	49	100				
17 Aneurysm	M	5	-	-	-	1	-	-	-	2	1	1	-	3	-	-	-	-	-	-	1	1	1	1				
	F	3	-	-	-	-	-	-	-	-	-	3	-	2	-	-	-	-	1	-	-	-	-	-				
18 Other circulatory	M	62	-	-	-	-	-	-	-	1	12	21	28	86	-	-	-	-	-	-	-	7	8	24				
	F	78	-	-	-	1	-	-	2	5	11	18	41	76	-	-	-	-	-	-	1	4	11	16				
19 Bronchitis	M	31	2	-	-	-	-	-	2	2	3	5	17	51	3	-	-	-	1	-	1	3	4	9				
	F	41	-	-	-	-	-	-	-	1	2	11	27	55	4	1	-	1	-	1	1	-	2	12				
20 Pneumonia	M	44	4	1	3	1	4	-	3	8	7	6	7	58	7	2	1	1	1	3	2	10	12	8				
	F	33	3	2	3	-	1	2	1	3	2	5	11	48	5	-	1	2	-	1	3	2	3	11				
21 Other respiratory	M	21	-	-	-	1	1	-	-	3	4	8	4	13	-	-	-	-	-	-	3	6	-	-				
	F	5	-	-	-	-	-	-	-	-	-	1	4	12	-	-	-	-	1	1	2	-	2	4				
22 Peptic ulcer	M	18	-	-	-	-	-	-	4	4	5	4	1	14	-	-	-	-	-	2	1	1	8	1				
	F	5	-	-	-	-	-	-	-	2	3	-	-	8	-	-	-	-	-	-	1	1	3	3				
23 Diarrhoea	M	5	1	-	-	-	1	-	-	-	-	-	3	11	7	-	1	-	-	2	-	-	-	-				
	F	8	1	1	-	-	-	-	-	1	2	2	1	11	3	1	1	-	-	-	-	2	1	1				
24 Appendicitis	M	8	-	1	2	2	1	-	1	-	1	-	-	8	-	-	-	2	2	-	1	-	-	2				
	F	5	-	-	-	2	-	-	-	-	1	1	1	4	-	-	-	1	1	-	-	1	-	-				
25 Cirrhosis of liver	M	5	-	-	-	-	-	-	-	1	2	2	-	2	-	-	-	-	-	-	-	1	1	-				
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-				
26 Other liver diseases	M	3	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-				
	F	12	-	-	-	-	-	1	-	-	2	4	5	7	-	-	-	-	-	1	1	-	-	3				
27 Other digestive	M	30	-	1	-	-	2	-	4	3	10	5	5	32	1	2	1	1	1	1	2	6	3	11				
	F	21	-	-	-	-	-	2	3	2	2	5	7	25	-	-	2	1	-	2	2	3	3	3				
28 Nephritis	M	45	-	-	-	-	2	1	1	4	11	21	5	71	-	-	-	-	3	1	3	10	6	26				
	F	50	-	-	-	2	-	3	1	6	10	15	13	47	-	-	-	-	1	-	1	8	7	9				
29 Puerperal sepsis	F	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-				
30 Other puerperal	F	8	-	-	-	-	3	5	-	-	-	-	-	7	-	-	-	-	1	3	3	-	-	-				
31 Congenital causes, etc.	M	45	43	1	-	-	-	-	1	-	-	-	-	54	54	-	-	-	-	-	-	-	-	-				
	F	23	21	-	1	1	-	-	-	-	-	-	-	41	39	1	-	-	-	-	-	-	-	-				
32 Senility	M	37	-	-	-	-	-	-	-	-	-	5	32</															

TABLE 24—*contd.* Administrative County of Southampton.

Causes of Death. first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	1,566	113	21	14	34	63	56	75	136	272	360	422	1,341	83	15	17	20	34	62	52	100	189	352	417
	F	1,496	62	12	18	21	27	53	72	122	210	359	540	1,139	66	10	9	11	24	37	53	76	156	245	452
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	M	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	M	4	4	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	2	-	-	-	-	-	-	-	-	3	-	1	2	-	-	-	-	-	-	-	-
Diphtheria	M	2	1	-	-	1	-	-	-	-	-	-	-	6	-	1	1	4	-	-	-	-	-	-	-
	F	4	-	-	1	3	-	-	-	-	-	-	-	3	-	-	1	1	-	-	-	-	-	1	-
Influenza	M	53	1	1	1	-	1	4	7	3	12	6	17	45	2	1	-	-	-	2	-	6	9	10	15
	F	54	2	2	1	1	1	1	2	4	9	6	25	49	-	-	-	-	1	2	5	6	11	24	24
Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Cerebro-spinal fever	M	2	-	1	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis	M	63	-	-	-	-	11	12	14	10	10	3	3	54	-	-	-	-	6	17	8	14	6	3	-
	F	57	-	-	-	-	11	19	13	5	3	4	2	32	-	-	-	-	7	9	8	4	4	-	-
Other tuberculosis	M	13	-	1	-	8	1	1	-	-	-	1	1	7	-	2	3	-	-	-	1	-	1	-	-
	F	11	-	-	4	1	1	-	-	2	1	2	-	9	1	2	-	-	3	-	1	2	-	-	-
Syphilis	M	3	1	-	-	-	-	-	-	-	2	-	-	9	-	-	-	-	1	-	2	2	3	1	-
	F	3	-	1	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Gen. paralysis of insane, etc.	M	6	-	-	-	-	-	-	2	-	3	-	1	5	-	-	-	-	-	3	-	1	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Cancer	M	192	-	-	-	-	2	2	12	25	44	65	42	171	-	-	-	-	2	7	1	18	39	59	45
	F	238	-	-	-	1	1	2	20	34	54	74	52	167	-	-	-	1	-	1	5	22	38	49	51
Diabetes	M	22	-	-	-	-	1	1	1	-	9	6	5	16	-	-	-	-	1	-	-	2	3	7	3
	F	29	-	-	1	-	1	1	-	1	6	12	7	22	-	-	-	-	-	1	-	-	5	11	5
Cerebral hæmorrhage	M	70	-	-	-	-	-	1	1	4	17	28	19	40	-	-	-	-	-	-	1	2	5	17	15
	F	118	-	-	-	-	-	-	1	11	23	34	49	58	-	-	-	-	-	-	1	3	8	20	26
Heart disease	M	385	-	-	-	-	5	4	4	29	82	111	150	372	-	-	-	-	2	3	6	18	51	122	170
	F	361	-	-	-	1	2	3	3	17	46	103	186	282	-	-	-	-	1	-	10	9	34	76	152
Aneurysm	M	7	-	-	-	-	1	-	-	-	4	2	-	7	1	-	-	-	-	-	1	-	2	2	1
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Other circulatory	M	92	-	-	-	-	-	-	1	2	11	40	38	76	-	-	-	-	-	-	-	3	7	33	33
	F	80	-	-	-	-	-	-	1	6	11	29	33	99	-	-	1	-	-	-	-	3	16	25	54
Bronchitis	M	42	2	-	2	-	-	1	1	5	8	7	16	42	3	-	-	1	1	1	2	3	1	14	16
	F	36	-	-	-	-	1	-	-	1	2	8	24	28	-	1	-	-	3	-	1	2	3	18	18
Pneumonia	M	79	13	6	3	2	4	4	1	11	10	14	11	56	12	6	1	1	2	-	4	3	5	8	14
	F	51	4	3	4	1	3	2	3	4	8	7	12	48	8	2	2	-	1	2	3	6	4	7	13
Other respiratory	M	18	2	-	1	-	2	-	1	4	4	1	3	13	-	-	-	-	-	-	1	1	6	4	1
	F	6	-	-	-	1	-	-	-	-	1	3	1	8	-	1	-	3	-	-	-	1	-	3	3
Peptic ulcer	M	22	1	-	-	-	-	-	4	9	3	4	1	20	-	-	-	-	-	2	5	3	5	3	3
	F	5	-	-	-	-	-	1	-	-	-	2	2	4	-	-	-	-	-	3	-	-	1	-	-
Diarrhœa	M	9	4	-	1	-	-	-	1	-	3	-	-	8	5	-	-	-	-	-	-	1	-	2	1
	F	10	3	-	-	1	-	-	-	2	-	3	1	6	3	1	-	-	-	1	-	-	-	-	-
Appendicitis	M	5	-	-	-	1	-	1	-	1	-	2	-	5	-	-	-	-	2	1	1	-	1	-	-
	F	6	-	-	-	1	-	-	1	1	-	1	2	5	-	-	1	-	1	1	1	-	1	-	-
Cirrhosis of liver	M	8	-	-	-	-	-	-	-	2	3	1	2	3	-	-	-	-	-	-	-	-	2	1	-
	F	4	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other liver diseases	M	3	-	-	-	-	1	-	-	1	-	1	-	5	-	-	-	-	-	2	-	1	-	-	2
	F	5	-	-	-	-	1	1	-	-	1	1	1	8	-	-	-	-	-	-	-	3	2	3	3
Other digestive	M	28	7	-	-	2	-	2	2	4	-	5	6	29	3	-	1	1	1	2	3	5	5	5	3
	F	30	2	1	1	2	1	-	1	6	1	12	3	23	-	-	-	1	-	2	1	2	5	2	10
Nephritis	M	51	-	-	-	2	2	1	3	5	11	13	14	47	-	-	-	1	1	-	2	4	7	13	19
	F	57	-	-	-	1	-	1	3	8	14	18	12	41	-	-	-	1	1	1	2	2	5	10	19
Puerperal sepsis	F	3	-	-	-	-	-	3	-	-	-	-	-	4	-	-	-	-	1	2	1	-	-	-	-
Other puerperal	F	11	-	-	-	-	-	7	4	-	-	-	-	11	-	-	-	-	7	3	1	-	-	-	-
Congenital causes, etc.	M	77	71	5	-	-	1	-	-	-	-	-	-	50	46	2	-	1	-	-	1	-	-	-	-
	F	48	46	-	2	-	-	-	-	-	-	-	-	50	49	-	-	-	1	-	-	-	-	-	-
Senility	M	71	-	-	-	-	-	-	-	-	-	13	58	48	-	-	-	-	-	-	-	-	3	45	54
	F	94	-	-	-	-	-	-	-	-	2	7	85	58	-	-	-	-	-	-	-	1	-	-	-
Suicide	M	20	-	-	-	-	2	3	5	6	4	-	-	17	-	-	-	-	1	1	3	-	6	4	2
	F	14	-	-	-	-	-	3	2	3	3	-	-	4	-	-	-	-	-	1	3	-	-	-	-
Other violence	M	72	2	2	3	8	18	11	7	5	6	6	4	77	1	2	7	4	12	19	6	4	10	9	3
	F	42	1	2	-	2	1	-	4	4	2	6	20	22	2	1	1	2	2	1	1	1	1	4	6
Other defined causes	M	143	4	5	3	8	10	8	8	10	26	31	30	102	4	1	3	7	3	6	5	8	16	25	24
	F	110	3	1	2	3	2	9	12	12	21	23	22	87	3	1	1	2	6	6	7	11	21	17	12
Ill-defined causes	M	2	-	-	-	-	1	-	-	-	-	-	-	5	1	-	-	-	-	-	-	-	3	-	1
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

Causes of Death. <i>See first page of Table.</i>		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-			
All Causes	M	3,644	401	65	66	95	157	166	246	339	635	782	692	1,149	84	10	18	19	40	48	69	87	170	30			
	F	3,039	244	46	50	74	127	118	153	243	481	684	819	1,036	60	16	11	21	25	27	69	78	124	26			
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
2 Measles	M	17	3	11	3	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-			
	F	14	3	4	3	2	2	-	-	-	-	-	-	3	-	2	-	1	-	-	-	-	-	-			
3 Scarlet fever	M	3	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	3	-	-	1	1	-	1	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-			
4 Whooping cough	M	17	8	6	3	-	-	-	-	-	-	-	-	3	-	1	2	-	-	-	-	-	-	-			
	F	19	10	5	3	1	-	-	-	-	-	-	-	5	1	1	2	1	-	-	-	-	-	-			
5 Diphtheria	M	29	2	1	8	18	-	-	-	-	-	-	-	5	-	-	4	1	-	-	-	-	-	-			
	F	30	-	-	5	21	3	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-			
6 Influenza	M	149	6	5	3	2	11	13	11	25	33	24	16	57	1	2	-	2	4	1	6	4	10	11			
	F	105	5	3	1	-	4	5	6	11	22	26	22	48	1	-	-	1	2	1	6	8	4	10			
7 Encephalitis lethargica	M	5	-	-	-	-	2	-	-	2	1	-	-	3	-	-	-	-	1	-	1	-	-	-			
	F	4	-	-	1	-	1	1	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-			
8 Cerebro-spinal fever	M	8	3	2	-	-	2	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-			
	F	7	2	-	2	2	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-			
9 Respiratory tuberculosis	M	198	-	1	-	2	29	38	49	36	34	9	-	43	-	-	-	-	2	11	12	6	7	-			
	F	140	-	1	-	6	48	41	20	11	8	4	1	31	1	-	-	1	10	6	9	1	1	-			
10 Other tuberculosis	M	41	2	9	7	8	4	5	4	1	1	-	-	10	2	-	1	-	2	1	-	1	2	-			
	F	30	3	8	2	6	2	5	1	-	3	-	-	9	1	2	3	-	-	1	1	-	-	-			
11 Syphilis	M	7	-	-	-	-	-	-	-	1	2	3	1	2	-	-	-	-	-	-	1	-	1	-			
	F	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	1	-	-	-			
12 Gen. paralysis of insane, etc.	M	13	-	-	-	-	1	-	4	4	3	1	-	5	-	-	-	-	-	1	2	1	1	-			
	F	4	-	-	-	-	-	-	1	-	2	1	-	2	-	-	-	-	-	-	-	2	-	-			
13 Cancer	M	373	-	1	-	1	3	13	13	47	123	118	54	130	-	-	1	-	1	2	6	12	32	52			
	F	355	-	-	-	1	4	6	31	52	106	97	58	131	-	-	-	1	-	1	7	18	25	51			
14 Diabetes	M	43	-	-	-	1	1	4	-	3	8	20	6	7	-	-	-	-	-	-	-	-	1	3			
	F	52	-	-	-	-	2	1	-	6	13	21	9	19	-	-	-	-	1	-	1	2	4	10			
15 Cerebral hæmorrhage	M	180	-	-	-	-	-	-	4	8	45	69	54	47	-	-	-	-	-	-	-	4	8	23			
	F	207	-	-	-	-	1	2	5	12	41	75	71	71	-	-	-	-	-	-	1	2	9	26			
16 Heart disease	M	710	-	-	1	6	11	13	25	50	135	252	217	263	-	-	1	-	2	4	9	20	37	87			
	F	750	-	-	-	6	16	8	23	54	126	250	267	283	1	-	-	1	3	2	10	15	38	89			
17 Aneurysm	M	6	-	-	-	-	1	-	1	2	1	1	-	3	-	-	-	-	-	-	1	-	-	2			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
18 Other circulatory	M	140	-	-	-	-	-	-	3	7	21	35	74	76	-	-	-	-	-	-	-	3	8	28			
	F	108	-	-	-	-	-	-	3	4	12	27	62	48	-	-	-	-	-	-	-	3	3	18			
19 Bronchitis	M	165	19	-	1	-	2	1	5	16	29	42	50	27	1	1	-	-	-	-	2	2	1	12			
	F	115	6	1	2	-	-	1	1	9	15	27	53	22	3	2	-	-	-	-	2	1	-	5			
20 Pneumonia	M	323	61	19	15	11	20	10	46	39	51	30	21	61	10	4	2	2	2	4	8	7	7	8			
	F	187	41	20	14	3	3	4	12	19	22	25	24	32	3	2	-	1	1	2	1	3	4	4			
21 Other respiratory	M	29	1	2	-	1	-	-	3	8	10	3	1	14	1	-	-	2	-	1	-	2	3	3			
	F	27	-	-	-	2	1	1	4	5	2	5	7	9	-	1	-	1	-	-	3	-	-	-			
22 Peptic ulcer	M	41	-	-	-	-	2	5	9	9	7	6	3	10	-	-	-	-	-	-	2	2	2	2			
	F	12	-	-	-	-	-	1	-	2	6	1	2	5	-	-	-	-	-	1	1	1	2	-			
23 Diarrhœa	M	41	27	1	6	-	-	-	-	1	3	2	1	7	6	-	-	-	-	-	-	-	-	1			
	F	32	18	1	1	-	3	3	-	1	-	2	3	7	1	1	1	-	1	-	2	-	-	-			
24 Appendicitis	M	16	-	-	1	4	2	1	2	3	3	-	-	2	-	-	-	-	-	-	-	-	1	1			
	F	14	-	1	1	2	3	1	-	2	2	2	-	5	-	-	-	1	1	1	-	-	-	2			
25 Cirrhosis of liver	M	10	-	-	-	-	-	-	2	-	4	4	-	7	-	-	-	-	-	-	1	-	2	3			
	F	8	1	-	-	-	-	-	-	2	4	-	1	1	-	-	-	-	-	-	-	1	-	-			
26 Other liver diseases	M	9	-	-	-	-	-	-	1	2	3	1	2	7	-	-	-	-	1	-	1	-	2	2			
	F	20	-	-	1	-	1	-	1	3	4	6	4	10	-	-	-	-	-	1	-	1	-	2			
27 Other digestive	M	42	3	1	2	2	2	2	4	5	3	11	7	18	-	-	-	1	1	1	-	3	6	2			
	F	54	2	-	4	4	-	1	4	6	15	11	7	11	1	1	-	1	-	1	1	2	1	1			
28 Nephritis	M	92	-	-	-	2	10	6	5	10	20	25	14	41	-	-	-	-	1	-	4	3	10	9			
	F	67	-	-	-	3	6	4	2	10	20	11	11	34	-	-	-	-	-	2	-	3	11	14			
29 Puerperal sepsis	F	12	-	-	-	-	3	7	2	-	-	-	-	3	-	-	-	-	-	-	3	-	-	-			
30 Other puerperal	F	21	-	-	-	-	3	7	11	-	-	-	-	12	-	-	-	-	1	4	6	1	-	-			
31 Congenital causes, etc.	M	241	238	-	1	2	-	-	-	-	-	-	-	55	55	-	-	-	-	-	-	-	-	-			
	F	141	137	1	1	-	-	-	2	-	-	-	-	45	44	-	1	-	-	-	-	-	-	-			
32 Senility	M	156	-	-	-	-	-	-	-	-	-	-	-	50	-	-	-	-	-	-	-	-	-	-			
	F	193	-	-	-	-	-	-	-	-	-	-	-	73	-	-	-	-	-	-	-	-	-	-			
33 Suicide	M	45	-	-	-	-	2	4	3	13	14	7	2	17	-	-	-	-	3	-	-	2	5	6			
	F	20	-	-	-	-	1	1	4	3	5	5	1	3	-	-	-	-	-	-	-	1	1	-			
34 Other violence	M	206	11	-	8	18	33	28</																			

TABLE 24—*contd.* Administrative County of Suffolk East.

Causes of Death. First page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	564	31	4	3	6	9	21	22	52	94	146	176	793	35	8	5	19	28	21	35	35	108	198	301
	F	574	27	6	9	11	11	15	23	37	76	137	222	746	29	4	8	12	15	21	19	50	91	170	327
Typhoid fever, etc.	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	M	1	—	—	1	—	—	—	—	—	—	—	—	6	2	2	—	2	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	5	—	—	1	1	2	1	—	—	—	—	—
Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—
Whooping cough	M	1	1	—	—	—	—	—	—	—	—	—	—	4	2	—	1	1	—	—	—	—	—	—	—
	F	4	—	2	1	1	—	—	—	—	—	—	—	3	—	2	1	—	—	—	—	—	—	—	—
Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
Influenza	M	26	—	—	1	1	—	1	1	6	3	6	7	38	—	—	—	1	2	—	6	—	12	7	10
	F	20	2	—	—	—	—	—	—	2	2	7	7	36	—	—	—	1	1	—	2	5	5	7	15
Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	1	—	—	2	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Respiratory tuberculosis	M	29	—	—	—	—	2	4	8	8	6	1	—	19	—	—	—	1	4	4	2	1	4	2	1
	F	18	—	—	—	—	3	6	4	1	4	—	—	20	—	—	—	1	4	7	1	1	3	2	1
Other tuberculosis	M	5	—	1	1	1	3	—	—	1	—	—	—	6	—	—	1	1	1	—	—	2	1	—	—
	F	8	1	1	2	2	2	—	—	—	—	—	—	3	—	—	1	1	—	—	—	—	1	—	—
Syphilis	M	4	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gen. paralysis of insane, etc.	M	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—
Cancer	M	71	—	—	—	—	—	—	1	5	13	35	17	103	—	—	—	—	1	2	2	5	20	41	32
	F	95	—	—	—	—	—	1	9	11	19	31	24	104	—	—	—	—	1	1	4	20	23	35	20
Diabetes	M	9	—	—	—	—	—	—	1	—	5	3	—	12	—	—	—	—	1	—	1	1	2	5	—
	F	8	—	—	—	—	—	—	—	—	4	3	1	14	—	—	—	—	—	—	2	1	6	5	—
Cerebral hæmorrhage	M	36	—	—	—	—	—	—	—	2	5	11	18	49	—	—	—	—	—	—	1	—	11	14	23
	F	40	—	—	—	—	—	—	—	1	3	17	19	60	—	—	—	—	—	—	1	—	12	17	30
Heart disease	M	122	—	—	—	—	—	1	3	4	22	45	47	215	—	—	—	1	2	—	4	4	20	74	110
	F	140	—	—	—	2	—	2	—	8	13	40	75	223	—	—	—	1	1	—	—	9	22	51	139
Aneurysm	M	3	—	—	—	—	—	—	—	—	2	—	1	2	—	—	—	—	—	—	—	1	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other circulatory	M	28	—	—	—	—	—	—	—	1	3	8	16	29	—	—	—	1	—	—	—	—	2	6	20
	F	26	—	—	—	—	—	—	—	1	4	8	13	23	—	—	—	—	—	—	1	—	3	10	9
Bronchitis	M	16	1	—	—	—	—	—	—	1	3	3	8	40	1	—	—	—	—	—	1	—	2	7	28
	F	29	2	—	1	1	—	—	—	—	4	4	17	30	1	1	—	—	—	—	1	—	7	20	—
Pneumonia	M	26	2	—	—	1	2	—	2	6	5	5	3	25	2	2	—	—	—	1	2	1	4	6	7
	F	23	7	2	2	—	—	1	1	1	1	4	4	24	2	—	3	1	—	1	1	2	2	3	9
Other respiratory	M	5	—	—	—	—	—	—	—	—	2	1	2	9	—	—	—	—	—	2	—	1	4	2	—
	F	7	—	—	—	—	—	1	—	—	1	2	3	5	—	—	—	1	—	2	—	1	1	—	—
Peptic ulcer	M	4	—	—	—	—	—	—	—	1	2	1	—	9	—	—	—	—	—	—	—	2	3	4	—
	F	2	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	1	—	—	—
Diarrhœa	M	4	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	5	1	—	—	—	1	—	1	—	1	—	—
Appendicitis	M	4	—	—	—	—	1	2	—	—	1	—	—	4	—	—	—	1	1	—	1	1	—	—	—
	F	3	—	—	—	1	2	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—
Cirrhosis of liver	M	4	—	—	—	—	—	—	—	1	1	1	1	3	—	—	—	—	—	—	1	1	—	1	—
	F	1	—	—	—	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	—	1	1	—	—
Other liver diseases	M	4	—	—	—	—	—	—	—	—	1	1	2	1	—	—	—	—	—	—	—	—	1	1	—
	F	2	—	—	—	—	—	—	—	—	1	1	—	4	—	—	—	—	—	1	—	1	1	—	—
Other digestive	M	6	—	—	—	—	—	—	—	2	2	1	1	10	—	—	—	1	—	1	—	2	1	2	3
	F	6	—	—	—	—	—	—	1	—	1	2	2	11	—										

Causes of Death. See first page of Table.			Aggregate of Urban Districts.												Aggregate of Rural Districts.											
			All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	
All Causes	M	242	15	3	1	4	3	2	9	20	50	65	70	477	18	4	3	8	15	10	14	22	64	154		
	F	248	8	1	3	1	6	7	14	13	35	74	86	429	18	5	2	6	2	6	18	29	57	98		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-		
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-		
	F	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-		
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4 Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-		
5 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6 Influenza	M	5	-	1	-	-	-	-	-	-	2	1	1	36	1	1	-	-	1	1	1	1	2	14		
	F	7	-	-	-	-	-	-	-	-	-	4	3	21	1	-	-	-	-	2	-	3	3			
7 Encephalitis lethargica	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-		
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	8	-	-	-	1	-	-	1	4	2	-	-	6	-	-	-	-	-	2	1	3	-	-		
	F	6	-	-	-	-	-	1	3	1	-	-	1	10	-	-	-	1	1	1	5	2	-	-		
10 Other tuberculosis	M	1	-	1	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	2	-	-	-		
	F	2	-	-	-	1	-	1	-	-	-	-	-	3	1	-	-	1	-	-	-	1	-	-		
11 Syphilis	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
12 Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13 Cancer	M	43	-	-	-	-	-	-	1	5	12	18	7	51	-	-	-	-	-	1	1	4	12	27		
	F	45	-	-	-	-	-	1	3	5	10	18	8	59	-	-	-	-	-	3	9	11	22	22		
14 Diabetes	M	2	-	-	-	-	-	-	-	-	1	1	-	6	-	-	-	-	-	1	-	2	1	-		
	F	3	-	-	-	-	-	-	-	-	-	1	2	11	-	-	-	-	-	1	-	4	2	-		
15 Cerebral hæmorrhage	M	10	-	-	-	-	-	-	-	-	1	7	2	23	-	-	-	-	-	1	-	3	6	-		
	F	17	-	-	-	-	-	-	-	-	3	5	9	29	-	-	-	-	-	-	3	5	12	-		
16 Heart disease	M	56	-	-	-	-	-	-	1	4	8	18	25	129	-	-	-	-	1	-	3	14	42	-		
	F	66	-	-	-	-	-	2	2	1	11	21	29	120	-	-	-	-	1	-	4	13	32	-		
17 Aneurysm	M	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-		
	F	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
18 Other circulatory	M	10	-	-	-	-	-	-	-	-	1	4	5	32	-	-	-	-	-	-	1	2	17	-		
	F	20	-	-	-	-	-	2	-	1	1	6	10	29	-	-	-	-	-	-	-	6	9	-		
19 Bronchitis	M	13	-	-	-	-	-	-	-	3	3	2	5	14	-	-	-	-	-	-	1	2	3	-		
	F	10	-	-	-	-	-	-	-	1	1	2	6	23	1	-	-	-	-	-	1	1	2	-		
20 Pneumonia	M	6	1	-	-	-	-	-	1	-	2	2	-	11	1	-	-	1	-	1	2	1	4	-		
	F	10	1	-	-	1	-	-	-	2	2	3	1	10	1	1	-	1	-	-	2	-	-	-		
21 Other respiratory	M	2	-	-	-	-	-	-	-	-	1	-	1	3	-	-	1	-	-	-	-	1	1	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	1	-	2	-	-		
22 Peptic ulcer	M	5	-	-	-	-	-	-	-	1	3	1	-	5	-	-	-	-	-	-	2	1	1	-		
	F	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	1	1	2	-		
23 Diarrhœa	M	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-		
	F	3	-	1	-	-	-	-	-	-	1	1	-	6	-	1	-	-	-	1	1	-	-	-		
24 Appendicitis	M	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
25 Cirrhosis of liver	M	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	1	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
26 Other liver diseases	M	1	-	-	1	-	-	-	-	-	-	-	-	3	-	-	-	1	-	1	-	-	-	-		
	F	5	-	-	-	-	-	-	1	-	1	-	3	4	-	-	-	-	-	-	-	2	-	-		
27 Other digestive	M	6	-	-	-	-	-	-	-	1	-	2	3	5	-	-	-	1	1	-	-	2	1	-		
	F	4	-	-	-	1	-	-	-	-	-	3	-	9	1	-	-	-	-	-	-	3	1	-		
28 Nephritis	M	11	-	-	-	-	1	-	-	1	4	1	4	18	-	-	-	-	-	1	1	3	9	-		
	F	8	-	-	-	2	-	-	-	2	-	2	2	9	-	-	-	-	1	1	-	3	1	-		
29 Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
30 Other puerperal	F	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-		
31 Congenital causes, etc.	M	14	13	-	-	1	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-		
	F	7	7	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-		
32 Senility	M	9	-	-	-	-	-	-	-	-	-	-	-	20	-	-	-	-	-	-	-	-	3	-		
	F	10	-	-	-	-	-	-	-	-	-	-	1	23	-	-	-	-	-	-	-	-	1	-		
33 Suicide	M	2	-	-	-	-	-	-	-	-	1	1	-	9	-	-	-	-	1	2	-	2	2	-		
	F	1	-																							

TABLE 24—*contd.* Administrative County of Surrey.

Causes of Death. first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	5,052	332	30	46	90	164	210	263	507	877	1314	1219	673	40	4	6	8	15	20	30	64	117	182	187
	F	5,242	274	30	32	63	142	217	251	426	758	1166	1883	691	24	3	7	8	20	21	27	52	111	150	268
Typhoid fever, etc.	M	4	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	M	3	-	-	1	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	M	13	11	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	8	2	1	2	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria	M	17	-	3	5	7	1	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	19	1	-	3	13	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	M	167	2	1	3	7	6	5	15	26	26	45	31	27	-	-	-	1	-	-	2	2	1	9	12
	F	238	6	6	1	2	5	9	6	22	31	57	93	35	-	-	2	2	-	2	-	2	7	5	15
Encephalitis lethargica	M	8	-	-	-	-	-	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	1	1	-	1	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Cerebro-spinal fever	M	4	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis	M	263	-	-	-	2	36	60	43	56	43	17	6	30	-	-	-	-	2	8	8	7	3	2	-
	F	215	1	-	-	3	50	70	39	24	15	12	1	20	-	-	-	6	4	2	5	2	1	-	
Other tuberculosis	M	34	3	5	2	7	5	6	3	1	2	-	-	7	-	2	1	2	1	-	1	-	-	-	-
	F	33	1	2	2	3	3	7	3	-	3	7	2	6	-	-	2	-	1	2	-	1	-	-	-
Syphilis	M	18	3	-	-	-	-	-	3	1	6	3	2	3	-	-	-	-	-	-	-	-	3	-	-
	F	8	-	-	-	-	1	-	1	1	2	3	-	2	1	-	-	-	-	-	-	-	-	1	-
Gen. paralysis of insane, etc.	M	12	-	-	-	-	-	-	3	1	6	2	-	4	-	-	-	-	-	1	3	-	-	-	-
	F	6	-	-	-	-	1	-	1	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	M	729	-	-	-	1	5	9	26	95	172	284	137	81	-	-	-	-	-	3	9	20	31	18	
	F	900	-	-	-	2	6	15	59	154	226	234	204	112	-	-	-	-	1	2	9	11	35	24	30
Diabetes	M	63	-	-	-	-	1	2	3	9	8	29	11	5	-	-	-	-	1	-	-	-	2	2	2
	F	90	-	-	-	1	5	-	4	5	15	30	30	6	-	-	-	-	1	-	-	-	2	3	3
Cerebral hæmorrhage	M	154	-	-	-	-	-	-	2	11	19	61	61	26	-	-	-	1	-	2	1	5	7	10	
	F	279	1	-	-	-	-	-	2	18	52	88	118	41	-	-	-	-	1	-	5	4	11	20	
Heart disease	M	1,232	-	1	-	2	6	13	29	86	252	400	443	174	-	-	-	1	-	2	14	34	52	71	
	F	1,257	-	-	-	-	7	18	25	52	157	354	644	200	-	-	-	1	2	2	7	26	59	102	
Aneurysm	M	30	-	-	-	1	-	-	1	2	13	10	3	3	-	-	-	-	1	-	-	1	1	-	-
	F	14	-	-	-	-	-	1	2	2	2	4	3	4	-	-	-	-	-	-	1	2	-	1	1
Other circulatory	M	282	1	-	-	-	1	1	3	10	54	90	122	47	-	-	-	-	-	1	2	7	19	18	
	F	358	-	-	-	-	-	-	7	9	48	90	204	42	-	-	-	-	-	-	2	9	8	23	23
Bronchitis	M	139	8	2	2	-	2	3	4	12	18	40	48	18	-	-	-	1	-	-	3	2	2	10	
	F	111	5	1	-	-	1	2	1	2	7	16	76	14	-	-	-	1	-	-	-	3	3	7	7
Pneumonia	M	318	40	11	10	7	3	10	18	40	59	65	55	20	3	2	-	-	-	1	2	5	2	5	
	F	254	35	9	7	5	2	7	13	20	24	43	89	28	3	1	-	-	-	4	-	3	5	12	12
Other respiratory	M	48	1	-	-	-	2	5	3	5	11	10	11	11	1	-	1	-	-	-	2	1	3	3	
	F	47	1	1	1	1	3	3	3	4	2	5	23	6	-	-	1	-	1	-	-	3	1	1	
Peptic ulcer	M	85	-	-	-	-	3	5	6	21	18	18	14	8	-	-	-	-	1	-	1	3	3	-	-
	F	22	-	-	-	-	-	-	-	5	5	6	6	5	-	-	-	-	-	-	2	-	1	2	2
Diarrhœa	M	29	20	-	1	-	-	-	-	2	1	3	2	2	1	-	-	-	1	-	-	-	-	-	-
	F	37	20	1	2	-	-	1	4	2	1	1	5	4	2	-	-	1	-	1	-	-	-	-	-
Appendicitis	M	41	-	-	3	6	3	3	5	4	8	6	3	4	-	-	-	-	1	-	-	-	1	1	1
	F	40	-	-	-	8	5	6	3	5	6	6	1	6	-	-	-	2	-	3	1	-	-	-	-
Cirrhosis of liver	M	19	-	-	-	-	-	-	3	5	5	6	-	6	-	-	-	-	-	-	3	1	1	1	1
	F	14	-	-	-	1	-	1	-	3	4	5	-	1	-	-	-	-	-	-	1	-	-	-	-
Other liver diseases	M	16	-	-	-	-	-	-	3	2	4	3	4	2	-	-	-	-	1	-	-	-	-	1	1
	F	31	-	-	-	1	-	3	3	4	4	7	9	5	-	-	-	-	2	-	1	1	1	1	1
Other digestive	M	74	5	1	4	3	4	1	4	12	6	19	15	20	1	-	-	-	1	-	-	4	7	5	2
	F	95	3	-	2	3	4	3	6	14	20	19	21	9	-	-	-	-	1	-	3	2	-	3	3
Nephritis	M	145	1	-	-	2	6	4	14	21	30	35	32	15	-	-	-	-	-	-	-	6	3	6	6
	F	150	-	-	-	-	1	8	7	19	35	42	38	19	-	-	-	1	1	-	4	2	6	5	5
Puerperal sepsis	F	8	-	-	-	-	-	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other puerperal	F	28	-	-	-	-	5	16	7	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
Congenital causes, etc.	M	213	210	1	-	1	-	1	-	-	-	-	-	32	32	-	-	-	-	-	-	-	-	-	-
	F	164	158	1	1	2	1	1	-	-	-	-	-	16	14	-	-	-	1	1	-	-	-	-	-
Senility	M	112	-	-	-	-	-	-	-	-	-	11	101	10	-	-	-	-	-	-	-	1	2	7	7
	F	190	-	-	-	-	-	-	-	-	1	28	161	22	-	-	-	-	-	-	-	-	1	21	21
Suicide	M	81	-	-	-	-	6	9	9	22	17	17	1	14	-	-	-	-	1	2	3	4	3	1	1
	F	55	-	-	-	-	8	10	8	14	5	6	4	3	-	-	-	-	-	-	1	2	-	-	-
Other violence	M	270	9	-	8	14	49	46	30	28	26	24	36	37	1	-	1	3	6	4	3	2	5	7	5
	F	191	14	4	5	7	13	10	17	10	24	26	61	24	1	-	-	1	1	1	2	3	3	11	11
Other defined causes	M	427	17	5	6	26	22	22	31	34	71	114	79	64	1	-	2	-	1	3	5	11	24	14	
	F	356	18	1	6	9	18	19	27	36	63	75	84	57	3	1	2	2	4	4	5	9	16	10	
Ill-defined causes	M	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 24—*contd.* Administrative County of Sussex East.

Causes of Death. See first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-		
All Causes	M F	953 1,225	37 27	5 1	7 7	14 10	18 12	25 29	52 31	61 90	165 167	262 326	307 525	907 875	39 31	4 6	7 4	12 5	18 8	32 26	33 36	65 72	159 132	248 200	
1 Typhoid fever, etc.	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	1 -	- -		
2 Measles	M F	1 2	- -	- -	1 1	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
3 Scarlet fever	M F	- 1	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	1 -	- -	- -	- -	- -	- -	- -		
4 Whooping cough	M F	1 2	1 1	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	2 1	1 -	- -	1 1	- -	- -	- -	- -	- -	- -		
5 Diphtheria	M F	1 3	- -	- -	1 1	- 2	- -	- -	- -	- -	- -	- -	- -	1 1	- -	- -	- -	1 1	- -	- -	- -	- -	- -		
6 Influenza	M F	19 41	- 2	- -	- -	- -	- 2	2 1	2 3	3 -	- 6	7 13	5 16	37 42	- -	2 -	1 -	- -	- 2	2 2	2 3	9 6	13 10		
7 Encephalitis lethargica	M F	2 4	- -	- -	- -	- -	- 1	- -	1 -	- 1	- 1	1 -	- 1	1 1	- -	- -	- -	- -	- -	- -	- -	1 -	- -		
8 Cerebro-spinal fever	M F	1 -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- 2	2 -	- -	- -	- -	- -	- -	- -	- -	- -		
9 Respiratory tuberculosis	M F	41 31	- -	- -	- 2	4 5	9 10	8 8	7 2	5 2	2 2	2 2	4 2	31 21	- 1	- -	- -	- 3	11 8	1 4	5 2	7 1	2 1		
10 Other tuberculosis	M F	9 9	1 -	1 -	- 2	- 3	2 1	1 1	- -	- 1	- -	1 -	- 1	7 6	- -	1 -	4 1	- 1	- -	1 1	- -	2 -	1 -		
11 Syphilis	M F	3 1	- -	- -	- -	- -	- -	1 -	- -	- 1	2 -	- -	- -	2 1	- -	- -	- -	- -	- 1	- -	- -	1 -	1 -		
12 Gen. paralysis of insane, etc.	M F	1 3	- -	- -	- -	- -	- -	- -	- -	- -	- 2	1 1	- -	1 1	- -	- -	- -	- -	- -	- -	- -	1 1	- -		
13 Cancer	M F	133 212	- -	- -	- -	- -	- 1	5 4	16 27	29 50	43 67	40 63	121 151	- -	- -	1 -	- -	- 2	3 5	12 19	27 35	44 49			
14 Diabetes	M F	20 19	- -	- -	- -	- -	- -	- 2	- 1	- 2	3 7	7 10	9 15	- -	- -	- -	- -	1 -	1 1	2 -	2 1	1 -			
15 Cerebral hæmorrhage	M F	44 105	- -	- -	- -	- -	- -	1 2	- 5	10 21	18 32	15 45	46 60	- -	- -	- -	- -	- -	- 2	1 4	13 11	17 14			
16 Heart disease	M F	287 355	- -	- -	1 -	- -	1 1	4 1	12 14	42 27	97 100	130 212	251 253	- -	- -	- -	- 1	1 2	1 3	14 11	36 25	88 68			
17 Aneurysm	M F	3 2	- -	- -	- -	1 -	- -	- -	- -	1 2	1 -	- -	- -	4 -	- -	- -	- -	- -	- -	- -	2 -	1 -			
18 Other circulatory	M F	42 70	- -	- -	- -	- -	- -	- -	1 -	2 6	19 17	20 47	46 57	- -	- -	- -	- -	- -	1 -	1 1	4 9	11 12			
19 Bronchitis	M F	22 27	2 -	1 -	- -	- -	- -	3 -	- 2	4 -	5 8	7 17	19 13	- 1	- -	- -	- -	- -	- -	1 -	1 -	2 3			
20 Pneumonia	M F	43 43	3 2	2 -	2 2	- -	2 1	4 1	2 3	9 10	5 10	14 15	37 37	7 5	1 4	- -	2 1	- 1	2 1	3 1	1 7	8 4			
21 Other respiratory	M F	12 15	- -	- -	- -	- -	1 1	1 -	1 2	1 9	5 6	3 10	10 5	- -	- -	- -	2 -	1 -	- -	2 1	- 1	4 1			
22 Peptic ulcer	M F	19 3	- -	- -	- -	- -	1 -	2 -	1 -	- -	- -	1 2	12 2	- -	- -	- -	- -	1 -	2 -	1 -	6 1	1 -			
23 Diarrhœa	M F	6 6	3 3	1 -	- -	- -	- -	- -	- -	1 1	1 -	- 2	9 2	4 -	1 -	- 1	- -	- -	- -	- -	2 -	1 -			
24 Appendicitis	M F	5 15	- -	- -	- 2	1 -	- 1	- 3	- -	1 3	2 5	1 1	2 4	2 -	- -	- -	- -	1 -	- -	1 -	- 2	2 -			
25 Cirrhosis of liver	M F	5 5	- -	- -	- -	- -	- -	1 1	2 -	1 4	1 -	- -	5 1	- -	- -	- -	- -	- -	- -	1 -	2 1	2 -			
26 Other liver diseases	M F	4 13	- -	- -	- -	1 1	1 -	- 1	1 1	1 5	2 4	- -	2 6	- -	- -	- -	- -	1 1	1 -	- -	2 -	2 -			
27 Other digestive	M F	18 24	- -	- -	1 -	3 1	1 1	2 1	1 5	3 3	3 6	3 7	16 16	4 1	- -	- -	- 2	1 1	1 5	2 3	2 8	5 3			
28 Nephritis	M F	28 53	- -	- -	- -	2 -	- 2	1 2	1 11	2 7	8 14	8 19	35 26	- -	- -	- -	- -	1 1	5 2	3 3	8 7	3 -			
29 Puerperal sepsis	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
30 Other puerperal	F	1	-	-	-	-	1	-	-	-	-	-	-	4	-	-	-	4	-	-	-	-			
31 Congenital causes, etc.	M F	23 15	23 15	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	18 18	18 18	- -	- -	- -	- -	- -	- -	- -			
32 Senility	M F	15 32	- -	- -	- -	- -	- -	- -	- -	- -	- -	2 4	13 28	22 32	- -	- -	- -	- -	- -	- -	- -	- -			
33 Suicide	M F	20 8	- -	- -	- -	- -	1 1	2 2	3 2	7 3	3 3	4 2	13 7	- -	- -	- -	- -	1 5	3 6	- 1	5 9	2 5			
34 Other violence	M F	37 21	1 1	- -	1 1	2 -	6 2	2 1	5 1	8 3	3 3	8 9	48 17	- 2	- -	1 -	2 2	7 2	5 -	6 2	9 2	5 1			
35 Other defined causes	M F	88 82	3 3	- -	3 -	3 1	3 2	9 7	8 2	16 13	19 10	23 28	98 70	5 1	1 -	- -	3 -	5 1	6 4	3 5	7 16	15 15			
36 Ill-defined causes	M F	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- 2	- -	- -	- -	- -	- -	- -	- -	- -			

TABLE 24—*contd.* Administrative County of Sussex West.

Causes of Death. first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	892	49	5	4	22	19	24	30	75	147	259	258	697	41	5	2	13	15	29	32	51	133	173	203
	F	1,092	39	3	1	8	16	19	33	79	152	285	457	692	36	3	8	11	13	21	27	44	96	163	270
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Diphtheria	M	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-
Influenza	M	41	2	1	-	2	-	1	2	5	6	9	13	31	2	-	-	1	-	-	1	2	5	10	10
	F	49	-	-	-	-	1	2	1	3	7	19	16	25	1	-	1	-	-	1	2	11	4	10	5
Encephalitis lethargica	M	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
Cerebro-spinal fever	M	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
Respiratory tuberculosis	M	40	-	-	-	-	3	11	6	13	5	2	-	26	-	-	-	1	4	3	7	2	4	3	2
	F	31	-	-	-	1	7	6	6	4	3	3	1	14	-	-	-	1	5	5	2	1	-	-	-
Other tuberculosis	M	8	2	-	-	3	-	1	1	1	-	1	-	5	-	2	1	-	-	-	1	-	1	-	-
	F	3	-	1	-	-	1	-	-	1	-	-	-	6	1	-	1	-	3	-	-	1	-	-	-
Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	2	1	-	-
	F	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	M	140	-	-	-	1	-	-	4	12	37	53	33	100	-	-	-	-	1	1	1	14	27	36	20
	F	179	-	-	-	2	-	1	9	20	40	60	47	106	-	-	-	-	1	1	5	10	24	34	32
Diabetes	M	7	-	-	-	1	-	1	1	1	2	-	1	12	-	-	-	-	1	1	-	1	4	2	3
	F	22	-	-	-	-	-	1	1	1	3	14	3	9	-	-	-	-	-	-	-	4	5	-	-
Cerebral hæmorrhage	M	38	-	-	-	-	-	-	-	-	5	15	18	41	-	-	-	-	-	1	2	16	12	10	10
	F	82	-	-	-	-	-	-	1	4	11	26	40	65	-	-	-	-	-	2	8	6	23	26	26
Heart disease	M	269	-	-	-	1	1	1	3	15	44	101	103	192	-	-	-	1	-	2	2	8	35	54	90
	F	319	-	-	-	1	-	2	12	41	87	176	194	194	-	-	-	1	-	4	3	4	22	44	116
Aneurysm	M	5	-	-	-	-	-	-	1	2	1	1	1	5	-	-	-	-	-	-	-	2	3	-	-
	F	4	-	-	-	-	-	-	-	-	2	2	2	3	-	-	-	-	-	-	-	-	3	-	-
Other circulatory	M	45	-	-	-	-	-	-	1	8	11	25	27	27	-	-	-	-	-	1	-	3	7	16	16
	F	56	-	-	-	-	1	-	2	3	12	38	32	32	-	-	-	-	-	-	1	4	7	20	20
Bronchitis	M	34	3	-	-	-	-	-	1	9	8	13	20	20	-	-	-	-	-	4	1	3	4	8	8
	F	29	-	1	-	-	1	-	-	1	4	22	18	18	2	-	-	-	1	-	-	1	3	11	11
Pneumonia	M	30	4	2	1	3	-	1	1	3	4	7	4	32	6	1	-	1	1	3	5	5	6	3	3
	F	38	2	-	-	1	1	-	2	4	8	6	14	29	4	1	1	-	-	-	2	5	11	5	5
Other respiratory	M	8	-	-	-	-	-	1	4	1	1	1	1	5	1	1	-	-	1	-	-	2	-	-	-
	F	4	-	-	-	1	-	2	-	-	1	-	-	3	-	-	-	-	-	-	1	-	1	1	1
Peptic ulcer	M	8	-	-	-	-	-	3	3	1	1	-	-	14	-	-	-	-	2	-	2	2	4	4	4
	F	7	-	-	-	-	-	-	1	2	3	1	-	6	-	-	-	-	1	1	3	1	-	-	-
Diarrhœa	M	9	3	-	-	-	1	1	-	-	3	1	1	5	3	-	-	-	-	-	-	-	1	1	1
	F	4	-	1	-	-	-	-	-	1	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-
Appendicitis	M	11	-	-	-	2	2	-	-	1	1	4	1	5	-	-	-	2	2	-	-	1	-	-	-
	F	5	-	-	-	1	-	-	-	1	3	-	-	7	-	1	-	3	-	-	1	-	-	-	2
Cirrhosis of liver	M	3	-	-	-	-	-	-	1	-	2	-	-	4	-	-	-	-	1	-	2	-	-	-	-
	F	5	-	-	-	-	-	-	-	4	-	-	1	2	-	-	-	-	-	-	-	1	1	-	-
Other liver diseases	M	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	2	2	2	2
	F	10	-	-	-	-	1	-	1	2	3	3	5	5	-	-	-	-	1	-	1	2	1	1	1
Other digestive	M	14	-	-	-	2	-	-	2	-	7	3	14	14	1	-	-	2	1	2	2	2	3	1	1
	F	18	1	-	-	-	-	1	3	3	2	8	3	10	-	-	-	-	2	-	-	1	4	3	3
Nephritis	M	23	-	-	-	-	1	3	3	3	3	9	4	17	-	-	-	-	4	1	4	7	1	1	1
	F	22	-	-	-	-	-	-	3	4	10	5	14	14	-	-	-	-	1	2	1	3	5	2	2
Puerperal sepsis	F	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Other puerperal	F	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	4	1	-	-	-	-	-	-
Congenital causes, etc.	M	36	34	-	-	2	-	-	-	-	-	-	-	26	24	-	1	-	1	-	-	-	-	-	-
	F	35	35	-	-	-	-	-	-	-	-	-	-	24	21	-	-	1	1	-	-	-	-	-	-
Senility	M	17	-	-	-	-	-	-	-	-	-	2	15	16	-	-	-	-	-	-	-	-	2	14	14
	F	44	-	-	-	-	-	-	-	-	-	-	44	26	-	-	-	-	-	-	-	-	2	24	24
Suicide	M	7	-	-	-	2	-	-	1	3	1	-	11	11	-	-	-	1	4	1	2	1	2	-	-
	F	12	-	-	-	1	2	6	3	3	-	-	2	2	-	-	-	1	1	1	1	-	-	-	-
Other violence	M	26	-	-	1	1	3	6	3	3	3	4	30	30	-	1	-	3	3	6	1	2	7	4	3
	F	23	1	-	1	1	1	1	2	1	3	13	25	25	1	1	2	3	3	2	1	2	1	1	8
Other defined causes	M	63	1	1	1	3	6	1	2	3	11	18	16	50	4	-	-	4	1	3	4	5	7	7	15
	F	84	-	-	-	2	2	3	6	10	12	24	25	50	1	-	1	2	1	1	5	9	6	12	12
Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 24—*contd.* Administrative County of Westmorland.

Causes of Death. See first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	179	9	-	-	2	2	13	12	17	32	48	44	239	15	-	3	5	7	5	12	24	32	62	74
	F	239	8	2	2	-	6	9	8	16	35	47	106	232	9	3	3	6	1	6	4	20	31	72	77
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4 Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	
5 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
6 Influenza	M	9	-	-	-	-	-	1	-	3	1	2	2	10	-	-	-	-	1	-	2	1	-	6	
	F	13	1	-	-	-	1	-	1	1	4	2	3	12	-	-	-	-	-	2	1	-	7	2	
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9 Respiratory tuberculosis	M	11	-	-	-	-	2	5	2	2	-	-	-	3	-	-	-	-	1	1	-	-	-	1	
	F	10	-	-	-	-	2	2	2	2	-	-	-	5	-	-	-	1	2	-	2	-	-	-	
0 Other tuberculosis	M	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
	F	4	-	1	1	-	-	1	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	
1 Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2 Gen. paralysis of insane, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3 Cancer	M	21	-	-	-	-	-	1	1	3	6	10	-	31	-	-	-	-	-	1	6	3	13	8	
	F	26	-	-	-	-	-	-	1	5	5	4	11	32	-	-	-	-	-	-	5	9	15	3	
4 Diabetes	M	3	-	-	-	-	-	2	-	-	1	-	-	4	-	-	-	-	-	-	1	2	1	-	
	F	6	-	-	-	-	-	-	-	-	3	1	2	4	-	-	-	-	-	-	1	-	1	2	
5 Cerebral hæmorrhage	M	15	-	-	-	-	-	-	-	-	5	4	6	12	-	-	-	-	-	1	1	2	3	5	
	F	22	-	-	-	-	-	-	-	1	2	10	9	20	-	-	-	-	-	2	-	4	14		
6 Heart disease	M	45	-	-	-	-	3	5	3	17	17	17	55	-	-	-	-	1	1	1	9	15	28		
	F	68	-	-	-	1	4	3	6	13	41	65	-	-	-	-	-	1	2	6	31	25			
7 Aneurysm	M	3	-	-	-	1	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	2	-		
	F	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-		
8 Other circulatory	M	7	-	-	-	-	-	-	-	1	3	3	20	-	-	-	-	-	-	-	3	7	10		
	F	13	-	-	-	-	-	-	-	1	4	8	10	-	-	-	-	-	-	1	-	2	7		
9 Bronchitis	M	3	-	-	-	-	-	-	-	-	-	3	5	-	-	-	-	-	-	1	-	1	3		
	F	8	-	-	1	-	-	1	-	1	-	5	7	1	-	-	1	-	-	-	2	-	3		
0 Pneumonia	M	9	4	-	-	-	-	-	1	1	2	1	10	2	-	-	-	-	1	1	2	1	3		
	F	10	1	1	-	-	-	-	1	1	1	5	10	-	1	-	2	-	1	-	3	-	3		
1 Other respiratory	M	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-		
	F	3	-	-	-	-	-	-	1	-	1	1	4	-	-	1	-	-	-	-	-	1	2		
2 Peptic ulcer	M	3	-	-	-	-	-	-	1	-	2	-	4	-	-	-	-	-	-	1	1	2	-		
	F	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	1	-	-		
3 Diarrhoea	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	2	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-		
4 Appendicitis	M	2	-	-	-	1	-	1	-	-	-	-	-	7	-	-	1	2	-	3	-	1	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
5 Cirrhosis of liver	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6 Other liver diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	4	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-		
7 Other digestive	M	4	-	-	-	1	-	-	-	1	1	1	2	-	-	-	-	1	-	-	-	-	1		
	F	1	-	-	-	-	-	-	-	1	-	-	4	1	-	-	-	-	-	-	-	-	1	2	
8 Nephritis	M	6	-	-	-	-	-	-	-	3	1	2	8	-	-	-	-	1	-	1	3	3	-		
	F	11	-	-	-	-	-	-	-	3	4	4	8	-	-	-	-	-	2	3	1	-	2		
Puerperal sepsis	F	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other puerperal	F	3	-	-	-	-	1	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-		
Congenital causes, etc.	M	2	2	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-		
	F	5	5	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-		
Senility	M	7	-	-	-	-	-	-	-	-	2	5	1	-	-	-	-	-	-	-	-	-	1		
	F	7	-	-	-	-	-	-	-	-	-	7	6	-	-	-	-	-	-	-	-	1	5		
Suicide	M	5	-	-	-	-	2	-	-	3	-	-	7	-	-	-	-	-	-	3	2	1	1		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other violence	M	8	1	-	-	-	3	1	2	-	1	-	22	2	-	2	1	2	2	3	5	2	2	1	
	F	6	-	-	-	1	-	-	-	-	2	3	2	-	-	-	-	-	-	-	1	-	1		
Other defined causes	M	14	1	-	-	-	1	2	-	5	3	2	22	2	-	-	2	1	-	1	2	8	6		
	F	14	-	-	-	-	1	2	-	2	5	4	25	-	-	-	1	-	1	4	5	7	6		
Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		

Causes of Death. See first page of Table.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	953	48	5	10	9	32	24	49	89	153	273	261	952	42	7	6	18	50	41	40	64	135	243	306		
	F	802	36	3	8	16	18	31	29	53	99	191	318	851	36	4	3	10	17	32	36	56	124	188	345		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-		
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
4 Whooping cough	M	2	2	-	-	-	-	-	-	-	-	-	-	3	1	1	-	1	-	-	-	-	-	-	-		
	F	3	1	1	-	-	1	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-		
5 Diphtheria	M	2	-	-	-	2	-	-	-	-	-	-	-	3	-	1	-	-	1	-	1	-	-	-	-		
	F	4	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6 Influenza	M	28	2	1	-	-	-	3	1	5	5	5	6	32	1	1	-	-	1	1	1	2	12	5	8		
	F	27	-	-	2	-	1	2	1	2	4	6	9	42	1	1	-	-	2	3	3	2	10	6	14		
7 Encephalitis lethargica	M	2	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
	F	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	34	1	-	-	-	6	6	7	5	7	2	-	30	1	-	1	1	6	5	8	2	4	2	-		
	F	20	-	-	-	-	7	7	4	-	1	1	-	21	-	-	1	1	4	7	2	3	1	3	-		
0 Other tuberculosis	M	10	-	1	1	2	2	1	2	-	-	1	-	11	-	1	1	1	3	4	-	1	-	-	-		
	F	1	-	-	-	-	-	-	-	-	-	-	1	7	1	-	-	-	2	-	3	-	1	-	-		
1 Syphilis	M	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	1	-	1		
	F	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-		
2 Gen. paralysis of insane, etc.	M	6	-	-	-	-	1	-	-	-	2	3	-	1	-	-	-	-	-	-	1	-	-	-	-		
	F	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-		
3 Cancer	M	133	-	-	-	-	2	3	4	15	27	54	28	125	1	-	-	-	1	1	5	10	32	53	22		
	F	110	-	-	-	-	-	-	4	14	25	40	27	119	-	-	-	-	-	1	5	14	28	35	36		
4 Diabetes	M	12	-	-	-	1	-	-	1	-	4	4	2	10	-	-	-	-	1	-	-	-	1	4	4		
	F	13	-	-	-	1	-	-	-	-	2	8	2	19	-	-	-	-	-	1	-	2	5	6	5		
5 Cerebral hæmorrhage	M	61	-	-	-	-	-	-	1	3	8	20	29	45	-	-	-	-	-	-	-	2	9	12	22		
	F	66	-	-	-	-	-	-	-	3	9	21	33	44	-	-	-	-	-	1	3	7	13	20	20		
6 Heart disease	M	260	-	-	-	1	1	1	4	18	46	100	89	254	-	-	-	-	-	2	6	11	26	84	125		
	F	231	-	-	-	2	-	6	5	11	29	59	119	250	-	-	-	-	-	2	8	12	31	63	134		
7 Aneurysm	M	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	1	1	1	-	-		
	F	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	1	1	-	1	-	1		
8 Other circulatory	M	44	-	-	-	-	-	-	1	2	7	15	19	59	-	-	-	-	-	-	1	2	3	19	34		
	F	43	-	-	-	-	-	-	-	1	5	15	22	63	-	-	-	-	-	-	3	6	15	39	39		
9 Bronchitis	M	26	-	-	1	-	1	-	1	3	4	4	12	27	1	-	-	-	1	1	-	2	1	6	15		
	F	30	1	-	1	-	-	1	1	1	-	6	19	17	-	-	-	2	-	-	-	-	2	1	12		
0 Pneumonia	M	51	6	2	1	-	2	-	5	9	10	11	5	34	4	1	2	-	5	2	1	8	3	7	1		
	F	25	2	-	-	2	1	-	1	2	4	4	9	21	5	1	1	1	1	-	3	-	3	2	4		
1 Other respiratory	M	7	-	-	-	-	1	-	1	-	1	2	2	10	-	-	-	-	-	-	1	-	5	4	4		
	F	6	-	-	-	-	-	1	-	-	1	1	3	7	-	-	-	-	-	-	-	1	2	4	4		
2 Peptic ulcer	M	17	-	-	-	-	-	-	4	4	4	4	1	8	-	-	-	-	1	-	5	1	-	-	-		
	F	3	-	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-	-	-	-	-	1	1	1		
3 Diarrhoea	M	3	-	-	-	-	-	-	-	-	-	1	2	10	2	-	1	1	2	-	-	1	1	1	1		
	F	7	2	-	-	2	-	-	2	-	-	1	-	5	1	-	-	-	-	-	2	-	1	1	1		
4 Appendicitis	M	5	-	-	3	-	1	1	-	-	-	-	-	7	-	-	-	1	2	-	-	2	2	-	-		
	F	5	-	1	-	-	1	-	-	1	-	2	-	3	-	-	-	1	1	-	-	-	1	-	-		
5 Cirrhosis of liver	M	3	-	-	-	-	-	-	-	1	-	2	-	5	-	-	-	-	-	-	1	2	1	1	1		
	F	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	1	-	1	-	-		
6 Other liver diseases	M	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
	F	3	-	-	-	-	-	-	-	1	1	-	1	6	-	-	-	-	-	-	-	2	3	1	-		
7 Other digestive	M	15	1	1	-	-	1	2	2	-	3	3	2	16	-	-	-	1	-	2	1	1	4	2	5		
	F	8	-	-	1	-	-	2	2	1	2	1	1	12	-	-	-	-	1	2	2	2	1	1	3		
8 Nephritis	M	43	-	-	-	-	-	-	1	6	6	17	13	37	-	-	-	-	-	2	-	5	8	9	13		
	F	20	-	-	-	-	-	-	1	1	3	7	8	34	-	-	-	-	-	-	2	8	12	12	12		
9 Puerperal sepsis	F	2	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
0 Other puerperal	F	7	-	-	-	-	1	6	-	-	-	-	-	7	-	-	-	-	6	1	-	-	-	-	-		
Congenital causes, etc.	M	35	34	-	1	-	-	-	-	-	-	-	-	28	27	-	1	-	-	-	-						

TABLE 24—*contd.* **Administrative County of Worcester.**

Causes of Death. See first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	
All Causes	M	1,414	120	27	22	19	44	56	83	120	253	356	314	659	31	5	2	9	24	20	33	55	84	200	
	F	1,482	92	19	23	35	34	53	84	119	210	315	498	567	18	5	3	11	14	19	26	35	78	145	
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2 Measles	M	5	-	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	5	-	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
3 Scarlet fever	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4 Whooping cough	M	7	3	3	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
	F	5	1	2	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
5 Diphtheria	M	7	1	-	2	3	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	
	F	12	-	-	3	8	-	1	-	-	-	-	-	3	-	-	-	2	1	-	-	-	-	-	
6 Influenza	M	48	1	1	2	1	2	3	3	6	11	10	8	30	-	-	-	-	1	1	5	4	12	6	
	F	60	2	1	-	-	3	1	5	8	12	7	21	22	-	-	1	-	-	2	1	3	6	6	
7 Encephalitis lethargica	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
8 Cerebro-spinal fever	M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	3	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9 Respiratory tuberculosis	M	66	-	-	1	-	10	13	17	8	12	4	1	24	-	-	-	-	4	3	10	1	5	1	
	F	54	-	-	1	1	12	17	10	8	5	-	-	28	-	-	-	6	6	7	4	2	2	2	
10 Other tuberculosis	M	16	4	2	2	2	4	1	-	-	1	-	-	5	1	-	1	-	1	1	1	-	-	-	
	F	16	1	2	4	4	1	3	-	-	-	-	1	3	-	-	-	-	1	2	-	-	-	-	
11 Syphilis	M	4	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-	-	1	-	-	-	
	F	3	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	
12 Gen. paralysis of insane, etc.	M	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 Cancer	M	209	-	-	-	-	2	8	5	14	64	76	40	82	-	-	-	-	1	1	4	11	13	37	
	F	205	-	-	-	1	2	2	16	30	60	55	39	88	-	-	-	-	-	1	4	11	18	30	
14 Diabetes	M	13	-	-	-	-	-	-	2	2	2	3	4	7	-	-	-	-	-	-	1	1	3	5	
	F	25	-	-	-	-	-	-	-	2	7	8	8	13	-	-	-	-	-	-	-	3	5	3	
15 Cerebral hæmorrhage	M	64	-	-	-	-	-	-	-	2	15	26	21	33	-	-	-	-	-	-	-	3	15	15	
	F	109	-	-	-	-	-	-	-	5	16	37	51	41	-	-	-	-	-	-	3	5	16	16	
16 Heart disease	M	327	1	-	-	1	5	3	11	25	63	109	109	174	-	-	-	-	3	1	5	6	26	66	
	F	377	-	-	-	2	3	6	22	20	42	106	176	158	-	-	-	1	1	1	7	19	45	45	
17 Aneurysm	M	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	1	-	-	
	F	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	1	-	-	2	-	
18 Other circulatory	M	58	-	-	-	-	-	1	-	2	10	22	23	23	-	-	-	-	-	-	1	-	7	7	
	F	58	-	-	1	-	-	-	1	-	4	19	33	34	-	1	-	-	-	-	-	4	8	8	
19 Bronchitis	M	62	1	-	-	1	1	1	1	6	12	18	21	31	1	-	-	-	-	-	1	1	13	13	
	F	56	4	-	-	1	1	1	-	2	2	11	35	18	-	1	-	-	-	-	-	1	2	6	
20 Pneumonia	M	108	18	11	3	1	2	9	11	17	12	19	5	30	5	2	-	1	2	3	-	3	4	6	
	F	76	13	6	4	3	2	-	4	7	12	11	14	18	1	1	1	2	1	1	1	3	4	4	
21 Other respiratory	M	15	-	-	-	1	-	-	2	3	5	1	3	7	-	-	-	-	1	1	-	2	-	2	
	F	10	1	-	-	-	-	1	-	1	-	1	6	3	-	-	-	-	-	-	-	1	1	1	
22 Peptic ulcer	M	28	-	-	-	-	2	-	7	7	7	3	2	6	-	-	-	-	1	-	1	-	1	2	
	F	9	-	-	-	-	-	1	1	-	2	3	2	1	-	-	-	-	-	-	-	1	-	-	
23 Diarrhœa	M	12	7	2	-	-	1	-	1	-	-	1	-	4	1	-	-	-	-	1	-	-	1	-	
	F	8	4	-	-	1	-	-	-	-	-	-	2	2	1	-	-	-	1	-	-	-	-	-	
24 Appendicitis	M	15	-	-	-	1	2	1	1	3	4	2	1	11	-	-	1	2	1	2	1	2	-	1	
	F	6	-	-	1	-	-	1	1	-	1	2	-	3	-	-	-	2	-	-	-	1	-	-	
25 Cirrhosis of liver	M	6	-	-	-	-	-	-	-	-	2	4	-	3	-	-	-	-	-	-	-	-	2	-	
	F	4	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-	-	-	1	-	-	
26 Other liver diseases	M	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	
	F	13	-	-	-	-	-	-	1	1	5	5	1	5	-	-	-	-	-	-	2	1	2	2	
27 Other digestive	M	26	2	3	-	1	-	-	1	3	4	10	2	10	-	-	-	-	1	-	2	-	4	4	
	F	24	3	-	1	1	-	-	3	4	4	4	4	10	-	1	1	-	1	-	1	1	3	3	
28 Nephritis	M	27	-	-	-	-	2	1	1	3	4	9	7	16	-	-	-	1	-	-	2	4	4	4	
	F	46	-	-	-	-	1	1	3	7	5	16	13	14	-	-	-	-	-	-	1	5	3	3	
29 Puerperal sepsis	F	5	-	-	-	-	1	4	-	-	-	-	-	3	-	-	-	1	1	1	-	-	-	-	
30 Other puerperal	F	10	-	-	-	-	2	5	3	-	-	-	-	6	-	-	-	1	4	1	-	-	-	-	
31 Congenital causes, etc.	M	72	71	-	1	-	-	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	
	F	56	54	1	-	-	1	-	-	-	-	-	-	11	10	1	-	-	-	-	-	-	-	-	
32 Senility	M	47	-	-	-	-	-	-	-	-	-	-	-	26	-	-	-	-	-	-	-	-	4	-	
	F	71	-	-	-	-	-	-	-	-	-	6	65	20	-	-	-	-	-	-	-	-	2	-	
33 Suicide	M	21	-	-	-	-	1	2	6	3	6	2	1	10	-	-	-	-	1	1	3	3	1	1	
	F	9	-	-	-	-	1	2	1	2	1	2	-	5	-	-	-	1	-	-	1	3	-	-	
34 Other violence	M	55	2	-	6	2	8	10	5	6	6	7	3	38	1	1	-	2	9	3	6	3	4	4	
	F	38	1	1	2	5	1	-	3	3	6	6	10	16	4	-	-	2	2	1	1	-	2	2	
35 Other defined causes	M	84	8	1	2	5	1	4	7	7	10	20	19	61	1	2	-	2	1	2	7	15	13	13	
	F	101	6	2	2	6	4	7	9	15	19	15	16	36	2	-	-	3	-	2	4	6	12	12	
36 Ill-defined causes	M	3	-	1	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	1	1	
	F	3	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	

TABLE 24—*contd.* Administrative County of Yorks (E.R.).

Causes of Death. <i>See first page of Table.</i>		Aggregate of Urban Districts.												Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	
All Causes		M F	588 552	40 27	2 6	8 9	3 7	8 2	18 17	24 17	34 50	97 72	165 132	189 213	621 570	44 29	6 3	6 3	12 17	20 11	22 15	31 24	39 41	79 80	154 144	208 203
1	Typhoid fever, etc.	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
2	Measles	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	
3	Scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
4	Whooping cough	M F	- 1	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 1	1 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	
5	Diphtheria	M F	2 7	- 1	- -	1 2	- 4	- -	1 -	- -	- -	- -	- -	- -	8 8	- -	1 2	1 1	6 4	- 1	- -	- -	- -	- -	- -	
6	Influenza	M F	24 25	1 -	- -	- -	- -	- 1	5 3	- 2	- 5	9 6	2 8	7 -	28 23	- 1	- -	1 -	- 1	- -	1 3	6 -	8 3	1 5	11 10	
7	Encephalitis lethargica	M F	2 -	- -	- -	- -	- -	- 1	- -	- 1	- -	- -	- -	- -	1 1	- -	- -	- -	- -	- -	- -	- -	- 1	1 -	- -	
8	Cerebro-spinal fever	M F	- 1	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	
9	Respiratory tuberculosis	M F	17 10	- -	- -	- -	- 4	6 3	2 -	1 4	3 1	1 1	- -	- -	14 16	- -	- -	- 1	1 3	4 6	2 4	3 1	3 -	1 1	- -	
10	Other tuberculosis	M F	3 2	- 2	1 -	1 -	- -	1 -	- -	- -	- -	- -	- -	- -	6 6	1 -	- -	1 1	1 2	1 1	1 1	- -	1 1	1 1	- -	
11	Syphilis	M F	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	1 1	- -	- -	- -	- 1	- -	- -	1 -	- -	- -	- -	
12	Gen. paralysis of insane, etc.	M F	4 1	- -	- -	- -	- -	- -	1 -	2 1	- -	- -	- -	1 -	3 -	- -	- -	- -	- -	1 -	- -	1 -	1 -	- -	- -	
13	Cancer	M F	79 80	- -	- -	- -	- -	- 1	- 1	7 10	19 20	30 26	22 23	63 69	- -	- -	- -	- -	- 1	4 5	3 12	15 15	20 22	21 14		
14	Diabetes	M F	14 19	- -	- -	1 -	- -	- 1	- -	- 1	- 2	8 9	4 6	5 16	- -	- -	- -	- -	- -	- 1	1 3	4 -	5 -	2 3		
15	Cerebral hæmorrhage	M F	42 38	- -	- -	- -	- -	- 1	1 -	1 7	4 3	18 6	18 22	28 47	- -	- -	- -	- -	- -	2 -	1 1	5 3	21 18	52 45	70 59	
16	Heart disease	M F	152 135	- -	- -	1 -	- 1	1 2	4 3	3 10	25 16	47 36	71 67	151 135	- -	- -	- 1	- -	2 2	1 3	5 7	21 18	52 45	70 59		
17	Aneurysm	M F	1 1	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- 1	- -	- 1	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	
18	Other circulatory	M F	33 27	- -	- -	- -	- -	- -	- 3	- 5	3 12	8 13	8 12	11 38	3 -	1 -	- -	- -	1 -	- -	- -	4 3	15 13	35 18		
19	Bronchitis	M F	14 16	- 3	- 1	- -	- -	- -	- -	- 3	3 4	8 8	8 8	11 19	3 -	1 -	- -	- -	- -	1 -	1 -	- 5	2 3	3 11		
20	Pneumonia	M F	28 24	9 5	- 2	2 1	- -	1 -	1 2	2 3	1 3	4 5	6 3	2 10	17 10	6 2	- -	- -	- 1	- -	1 -	2 -	1 1	6 5		
21	Other respiratory	M F	5 4	- -	- -	- -	- -	- 1	1 -	1 1	1 1	1 1	1 -	3 3	- 1	- -	- -	- -	- -	2 -	- -	1 1	- -	- 2		
22	Peptic ulcer	M F	4 -	- -	- -	- -	- -	1 -	- 1	- 1	- 1	- 1	- -	6 1	- -	- -	- -	- -	- 2	- 1	1 -	2 1	- 1	- -		
23	Diarrhoea	M F	4 4	3 -	- 1	1 -	- -	- -	- -	- -	- -	- 1	- 1	3 2	2 1	1 -	- -	- -	- -	- -	- -	1 -	- -	- 1		
24	Appendicitis	M F	4 1	- -	- -	- -	- -	- 1	- 2	- 1	- 1	- -	- -	1 -	1 -	- -	- -	- -	- -	- 1	- -	- -	- -	- -		
25	Cirrhosis of liver	M F	4 -	- -	- -	- -	- -	- -	- -	- 2	2 -	- -	- -	2 2	- -	- -	- -	- -	- -	- -	- -	1 2	1 -	- -		
26	Other liver diseases	M F	6 6	- -	- -	- -	- -	- -	- -	- 1	1 1	4 2	1 2	2 8	- -	- -	- -	- -	- 1	- 1	1 3	1 -	1 1	2 -		
27	Other digestive	M F	12 12	- -	- 1	1 1	- -	1 -	1 2	2 2	2 5	4 4	2 2	19 11	- -	- -	- -	- 1	- 5	1 1	1 -	4 2	6 4	2 4		
28	Nephritis	M F	17 19	- -	- -	- -	- -	- 1	1 2	1 1	4 5	5 6	6 4	17 24	- -	- -	- 2	- 1	1 1	1 1	2 3	5 7	6 4			
29	Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-		
30	Other puerperal	F	3	-	-	-	-	1	2	-	-	-	-	3	-	-	-	1	2	-	-	-	-	-		
31	Congenital causes, etc.	M F	23 16	23 14	- 1	- -	- -	- 1	- -	- -	- -	- -	- -	29 21	28 20	- -	- 1	1 -	- -	- -	- -	- -	- -	- -		
32	Senility	M F	14 41	- -	- -	- -	- -	- -	- -	- -	- -	2 4	12 37	31 30	- -	- -	- -	- -	- -	- -	- -	1 -	1 3	29 27		
33	Suicide	M F	5 4	- -	- -	- -	- -	1 1	1 1	1 1	1 1	- 1	2 -	10 5	- -	- -	- -	- -	- 1	- -	3 2	2 1	4 1	1 -		
34	Other violence	M F	22 14	- 1	- 1	- -	3 1	2 -	3 -	5 1	2 1	3 2	4 6	44 24	- -	1 -	2 1	2 6	11 1	8 1	5 1	4 1	5 2	4 2		
35	Other defined causes	M F	53 38	4 1	1 1	3 2	1 -	3 2	4 4	2 5	8 4	16 8	15 11	63 44	3 3	2 1	1 -	2 1	5 1	3 -	5 2	5 6	7 9	18 12	12 9	
36	Ill-defined causes	M F	- 2	- -	- -	- -	- -	- 2	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1		

Causes of Death. <i>See first page of Table.</i>		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	1,250	113	19	15	15	45	48	53	115	231	294	302	919	74	5	12	15	27	38	30	63	136	222	2		
	F	1,206	72	18	17	32	34	43	64	98	186	293	349	904	51	10	4	14	18	35	35	69	130	248	2		
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	1	-	-	1	-	-		
2 Measles	M	7	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	4	-	3	1	-	-	-	-	-	-	-	-	3	-	-	-	1	-	1	-	-	-	-	-		
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	2	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-		
4 Whooping cough	M	5	3	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-		
	F	6	3	2	1	-	-	-	-	-	-	-	-	5	3	2	-	-	-	-	-	-	-	-	-		
5 Diphtheria	M	5	-	-	2	3	-	-	-	-	-	-	-	4	-	-	2	2	-	-	-	-	-	-	-		
	F	7	-	-	2	5	-	-	-	-	-	-	-	6	-	3	-	2	-	1	-	-	-	-	-		
6 Influenza	M	55	1	2	1	-	3	3	2	15	12	9	7	43	2	-	2	-	-	-	3	3	11	5	-		
	F	61	-	1	-	2	2	4	4	6	12	11	19	46	-	-	-	-	1	1	3	4	8	15	-		
7 Encephalitis lethargica	M	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	1	-	-	-	-		
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
8 Cerebro-spinal fever	M	3	-	-	1	1	1	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-		
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	50	-	-	-	-	4	7	13	13	8	5	-	24	-	-	-	-	2	7	5	6	3	1	-		
	F	26	-	-	-	1	8	4	5	5	1	2	-	16	-	-	-	1	3	6	2	1	3	-	-		
10 Other tuberculosis	M	13	2	1	2	-	3	2	1	2	-	-	-	7	-	-	-	-	5	1	-	-	-	1	-		
	F	15	-	1	3	3	1	2	3	1	1	-	-	13	-	1	1	3	2	4	1	1	-	-	-		
11 Syphilis	M	3	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-		
12 Gen. paralysis of insane, etc.	M	6	-	-	-	-	-	-	-	1	5	-	-	2	-	-	-	-	-	-	-	1	1	-	-		
	F	3	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	1	1	-	-		
13 Cancer	M	143	-	-	-	1	3	4	4	12	42	44	33	96	-	-	-	-	-	1	1	11	21	31	-		
	F	165	-	-	-	-	-	3	7	25	50	49	31	125	-	-	-	-	-	1	6	21	25	47	-		
14 Diabetes	M	11	-	-	-	-	-	2	-	-	3	5	1	12	-	-	-	-	-	-	-	2	-	4	-		
	F	29	-	-	-	-	1	-	3	2	5	12	6	23	-	-	-	1	1	-	-	4	5	9	-		
15 Cerebral hæmorrhage	M	76	-	-	-	-	1	-	2	5	15	21	32	51	-	-	-	-	-	-	1	2	9	21	-		
	F	82	-	-	-	-	-	-	-	5	19	32	26	77	-	-	-	-	-	-	2	2	14	18	-		
16 Heart disease	M	319	-	1	-	-	3	3	6	21	61	106	118	220	-	-	1	-	2	2	1	16	33	69	-		
	F	318	-	-	-	2	3	8	12	19	39	103	132	224	-	-	-	-	-	1	3	8	35	76	-		
17 Aneurysm	M	4	-	-	-	-	-	-	-	1	1	2	-	2	-	-	-	-	-	-	1	-	-	-	-		
	F	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
18 Other circulatory	M	90	-	-	-	-	-	-	-	3	12	30	45	56	-	-	-	-	-	1	-	-	6	12	-		
	F	73	-	-	-	-	-	-	1	2	8	24	38	51	-	-	-	-	-	-	-	1	6	17	-		
19 Bronchitis	M	26	5	2	-	-	-	-	1	2	1	8	7	17	-	-	-	-	-	-	3	1	-	2	-		
	F	38	5	-	-	-	1	-	-	-	-	9	23	26	-	-	-	1	-	-	-	2	2	7	-		
20 Pneumonia	M	88	17	5	4	2	1	6	6	12	19	10	6	62	14	4	3	2	1	5	2	2	11	8	-		
	F	61	10	6	5	3	2	6	4	5	9	7	4	42	4	4	-	1	1	3	-	4	7	7	-		
21 Other respiratory	M	7	1	1	-	-	-	-	2	-	1	2	-	12	-	-	-	-	-	-	1	-	2	6	-		
	F	7	-	-	-	-	-	-	1	1	4	-	1	10	-	-	-	-	1	2	-	-	1	3	-		
22 Peptic ulcer	M	21	-	-	-	-	-	-	3	7	3	3	5	3	-	-	-	-	-	-	1	-	-	2	-		
	F	7	-	-	-	-	1	1	1	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-		
23 Diarrhœa	M	10	7	-	1	-	-	-	-	-	-	1	1	6	2	-	-	-	-	2	-	1	-	-	-		
	F	8	3	2	-	1	-	-	-	-	2	-	-	6	2	-	1	-	-	-	-	-	-	2	-		
24 Appendicitis	M	5	-	-	-	1	2	-	-	-	1	1	-	4	-	-	-	3	-	-	-	-	-	1	-		
	F	9	-	-	-	3	-	1	2	2	1	-	-	6	-	-	-	2	1	-	-	1	-	-	-		
25 Cirrhosis of liver	M	3	-	-	-	-	-	-	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	2	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-		
26 Other liver diseases	M	5	-	-	-	-	-	-	-	-	3	1	1	8	-	-	-	-	-	-	1	1	1	2	-		
	F	7	-	-	-	1	-	-	-	1	2	-	3	8	-	-	-	-	-	-	-	1	3	2	-		
27 Other digestive	M	19	2	-	1	2	2	1	-	-	2	5	4	16	3	-	-	1	-	1	1	2	4	1	-		
	F	18	1	-	1	-	1	2	3	-	4	3	3	16	1	-	-	-	1	-	-	3	2	4	-		
28 Nephritis	M	37	-	-	-	-	-	-	2	3	10	9	13	41	1	-	-	-	-	-	1	2	8	15	-		
	F	36	-	-	-	-	4	1	1	4	8	10	8	34	-	-	-	-	-	5	5	10	11	-	-		
29 Puerperal sepsis	F	2	-	-	-	-	1	-	1	-	-	-	-	8	-	-	-	-	3	3	2	-	-	-	-		
30 Other puerperal	F	8	-	-	-	-	2	3	3	-	-	-	-	6	-	-	-	-	1	3	2	-	-	-	-		
31 Congenital causes, etc.	M	60	60	-	-	-	-	-	-	-	-	-															

TABLE 24—contd. Administrative County of Yorks (W.R.).

317

Causes of Death.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	7,294	537	73	117	125	227	285	352	732	1484	1920	1442	2,497	224	45	40	51	90	106	130	199	411	595	606		
	F	7,138	417	68	69	130	181	249	359	634	1225	1865	1941	2,297	190	40	32	45	72	100	133	203	369	506	607		
Typhoid fever, etc.	M	4	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Measles	M	11	2	5	3	1	-	-	-	-	-	-	-	4	-	1	2	1	-	-	-	-	-	-	-		
	F	9	4	2	2	1	-	-	-	-	-	-	-	4	1	1	1	1	-	-	-	-	-	-	-		
Scarlet fever	M	8	-	-	4	2	-	-	1	-	-	1	-	3	-	1	1	1	-	-	-	-	-	-	-		
	F	5	-	-	1	2	1	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-		
Whooping cough	M	17	8	4	4	1	-	-	-	-	-	-	-	13	6	5	1	1	-	-	-	-	-	-	-		
	F	23	7	9	5	1	1	-	-	-	-	-	-	12	5	3	3	1	-	-	-	-	-	-	-		
Diphtheria	M	45	2	3	16	18	2	-	-	1	2	1	-	20	1	-	10	8	1	-	-	-	-	-	-		
	F	58	2	2	14	35	1	2	-	-	2	-	-	15	-	1	3	8	1	-	-	-	-	-	-		
Influenza	M	276	5	2	2	6	8	17	27	50	60	56	43	116	2	1	2	3	3	3	10	17	38	20	17		
	F	296	3	4	3	2	5	13	26	34	63	71	72	97	2	3	-	5	1	4	12	8	19	21	22		
Encephalitis lethargica	M	13	-	-	-	-	-	3	2	2	4	2	-	4	-	-	-	-	1	1	1	-	1	-	-		
	F	7	-	-	-	-	1	1	1	1	2	1	-	1	-	-	-	1	-	-	-	-	-	-	-		
Cerebro-spinal fever	M	11	4	-	3	2	1	-	-	1	-	-	-	4	1	1	-	2	-	-	-	-	-	-	-		
	F	5	4	-	1	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-		
Respiratory tuberculosis	M	313	1	-	1	3	50	60	58	54	66	16	4	94	-	1	-	-	12	21	22	18	19	1	-		
	F	203	-	-	3	5	54	54	34	20	25	8	-	85	-	-	1	2	19	29	18	6	8	2	-		
Other tuberculosis	M	73	7	4	16	12	8	11	4	7	2	1	1	19	1	-	2	2	4	2	2	2	1	2	1		
	F	45	2	2	7	8	8	6	4	5	1	1	1	26	4	4	1	2	4	3	3	-	3	1	1		
Syphilis	M	20	3	-	-	-	2	-	2	5	7	1	-	8	2	-	-	-	-	2	1	2	1	-	-		
	F	5	2	-	-	-	1	-	1	1	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-		
Gen. paralysis of insane, etc.	M	45	-	-	-	-	-	3	5	12	16	9	-	13	-	-	-	-	2	2	1	6	1	1	1		
	F	12	-	-	-	-	-	-	2	4	3	1	2	3	-	-	-	-	-	-	2	1	-	-	-		
Cancer	M	852	1	-	-	1	3	14	33	104	280	298	118	287	1	1	1	-	2	5	14	24	87	88	64		
	F	960	2	-	-	-	3	20	56	156	264	295	164	318	-	-	-	-	1	6	16	63	87	83	62		
Diabetes	M	96	-	-	-	2	2	2	4	10	26	32	18	34	-	-	1	-	-	1	1	1	7	17	6		
	F	142	-	1	-	3	2	2	2	15	35	58	24	54	-	-	-	-	3	-	3	3	15	24	6		
Cerebral hæmorrhage	M	439	-	-	-	-	1	1	2	29	82	177	147	136	-	-	-	-	1	-	4	24	48	59			
	F	559	-	-	-	-	-	2	12	43	108	187	207	132	-	-	-	1	-	2	9	33	43	44			
Heart disease	M	1,760	-	-	-	6	18	25	46	149	396	635	485	522	-	-	-	3	10	9	15	29	92	193	171		
	F	1,962	-	-	1	6	15	29	55	139	325	664	728	570	-	-	1	7	14	14	19	46	79	175	215		
Aneurysm	M	22	-	-	-	1	2	-	1	2	8	6	2	5	-	-	-	-	-	-	2	1	1	1			
	F	7	-	1	-	-	-	1	-	2	1	1	1	5	-	-	-	-	-	1	2	1	1	-			
Other circulatory	M	458	-	-	-	-	-	-	5	16	74	193	170	134	-	-	-	-	-	1	1	16	56	59			
	F	383	-	-	-	-	-	-	1	12	54	134	182	120	-	-	-	-	-	-	2	23	27	68			
Bronchitis	M	276	15	2	1	2	6	6	6	25	59	71	83	92	13	1	-	-	1	1	3	7	7	22	37		
	F	225	16	3	-	-	2	1	2	7	31	71	92	72	11	2	2	-	1	-	2	2	9	11	32		
Pneumonia	M	455	84	29	29	10	16	17	36	68	75	49	42	153	40	17	3	1	3	9	12	23	17	15	13		
	F	317	68	28	9	10	9	12	22	27	40	56	36	119	30	15	11	4	2	4	6	8	7	19	13		
Other respiratory	M	68	-	1	1	1	1	5	5	12	24	9	9	17	-	-	2	-	3	-	2	6	2	2			
	F	52	-	-	-	-	2	3	4	9	5	11	18	17	-	-	-	1	-	-	1	2	6	7			
Peptic ulcer	M	86	-	-	-	-	2	5	10	21	32	13	3	26	-	-	-	-	-	1	5	7	3	3			
	F	34	-	-	-	-	-	2	3	6	10	9	4	5	-	-	-	-	-	-	-	3	1	1			
Diarrhœa	M	51	21	7	1	1	-	1	3	1	4	9	3	18	13	2	-	-	-	-	-	-	1	2			
	F	40	16	2	2	1	1	1	6	-	4	3	4	15	8	1	1	-	1	1	-	-	2	-			
Appendicitis	M	39	-	1	2	2	8	6	4	7	1	6	2	14	-	-	-	3	3	-	2	5	-	1	-		
	F	42	-	-	4	9	7	4	4	6	6	2	-	11	-	-	1	2	3	-	1	2	1	1	-		
Cirrhosis of liver	M	10	-	-	-	-	-	-	-	1	4	5	-	2	-	-	-	-	-	-	1	-	1	-			
	F	6	-	-	-	-	-	-	1	1	3	1	-	4	-	-	-	-	1	-	1	-	1	1			
Other liver diseases	M	37	-	-	-	-	2	-	3	2	13	11	6	13	-	-	-	-	-	-	2	2	3	6			
	F	66	-	-	-	-	2	4	8	17	16	19	17	17	-	-	-	-	-	-	2	8	4	3			
Other digestive	M	106	11	3	1	4	5	5	7	15	22	19	14	46	4	3	1	1	2	1	4	5	8	9	8		
	F	106	2	1	6	7	3	3	11	12	18	28	15	50	4	2	-	2	3	2	5	11	6	10			
Nephritis	M	244	-	-	-	2	8	9	12	27	58	88	40	87	1	-	1	-	2	6	3	6	19	25	23		
	F	263	-	3	-	1	7	12	17	27	70	79	47	71													

TABLE 24—*contd.* Administrative County of Brecknock.

Causes of Death. first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	128	9	-	-	5	5	4	7	15	17	37	29	260	14	2	3	3	12	12	14	26	30	63	81
	F	101	7	-	-	1	2	5	4	12	16	25	29	223	8	2	3	5	5	11	15	15	30	56	73
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	M	3	-	-	-	-	-	-	-	1	-	1	1	9	-	-	-	-	1	-	2	-	4	2	2
	F	2	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	-	-	1	2	2
Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis	M	6	-	-	-	-	3	2	-	1	-	-	-	19	-	-	-	-	3	3	4	5	4	-	-
	F	4	-	-	-	-	1	2	-	1	-	-	-	12	-	-	-	-	4	5	1	1	1	-	-
Other tuberculosis	M	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	1	-	-	2	-	1	-	-
Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gen. paralysis of insane, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	M	17	-	-	-	-	-	-	3	1	7	5	1	28	-	-	-	-	-	-	4	1	8	8	7
	F	16	-	-	-	-	-	1	1	2	1	6	5	26	-	-	-	-	-	2	-	3	11	10	10
Diabetes	M	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	1	-	-	-	-	1	1
	F	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	-	-	1	2	1	1
Cerebral hæmorrhage	M	6	-	-	-	-	-	-	-	-	1	2	3	14	-	-	-	-	-	-	2	1	4	7	7
	F	7	-	-	-	-	-	-	-	-	3	3	1	15	-	-	-	-	-	-	2	5	3	5	5
Heart disease	M	29	-	-	-	1	-	-	-	2	6	13	7	64	-	-	-	1	1	1	3	5	27	21	21
	F	33	-	-	-	-	2	2	4	9	5	11	11	50	-	-	-	-	-	2	4	4	16	24	24
Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other circulatory	M	8	-	-	-	-	-	-	-	-	-	5	3	12	-	-	-	-	-	-	-	-	5	7	7
	F	7	-	-	-	-	-	-	1	-	2	4	4	10	-	-	-	-	-	-	1	1	3	5	5
Bronchitis	M	5	-	-	-	-	-	-	-	-	-	1	4	12	1	1	-	-	-	-	2	3	2	3	3
	F	5	-	-	-	-	1	-	-	-	-	2	2	8	-	-	-	-	-	1	-	1	4	2	2
Pneumonia	M	7	2	-	-	1	-	-	-	1	-	2	1	10	3	1	1	-	1	-	1	1	3	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	8	1	1	2	-	-	3	-	1	-	-	-
Other respiratory	M	2	1	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-	-	-	1	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Peptic ulcer	M	4	-	-	-	-	1	-	2	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Diarrhoea	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis	M	2	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of liver	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other liver diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other digestive	M	3	-	-	-	1	-	-	-	-	1	1	-	5	-	-	-	-	-	-	1	1	1	2	2
	F	2	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-
Nephritis	M	5	-	-	-	-	-	-	-	2	1	1	1	16	-	-	-	-	2	-	2	2	4	6	6
	F	5	-	-	-	-	-	-	-	1	-	4	-	13	-	-	-	1	-	-	1	5	4	2	2
Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-
Other puerperal	F	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Congenital causes, etc.	M	4	4	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
	F	5	5	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Senility	M	7	-	-	-	-	-	-	-	-	-	-	7	16	-	-	-	-	-	-	-	-	2	14	14
	F	3	-	-	-	-	-	-	-	-	-	-	3	18	-	-	-	-	-	-	-	-	3	15	15
Suicide	M	3	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-
Other violence	M	2	-	-	-	-	-	-	-	1	-	1	-	14	-	-	-	1	5	1	2	1	-	-	4
	F	3	-	-	-	-	-	-	-	1	1	-	1	8	1	-	1	1	-	-	-	-	1	4	4
Other defined causes	M	11	-	-	-	2	1	1	2	1	-	3	1	22	2	-	-	1	1	2	1	3	4	2	6
	F	5	-	-	-	1	-	-	-	2	-	2	-	25	1	1	-	2	-	2	3	2	6	2	2
Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 24—contd. Administrative County of Cardigan.

Causes of Death.		First page of Table.	Aggregate of Urban Districts.												Aggregate of Rural Districts.											
			All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	116	6	-	-	1	4	5	6	7	12	33	42	292	17	2	1	7	9	7	14	10	34	82	109	
	F	142	6	1	2	-	3	10	3	6	21	41	49	323	10	5	1	2	9	8	13	22	54	89	110	
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza	M	9	-	-	-	-	-	1	-	-	-	6	2	8	-	-	-	-	1	-	-	-	1	2	4	
	F	2	-	-	-	-	-	-	-	-	-	2	-	11	-	-	-	-	-	-	-	4	2	-	5	
Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
Respiratory tuberculosis	M	9	-	-	-	-	2	2	3	1	1	-	-	12	-	-	-	-	4	2	4	-	-	2	-	
	F	5	-	-	-	-	2	3	-	-	-	-	-	19	-	-	-	1	5	7	1	2	1	-	-	
Other tuberculosis	M	3	-	-	-	-	-	2	-	1	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-	
	F	1	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-	
Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Gen. paralysis of insane, etc.	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer	M	8	-	-	-	-	-	-	-	-	1	5	2	23	-	-	-	-	-	-	2	1	2	11	7	
	F	14	-	-	-	-	-	-	-	-	1	5	4	46	-	-	-	-	-	-	3	9	7	15	12	
Diabetes	M	3	-	-	-	-	-	-	1	-	-	-	2	3	-	-	-	-	-	-	-	-	1	1	1	
	F	2	-	-	-	-	-	-	-	-	-	-	1	5	-	-	-	-	-	-	-	1	-	3	1	
Cerebral hæmorrhage	M	7	-	-	-	-	-	-	-	-	1	1	5	15	-	-	-	-	-	-	-	-	3	6	6	
	F	17	-	-	-	-	-	-	-	-	1	4	9	22	-	-	-	-	-	-	1	2	5	6	8	
Heart disease	M	25	-	-	-	-	-	1	-	2	2	8	12	92	-	-	-	-	-	1	1	2	11	32	45	
	F	39	-	-	-	-	-	1	-	1	7	12	18	102	-	-	-	-	1	-	2	3	15	36	45	
Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other circulatory	M	3	-	-	-	-	-	-	-	-	-	1	2	17	-	-	-	-	-	-	-	-	1	2	14	
	F	9	-	-	-	-	-	-	-	-	2	2	5	19	-	-	-	-	-	-	-	-	5	5	9	
Bronchitis	M	5	-	-	-	-	-	-	1	-	-	-	4	9	-	-	-	-	-	-	-	-	-	2	7	
	F	7	-	-	-	-	-	-	1	-	-	1	5	6	-	-	-	-	1	-	-	-	-	2	3	
Pneumonia	M	4	1	-	-	-	-	-	-	-	1	1	1	13	2	-	1	1	-	1	-	-	3	2	3	
	F	3	-	1	-	-	-	-	-	-	-	-	2	15	3	2	-	-	-	-	-	-	-	4	6	
Other respiratory	M	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	1	-	2	-	2	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	
Peptic ulcer	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea	M	1	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis	M	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	2	-	-	-	-	-	-	1	
	F	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Cirrhosis of liver	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other liver diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	
	F	2	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	-	1	-	1	-	-	1	
Other digestive	M	3	-	-	-	-	-	-	-	-	2	1	-	5	2	-	-	-	-	-	-	-	-	3	-	
	F	2	1	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	1	-	-	-	-	1	2	
Nephritis	M	13	-	-	-	-	-	-	-	1	2	5	5	18	-	-	-	-	-	1	-	2	3	7	5	
	F	12	-	-	-	-	1	-	-	-	1	4	6	13	-	-	-	-	-	-	1	3	4	5	-	
Puerperal sepsis	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other puerperal	F	4	-	-	-	-	-	4	-	-	-	-	-	3	-	-	-	-	1	2	-	-	-	-	-	
Congenital causes, etc.	M	4	4	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-	
	F	3	3	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	
Idiocy	M	3	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	3	
	F	5	-	-	-	-	-	-	-	-	-	1	4	10	-	-	-	-	-	-	-	-	-	-	10	
Suicide	M	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	1	-	1	3	1	-	-	
	F	2	-	-	-	-	-	1	-	1	-	-	-	5	-	-	-	-	-	1	-	3	2	-	-	
Other violence	M	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	1	2	1	-	-	1	1	1	
	F	2	1	-	-	-	-	-	-	-	1	-	-	4	-	-	1	-	-	-	1	1	-	-	-	
Other defined causes	M	12	-	-	-	1	2	-	-	-	2	1	6	35	4	2	-	-	-	3	4	3	9	10	-	
	F	7	1	-	-	-	-	-	2	1	1	2	-	25	2	2	-	-	-	3	2	8	6	2	-	
Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 24—*contd.* Administrative County of Denbigh.

Causes of Death. First page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	488	29	7	12	10	15	15	26	36	83	145	110	655	42	6	7	17	19	26	40	60	98	179	161
	F	477	29	3	8	10	7	20	16	39	70	114	161	557	36	3	7	16	18	15	27	42	83	139	171
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	M	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-
Diphtheria	M	11	-	-	3	7	1	-	-	-	-	-	-	15	-	2	3	7	2	1	-	-	-	-	-
	F	7	-	-	3	3	-	-	-	-	-	1	-	13	-	-	2	10	-	1	-	-	-	-	-
Influenza	M	19	-	-	-	-	-	-	2	5	6	2	4	29	1	-	-	1	2	1	3	2	6	10	-
	F	29	-	-	-	1	-	1	3	2	6	6	10	28	-	-	-	1	1	2	2	5	8	4	9
Cerebral lethargia	M	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis	M	27	-	-	-	5	2	11	2	6	1	-	-	25	-	-	-	3	8	7	1	4	2	-	-
	F	20	-	-	-	2	8	3	4	-	3	-	-	22	1	-	1	9	4	1	2	2	1	1	-
Other tuberculosis	M	3	1	-	1	-	-	1	-	-	-	-	-	4	-	-	2	1	-	-	-	-	-	-	-
	F	6	-	-	-	1	2	2	-	1	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-
Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy, paralysis of insane, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	M	66	-	-	-	-	-	1	6	18	26	15	70	-	-	-	-	-	1	6	11	18	22	12	-
	F	70	-	-	-	-	2	2	14	16	17	19	71	-	-	-	-	-	1	5	8	17	22	18	-
Diabetes	M	7	-	-	-	-	2	-	1	-	2	2	4	-	-	-	-	-	-	-	1	1	2	-	-
	F	7	-	-	-	1	-	1	1	-	2	2	7	-	-	-	1	-	1	-	1	4	-	-	-
Cerebral haemorrhage	M	32	-	-	-	-	-	-	2	5	15	10	46	-	-	-	-	-	-	-	2	6	27	11	-
	F	38	-	-	-	-	-	-	2	3	17	16	42	-	-	-	-	-	-	-	4	16	16	12	-
Heart disease	M	119	1	-	-	2	2	5	9	16	44	40	179	-	-	-	2	-	3	6	18	24	63	63	-
	F	114	-	-	-	1	2	2	2	24	32	51	163	-	-	-	1	2	1	6	7	21	55	70	-
Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other circulatory	M	22	-	-	-	1	-	-	-	2	9	10	27	-	-	-	-	-	-	-	2	3	8	14	-
	F	45	-	-	-	-	1	-	-	1	14	29	26	-	-	-	-	-	-	-	-	-	9	17	-
Bronchitis	M	11	2	-	-	-	-	-	3	-	3	3	23	-	-	-	-	-	-	1	2	3	9	8	-
	F	12	-	-	-	-	-	-	-	2	3	7	18	-	-	-	-	1	-	-	4	3	3	10	-
Pneumonia	M	28	3	2	2	-	-	2	3	4	9	1	27	3	1	-	2	1	2	1	3	7	1	6	-
	F	14	2	2	-	-	-	-	1	3	3	3	21	8	1	1	-	-	2	1	4	1	1	3	-
Other respiratory	M	6	-	-	-	1	-	-	1	1	1	2	6	-	-	-	1	2	-	-	-	1	2	-	-
	F	2	-	1	-	-	-	-	-	-	-	1	6	-	-	-	-	-	-	-	2	2	-	2	-
Septic ulcer	M	2	-	-	-	1	-	-	-	1	-	-	6	-	-	-	-	-	-	-	2	2	-	-	-
	F	3	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
Gonorrhœa	M	4	1	1	1	-	-	-	-	-	-	1	4	1	1	-	-	-	-	-	-	1	1	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	4	3	-	-	-	1	-	-	-	-	-	-	-
Appendicitis	M	2	-	-	-	1	-	1	-	-	-	-	2	-	-	-	-	1	-	2	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-
Cirrhosis of liver	M	3	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-
Other liver diseases	M	3	-	-	-	-	-	-	-	2	1	2	1	2	-	-	-	-	-	-	-	-	2	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	1	2	1	-	-	-	-
Other digestive	M	9	-	-	2	-	-	1	-	3	3	-	11	1	-	-	-	-	1	1	2	4	2	2	-
	F	10	2	-	-	1	-	-	2	2	1	2	11	-	-	-	-	1	1	-	1	3	2	4	-
Gonorrhœa phritis	M	23	-	1	-	1	-	-	1	4	9	7	22	-	-	-	2	1	4	-	3	7	5	5	-
	F	16	-	-	-	2	-	1	2	3	4	4	19	-	-	-	-	2	1	3	4	6	3	3	-
Septic perforal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other puerperal	F	2	-	-	-	1	1	-	-	-	-	-	3	-	-	-	-	2	1	-	-	-	-	-	-
Congenital causes, etc.	M	18	17	-	-	-	1	-	-	-	-	-	30	30	-	-	-	-	-	-	-	-	-	-	-
	F	18	17	-	1	-	-	-	-	-	-	-	22	21	-	-	-	1	-	-	-	-	-	-	-
Infidelity	M	1	-	-	-	-	-	-	-	1	-	-	10	-	-	-	-	-	-	-	-	-	-	10	-
	F	4	-	-	-	-	-	-	-	-	-	4	10	-	-	-	-	-	-	-	-	-	-	10	-
Inficide	M	7	-	-	-	-	1	-	1	3	1	1	9	-	-	-	-	1	4	1	-	2	1	-	-
	F	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other violence	M	17	-	1	-	1	1	3	2	2	2	5	31	-	-	1	2	3	3	3	8	6	2	3	-
	F	11	-	-	1	1	1	2	-	1	-	5	13	-	-	2	-	-	-	2	-	1	1	7	-
Other defined causes	M	41	3	1	3	1	2	3	-	8	13	7	62	5	1	1	2	2	1	4	7	8	12	19	-
	F	30	4	-	2	-	1	-	5	5	7	6	39	1	1	2	1	3	1	5	8	7	8	2	-
Other defined causes	M	4	-	-	-	-	-	-	-	-	4	-	8	-	-	-	-	1	-	-	-	2	3	2	-
	F	4	-	-	-	-	-	1	-	1	2	-	5	-	-	-	-	-	-	-	-	2	3	3	-

Causes of Death. See first page of Table.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	371	32	5	2	7	11	17	31	33	59	87	87	448	38	6	6	14	14	17	20	36	75	104			
	F	338	27	5	7	7	3	23	15	33	48	66	104	370	24	8	7	8	12	11	14	31	54	104			
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2 Measles	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	2	-	1	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-			
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-			
4 Whooping cough	M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	3	1	-	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-			
5 Diphtheria	M	1	1	-	-	-	-	-	-	-	-	-	-	4	-	-	2	2	-	-	-	-	-	-			
	F	2	-	-	1	1	-	-	-	-	-	-	-	6	-	-	4	2	-	-	-	-	-	-			
6 Influenza	M	26	-	-	1	2	1	2	5	-	4	4	7	26	-	-	1	-	1	1	1	4	6	7			
	F	17	-	1	-	-	-	4	-	2	3	6	1	26	-	-	-	-	2	1	2	2	7	7			
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	1	1	1	1			
	F	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-			
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
9 Respiratory tuberculosis	M	15	-	-	1	-	1	1	7	4	1	-	-	13	-	-	-	-	2	-	3	3	3	3			
	F	16	-	-	-	-	3	8	1	3	1	-	-	12	-	-	-	-	4	2	2	1	1				
10 Other tuberculosis	M	2	-	-	-	-	-	1	1	-	-	-	-	6	-	-	2	1	1	-	-	1	1				
	F	3	-	-	1	2	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-			
11 Syphilis	M	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
12 Gen. paralysis of insane, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
13 Cancer	M	38	-	-	-	-	1	1	1	12	5	14	4	51	-	-	-	-	-	-	2	5	15	15			
	F	63	-	-	-	-	-	1	5	8	14	20	15	55	-	-	-	-	-	-	3	9	11	11			
14 Diabetes	M	2	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	-	-	-	-			
	F	3	-	-	-	-	-	-	-	1	2	-	-	9	-	-	-	-	1	-	1	1	1	1			
15 Cerebral hæmorrhage	M	25	-	-	-	-	-	-	-	1	4	12	8	16	-	-	-	-	-	-	-	1	3	3			
	F	27	-	-	-	-	-	-	-	2	5	10	10	33	-	-	-	-	-	-	-	2	6	6			
16 Heart disease	M	75	-	-	-	-	1	2	2	2	19	25	24	103	-	-	-	2	-	1	8	16	16				
	F	55	-	-	-	-	-	2	1	6	10	9	27	67	-	-	-	-	3	-	5	13	13				
17 Aneurysm	M	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
18 Other circulatory	M	12	-	-	-	-	-	-	-	-	1	7	4	24	-	-	-	-	-	-	-	-	4	4			
	F	12	-	-	-	-	-	-	-	1	3	3	5	18	1	-	-	-	-	-	-	1	1	1			
19 Bronchitis	M	10	1	2	-	-	-	-	-	-	2	2	3	17	1	-	-	-	1	-	1	6	6	6			
	F	11	-	-	-	-	-	-	-	-	2	3	6	8	-	-	1	-	-	1	-	-	-	-			
20 Pneumonia	M	19	4	1	-	-	2	1	3	1	3	1	3	31	6	-	1	1	1	2	3	6	6	6			
	F	17	6	2	-	1	-	1	1	1	1	2	2	20	2	3	-	1	-	2	-	2	1	1			
21 Other respiratory	M	6	-	-	-	1	1	-	1	1	-	-	2	11	-	-	-	-	1	1	1	2	2	2			
	F	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	1	1	-	-	-			
22 Peptic ulcer	M	4	-	-	-	-	-	-	3	1	-	-	-	4	-	-	-	-	1	-	-	1	1	1			
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-			
23 Diarrhoea	M	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-			
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	1	-	-	-	-	-			
24 Appendicitis	M	2	-	-	-	2	-	-	-	-	-	-	-	3	-	-	-	2	-	1	-	-	-	-			
	F	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	1	-	1	1	-	-	-			
25 Cirrhosis of liver	M	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-			
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
26 Other liver diseases	M	3	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-			
	F	4	-	-	-	-	-	1	-	-	-	2	1	4	-	-	-	-	-	-	1	-	-	-			
27 Other digestive	M	5	1	-	-	-	-	-	-	2	2	-	-	6	-	-	-	-	1	2	-	2	2	2			
	F	4	-	-	-	1	-	-	1	-	-	1	1	4	1	-	-	-	-	-	1	-	-	-			
28 Nephritis	M	23	-	1	-	-	1	1	2	3	6	7	2	12	-	-	-	1	-	-	2	1	1	1			
	F	7	-	-	-	-	-	2	-	-	3	1	1	11	-	-	-	-	-	1	-	-	-	-			
29 Puerperal sepsis	F	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	1	2	-	-	-	-	-			
30 Other puerperal	F	4	-	-	-	-	-	2	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-			
31 Congenital causes, etc.	M	19	19	-	-	-	-	-	-	-	-	-	-	26	26	-	-	-	-	-	-	-	-	-			
	F	18	18	-	-	-	-	-	-	-	-	-	-	16	16	-	-	-	-	-	-	-	-	-			
32 Senility	M	28	-	-	-	-	-	-	-	-	-	3	25	13	-	-	-	-	-	-	-	-	-	-			
	F	26	-	-	-	-	-	-	-	-	-	3	23	20	-	-	-	-	-	-	-	-	-	-			
33 Suicide	M	3	-	-	-	-	1	-	-	1	-	1	-	8	-	-	-	1	-	1	1	2	2	2			
	F	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	1	-	1	-	-</					

TABLE 24—*contd.* **Administrative County of Glamorgan.**

Causes of Death.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	3,902	317	49	55	85	142	172	234	475	736	988	649	1,168	98	16	15	25	46	59	71	126	217	290	205
	F	3,184	232	44	51	72	152	170	197	316	534	752	664	974	67	7	11	17	44	51	72	105	164	204	232
Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	4	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	M	16	4	5	3	4	-	-	-	-	-	-	-	4	-	2	-	2	-	-	-	-	-	-	
	F	20	5	9	2	3	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
Scarlet fever	M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	5	-	-	2	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
Whooping cough	M	12	6	1	5	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
	F	14	8	5	1	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	
Diphtheria	M	19	-	1	6	12	-	-	-	-	-	-	-	7	-	1	3	3	-	-	-	-	-	-	
	F	17	1	3	8	2	1	1	1	-	-	-	-	6	-	-	2	3	-	-	-	-	-	-	
Influenza	M	123	1	-	-	3	5	7	14	28	29	24	12	38	-	-	-	1	4	6	3	9	9	6	
	F	102	-	1	2	2	8	9	8	12	13	29	18	23	-	-	-	-	1	1	2	7	6	7	
Encephalitis lethargica	M	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	8	-	-	-	1	2	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
Cerebro-spinal fever	M	7	2	-	1	1	-	1	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
	F	4	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Respiratory tuberculosis	M	198	-	-	1	2	38	45	35	42	27	5	3	50	-	-	-	-	8	14	9	7	8	4	
	F	203	-	1	-	6	72	62	32	12	12	5	1	62	-	-	-	-	21	21	11	4	2	-	
Other tuberculosis	M	50	4	4	5	5	12	6	4	6	3	1	-	15	2	-	2	3	3	3	1	-	-	-	
	F	32	-	4	4	8	6	6	2	-	2	-	-	9	-	-	-	5	2	2	-	-	-	-	
Syphilis	M	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	3	-	-	-	-	-	-	1	2	-	-	-	2	1	-	-	-	-	-	1	-	-	-	
Gen. paralysis of insane, etc.	M	20	-	-	-	-	-	-	3	7	8	2	-	4	-	-	-	-	-	1	-	3	-	-	
	F	6	-	-	-	-	1	-	1	2	2	-	-	1	-	-	-	-	-	1	-	-	-	-	
Cancer	M	351	-	-	1	-	3	9	12	54	108	117	47	129	-	-	-	-	2	4	17	43	46	17	
	F	379	-	-	-	1	5	26	85	107	110	45	118	-	-	-	-	2	11	34	26	30	15	2	
Diabetes	M	23	-	-	-	1	2	4	2	5	4	5	10	-	-	1	1	2	-	-	-	4	2	4	
	F	59	1	-	-	-	3	2	-	3	22	21	7	22	-	-	-	-	-	3	10	5	-	-	
Cerebral hæmorrhage	M	271	-	-	-	-	-	1	4	24	54	116	72	60	-	-	-	-	-	1	4	10	23	22	
	F	237	-	-	-	-	2	7	23	51	99	55	67	-	-	-	-	1	1	7	15	20	23	23	
Heart disease	M	953	-	-	1	7	15	13	29	107	218	353	210	278	-	-	-	1	5	7	10	24	67	99	
	F	813	-	-	1	11	15	22	35	76	149	269	235	233	-	-	1	-	2	3	14	14	42	75	
Aneurysm	M	10	-	-	-	-	-	-	-	3	4	1	2	1	-	-	-	-	-	-	-	-	1	-	
	F	2	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-	2	-	-	
Other circulatory	M	134	-	-	-	-	-	-	2	6	19	66	41	44	-	-	-	-	-	-	8	17	19	18	
	F	98	-	-	-	-	-	-	-	6	22	32	38	47	-	-	-	-	-	1	5	3	20	18	
Bronchitis	M	204	16	5	1	3	3	-	8	28	44	57	39	53	6	1	-	-	-	-	8	11	15	12	
	F	121	12	1	2	1	1	-	4	5	19	33	43	33	3	1	-	1	-	1	3	8	3	12	
Pneumonia	M	197	50	15	11	4	2	7	19	21	32	26	10	59	16	7	4	2	-	2	3	9	8	5	
	F	121	34	14	9	3	2	1	5	11	10	22	10	36	7	1	1	1	4	6	2	5	3	5	
Other respiratory	M	74	1	1	1	2	1	1	3	18	23	18	5	26	-	-	1	-	2	3	8	8	3	1	
	F	25	1	-	1	1	-	2	1	4	6	5	4	5	-	-	-	-	-	-	1	2	-	2	
Peptic ulcer	M	52	-	-	-	-	-	6	6	17	14	7	2	12	-	-	-	-	1	2	2	4	2	1	
	F	5	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea	M	28	17	4	2	1	-	-	-	-	2	2	-	7	3	-	1	-	1	1	-	-	1	-	
	F	24	8	2	1	-	1	2	2	1	-	4	3	5	3	-	-	-	-	-	-	1	-	1	
Appendicitis	M	10	-	-	1	1	2	1	-	3	1	1	-	11	-	-	1	3	1	1	2	1	1	-	
	F	16	-	-	-	4	3	1	4	1	1	1	1	7	-	-	1	-	1	1	2	2	-	-	
Cirrhosis of liver	M	14	-	-	-	-	-	-	1	3	4	5	1	2	-	-	-	-	-	-	-	1	1	-	
	F	3	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-	1	1	-	
Other liver diseases	M	20	-	-	-	-	-	-	4	4	7	5	-	4	-	-	-	-	2	-	-	2	-	-	
	F	27	-	-	1	1	-	1	-	4	6	8	6	7	-	-	-	-	1	1	1	-	1	3	
Other digestive	M	67	9	2	-	3	6	3	4	7	13	10	10	16	1	-	-	-	1	1	3	3	2	2	
	F	35	3	-	2	2	-	1	3	2	8	13	3	18	1	2	-	1	1	1	2	4	4	4	
Nephritis	M	138	-	-	2	2	6	8	14	17	40	30	19	38	-	-	-	1	3	1	3	5	6	17	
	F	106	-	-	1	1	4	8	10	15	24	25	18	41	-	-	-	1	-	4	10	7	11	8	
Puerperal sepsis	F	10	-	-	-	-	2	6	2	-	-	-	-	7	-	-	-	-	5	2	-	-	-	-	
Other puerperal	F	23	-	-	-	-	4	11	8	-	-	-	-	13	-	-	-	5	3	5	-	-	-	-	
Congenital causes, etc.	M	176	169	-	1	4	2	-	-	-	-	-	-	56	56	-	-	-	-	-	-	-	-	-	
	F	137	133	1	3	-	-	-	-	-	-	-	-	47	44	-	1	1	-	-	-	-	-	-	
Senility	M	144	-	-	-	-	-	-	-	-	-	29	115	38	-	-	-	-	-	-	-	-	4	34	
	F	172	-	-	-	-	-	-	-	-	-	28	144	40	-	-	-	-	-	-	-	1	4	35	
Suicide	M	31	-	-	-	-	1	3	7	8	6	5	1	20	-	-	-	-	2	1	5	5	4	3	
	F	12	-	-	-	-	-	1	6	2	3	-	-	2	-	-	-	-	1	1	-	-	-	-	
Other violence	M	218	1	5	10	15	32	39	28	35	22	22	9	79	4	2	1	5	16	11	12	7	5	4	
	F	66	5	2	6	8	4	3	3	5	11	8	11	26	1	1	2	2	5	1	2	3	-	6	
Other defined causes	M	324	37	6	2	16	13	20	29	30	50	78	43	105	9	3	-	4	3	6	7	16	14	28	
	F	270	20	-	7	14	20	20	31	41	60	38	19	87	6	1	2	3	5	3	9	9	27	15	
Ill-defined causes	M	12	-	-	-	-	-	-	1	2	2	4	3	-	-	-	-	-	-	-	-	-	-	-	
	F	5	-	1	-	-	-	-	-	3	-	-	1	2	-	-	-	-	-	-	1	1	-	-	

TABLE 24—*contd.* **Administrative County of Merioneth.**

Causes of Death. See first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	
All Causes	M	161	10	1	3	1	6	8	10	13	31	42	36	163	11	4	1	2	2	8	9	3	24	49	
	F	167	5	3	-	3	4	7	9	19	19	47	51	185	11	2	1	2	4	9	6	7	33	38	
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
5 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6 Influenza	M	10	-	-	-	1	-	1	1	1	2	2	2	6	1	-	-	-	1	-	-	1	1		
	F	7	-	-	-	-	-	-	1	2	1	2	1	9	-	-	-	-	1	-	1	2	1		
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9 Respiratory tuberculosis	M	21	-	-	-	-	2	3	3	-	9	3	1	11	-	-	-	-	2	3	1	3	2		
	F	8	-	-	-	-	2	2	1	1	-	2	-	11	-	-	-	1	4	2	-	2	1		
10 Other tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-		
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
11 Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-		
12 Gen. paralysis of insane, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13 Cancer	M	15	-	-	-	-	-	1	-	1	3	4	6	22	-	-	-	-	-	1	-	6	9		
	F	29	-	-	-	-	-	-	2	4	8	7	8	21	-	-	-	-	-	-	1	8	5		
14 Diabetes	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	1		
	F	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	-	-	-	-	-		
15 Cerebral hæmorrhage	M	12	-	-	-	-	-	-	-	1	1	5	5	4	-	-	-	-	-	-	-	-	2		
	F	20	-	-	-	-	-	-	1	2	1	8	8	15	-	-	-	-	-	-	-	3	2		
16 Heart disease	M	37	-	-	-	-	-	-	2	3	6	14	12	43	-	-	-	-	1	-	-	6	15		
	F	33	-	-	-	1	-	-	-	5	-	12	15	45	-	-	-	-	-	-	2	9	16		
17 Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-		
18 Other circulatory	M	5	-	-	-	-	-	-	-	-	1	3	1	12	-	-	-	-	-	-	-	1	5		
	F	8	-	-	-	-	-	-	1	1	3	3	3	12	-	-	-	-	-	-	-	2	4		
19 Bronchitis	M	10	2	-	-	-	-	1	1	-	2	3	1	3	-	-	-	-	-	-	-	-	2		
	F	3	-	-	-	-	-	-	-	-	-	1	2	5	-	-	-	1	-	-	-	1	1		
20 Pneumonia	M	10	1	1	1	-	-	-	-	1	2	3	1	8	3	2	-	1	-	-	2	-	-		
	F	4	1	-	-	-	-	-	-	-	-	2	1	6	1	1	1	1	-	-	-	-	-		
21 Other respiratory	M	3	-	-	-	-	-	-	2	1	-	-	-	2	-	-	-	-	-	-	-	1	-		
	F	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-			
22 Peptic ulcer	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	1	-		
	F	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-			
23 Diarrhœa	M	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-		
	F	4	1	1	-	-	-	-	-	-	-	-	2	2	-	1	-	-	-	-	1	-	-		
24 Appendicitis	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-		
25 Cirrhosis of liver	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
26 Other liver diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-		
	F	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-		
27 Other digestive	M	1	-	-	-	-	-	-	-	1	-	-	-	3	-	1	-	-	1	-	-	-	1		
	F	-	-	-	-	-	-	-	-	-	2	-	-	5	-	-	-	3	-	-	-	1	-		
28 Nephritis	M	6	-	-	-	-	-	-	1	2	-	1	2	15	-	-	-	1	-	-	-	3	7		
	F	6	-	-	-	-	-	-	-	1	2	1	2	9	-	-	-	-	1	-	-	1	3		
29 Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
30 Other puerperal	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-		
31 Congenital causes, etc.	M	4	4	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-		
	F	3	3	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-		
32 Senility	M	4	-	-	-	-	-	-	-	-	-	1	3	3	-	-	-	-	-	-	-	-	-		
	F	5	-	-	-	-	-	-	-	-	-	1	4	11	-	-	-	-	-	-	-	-	-		
33 Suicide	M	3	-	-	-	-	1	-	-	-	2	-	-	3	-	-	-	-	1	-	-	1	-		
	F	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	1	-		
34 Other violence	M	5	1	-	-	-	1	1	-	1	1	-	-	4	-	-	1	-	1	-	-	1	-		
	F	6	-	1	-	-	-	-	-	1	-	2	2	3	-	-	-	-	-	1	-	-	-		
35 Other defined causes	M	12	1	-	1	-	2	1	-	1	1	3	2	7	1	1	-	-	1	-	-	1	-		
	F	19	-	1	-	1	-	3	3	1	4	4	2	14	4	-	-	-	-	1	2	1	-		
36 Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-		
	F	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-		

Causes of Death. See first page of Table.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	1,906	151	32	32	41	91	96	115	192	345	484	327	265	10	-	2	3	7	15	13	22	47	69	77		
	F	1,548	134	15	21	38	80	95	101	147	259	332	326	225	16	1	2	7	5	4	6	16	25	48	95		
1 Typhoid fever, etc.	M	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Measles	M	11	1	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	6	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Scarlet fever	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4 Whooping cough	M	9	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	3	1	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
5 Diphtheria	M	5	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	9	-	-	1	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6 Influenza	M	57	-	-	1	1	1	4	4	11	19	11	5	5	-	-	-	-	1	1	1	1	1	-	1		
	F	58	2	-	2	2	4	4	3	8	10	15	8	5	-	-	-	-	-	-	-	1	1	1	3		
7 Encephalitis lethargica	M	4	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
8 Cerebro-spinal fever	M	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	2	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-		
9 Respiratory tuberculosis	M	84	-	1	1	1	23	21	9	17	10	1	-	17	-	-	-	-	2	5	4	1	2	3	-		
	F	97	-	-	-	4	33	36	13	6	4	1	-	7	-	-	1	2	3	-	-	1	-	-	-		
10 Other tuberculosis	M	23	1	2	1	3	8	3	-	1	4	-	-	3	-	-	1	1	1	-	-	-	-	-	-		
	F	14	2	-	3	2	5	1	1	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-		
11 Syphilis	M	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
12 Gen. paralysis of insane, etc.	M	8	-	-	-	-	1	-	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	3	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13 Cancer	M	177	-	-	-	-	-	2	14	26	58	52	25	32	-	-	-	-	-	-	1	7	7	9	8		
	F	168	-	-	1	1	2	7	11	33	57	41	15	27	-	-	-	-	1	-	2	2	8	7	7		
14 Diabetes	M	21	-	-	-	-	1	1	4	-	4	11	-	5	-	-	-	-	2	1	-	-	-	1	1		
	F	24	-	-	-	1	-	-	2	3	6	7	5	3	-	-	-	-	-	-	-	-	-	3	-		
15 Cerebral hæmorrhage	M	104	-	-	-	-	-	-	1	4	23	50	26	6	-	-	-	-	-	-	-	-	3	1	2		
	F	109	-	-	-	-	-	-	4	9	24	31	41	19	-	-	-	-	-	-	2	1	4	12	12		
16 Heart disease	M	461	-	-	-	1	5	6	23	46	103	164	113	78	-	-	-	1	-	-	5	17	22	33	33		
	F	382	-	-	-	5	9	11	26	32	71	111	117	59	-	-	-	-	1	-	5	5	15	33	33		
17 Aneurysm	M	5	-	-	-	-	-	-	1	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
18 Other circulatory	M	74	-	-	-	-	-	-	-	4	14	29	27	18	-	-	-	-	-	-	-	2	7	9	9		
	F	35	-	-	-	-	-	-	2	2	4	11	16	16	-	-	-	-	-	-	1	1	3	11	11		
19 Bronchitis	M	100	17	1	-	-	1	-	2	9	14	39	17	5	-	-	-	-	-	-	-	1	2	2	2		
	F	88	6	-	-	-	1	2	1	5	10	28	35	5	-	-	-	-	1	-	-	1	2	1	1		
20 Pneumonia	M	121	23	11	7	6	7	5	9	14	11	21	7	16	3	-	-	1	-	1	-	1	6	3	3		
	F	70	14	8	7	2	2	3	5	5	5	10	9	11	1	1	-	-	-	1	1	2	1	4	4		
21 Other respiratory	M	33	-	-	-	1	1	3	2	8	10	6	2	3	-	-	-	-	1	1	-	1	-	-	-		
	F	15	-	-	-	1	-	-	2	2	3	4	3	2	-	-	-	-	-	-	-	1	-	1	1		
22 Peptic ulcer	M	29	-	-	-	-	-	3	2	9	9	6	-	6	-	-	-	1	-	-	2	2	1	-	-		
	F	6	-	-	-	-	-	-	-	2	1	2	1	1	-	-	-	-	-	-	-	-	-	1	1		
23 Diarrhoea	M	20	15	-	1	-	-	-	1	-	-	-	3	3	1	-	-	-	-	-	-	-	1	1	1		
	F	17	9	1	-	1	-	-	-	1	2	2	1	4	2	-	-	-	-	-	-	-	-	2	2		
24 Appendicitis	M	16	-	-	1	4	4	1	1	1	2	1	1	2	-	-	1	1	-	-	-	-	-	-	1		
	F	11	-	-	-	3	2	-	1	3	-	2	-	2	-	-	-	1	-	-	-	-	-	-	1		
25 Cirrhosis of liver	M	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	1	1	-	-	-		
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
26 Other liver diseases	M	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	14	-	-	-	-	1	-	1	2	3	5	2	3	-	-	-	-	-	-	-	1	1	1	1		
27 Other digestive	M	29	3	1	1	-	1	2	2	4	6	8	1	2	-	-	-	-	-	-	-	1	-	1	1		
	F	23	1	-	-	1	2	1	5	4	7	2	3	3	-	-	-	-	-	-	-	-	1	2	2		
28 Nephritis	M	52	-	-	-	-	3	5	4	3	9	17	11	9	-	-	-	-	-	-	-	3	4	2	2		
	F	46	-	1	-	1	2	5	4	5	11	11	6	11	-	-	1	-	1	1	1	1	5	2	2		
29 Puerperal sepsis	F	8	-	-	-	-	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
30 Other puerperal	F	14	-	-	-	-	3	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
31 Congenital causes, etc.	M	73	73	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-		
	F	83	81	-	2	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-		
32 Senility	M	87	-	-	-	-	-	-	-	-	-	18	69	6	-	-	-	-	-	-	-	-	-	6	6		
	F	69	-	-	-	-	-	-	-	-	-	18	51	13	-	-	-	-	-	-	-	1	-	12	12		
33 Suicide	M	12	-	-	-	-	1	1	-	3	4	-	3	4	-	-	-	-	-	-	2	-	1	1	1		
	F	8	-	-	-	-	-	-	2	2	2	1	1	1	-	-	-	1	-	-	-	-	-	-	-		
34 Other violence	M	111	1	2	7	8	20	23	18	12	9	7	4	16	-	-	-	2	2	3	2	4	3	-	-		
	F	26	2	-	1	3	4	1	2	-	2	6	5	4	-	-	1	1	-	-	-	1	-	1	1		
35 Other defined causes	M	166	12	4	6	12	11	14	14	13	31	37	12	20	-	-	-	1	2	1	1	1	8	6	6		
	F	135	13	2	2	4	5	12	13	22	36	19	7	16	3	-	-	2	1	-	4	-	5	1	1		
36 Ill-defined causes	M	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

Causes of Death. See first page of Table.		Aggregate of Urban Districts.													Aggregate of Rural Districts.												
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M F	119 154	6 3	- 1	- -	- 1	5 5	1 2	7 10	9 17	19 23	36 34	36 58	201 205	10 11	1 -	2 2	2 2	6 7	6 9	5 7	13 16	39 29	53 44	644 788		
1 Typhoid fever, etc.	M F	- -	- -	- -	- -	- 1	- 5	- 2	- 10	- 17	- 23	- 34	- 58	- 205	- 11	- -	- 2	- 2	- 7	- 9	- 7	- 16	- 29	- 44	- 788		
2 Measles	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
3 Scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
4 Whooping cough	M F	- 1	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 2	1 2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
5 Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
6 Influenza	M F	3 15	- -	- -	- -	- -	1 1	- 1	- -	- 2	- 3	1 2	2 6	7 14	- -	- -	- 1	1 -	1 1	1 1	- -	- 3	2 3	22 55			
7 Encephalitis lethargica	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
8 Cerebro-spinal fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
9 Respiratory tuberculosis	M F	6 6	- -	- -	- -	1 2	- 2	2 2	1 -	1 -	1 2	- -	1 -	7 5	- -	- -	- -	2 2	2 2	1 -	1 -	1 -	2 1	- 1	- -		
10 Other tuberculosis	M F	2 -	- -	- -	- -	1 -	- -	- -	- -	- -	1 -	- -	- -	2 1	- -	- -	1 -	- 1	- -	- -	- -	- -	1 -	- -	- -		
11 Syphilis	M F	1 -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -		
12 Gen. paralysis of insane, etc.	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
13 Cancer	M F	16 27	- -	- -	- -	- -	- -	1 4	1 4	4 6	4 7	6 6	36 25	- -	- -	- -	- -	2 1	- -	3 8	11 7	11 4	99 53				
14 Diabetes	M F	1 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 1	- -	1 -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -		
15 Cerebral hæmorrhage	M F	7 14	- -	- -	- -	- -	- -	- -	1 3	1 4	4 6	1 1	14 17	- -	- -	- -	- -	- -	- -	1 -	2 1	4 8	77 88				
16 Heart disease	M F	32 39	- -	- -	1 -	- -	- -	- -	1 6	5 4	16 12	9 16	50 56	- -	- -	- -	1 1	- 3	2 2	8 6	19 14	20 29					
17 Aneurysm	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -		
18 Other circulatory	M F	6 13	- -	- -	- -	- -	- -	- -	- -	2 2	1 4	3 7	6 14	- -	- -	- -	1 -	- -	- -	- -	1 1	3 3	38 88				
19 Bronchitis	M F	8 7	- 1	- -	- -	1 -	- -	- -	1 -	3 5	3 5	6 9	6 9	- 1	- -	- -	1 -	- -	1 -	- -	1 -	1 -	38 77				
20 Pneumonia	M F	2 5	1 -	- 1	- -	- -	- 1	- -	1 -	- -	- -	- 3	6 4	- 1	1 -	- -	- 1	1 -	- -	- -	1 2	2 -	- -	- -			
21 Other respiratory	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	2 -	- -	- -	- 1	- -	- -	- -	- -	1 -	- -	- -			
22 Peptic ulcer	M F	1 -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	4 3	4 1	- -	- -	- -	- -	- -	1 -	2 1	1 -	- -	- -			
23 Diarrhœa	M F	1 -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -			
24 Appendicitis	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	1 1	1 -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -			
25 Cirrhosis of liver	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -			
26 Other liver diseases	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	2 -	- -	- -	- -	- -	- -	- -	1 2	- -	- -	- -			
27 Other digestive	M F	2 -	- -	- -	- -	1 -	- -	- -	- -	1 -	- -	- -	3 1	1 -	- -	- -	- 1	- -	- -	- -	2 -	- -	1 -	- -			
28 Nephritis	M F	6 7	- -	- -	- -	- -	- -	1 -	1 1	- 2	2 2	2 2	13 5	- -	- -	- -	- -	- 1	- -	1 -	3 1	2 2	7 1				
29 Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
30 Other puerperal	F	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-			
31 Congenital causes, etc.	M F	4 -	4 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	8 7	8 6	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -			
32 Senility	M F	5 7	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	5 7	6 13	- -	- -	- -	- -	- -	- -	- -	- -	1 1	5 12			
33 Suicide	M F	2 1	- -	- -	- -	- -	- -	- -	- -	2 1	- -	- -	3 2	- -	- -	- -	1 -	- -	- -	- -	2 1	- 1	- 1	- 2			
34 Other violence	M F	4 4	- -	- -	- -	1 2	1 1	1 1	- -	- -	1 1	- -	9 3	1 -	- -	- -	- 2	- -	1 1	- 1	1 -	1 -	1 2	2 2			
35 Other defined causes	M F	8 6	- 1	- -	- -	- -	- -	2 2	- -	2 1	1 1	4 1	16 18	- 1	- -	2 -	1 2	- 1	1 1	- 3	4 4	3 5	5 1				
36 Ill-defined causes	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -			

TABLE 24—*contd.* Administrative County of Pembroke.

Causes of Death. See first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-
All Causes	M	269	18	2	4	9	10	7	12	35	45	54	73	324	23	2	4	6	9	13	6	22	63	81	95
	F	296	16	1	3	7	19	8	13	17	41	84	87	343	9	5	6	9	11	9	12	31	40	87	124
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	
4 Whooping cough	M	1	-	-	1	-	-	-	-	-	-	-	-	4	1	1	1	1	-	-	-	-	-	-	
	F	2	1	1	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	
5 Diphtheria	M	9	-	-	2	7	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
	F	5	-	-	2	2	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
6 Influenza	M	11	-	-	-	1	-	-	-	1	3	-	6	9	-	-	-	-	-	1	-	2	3	3	
	F	15	-	-	-	1	1	1	-	1	2	1	8	10	-	-	-	-	1	-	2	2	2	5	
7 Encephalitis lethargica	M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
9 Respiratory tuberculosis	M	17	-	-	-	-	2	3	4	6	2	-	-	14	-	-	-	-	2	5	1	3	2	-	1
	F	12	-	-	-	-	7	2	2	-	-	-	1	16	-	-	-	1	4	3	4	1	2	1	-
10 Other tuberculosis	M	3	-	-	-	-	2	-	-	-	1	-	-	4	-	-	2	-	1	1	-	-	-	-	-
	F	3	-	-	-	1	1	-	-	-	-	-	1	2	-	-	-	2	-	-	-	-	-	-	-
11 Syphilis	M	2	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12 Gen. paralysis of insane, etc.	M	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
13 Cancer	M	33	-	-	-	-	-	-	-	5	8	12	8	32	-	-	-	-	-	-	5	10	11	6	8
	F	42	-	-	-	1	-	-	3	1	15	16	6	44	-	-	-	-	1	-	3	3	14	15	8
14 Diabetes	M	2	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
	F	7	-	-	-	-	-	1	-	1	1	3	1	3	-	-	-	-	-	-	-	1	1	1	1
15 Cerebral hæmorrhage	M	13	-	-	-	-	-	-	-	-	4	4	5	28	-	-	-	-	-	-	2	6	12	8	8
	F	13	-	-	-	-	-	-	-	-	2	5	6	31	-	-	-	-	-	-	6	3	10	12	12
16 Heart disease	M	61	-	-	-	-	-	-	2	6	10	16	27	68	-	-	-	-	-	1	5	14	22	26	26
	F	64	-	-	-	1	2	-	2	6	6	29	18	77	-	-	-	1	-	3	1	10	5	28	29
17 Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18 Other circulatory	M	8	-	-	-	-	-	-	-	-	-	6	2	23	-	-	-	-	-	-	1	5	8	9	9
	F	12	-	-	-	-	-	-	-	-	2	2	8	22	-	-	-	-	-	-	1	3	6	12	12
19 Bronchitis	M	13	-	-	-	-	-	-	-	3	1	1	8	14	-	-	-	-	-	-	1	1	4	8	8
	F	9	-	-	-	-	-	-	-	-	-	4	5	13	-	1	-	-	-	1	-	3	8	8	8
20 Pneumonia	M	9	1	-	-	-	1	1	1	2	2	1	1	12	1	1	1	-	1	-	-	5	1	2	5
	F	13	-	-	-	-	1	-	1	1	2	2	6	18	-	4	2	1	-	-	1	2	3	5	5
21 Other respiratory	M	3	-	-	-	-	-	-	-	-	1	-	2	4	-	-	-	-	1	1	1	-	-	1	2
	F	3	-	-	-	-	-	1	1	-	1	-	-	4	-	-	-	-	-	-	-	1	-	-	-
22 Peptic ulcer	M	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
23 Diarrhœa	M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	4	1	-	-	1	-	-	-	-	1	1	1
24 Appendicitis	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 Cirrhosis of liver	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26 Other liver diseases	M	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	2	1	1
	F	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
27 Other digestive	M	3	-	-	-	1	-	-	-	-	-	1	1	5	-	-	-	1	-	1	-	2	1	-	-
	F	12	1	-	-	1	1	-	1	2	1	3	2	1	-	-	-	1	-	1	-	-	-	-	-
28 Nephritis	M	13	-	-	-	-	-	-	1	2	4	5	1	21	-	-	-	-	-	1	1	7	4	8	8
	F	10	-	-	-	-	-	-	-	-	3	4	3	14	-	-	-	1	-	-	2	1	3	7	7
29 Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30 Other puerperal	F	3	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
31 Congenital causes, etc.	M	12	12	-	-	-	-	-	-	-	-	-	-	21	20	-	-	1	-	-	-	-	-	-	-
	F	11	11	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
32 Senility	M	4	-	-	-	-	-	-	-	-	-	-	4	9	-	-	-	-	-	-	-	-	-	9	9
	F	12	-	-	-	-	-	-	-	-	-	1	11	31	-	-	-	-	-	-	-	-	-	31	31
33 Suicide	M	5	-	-	-	1	1	-	-	2	1	-	-	4	-	-	-	-	1	-	1	2	-	-	-
	F	2	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
34 Other violence	M	15	-	-	-	1	2	4	4	2	2	-	-	11	-	-	-	5	3	-	1	-	2	1	1
	F	5	2	-	-	1	-	-	1	-	-	-	1	6	-	-	1	1	-	-	-	1	2	1	1
35 Other defined causes	M	19	2	2	-	1	3	-	-	1	3	4	3	26	-	-	-	2	1	-	1	4	7	11	11
	F	28	-	-	-	4	-	-	2	3	6	10	3	31	1	-	1	3	1	2	5	5	9	2	2
36 Ill-defined causes	M	4	-	-	-	-	-	-	-	-	-	1	3	6	-	-	-	-	-	1	-	1	2	2	2
	F	7	-	-	-	-	-	-	-	-	-	1	6	2	-	-	-	-	-	-	-	-	2	-	-

Causes of Death. See first page of Table.			Aggregate of Urban Districts.													Aggregate of Rural Districts.												
			All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-	All Ages.	0-	1-	2-	5-	15-	25-	35-	45-	55-	65-	75-		
All Causes	M	43	2	-	2	1	1	2	3	-	4	16	12	109	9	1	1	2	1	5	4	9	10	35	35			
	F	54	1	-	-	-	-	2	1	4	2	14	30	97	5	-	1	1	2	2	2	8	11	29	30			
1 Typhoid fever, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
2 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
3 Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
4 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-				
5 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
6 Influenza	M	4	-	-	-	-	-	1	-	-	1	2	-	4	-	-	-	-	1	-	-	-	1	2				
	F	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-	1	2				
7 Encephalitis lethargica	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
8 Cerebro-spinal fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
9 Respiratory tuberculosis	M	2	-	-	-	-	-	1	1	-	-	-	-	8	-	-	-	-	2	1	3	1	1	-				
	F	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-				
10 Other tuberculosis	M	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-				
11 Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
12 Gen. paralysis of insane, etc.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
13 Cancer	M	5	-	-	-	-	-	-	-	-	1	3	1	16	-	-	-	-	-	-	-	3	8	5				
	F	5	-	-	-	-	-	1	2	-	-	-	2	12	-	-	-	-	-	-	4	3	2	3				
14 Diabetes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-				
15 Cerebral hæmorrhage	M	1	-	-	-	-	-	-	-	-	-	-	1	5	-	-	-	-	-	-	-	-	3	2				
	F	1	-	-	-	-	-	-	-	-	-	-	1	7	-	-	-	-	-	-	-	1	3	3				
16 Heart disease	M	12	-	-	-	1	-	1	-	-	-	4	6	26	-	-	-	-	1	-	3	4	7	11				
	F	26	-	-	-	-	-	-	1	1	9	15	36	-	-	-	-	-	-	-	6	14	16	16				
17 Aneurysm	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
18 Other circulatory	M	5	-	-	-	-	-	-	-	-	-	3	2	4	-	-	-	1	-	-	-	-	2	1				
	F	7	-	-	-	-	-	-	-	1	1	5	3	3	-	-	-	-	-	-	-	1	2	2				
19 Bronchitis	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1				
	F	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	1	2	1	1				
20 Pneumonia	M	3	-	-	1	-	-	1	-	-	1	-	-	4	1	-	1	-	-	-	-	-	1	1				
	F	2	1	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	1	-	-				
21 Other respiratory	M	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	1				
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-				
22 Peptic ulcer	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
23 Diarrhœa	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-				
24 Appendicitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
25 Cirrhosis of liver	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
26 Other liver diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-				
27 Other digestive	M	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	1	-	-				
	F	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-				
28 Nephritis	M	-	-	-	-	-	-	-	-	-	-	-	-	10	-	-	1	-	1	-	1	1	3	4				
	F	2	-	-	-	-	1	-	-	-	1	-	-	4	-	-	-	1	-	-	-	1	2	2				
29 Puerperal sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
30 Other puerperal	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-				
31 Congenital causes, etc.	M	2	2	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-				
32 Senility	M	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	3	5				
	F	3	-	-	-	-	-	-	-	-	-	-	3	6	-	-	-	-	-	-	-	1	-	-				
33 Suicide	M	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	2	-	1	1	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-				
34 Other violence	M	1	-	-	1	-	-	-	-	-	-	-	-	2	-	1	-	-	-	1	-	-	-	-				
	F	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-				
35 Other defined causes	M	3	-	-	-	-	-	-	-	-	2	1	9	2	-	-	-	1	-	-	1	-	4	1				
	F	3	-	-	-	-	-	-	-	-	1	2	6	-	-	-	-	1	-	-	1	-	2	2				
36 Ill-defined causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				

TABLE 25.—VIOLENT DEATHS, 1937.—ENGLAND AND WALES.

Note (1) The deaths in this table have been classified to the several forms of violence (e.g., suicide, accident, etc.), in accordance with the information furnished by H.M. Coroners.
(2) The relation of the full detailed International List to the Intermediate International List will be found in the first column of Table 6.

International List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
	Total	{M. 14893 F. 7903	376 314	563 395	530 250	364 143	805 222	1281 286	1952 535	1690 596	2007 859	2322 991	1751 1249	1252 2063
163-171	Suicide	{M. 3447 F. 1718	— —	— —	— —	7 1	54 21	131 76	441 256	481 316	697 427	906 363	557 208	173 50
	{Murder	{M. 29 F. 60	13 8	2 6	5 3	2 1	1 6	1 5	1 11	1 5	1 8	— 4	2 1	— 2
	{Manslaughter	{M. 46 F. 25	— 1	3 —	1 —	— —	8 2	7 2	5 6	7 4	9 5	5 5	1 —	— —
172-175	{Infanticide	{M. 7 F. 5	7 5	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	{Justifiable homicide	{M. 1 F. —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —
196	Wounds of war	M. 56	—	—	—	—	—	—	—	20	28	7	1	—
198	Execution	{M. 9 F. —	— —	— —	— —	— —	— —	3 —	3 —	— —	2 —	1 —	— —	— —
176-194	Accident	{M. 10579 F. 5747	341 274	551 383	513 241	348 138	715 178	1088 178	1417 215	1098 226	1142 367	1235 556	1082 1001	1049 1990
195 pt.	“Open Verdicts”	{M. 688 F. 332	9 18	6 5	11 5	7 3	25 14	50 24	84 47	73 44	124 51	162 61	107 39	30 21
195 pt.	Others*	{M. 31 F. 16	6 8	1 1	— 1	— —	2 1	1 1	1 —	10 1	3 1	6 2	1 —	— —
163-171	Suicide :—													
163	By solid or liquid poisons and corrosive substances	{M. 304 F. 276	— —	— —	— —	— —	6 5	19 19	39 44	51 54	65 63	80 49	37 34	7 8
	Hydrochloric acid	{M. 23 F. 19	— —	— —	— —	— —	— 1	— 2	6 1	3 3	4 5	3 3	7 4	— —
	Sulphuric acid	{M. 2 F. 3	— —	— —	— —	— —	— —	— —	— —	2 1	— —	— 1	— 1	— —
	Potassium cyanide	{M. 34 F. 3	— —	— —	— —	— —	1 1	3 1	5 —	7 1	6 —	8 —	4 —	— —
	Prussic acid, hydrocyanic acid	{M. 18 F. 3	— —	— —	— —	— —	1 1	2 2	3 —	3 —	4 —	4 —	1 —	— —
	Oxalic acid	{M. 4 F. 5	— —	— —	— —	— —	— —	— —	— —	— 2	3 1	1 2	— —	— —
	Carbolic acid	{M. 21 F. 11	— —	— —	— —	— —	2 —	— —	5 5	2 1	1 3	7 2	4 —	— —
	Opium, laudanum, morphia	{M. 7 F. —	— —	— —	— —	— —	— —	— —	1 —	1 —	2 —	3 —	— —	— —
	Ammonia	{M. 11 F. 7	— —	— —	— —	— —	— —	1 —	— 3	1 1	1 —	5 2	3 —	— 1
	Lysol	{M. 101 F. 129	— —	— —	— —	— —	— 2	7 10	11 19	19 28	24 31	28 20	10 16	2 3
	Aspirin	{M. 15 F. 26	— —	— —	— —	— —	1 —	— 2	2 3	3 5	5 6	3 4	1 3	— 3
	Strychnine	{M. 2 F. 1	— —	— —	— —	— —	— —	1 —	— —	— 1	— —	1 —	— —	— —

* The figures relate solely to inquests adjourned and not resumed under Section 20 of the Coroners (Amendment) Act, 1926, concerning which the available information is insufficient to admit of more definite classification of the deaths in this summary.

TABLE 25—continued.

Inter-national List No.	Cause or Character of Violence.	All Ages	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
	Suicide—cont.													
163	Other solid or liquid poisons {M. 66		—	—	—	—	1	5	6	10	15	17	7	5
—cont.	(or kind not stated)* .. {F. 69		—	—	—	—	—	2	13	11	17	15	10	1
164	By poisonous gas {M. 1083		—	—	—	1	11	50	174	182	200	257	162	46
 {F. 702		—	—	—	—	3	22	99	133	186	164	77	18
	Coal gas {M. 1058		—	—	—	1	10	49	166	174	196	255	161	46
 {F. 699		—	—	—	—	3	21	98	132	186	164	77	18
	Others† {M. 25		—	—	—	—	1	1	8	8	4	2	1	—
 {F. 3		—	—	—	—	—	1	1	1	—	—	—	—
165	Hanging or strangulation .. {M. 645		—	—	—	5	14	17	72	74	138	184	101	40
 {F. 169		—	—	—	—	1	4	23	34	42	29	31	5
166	Drowning {M. 489		—	—	—	1	8	14	46	40	109	145	98	28
 {F. 317		—	—	—	—	5	11	39	59	89	71	35	8
167	Firearms {M. 233		—	—	—	—	12	6	42	36	45	47	33	12
 {F. 7		—	—	—	—	—	1	2	2	2	—	—	—
168	Cutting or piercing instruments {M. 383		—	—	—	—	—	4	20	48	68	126	87	30
 {F. 78		—	—	—	—	—	3	6	7	20	19	18	5
169	Jumping from high places .. {M. 106		—	—	—	—	2	11	8	15	18	28	21	3
 {F. 73		—	—	—	—	3	3	13	7	17	16	10	4
170	Crushing‡ {M. 188		—	—	—	—	1	9	35	34	49	38	17	5
 {F. 42		—	—	—	1	2	4	10	6	6	10	1	2
	On railway {M. 164		—	—	—	—	—	9	32	27	41	34	16	5
 {F. 41		—	—	—	1	2	3	10	6	6	10	1	2
	Motor vehicles {M. 24		—	—	—	—	1	—	3	7	8	4	1	—
 {F. 1		—	—	—	—	—	1	—	—	—	—	—	—
171	Suicide by other means .. {M. 16		—	—	—	—	—	1	5	1	5	1	1	2
 {F. 54		—	—	—	—	2	9	20	14	2	5	2	—
	Setting fire to clothing .. {M. 5		—	—	—	—	—	—	2	—	1	—	1	1
 {F. 11		—	—	—	—	—	—	3	1	1	4	2	—
	Burns (not stated) {M. —		—	—	—	—	—	—	—	—	—	—	—	—
 {F. 2		—	—	—	—	—	—	—	—	1	1	—	—
	Abortion F. 40		—	—	—	—	2	8	17	13	—	—	—	—
	Others (or not stated)§ .. {M. 11		—	—	—	—	—	1	3	1	4	1	—	1
 {F. 1		—	—	—	—	—	1	—	—	—	—	—	—
173	Homicide by firearms {M. 6		—	—	—	—	—	1	1	—	2	—	2	—
 {F. 8		—	—	—	—	1	—	1	2	3	1	—	—
	Murder {M. 4		—	—	—	—	—	—	1	—	1	—	2	—
 {F. 7		—	—	—	—	1	—	1	1	3	1	—	—
	Manslaughter {M. 2		—	—	—	—	—	1	—	—	1	—	—	—
 {F. 1		—	—	—	—	—	—	—	1	—	—	—	—
	Justifiable homicide {M. —		—	—	—	—	—	—	—	—	—	—	—	—
 {F. —		—	—	—	—	—	—	—	—	—	—	—	—

* Arsenic (weed killer), 2 M., 1 F.; arsenic (insecticide), 1 F.; arsenic (sheep dip), 1 F.; arsenic (not stated), 1 M.; mercuric oxide, 1 F.; perchloride of mercury, 1 M.; corrosive sublimate, 2 M., 1 F.; zinc chloride, 1 M.; binoxalate of potassium, 1 M., 1 F.; caustic soda, 2 M.; sodium fluoride, 1 F.; sodium cyanide, 1 M., 1 F.; cyanide (not stated), 1 M.; phosphorus (rat poison), 1 M., 1 F.; phosphorus (not stated), 1 M.; strychnine (Easton's Syrup), 1 M., 1 F.; strychnine (rat poison), 1 F.; nitric acid, 2 M.; acetic acid, 1 M., 1 F.; phenol, 1 M.; kerol, 1 M.; cresol, 1 M., 1 F.; creosote, 4 M.; cresylic, 1 M.; methylated spirit, 1 M.; nitro-benzine, 2 M.; paraffin and petrol, 1 F.; chloroform, 1 M., 1 F.; chloral hydrate, 1 M., 2 F.; veronal, 3 F.; luminal, 1 M., 5 F.; medinal, 1 M., 5 F.; phenobarbitone, 1 M., 1 F.; barbiturate, 4 M., 2 F.; bromidia, 1 M.; chlorodyne, 1 M., 1 F.; sedormid, 1 F.; phandorm, 1 M.; adalin, 1 F.; nembutal, 1 M.; digitalin, 1 F.; insulin, 1 M., 1 F.; nicotine (insecticide), 3 M.; nicotine (not stated), 1 M., 1 F.; belladonna, 1 M., 1 F.; aconite, 1 F.; liniment (camphor and ammonia), 1 M.; liniment (Beltona), 1 F.; liniment (aconite, belladonna and chloroform), 1 M., 2 F.; liniment (ammonia), 1 F.; liniment (Mandl's paint), 1 F.; liniment (salicylate), 2 F.; liniment (not stated), 1 M.; "Izal," 4 M., 7 F.; Jeyes fluid, 4 F.; "Harpic," 1 F.; disinfectant (carbolic), 4 M., 4 F.; disinfectant (cresol), 2 M.; disinfectant (coal tar), 2 F.; weedicide (not stated), 1 M.; narcotic (not stated), 1 M., 3 F.; irritant (not stated), 2 M.; corrosive (not stated), 1 M.

† Carbon monoxide from motor car exhaust, 15 M., 2 F.; exhaust fumes from motor car, 7 M., 1 F.; nitrous oxide gas, 1 M.; cyanide fumes, 2 M.

‡ Including elevator, 1 M.

§ Explosive substance, 1 M.; striking head with hammer, 1 M.; jumping through closed window, 1 M.; stab by pencil in heart, 1 M.; electrocution, 4 M., 1 F.; paper inserted in windpipe, 1 M.; pillows over face, 1 M.; suffocation (not stated), 1 M.

TABLE 25—continued.

Inter- national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
174	Homicide by cutting or piercing {M. instruments F.	4 9	2 —	— —	— —	1 —	— —	— 2	— 1	1 4	— —	— 1	— —	— 1
	Murder {M. F.	4 9	2 —	— —	— —	1 —	— —	— 2	— 1	1 4	— —	— 1	— —	— 1
	Manslaughter {M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	Justifiable homicide {M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
175	Homicide by other means .. {M. F.	73 73	18 14	5 6	6 3	1 1	9 7	7 5	5 15	7 3	9 10	5 7	1 1	— 1
	Murder {M. F.	21 44	11 8	2 6	5 3	1 1	1 5	1 3	— 9	— —	— 5	— 2	— 1	— 1
	By drowning {M. F.	3 3	1 1	— —	2 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
	By strangulation {M. F.	7 16	4 4	— 2	1 1	1 1	1 1	— 4	— —	— —	— 2	— —	— —	— —
	Abortion F.	2	—	—	—	—	—	2	—	—	—	—	—	—
	Others (or not stated how)* {M. F.	11 23	6 3	2 4	2 —	— —	1 4	— 2	— 3	— —	— 3	— 2	— 1	— 1
	Manslaughter {M. F.	51 29	7 6	3 —	1 —	— —	8 2	6 2	5 6	7 3	8 5	5 5	1 —	— —
	By motor car {M. F.	26 7	— —	1 —	1 —	— —	4 —	5 —	4 2	4 —	4 2	3 3	— —	— —
	By blow {M. F.	10 6	— —	— —	— —	— —	3 1	— —	1 2	1 1	3 1	1 1	1 —	— —
	Abortion F.	6	—	—	—	—	1	2	2	1	—	—	—	—
	Others (or not stated how)† {M. F.	15 10	7 6	2 —	— —	— —	1 1	1 1	— —	2 —	1 1	1 1	— —	— —
	Justifiable homicide .. {M. F.	1 —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —
	Accident :—													
176	Attack by venomous animals.. {M. F.	15 11	1 —	— —	— —	1 —	— 1	1 —	2 3	3 3	2 —	3 1	2 2	— 1
	"Insect"(not further defined) {M. F.	7 8	1 —	— —	— —	1 —	— 1	— —	1 2	1 2	1 —	1 1	1 1	— 1
	Others‡ {M. F.	8 3	— —	— —	— —	— —	— —	1 —	1 1	2 1	1 —	2 —	1 1	— —
177	Food poisoning {M. F.	22 15	— —	1 —	— —	— 1	— —	— —	2 —	3 5	5 4	5 4	5 1	1 —
	"Ptomaine poisoning" .. {M. F.	1 1	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	1 —	— —
	"Food poisoning" {M. F.	3 3	— —	— —	— —	— —	— —	1 —	— —	— —	— 1	2 2	— —	— —
	Others§ {M. F.	18 11	— —	1 —	— —	— —	— —	— —	1 —	3 5	5 3	3 2	4 1	1 —
178	Accidental absorption of irrespir- able or poisonous gas .. {M. F.	170 76	1 —	2 —	1 1	1 2	9 2	18 5	33 5	30 11	27 7	18 11	15 16	15 16
	Coal gas {M. F.	70 62	— —	2 —	1 1	— 1	3 —	4 4	7 2	7 11	9 4	9 11	13 12	15 16

* Coal gas, 4 M., 8 F.; suffocation, 3 M., 4 F.; blow, 4 M., 10 F.; cyanide of potassium, 1 F.
† Motor lorry, 3 M.; motor cycle, 1 F.; aeroplane, 1 M.; strangulation, 4 M., 3 F.; drowning, 2 M.; suffocation 3 F.; neglect, 3 M.; fracture of skull (not stated), 2 M., 2 F.; injury to genitals, 1 F.
|| Glass thrown in self-defence, 1 M.
‡ Gnat bite, 5 M.; fly bite, 1 M.; wasp sting, 2 M., 1 F.; mosquito bite, 2F.
§ Salmonella infection, 13 M., 10 F.; corned beef, 1 M., 1 F.; pressed beef, 3 M.; tinned salmon, 1 M.

TABLE 25—continued.

Inter-national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
178 —cont.	Accidental absorption, etc.— <i>contd.</i>													
	Carbon monoxide* {M. F.	74 5	1 —	— —	— —	1 —	5 1	10 —	19 2	18 —	12 2	8 —	— —	— —
	Carbon dioxide {M. F.	6 —	— —	— —	— —	— —	1 —	1 —	— —	1 —	3 —	— —	— —	— —
	Others (or not stated)† .. {M. F.	20 9	— —	— —	— 1	— 1	3 1	7 1	4 1	3 —	1 1	2 —	— 4	— —
179	Other acute accidental poisoning (not by gas) {M. F.	47 51	— 2	8 4	— 1	1 —	5 1	9 2	7 4	9 15	4 10	3 6	1 5	— —
	Carbolic acid {M. F.	1 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— 2
	Lysol {M. F.	3 5	— —	— —	— —	— —	— 1	— —	— —	— —	1 2	— —	1 —	1 2
	Hydrochloric acid {M. F.	1 2	— —	— —	— —	— —	— 1	— —	— —	— 1	— —	— —	— 1	— —
	Opium, laudanum, morphia .. {M. F.	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —
	Belladonna {M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	Others (or kind not stated)‡.. {M. F.	41 42	— 2	8 4	— 1	— 1	4 —	8 2	7 3	8 13	3 10	2 5	— 1	— —
180	Conflagration {M. F.	39 35	2 3	1 3	5 3	1 4	1 —	5 1	5 2	3 2	6 1	2 4	8 3	— 9
181	Accidental burns (conflagration excepted) {M. F.	511 807	38 29	219 175	25 55	10 32	11 34	18 34	24 34	27 32	28 54	27 56	30 118	54 154
	1. Burns {M. F.	246 632	13 8	41 71	14 48	6 30	8 33	13 33	16 31	16 28	18 50	24 51	28 107	49 142
	By flannelette clothes .. {M. F.	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 2
	„ clothes (others or not described)§ .. {M. F.	36 338	1 2	6 38	5 32	3 22	1 22	1 27	— 19	2 15	1 28	2 29	6 42	8 62
	„ molten metal {M. F.	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —
	„ playing with fire, etc. {M. F.	9 —	4 —	3 —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	„ falling into fire .. {M. F.	37 44	3 1	5 3	— —	1 —	— 1	— —	— 1	— 2	3 2	7 3	4 18	14 13
	„ bedding {M. F.	10 2	1 —	— 1	— —	— —	— —	— —	— —	— —	1 —	1 —	3 1	4 —
	„ lamp accident {M. F.	4 4	— —	— —	— —	— —	— —	— —	1 —	— —	2 1	— —	— 2	1 1
	Otherwise (or not stated) {M. F.	149 242	4 5	27 29	7 16	2 8	7 10	12 6	14 11	14 11	11 19	14 19	15 44	22 64

* Explosion in colliery, 38 M.; tin mine, 2 M.; geyser, 9 M., 2 F.; motor car, 3 M.; motor boat, 2 M.; anthracite stove, 5 M., 2 F.; furnace, 6 M.; boiler house, 1 M.; petrol engine, 1 M.; gas producer, 1 M.; brazier, 3 M.; fire grate, 1 F.; burning clothing, 1 M.; in well, 2 M.; for other deaths from carbon monoxide poisoning see No. 195.

† Cyanide gas (fumigant), 2 M., 2 F.; sewer gas, 3 M.; hydrogen sulphide gas, 1 M.; sulphuric acid fumes, 1 M.; petrol vapour, 1 M.; fumes from wine, 1 M.; carbon tetra chloride (extinguisher), 1 F.; burning bedding, 1 M., 4 F.; burning clothing, 1 F.; burning linoleum, 1 F.; in coal mine, 10 M.

‡ Ammonia, 1 M., 2 F.; cyanide, 1 M.; barium chloride, 1 M.; ferrous sulphate, 1 M.; calcium bisulphide, 1 M.; caustic soda, 3 M.; phosphorus (beetle poison), 1 M.; T.N.T., 1 M.; dinitro cresol, 1 M.; camphor, 1 M., 1 F.; benzol, 1 M.; nitric acid, 1 F.; acetic acid, 1 M., 1 F.; strychnine (Easton's Syrup Tablets), 1 M., 2 F.; aspirin, 2 M., 8 F.; paraffin, 2 M.; alcohol 3 M.; methylated spirit, 1 M., 1 F.; phenol, 2 F.; atophan, 1 F.; insulin, 1 M.; paraldehyde, 2 M.; chloral hydrate, 2 M., 1 F.; luminal, 1 M., 3 F.; allonal, 1 F.; medinal, 3 F.; dial, 1 M.; veronal, 1 F.; sodium barbitone, 1 M.; pheno-barbitone, 1 M., 1 F.; barbitone, 6 F.; chlorbutanol, 1 M.; parozone (bleaching fluid), 1 M.; oil of wintergreen, 1 M., 3 F.; liniment (aconite and belladonna), 3 M., 1 F.; liniment (Sloan's), 1 M., 1 F.; insecticide (nicotine), 1 M.; disinfectant (cresol), 1 F.; fungus, 1 M.; henbane, 1 F.

§ Including candle, 3 M., 14 F.; unguarded grate, 1 M., 4 F.; electric fire, 2 M., 2 F.; gas stove, ring, etc., 1 M., 4 F.; oil stove, lamp, etc., 5 M., 6 F.; matches, 1 M., 7 F.; paraffin, 1 M.; petrol, 2 M., 2 F.; burning paper, 1 M., 1 F.

|| Including aeroplane, 13 M., 3 F.; motor car, 6 M., 2 F.; motor cycle, 2 M., 1 F.; motor lorry, 7 M.; steamship, 1 M.; oil stove, 5 F.; gas stove, 1 M., 5 F.; electric fire, 2 M., 1 F.; paraffin on fire, 1 M.; petrol on fire, 1 M.; petrol for cleaning purposes, 1 M.; hot water bottle, 4 M., 6 F.; candle, 2 M., 2 F.; celluloid toy, 3 M., 2 F.; celluloid comb, 1 F.; cellulose varnish, 1 M.; blast furnace, 2 M.; bonfire, 1 F.; "Flame riding" exhibition, 1 M.; into acid, 1 M.; into phosphorus mud, 1 M.; into boiling tar, 3 M.; poultice, 1 M.; concentrated lysol, 1 M.

TABLE 25—continued.

Inter-national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
181	Accidental burns, etc.— <i>cont.</i>													
— <i>cont.</i>	2. Scalds {M. 245	245	25	176	11	3	2	2	3	6	8	2	2	5
 {F. 171	171	21	104	7	2	1	1	1	3	3	5	11	12
	By steam {M. 5	5	—	—	—	—	—	1	—	—	—	—	—	—
 {F. —	—	—	—	—	—	—	—	—	—	—	—	—	—
	„ drinking hot liquids .. {M. 2	2	—	2	—	—	—	—	—	—	—	—	—	—
 {F. 2	2	—	2	—	—	—	—	—	—	—	—	—	—
	Otherwise (or not stated) {M. 238	238	25	174	11	3	2	1	3	6	5	1	2	5
 {F. 169	169	21	102	7	2	1	1	1	3	3	5	11	12
	3. Explosions*.. .. . {M. 20	20	—	2	—	1	1	3	5	5	2	1	—	—
 {F. 4	4	—	—	—	—	—	—	2	1	1	—	—	—
	In ships, docks, etc. .. {M. 1	1	—	—	—	—	—	1	—	—	—	—	—	—
 {F. —	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others (or not stated)† .. {M. 19	19	—	2	—	1	1	2	5	5	2	1	—	—
 {F. 4	4	—	—	—	—	—	—	2	1	1	—	—	—
182	Accidental mechanical suffoca- {M. 295	295	200	16	2	5	4	7	11	10	12	13	10	5
 {F. 168	168	127	12	1	1	—	1	4	2	4	5	6	5
	In bed {M. 113	113	105	2	—	—	—	2	1	—	1	1	—	1
 {F. 79	79	77	1	—	—	—	—	1	—	—	—	—	—
	In cot, cradle, etc. .. {M. 42	42	38	4	—	—	—	—	—	—	—	—	—	—
 {F. 18	18	18	—	—	—	—	—	—	—	—	—	—	—
	Falling on face.. .. {M. 7	7	—	—	—	—	—	—	2	2	1	2	—	—
 {F. 3	3	—	—	—	—	—	—	—	—	—	1	1	1
	Heavy substance on .. {M. 17	17	—	1	1	4	—	3	3	3	1	—	1	—
 {F. —	—	—	—	—	—	—	—	—	—	—	—	—	—
	Food, etc. {M. 109	109	50	9	1	1	4	2	5	5	9	10	9	4
 {F. 66	66	30	11	1	1	—	1	3	2	4	4	5	4
	Others‡ {M. 7	7	7	—	—	—	—	—	—	—	—	—	—	—
 {F. 2	2	2	—	—	—	—	—	—	—	—	—	—	—
183	Accidental drowning .. {M. 656	656	2	73	103	58	94	65	80	40	50	41	35	15
 {F. 125	125	1	35	19	10	11	6	16	3	6	6	8	4
	Bathing.. .. {M. 114	114	—	—	7	19	37	20	17	8	3	2	1	—
 {F. 18	18	—	1	1	4	6	1	3	—	2	—	—	—
	Pleasure craft .. {M. 23	23	—	—	1	3	4	3	5	2	3	2	—	—
 {F. 3	3	—	—	1	—	1	—	—	1	—	—	—	—
	Other ships and boats .. {M. 55	55	—	1	—	—	9	8	14	7	8	7	1	—
 {F. —	—	—	—	—	—	—	—	—	—	—	—	—	—
	Docks, etc. .. {M. 11	11	—	—	2	—	—	—	4	3	2	—	—	—
 {F. —	—	—	—	—	—	—	—	—	—	—	—	—	—
	Whilst attempting rescue .. {M. 7	7	—	—	—	—	1	1	2	1	—	1	1	—
 {F. —	—	—	—	—	—	—	—	—	—	—	—	—	—
	Otherwise (or not stated)§ {M. 446	446	2	72	93	36	43	33	38	19	34	29	32	15
 {F. 104	104	1	34	17	6	4	5	13	2	4	6	8	4
184	Accidental injury by firearms .. {M. 61	61	—	3	2	6	11	9	12	6	6	3	3	—
 {F. 5	5	—	1	—	1	—	1	2	—	—	—	—	—
185	Accidental injury by cutting or {M. 20	20	1	—	2	2	3	1	3	3	—	1	4	—
 {F. 3	3	—	—	—	1	—	—	—	—	1	—	1	—
186	Accidental injury by fall, crush- {M. 8284	8284	17	204	353	241	553	924	1164	917	962	1073	939	937
 {F. 4251	4251	9	143	155	81	124	125	136	145	264	450	830	1789
	1. Accidental injury by fall .. {M. 2191	2191	14	36	41	41	65	57	162	156	223	316	423	657
 {F. 2641	2641	7	38	15	16	6	9	23	40	104	233	563	1587
	In ships, docks, etc. .. {M. 65	65	—	—	—	—	5	9	11	11	17	11	1	—
 {F. —	—	—	—	—	—	—	—	—	—	—	—	—	—
	Down hold .. {M. 25	25	—	—	—	—	2	6	3	1	6	6	1	—
 {F. —	—	—	—	—	—	—	—	—	—	—	—	—	—

*For other deaths caused by explosions but not resulting from burns or scalds, see No. 194.

†Including in colliery, 6 M.; in firework factory, 2 M.; petrol, 4 M., 2 F.; benzine, 1 M.; primus stove, 1 F.; in bakery, 1 M.; furniture polish on stove, 1 F.; tin of paint near stove, 1 M.; steam engine, 1 M.; electric switch, 1 M.; gunpowder, 1 M.; at coke oven plant, 1 M.

‡Including at breast, 2 M.; kitten against mouth, 1 M.; not stated, 4 M., 2 F.

§Including motor car, 6 M., 4 F.; motor lorry, 4 M.; bicycle, 11 M., aeroplane, 3 M.; building operations, 2 M.; in colliery, 2 M.; ice giving way, 1 M.; collapse of bridge, 1 M.

TABLE 25—continued.

Inter- national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
186 —cont.	Accidental injury by fall, crushing, etc.—cont. In ships, docks, etc.—cont.													
	Into dock {M. F.	13 —	— —	— —	— —	— —	1 —	— —	3 —	4 —	3 —	2 —	— —	— —
	Others (or not stated)* {M. F.	27 —	— —	— —	— —	— —	2 —	3 —	5 —	6 —	8 —	3 —	— —	— —
	In building operations .. {M. F.	240 —	— —	— —	— —	— —	13 —	19 —	64 —	39 —	49 —	41 —	13 —	2 —
	Downstairs {M. F.	318 505	3 1	3 4	— 1	3 2	2 1	1 3	5 8	17 12	30 32	57 71	94 124	103 246
	In house, room, etc. .. {M. F.	316 802	4 1	6 10	1 1	2 —	2 —	— 1	2 4	5 6	18 25	27 52	70 156	179 546
	Out of bed {M. F.	30 69	— 2	— 1	— 1	— —	— —	— —	— —	— —	— —	2 7	10 11	18 47
	From window {M. F.	42 45	1 —	7 3	1 1	— —	— 1	— 2	4 3	5 8	1 9	7 4	7 8	9 6
	Window cleaning.. .. {M. F.	37 2	— —	— —	— —	— —	1 —	3 —	6 —	7 —	7 1	9 —	4 1	— —
	From ladder {M. F.	75 14	— —	— —	— —	— —	3 —	1 —	6 3	11 1	12 —	14 2	22 5	6 3
	In street {M. F.	202 233	— 1	7 7	4 3	4 3	2 —	2 —	6 2	15 5	14 10	20 31	64 78	64 93
	Down area {M. F.	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —
	Down lift well {M. F.	16 1	— —	— 1	— —	— —	4 —	— —	2 —	— —	3 —	5 —	2 —	— —
	Diving {M. F.	16 —	— —	— —	— —	— —	3 —	5 —	6 —	— —	1 —	1 —	— —	— —
	From horse {M. F.	16 8	— —	— —	1 —	1 —	1 2	— 3	3 1	1 1	2 1	4 —	2 —	1 —
	From cliff {M. F.	23 3	— —	— —	2 —	3 —	2 1	4 —	4 —	1 —	3 —	1 2	3 —	— —
	Otherwise (or not stated)† {M. F.	794 959	6 2	13 12	32 8	28 11	27 1	13 —	43 2	44 7	66 26	116 64	131 180	275 646
	2. Mines and quarries .. {M. F.	655 —	— —	— —	— —	8 —	62 —	52 —	133 —	165 —	128 —	88 —	19 —	— —
	3. Machinery {M. F.	249 13	— —	1 —	3 —	7 —	27 4	27 —	51 3	33 2	56 2	36 —	8 2	— —
	4. Railway, road and air trans- port {M. F.	4940 1584	2 2	161 102	299 137	176 64	387 113	769 116	775 109	520 103	504 158	588 214	480 265	279 201
	5. Other crushing {M. F.	249 13	1 —	6 3	10 3	9 1	12 1	19 —	43 1	43 —	51 —	45 3	9 —	1 1
	Fall of heavy substance :—													
	In ships, docks, etc. .. {M. F.	29 —	— —	— —	— —	— —	— —	2 —	1 —	7 —	8 —	10 —	1 —	— —
	In building operations {M. F.	46 —	— —	— —	— —	— —	1 —	4 —	11 —	10 —	10 —	9 —	1 —	— —
	In excavations {M. F.	14 —	— —	— —	— —	— —	— —	— —	2 —	4 —	4 —	4 —	— —	— —
	Trees {M. F.	19 2	— —	1 —	1 —	— —	2 —	2 —	2 1	2 —	4 —	2 1	3 —	— —
	Otherwise (or not stated) {M. F.	119 11	1 —	5 3	7 3	6 1	8 1	11 —	19 —	19 —	20 —	18 2	4 —	1 1

*Including from staging, 6 M.; from mast, 2 M.

†Including 71 M., 231 F., aged 65 and upwards, from fracture of leg; from tree, 25 M.; from bridge, 5 M., 2 F.; from hay-cart, rick, etc., 29 M.; in colliery, 24 M.; in tin mine, 1 M; in quarry, 8 M.

TABLE 25—continued.

Inter-national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
186—cont.	Accidental injury by fall, crushing, etc.—cont.													
	5. Other crushing—cont.													
	Other crushing (or not stated) :—													
	In ships, docks, etc. .. {M. 4	—	—	1	1	—	—	—	—	1	1	—	—	—
	.. {F. —	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others {M. 18	—	—	1	2	1	—	8	—	4	2	—	—	—
	.. {F. —	—	—	—	—	—	—	—	—	—	—	—	—	—
187	Cataclysm {M. —	—	—	—	—	—	—	—	—	—	—	—	—	—
	.. {F. —	—	—	—	—	—	—	—	—	—	—	—	—	—
188	Injury by animals (poisoning by venomous animals excepted) {M. 49	—	2	1	1	2	2	6	7	4	15	5	4	
	.. {F. 5	—	1	—	—	—	—	—	—	—	—	2	2	
	Horse {M. 28	—	1	—	1	1	2	3	5	3	9	3	—	
	.. {F. 1	—	—	—	—	—	—	—	—	—	—	1	—	
	Bull or cow, etc. .. {M. 21	—	1	1	—	1	—	3	2	1	6	2	4	
	.. {F. 4	—	1	—	—	—	—	—	—	—	—	1	2	
189	Hunger or thirst {M. 11	—	—	—	—	—	—	—	1	2	3	5	—	
	.. {F. 3	—	—	—	—	—	—	—	—	—	1	2	—	
190	Excessive cold {M. 22	—	—	—	—	1	—	1	1	1	6	9	3	
	.. {F. 3	—	—	—	—	1	—	—	—	—	—	—	1	
191	Excessive heat {M. 14	1	—	1	—	—	—	1	2	—	2	4	3	
	.. {F. 6	—	2	1	—	—	—	—	2	—	1	—	—	
192	Lightning {M. —	—	—	—	—	—	—	—	—	—	—	—	—	
	.. {F. —	—	—	—	—	—	—	—	—	—	—	—	—	
193	Electricity (lightning excepted) {M. 70	—	4	6	6	6	12	23	8	4	1	—	—	
	.. {F. 9	—	—	—	—	—	2	4	2	1	—	—	—	
	Railways {M. 13	—	4	6	1	1	1	—	—	—	—	—	—	
	.. {F. —	—	—	—	—	—	—	—	—	—	—	—	—	
	Others {M. 57	—	—	—	5	5	11	23	8	4	1	—	—	
	.. {F. 9	—	—	—	—	—	2	4	2	1	—	—	—	
194	Other and unstated forms of accidental violence .. {M. 293	78	18	12	15	20	26	41	28	27	14	11	3	
	.. {F. 174	103	7	5	5	4	2	7	15	9	7	6	4	
	Inattention at birth {M. 71	71	—	—	—	—	—	—	—	—	—	—	—	
	.. {F. 99	99	—	—	—	—	—	—	—	—	—	—	—	
	Swallowing foreign body .. {M. 40	3	6	5	3	2	—	5	5	4	1	4	2	
	.. {F. 38	2	4	1	2	1	1	4	5	7	4	6	1	
	Blow :—													
	In ships, docks, etc. .. {M. 1	—	—	—	—	—	—	—	—	1	—	—	—	
	.. {F. —	—	—	—	—	—	—	—	—	—	—	—	—	
	Others {M. 62	1	5	1	5	5	4	12	9	10	8	2	—	
	.. {F. 10	1	1	2	2	—	—	—	—	1	2	—	1	
	Football, cricket, etc. .. {M. 26	—	—	1	2	5	11	6	—	1	—	—	—	
	.. {F. 1	—	—	—	—	1	—	—	—	—	—	—	—	
	Strangulation {M. 15	2	4	2	2	4	—	—	—	—	1	—	—	
	.. {F. 3	1	1	—	—	—	—	—	1	—	—	—	—	
	Explosion* :—													
	In ships, docks, etc. .. {M. 1	—	—	—	—	—	—	—	—	1	—	—	—	
	.. {F. —	—	—	—	—	—	—	—	—	—	—	—	—	
	Others† {M. 42	—	—	—	—	3	3	13	9	10	1	3	—	
	.. {F. 3	—	—	—	—	—	—	—	1	1	1	—	—	

*For other deaths from explosion but resulting from burns or scalds see No. 181.

†Including : shot firing, 14 M.; in colliery, 13 M.; in lead mine, 2 M.; coal gas (domestic), 2 M., 3 F.; gas cylinder, 1 M.; carbide generator, 1 M.; compressed air cylinder, 1 M.; in metal works, 5 M.; blast furnace gas, 1 M.; fireworks, 2 M.

TABLE 25—continued.

Inter-national List No.	Cause or Character of Violence.	All Ages	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
194 —cont.	Other and unstated forms of accidental violence—cont.													
	Abortion :—													
	Verdict of misadventure or accident F.	9	—	—	—	—	1	—	1	7	—	—	—	—
	Other accidents (otherwise or not stated):—													
	In ships, docks, etc. .. {M.	—	—	—	—	—	—	—	—	—	—	—	—	—
	.. {F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others* {M.	35	1	3	3	3	1	8	5	5	—	3	2	1
	.. {F.	11	—	1	2	1	1	1	2	1	—	—	—	2
195	Violent deaths of unstated nature (i.e., accidental, suicidal, etc.) {M.	719	15	7	11	7	27	51	85	83	127	168	108	30
	.. {F.	348	26	6	6	3	15	25	47	45	52	63	39	21
	Found drowned {M.	465	1	6	7	1	14	22	50	48	92	121	84	19
	.. {F.	176	8	3	2	3	9	9	21	21	29	39	21	11
	Irrespirable or poisonous gas :—													
	Coal gas {M.	36	—	—	1	—	1	4	3	3	5	10	6	3
	.. {F.	24	1	—	—	—	1	1	4	2	5	3	4	3
	Carbon monoxide† ‡ .. {M.	4	—	—	—	—	—	1	1	—	2	—	—	—
	.. {F.	1	—	—	—	—	—	—	1	—	—	—	—	—
	Other acute poisonings§ .. {M.	19	—	—	—	—	1	3	3	1	4	4	3	—
	.. {F.	24	—	—	—	—	—	1	4	7	3	6	2	1
	Crushing on railways and by road vehicles {M.	72	—	—	1	1	2	12	16	9	12	13	4	2
	.. {F.	31	—	—	3	—	2	5	4	4	2	5	5	1
	Falls {M.	29	—	—	—	—	1	2	7	6	3	4	4	2
	.. {F.	23	—	—	—	—	1	—	1	1	7	5	3	5
	Otherwise (or not stated) .. {M.	94	14	1	2	5	8	7	5	16	9	16	7	4
	.. {F.	69	17	3	1	—	2	9	12	10	6	5	4	—
196	Wounds of war {M.	56	—	—	—	—	—	—	—	20	28	7	1	—
	.. {F.	—	—	—	—	—	—	—	—	—	—	—	—	—
197	Execution of civilians by belligerent armies {M.	—	—	—	—	—	—	—	—	—	—	—	—	—
	.. {F.	—	—	—	—	—	—	—	—	—	—	—	—	—
198	Execution {M.	9	—	—	—	—	—	3	3	—	2	1	—	—
	.. {F.	—	—	—	—	—	—	—	—	—	—	—	—	—

SUPPLEMENTARY TABULATION OF CERTAIN DEATHS FROM ACCIDENTS
(including "OPEN VERDICTS").

Note.—In this section the figures are in some cases duplicated—e.g. the number of deaths caused by machinery in mining, etc., appear both under "Machinery" and under "Mining and Quarrying."

I	Mining and quarrying M.	859	—	—	—	11	82	69	192	208	166	109	22	—
(a)	Coal mines M.	759	—	—	—	11	73	57	168	186	150	95	19	—
	Blow M.	4	—	—	—	—	1	—	1	—	2	—	—	—
	Crushing M.	6	—	—	—	—	—	1	1	1	2	1	—	—
	Electric shock M.	3	—	—	—	—	—	1	—	1	1	—	—	—
	Explosion of gas M.	55	—	—	—	—	2	5	18	16	8	5	1	—
	" (other or not stated). M.	2	—	—	—	—	—	—	1	1	—	—	—	—
	Fall of coal M.	421	—	—	—	1	26	27	89	114	95	61	8	—
	Fall down shaft M.	14	—	—	—	—	5	2	2	1	2	2	—	—
	Fall not otherwise described. M.	10	—	—	—	—	—	—	1	5	1	3	—	—
	Inrush of water M.	2	—	—	—	—	—	—	1	—	—	1	—	—
	Machinery M.	52	—	—	—	3	7	4	16	7	12	3	—	—
	Shot firing M.	7	—	—	—	—	—	—	1	3	3	—	—	—
	Trams, tubs M.	167	—	—	—	7	31	16	29	34	22	18	10	—
	Otherwise (or not stated) M.	16	—	—	—	—	1	1	8	3	2	1	—	—

*Including fracture (cause not specified), 3 M.; fight, 6 M., 1 F.; boxing and wrestling, 4 M.; amusement machines, 5 M., 4 F.; strain, 2 M.; exposure, 3 M., 1 F.; by broken glass, 3 M., 1 F.; other wounds, 9 M., 2 F.; using syringe, 2 F.

†Motor car exhaust, 3 M., 1 F.; not stated, 1 M.

‡For other deaths from carbon monoxide poisoning see No. 178.

§Arsenic (not stated), 2 F.; mercury, 1 F.; hydrochloric acid, 2 M., 2 F.; oxalic acid, 1 M.; carbolic acid, 1 F.; lysol, 2 M., 2 F.; benzene, 1 F.; ammonia, 1 F.; aspirin, 5 M., 5 F.; morphine, 1 M.; chloral hydrate, 1 M.; luminal, 1 M., 2 F.; medinal, 1 F.; barbituric acid, 2 M., 4 F.; nembutal, 1 F.; paraldehyde, 2 M.; camphor, 1 M.; nicotine (vermin killer), 1 M.; narcotic (not stated), 1 F.

||Including firearms, 12 M., 1 F.; cutting or piercing instruments, 3 M., 1 F.; suffocation, 6 M., 10 F.; hanging or strangulation, 13 M., 5 F.; blow, 23 M., 5 F.; burns and scalds, 2 M., 3 F.; abortion, 27 F.

TABLE 25—continued.

Inter-national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
I														
—cont.	Mining and Quarrying—cont.													
	(b) Other mines .. M.	20	—	—	—	—	2	2	4	5	4	2	1	—
	Blasting operations .. M.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Explosions .. M.	2	—	—	—	—	—	1	1	—	—	—	—	—
	Fall of stone, etc. .. M.	15	—	—	—	—	—	1	2	5	4	2	1	—
	Others .. M.	3	—	—	—	—	2	—	1	—	—	—	—	—
	(c) Quarries .. M.	80	—	—	—	—	7	10	20	17	12	12	2	—
	Blasting operations .. M.	6	—	—	—	—	—	1	1	1	3	—	—	—
	Fall of stone, etc. .. M.	59	—	—	—	—	6	9	16	13	7	7	1	—
	Fall (not otherwise described). M.	8	—	—	—	—	—	—	2	1	2	3	—	—
	Machinery .. M.	6	—	—	—	—	1	—	1	2	—	1	1	—
	Others .. M.	1	—	—	—	—	—	—	—	—	—	1	—	—
II	Machinery .. {M. F.	249 13	— —	1 —	3 —	7 —	27 4	27 —	51 3	33 2	56 2	36 —	8 2	— —
	Agricultural machinery .. {M. F.	20 —	— —	— —	1 —	— —	— —	2 —	3 —	3 —	4 —	3 —	4 —	— —
	Circular saw .. {M. F.	3 —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	1 —	— —	— —
	Crane .. {M. F.	50 —	— —	— —	— —	— —	2 —	7 —	17 —	7 —	8 —	7 —	2 —	— —
	In building operations .. {M. F.	5 —	— —	— —	— —	— —	— —	— —	4 —	— —	1 —	— —	— —	— —
	„ metal works .. {M. F.	6 —	— —	— —	— —	— —	— —	3 —	1 —	— —	1 —	1 —	— —	— —
	„ mines and quarries .. {M. F.	4 —	— —	— —	— —	— —	— —	— —	2 —	1 —	1 —	— —	— —	— —
	„ railways .. {M. F.	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —
	„ ships and docks .. {M. F.	9 —	— —	— —	— —	1 —	— —	2 —	2 —	2 —	2 —	2 —	— —	— —
	Others .. {M. F.	25 —	— —	— —	— —	1 —	4 —	8 —	4 —	3 —	3 —	2 —	— —	— —
	Lift .. {M. F.	23 2	— —	— —	1 —	5 1	2 —	5 —	2 —	4 1	3 —	1 —	— —	— —
	In building operations .. {M. F.	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —
	„ ships and docks .. {M. F.	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —
	„ metal works .. {M. F.	2 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	1 —	— —	— —
	„ textile factories .. {M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	„ other factories .. {M. F.	3 1	— —	— —	— —	— 1	— —	1 —	— —	— —	1 —	1 —	— —	— —
	Others .. {M. F.	16 1	— —	— —	1 —	4 —	2 —	3 —	1 —	3 1	1 —	1 —	— —	— —
	Other machinery .. {M. F.	153 11	— —	1 —	2 —	6 —	20 3	16 —	26 3	20 1	39 2	22 —	1 2	— —
	In Building operations .. {M. F.	3 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	2 —	— —	— —
	„ collieries and mines .. {M. F.	49 —	— —	— —	3 —	7 —	4 —	14 —	7 —	11 —	3 —	— —	— —	— —
	„ metal works .. {M. F.	36 1	— —	— —	2 —	5 —	4 —	4 —	5 1	11 —	5 —	— —	— —	— —
	„ quarries .. {M. F.	5 —	— —	— —	— —	1 —	— —	1 —	1 —	— —	— —	1 —	1 —	— —
	„ railways .. {M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	„ ships, docks, etc. .. {M. F.	2 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —	— —

TABLE 25—continued.

Inter-national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
II —cont.	Other machinery—cont.													
	In textile factories .. {M. F.	13 5	— —	— —	— —	— —	1 —	2 —	2 —	1 1	3 2	4 —	— 2	— —
	„ other factories .. {M. F.	29 5	— —	— —	— —	— —	5 3	5 2	2 2	4 —	9 —	4 —	— —	— —
	Others {M. F.	16 —	— —	1 —	2 —	1 —	1 —	1 —	2 —	1 —	5 —	2 —	— —	— —
III	Transport {M. F.	5201 1628	2 2	166 102	309 141	185 64	410 117	811 123	826 118	553 110	546 160	624 219	488 270	281 202
	1. On railways and tramways {M. F.	401 61	— —	6 4	17 2	6 2	13 2	21 1	39 8	60 3	93 9	99 8	31 13	16 9
	(a) Railways {M. F.	362 36	— —	5 3	17 1	6 2	12 1	21 1	36 7	58 3	88 7	92 4	18 5	9 2
	Blow {M. F.	3 —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	1 —	— —	— —
	Collision {M. F.	12 5	— —	— —	— —	— —	— —	— —	2 3	4 1	2 —	3 —	1 1	— —
	Crushing by carriage {M. or engine. F.	51 1	— —	— —	— —	2 —	— —	1 —	3 1	12 —	16 —	16 —	— —	1 —
	Derailment of train .. {M. F.	6 —	— —	— —	— —	— —	— —	— —	1 —	1 —	2 —	2 —	— —	— —
	Electrocution {M. F.	13 —	— —	4 —	6 —	1 —	1 —	1 —	— —	— —	— —	— —	— —	— —
	Fall from carriage or {M. engine. F.	34 8	— —	1 —	2 —	— —	— 1	2 1	3 —	4 —	9 4	9 1	3 —	1 1
	Fall (not otherwise {M. described). F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	Machinery {M. F.	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —
	Run over on line .. {M. F.	237 22	— —	— 3	9 1	3 2	9 —	17 —	26 3	35 2	57 3	60 3	14 4	7 1
	Striking bridge .. {M. F.	5 —	— —	— —	— —	— —	2 —	— —	1 —	1 —	1 —	— —	— —	— —
	Otherwise (or not stated {M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	(b) Tramways {M. F.	39 25	— —	1 1	— 1	— —	1 1	— —	3 1	2 —	5 2	7 4	13 8	7 7
	2. Other mechanical transport {M. F.	4043 1440	2 1	155 94	275 133	147 57	317 105	650 112	670 101	405 99	367 139	428 194	395 234	232 171
	Motor cab {M. F.	11 3	— —	— —	1 —	— —	— —	— —	— —	— —	2 —	1 1	6 1	1 1
	Motor car {M. F.	1056 592	1 1	35 20	80 40	19 11	33 21	76 33	108 38	100 44	122 71	156 107	190 119	136 87
	Motor coach {M. F.	10 9	— —	1 —	3 —	— 1	— 2	1 —	— 1	1 —	2 1	— 2	— 2	2 —
	Motor cycle {M. F.	505 133	— —	5 8	9 11	4 2	36 7	141 18	141 8	59 8	29 11	27 18	36 26	18 16
	Motor omnibus {M. F.	219 140	— —	22 21	33 14	9 6	12 5	12 2	15 4	15 7	19 15	34 19	34 28	14 19
	Motor tractor {M. F.	15 —	— —	— —	— —	— —	1 —	3 —	5 —	3 —	2 —	— —	1 —	— —
	Motor van, lorry .. {M. F.	688 310	— —	88 45	132 66	29 17	38 12	51 11	67 8	43 12	60 17	65 30	70 45	45 47
	Motor vehicles (others {M. or undefined) .. F.	3 3	— —	— —	— —	— —	— —	— —	— 1	1 —	1 1	— —	— —	1 1

TABLE 25—continued.

Inter- national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
III —cont.	4. Water transport {M. F.	123 3	—	1	2	4	16	18	25	14	23	18	2	—
	Collision {M. F.	5 —	—	—	—	—	1	—	2	2	—	—	—	—
	Crushing {M. F.	5 —	—	—	1	1	—	—	—	1	1	1	—	—
	Drowning {M. F.	67 3	—	1	1	3	11	10	16	7	9	8	1	—
	Electrocution {M. F.	— —	—	—	—	—	—	—	—	—	—	—	—	—
	Fall down hold {M. F.	18 —	—	—	—	—	2	4	3	1	5	2	1	—
	Fall (not otherwise des- cribed). {M. F.	13 —	—	—	—	—	—	2	2	3	3	3	—	—
	Machinery {M. F.	4 —	—	—	—	—	1	—	1	—	1	1	—	—
	Shipwreck.. .. {M. F.	6 —	—	—	—	—	1	1	1	—	2	1	—	—
	Others {M. F.	5 —	—	—	—	—	—	1	—	—	2	2	—	—
	5. Aerial transport {M. F.	171 4	—	—	—	1	14	85	46	18	4	1	1	1
IV	Building operations {M. F.	298 —	—	—	—	—	14	23	80	52	61	52	14	2
	Crane.. .. {M. F.	5 —	—	—	—	—	—	—	4	—	1	—	—	—
	Electrocution {M. F.	— —	—	—	—	—	—	—	—	—	—	—	—	—
	Fall {M. F.	237 —	—	—	—	—	13	19	63	39	48	41	12	2
	Fall of heavy substance .. {M. F.	46 —	—	—	—	—	1	4	11	10	10	9	1	—
	Other machinery {M. F.	4 —	—	—	—	—	—	—	1	1	—	2	—	—
	Others {M. F.	6 —	—	—	—	—	—	—	1	2	2	—	1	—
V	In docks, etc. {M. F.	84 —	—	—	2	—	3	5	13	21	22	17	1	—
	Drowning {M. F.	11 —	—	—	2	—	—	—	4	3	2	—	—	—
	Fall {M. F.	34 —	—	—	—	—	3	3	6	7	9	6	—	—
	Fall of heavy substance .. {M. F.	28 —	—	—	—	—	—	2	1	7	8	9	1	—
	Machinery {M. F.	8 —	—	—	—	—	—	—	2	3	1	2	—	—
	Others (or not stated how).. {M. F.	3 —	—	—	—	—	—	—	—	1	2	—	—	—
VI	Criminal abortion* F.	84	—	—	—	—	4	17	33	29	1	—	—	—
	Murder F.	2	—	—	—	—	—	—	2	—	—	—	—	—
	Manslaughter F.	3	—	—	—	—	—	—	1	1	1	—	—	—
	Offence against the person .. F.	3	—	—	—	—	—	1	1	1	—	—	—	—
	Suicide F.	40	—	—	—	—	2	8	17	13	—	—	—	—
	Misadventure F.	9	—	—	—	—	1	—	1	7	—	—	—	—
	Open verdict F.	27	—	—	—	—	1	8	11	7	—	—	—	—

*Of these deaths 4 were stated to have resulted from the taking of drugs, 78 from operation, and in 2 the means was not stated.

TABLE 20. NOTIFICATIONS OF CERTAIN INFECTIOUS DISEASES. } England and Wales and Certain Aggregates.

1927-1937 (Prior to 1932 the rates in this table relate to civilians only).
NOTE.—Rates based upon less than 20 notifications are distinguished by *italic type* (see note to Table 17, page 71).

Disease.	Year.	England and Wales (including Ports).	England.	Wales (including Mon-mouth).	London. Administrative County.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Non-County Boroughs and Urban Districts of—		Aggregate of Rural Districts of—	
						England (excluding London).	Wales (including Mon-mouth).	England.	Wales (including Mon-mouth).	England (excluding London).	Wales (including Mon-mouth).	England.	Wales (including Mon-mouth).
Smallpox ..	1927	0.38	0.34	0.88	0.00	0.46	1.11	0.27	0.03	0.47	1.80	0.45	0.01
	1928	0.32	0.28	0.83	0.07	0.28	0.99	0.35	0.24	0.34	1.62	0.18	0.02
	1929	0.28	0.27	0.40	0.43	0.21	0.36	0.30	0.55	0.24	0.58	0.16	0.03
	1930	0.29	0.29	0.31	1.15	0.14	0.32	0.23	0.27	0.18	0.52	0.09	0.01
	1931	0.14	0.15	0.10	0.33	0.07	0.13	0.19	0.00	0.07	0.21	0.08	0.01
	1932	0.05	0.05	0.00	0.25	0.02	0.01	0.04	0.00	0.03	0.01	0.01	—
	1933	0.02	0.02	—	0.12	0.00	—	0.00	—	0.01	—	0.00	—
	1934	0.00	0.00	—	0.03	0.00	—	0.00	—	0.00	—	0.00	—
	1935	0.00	0.00	—	—	0.00	—	—	—	0.00	—	—	—
	1936	0.00	0.00	—	—	0.00	—	0.00	—	0.00	—	—	—
Scarlet fever	1927	2.16	2.22	1.30	2.92	1.99	1.36	2.32	1.10	2.13	1.53	1.75	1.09
	1928	2.61	2.70	1.42	3.44	2.34	1.50	2.98	1.15	2.47	1.80	2.12	1.04
	1929	3.05	3.15	1.68	3.60	2.78	1.66	3.56	1.73	2.97	1.79	2.44	1.47
	1930	2.76	2.81	2.02	3.76	2.49	2.02	2.98	2.04	2.65	2.22	2.19	1.70
	1931	2.05	2.03	2.28	2.77	1.79	2.00	2.15	3.28	1.90	2.27	1.60	1.58
	1932	2.12	2.09	2.53	3.26	1.77	2.13	2.19	4.05	1.96	2.63	1.41	1.33
	1933	3.21	3.21	3.13	5.12	2.73	2.57	3.36	5.19	3.11	3.31	1.99	1.41
	1934	3.76	3.79	3.26	4.34	3.55	3.30	4.00	3.11	3.74	4.05	3.16	2.08
	1935	2.96	3.01	2.19	2.64	2.79	2.32	3.50	1.72	2.83	2.70	2.69	1.68
	1936	2.53	2.53	2.39	2.57	2.34	2.58	2.84	1.71	2.42	3.02	2.17	1.86
Diphtheria ..	1927	2.33	2.29	3.01	2.09	2.06	2.97	2.74	3.13	2.21	3.51	1.72	2.10
	1928	1.33	1.33	1.26	2.71	0.90	1.24	1.50	1.31	1.07	1.51	0.62	0.83
	1929	1.55	1.55	1.56	2.75	1.19	1.39	1.70	2.21	1.38	1.61	0.87	1.06
	1930	1.59	1.58	1.78	2.68	1.22	1.49	1.74	2.87	1.38	1.74	0.95	1.09
	1931	1.84	1.79	2.47	3.03	1.39	2.34	1.98	2.98	1.57	2.47	1.08	2.13
	1932	1.26	1.21	1.97	1.95	0.91	1.87	1.43	2.36	0.99	1.84	0.77	1.90
	1933	1.08	1.05	1.55	1.88	0.66	1.50	1.38	1.71	0.74	1.42	0.52	1.63
	1934	1.18	1.15	1.54	2.25	0.74	1.39	1.45	2.10	0.83	1.46	0.56	1.29
	1935	1.70	1.68	2.02	2.81	1.22	1.82	2.05	2.79	1.37	2.04	0.89	1.46
	1936	1.60	1.60	1.58	2.25	1.22	1.43	2.01	2.11	1.33	1.66	1.00	1.06

TABLE 26—*contd.*

Disease.	Year.	England and Wales (including Ports).	England.	Wales (including Mon-mouth).	London. Administrative County.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Non-County Boroughs and Urban Districts of—		Aggregate of Rural Districts of—	
						England (excluding London).	Wales (including Mon-mouth).	England.	Wales (including Mon-mouth).	England (excluding London).	Wales (including Mon-mouth).	England.	Wales (including Mon-mouth).
Enteric fever	1927	0.09	0.09	0.04	0.07	0.12	0.05	0.06	0.02	0.12	0.05	0.11	0.04
	1928	0.09	0.09	0.05	0.13	0.10	0.05	0.06	0.03	0.10	0.05	0.10	0.05
	1929	0.07	0.07	0.04	0.08	0.08	0.04	0.06	0.05	0.08	0.03	0.08	0.05
	1930	0.07	0.07	0.05	0.07	0.08	0.05	0.07	0.05	0.08	0.05	0.08	0.04
	1931	0.06	0.06	0.04	0.04	0.07	0.04	0.04	0.02	0.08	0.04	0.06	0.05
	1932	0.06	0.06	0.02	0.05	0.08	0.02	0.05	0.03	0.09	0.02	0.07	0.02
	1933	0.04	0.04	0.02	0.04	0.05	0.03	0.03	0.01	0.05	0.03	0.06	0.03
	1934	0.03	0.03	0.02	0.03	0.03	0.02	0.02	0.01	0.03	0.02	0.05	0.02
	1935	0.04	0.04	0.03	0.05	0.05	0.03	0.03	0.02	0.05	0.03	0.05	0.03
	1936	0.06	0.06	0.04	0.06	0.06	0.04	0.05	0.03	0.07	0.05	0.05	0.03
	1937	0.05	0.05	0.04	0.05	0.04	0.04	0.07	0.04	0.04	0.04	0.04	0.03
*Puerperal fever and puerperal pyrexia	1927	0.19	0.19	0.16	0.26	0.16	0.14	0.22	0.23	0.16	0.14	0.16	0.12
	1928	0.20	0.20	0.19	0.24	0.17	0.15	0.24	0.33	0.17	0.15	0.16	0.14
	1929	0.20	0.20	0.19	0.25	0.17	0.15	0.24	0.34	0.17	0.16	0.17	0.12
	1930	0.20	0.20	0.20	0.24	0.17	0.15	0.24	0.38	0.17	0.16	0.18	0.13
	1931	0.20	0.20	0.19	0.26	0.17	0.16	0.24	0.32	0.17	0.18	0.16	0.13
	1932	0.19	0.19	0.18	0.22	0.16	0.16	0.23	0.25	0.17	0.17	0.15	0.13
	1933	0.20	0.20	0.17	0.26	0.16	0.13	0.24	0.29	0.17	0.15	0.14	0.11
	1934	0.21	0.21	0.20	0.24	0.17	0.16	0.25	0.38	0.19	0.18	0.15	0.12
	1935	0.20	0.20	0.20	0.22	0.16	0.16	0.25	0.35	0.17	0.19	0.14	0.11
	1936	0.20	0.20	0.21	0.20	0.16	0.16	0.25	0.36	0.17	0.19	0.14	0.12
	1937	0.22	0.22	0.18	0.26	0.17	0.15	0.29	0.32	0.18	0.16	0.13	0.12
Erysipelas	1927	0.38	0.39	0.22	0.43	0.32	0.20	0.47	0.28	0.35	0.24	0.27	0.15
	1928	0.42	0.43	0.26	0.48	0.36	0.26	0.51	0.26	0.40	0.31	0.29	0.18
	1929	0.45	0.46	0.28	0.49	0.39	0.27	0.56	0.30	0.42	0.32	0.33	0.20
	1930	0.45	0.47	0.30	0.54	0.38	0.28	0.57	0.36	0.41	0.35	0.33	0.17
	1931	0.38	0.39	0.27	0.53	0.32	0.26	0.45	0.32	0.35	0.28	0.28	0.15
	1932	0.36	0.37	0.27	0.51	0.30	0.28	0.43	0.25	0.33	0.33	0.25	0.17
	1933	0.45	0.45	0.36	0.65	0.35	0.37	0.55	0.33	0.37	0.45	0.29	0.24
	1934	0.51	0.52	0.40	0.62	0.44	0.39	0.61	0.43	0.46	0.46	0.40	0.27
	1935	0.42	0.43	0.28	0.45	0.35	0.29	0.54	0.28	0.37	0.32	0.31	0.22
	1936	0.40	0.40	0.29	0.44	0.33	0.27	0.52	0.35	0.35	0.31	0.28	0.21
	1937	0.37	0.38	0.26	0.44	0.31	0.26	0.47	0.28	0.33	0.32	0.25	0.15

* The London figures include the following notification rates for Puerperal Fever alone :—1927—0.06, 1928—0.07, 1929—0.07, 1930—0.07, 1931—0.07, 1932—0.05, 1933—0.06, 1934—0.06, 1935—0.06, 1936—0.04, 1937—0.06

TABLE 26—*contd.*

Disease.	Year.	England and Wales (including Ports).	England.	Wales (including Mon-mouth).	London. Administrative County.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Non-County Boroughs and Urban Districts of—		Aggregate of Rural Districts of—	
						England (excluding London).	Wales (including Mon-mouth).	England.	Wales (including Mon-mouth).	England (excluding London).	Wales (including Mon-mouth).	England.	Wales (including Mon-mouth).
Cerebro-spinal fever	1927	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00
	1928	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00
	1929	0.02	0.02	0.01	0.03	0.01	0.01	0.02	0.02	0.01	0.01	0.01	0.00
	1930	0.02	0.02	0.01	0.02	0.01	0.00	0.02	0.01	0.01	0.01	0.02	—
	1931	0.05	0.06	0.01	0.04	0.06	0.01	0.06	0.02	0.06	0.01	0.07	0.01
	1932	0.05	0.06	0.02	0.06	0.05	0.01	0.06	0.05	0.05	0.01	0.05	0.00
	1933	0.04	0.04	0.02	0.05	0.03	0.01	0.05	0.03	0.04	0.01	0.03	0.01
	1934	0.03	0.03	0.02	0.03	0.02	0.01	0.04	0.03	0.02	0.02	0.02	0.00
	1935	0.02	0.02	0.01	0.03	0.01	0.01	0.03	0.03	0.02	0.01	0.01	0.00
	1936	0.02	0.02	0.02	0.03	0.02	0.01	0.04	0.03	0.02	0.01	0.01	0.01
Poliomyelitis and polioencephalitis	1937	0.03	0.03	0.02	0.05	0.02	0.02	0.04	0.03	0.02	0.02	0.01	0.01
	1927	0.02	0.02	0.01	0.02	0.02	0.01	0.03	0.02	0.02	0.01	0.02	0.01
	1928	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.01
	1929	0.02	0.02	0.01	0.02	0.02	0.01	0.02	0.02	0.02	0.01	0.02	0.01
	1930	0.01	0.02	0.01	0.01	0.02	0.01	0.01	0.01	0.02	0.01	0.02	0.00
	1931	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00
	1932	0.02	0.02	0.02	0.02	0.02	0.01	0.02	0.02	0.02	0.02	0.02	0.02
	1933	0.02	0.02	0.01	0.02	0.02	0.01	0.02	0.02	0.02	0.01	0.02	0.01
	1934	0.02	0.02	0.01	0.02	0.02	0.01	0.02	0.01	0.02	0.01	0.02	0.00
	1935	0.02	0.02	0.01	0.02	0.02	0.01	0.02	0.01	0.01	0.01	0.03	0.01
	1936	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.02	0.01	0.01	0.00
	1937	0.02	0.02	0.01	0.03	0.02	0.01	0.01	0.01	0.03	0.01	0.02	0.01

TABLE 27.—SEASONAL INCIDENCE OF CERTAIN INFECTIOUS } England and Wales.
DISEASES, 1937 (INCLUDING NON-CIVILIANS).

Note.—The actual average weekly number of cases is shown at the foot of each column. The proportion of the notifications to this average taken as 100 is shown for each week; where the seasonal excess is more than 30 per cent. over the weekly average the proportionate figure is shown in heavy type.

Week ended				Scarlet fever.	Diphtheria.	Enteric fever.	Cerebro-spinal fever.	Polio-myelitis.	Encephalitis lethargica.
Jan.	9	88	105	88	150	33	125
"	16	82	100	141	195	33	200
"	23	91	109	141	145	13	250
"	30	77	106	124	141	20	150
Feb.	6	91	104	141	168	13	125
"	13	80	102	117	150	80	150
"	20	86	97	73	205	33	225
"	27	88	107	117	64	27	175
March	6	90	91	112	109	13	50
"	13	91	90	73	95	13	75
"	20	97	90	59	114	20	200
"	27	83	82	51	118	20	200
April	3	90	77	41	118	13	75
"	10	89	80	56	141	7	100
"	17	91	85	71	114	53	75
"	24	89	86	76	105	20	100
May	1	88	86	63	136	13	150
"	8	91	82	85	155	7	25
"	15	78	66	59	141	33	150
"	22	83	71	59	100	27	150
"	29	80	76	66	105	60	125
June	5	83	77	95	68	27	125
"	12	90	81	44	109	53	100
"	19	84	86	54	82	73	100
"	26	88	80	44	86	47	50
July	3	98	92	63	59	67	75
"	10	92	77	76	127	53	200
"	17	91	82	107	100	53	25
"	24	88	76	76	59	120	150
"	31	87	75	76	45	120	25
Aug.	7	74	66	112	77	140	50
"	14	64	76	149	77	167	25
"	21	64	70	134	95	160	50
"	28	65	76	137	59	273	100
Sept.	4	84	91	122	32	227	50
"	11	90	105	159	73	413	50
"	18	101	109	100	45	347	125
"	25	115	111	102	68	300	50
Oct.	2	136	112	85	64	213	200
"	9	129	122	102	45	260	75
"	16	134	133	66	64	213	75
"	23	147	142	88	77	180	100
"	30	141	142	93	86	167	100
Nov.	6	140	142	83	36	160	75
"	13	131	146	154	77	147	25
"	20	141	136	241	68	173	50
"	27	147	153	356	95	80	100
Dec.	4	147	149	178	73	133	75
"	11	133	142	127	73	73	100
"	18	141	132	73	109	53	50
"	25	123	109	49	123	33	150
Jan.	1 1938	131	121	83	159	40	25
				100	100	100	100	100	100
Average weekly number of cases notified ..				1,841	1,180	41	22	15	4

TABLE 28.—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED, 1927–1937.

* By virtue of the Public Health Act, 1936, in all areas outside London A.C., conditions notifiable as puerperal fever prior to the 1st October, 1937, are, from that date, notifiable as and included with notifications of puerperal pyrexia.

England and Wales.

(a) Civilians (excluding cases in Port Health Districts†).

Diseases.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.
Cerebro-spinal fever	469	412	650	661	2,152	2,087	1,668	1,079	864	967	1,112
Cholera	—	—	—	—	—	—	—	—	—	—	—
Continued fever	17	24	18	21	16	16	8	12	11	8	11
Diphtheria (including Membranous croup)	51,973	61,109	62,739	73,928	50,208	43,339	47,388	68,634	64,976	57,729	61,289
Dysentery	405	651	536	501	785	895	752	717	1,125	1,303	4,119
Encephalitis lethargica (acute) ..	1,612	1,307	1,034	735	651	557	430	409	328	268	213
Enteric fever	3,469	3,398	2,774	2,899	2,241	2,489	1,721	1,152	1,714	2,443	2,107
Erysipelas	14,695	16,349	17,701	18,296	15,229	14,515	17,975	20,616	16,905	16,469	15,139
Malaria (contracted in England and Wales)	2	4	—	1	1	—	1	3	5	1	—
Ophthalmia neonatorum	5,891	5,609	5,448	5,481	5,158	4,730	4,056	4,487	4,369	4,586	5,050
Plague	—	—	—	—	—	—	—	—	—	—	—
Pneumonia (acute primary and acute influenza)	67,670	60,206	86,137	50,818	60,716	57,271	64,809	51,332	46,796	46,062	55,757
Polio-encephalitis (acute)	94	89	91	85	55	94	83	81	67	52	95
Poliomyelitis (acute)	801	452	531	506	339	656	711	589	630	528	758
*Puerperal fever	1,989	2,380	2,359	2,582	2,341	2,121	2,094	2,471	2,247	2,093	1,581
*Puerperal pyrexia	5,507	5,498	5,610	5,647	5,744	5,446	5,805	5,960	5,895	6,174	7,267
Relapsing fever	—	—	—	—	1	1	2	2	3	4	8
Scarlet fever	84,406	102,572	120,193	111,026	81,548	84,960	129,397	151,841	120,295	104,698	95,551
Small-pox	14,764	12,418	10,957	11,837	5,664	2,036	627	179	1	12	4
†Tuberculosis of respiratory system	53,818	52,837	52,380	50,322	49,506	†	†	†	†	†	†
†Tuberculosis (other forms) ..	17,684	17,955	16,502	16,781	16,068	†	†	†	†	†	†
Typhus fever	1	3	1	—	—	—	—	—	—	—	1

† Not notified to the Registrar General after 31st December, 1931.

Ministry of Health.

† Hitherto described as Port Sanitary Districts.

For later years see the Annual Reports of the Chief Medical Officer of the

TABLE 28—*contd.*—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED, 1927–1937. } England and Wales
(b) Civilians in Port Health Districts.

Diseases.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.
Cerebro-spinal fever	1	—	—	3	5	6	1	1	1	—	2
Cholera	—	—	—	—	—	—	—	—	—	—	—
Continued fever	1	1	—	2	—	—	—	—	—	—	—
Diphtheria (including Membranous croup)	38	25	35	25	28	23	15	14	15	20	13
Dysentery	35	32	37	37	24	12	13	24	20	14	28
Encephalitis lethargica (acute) ..	3	1	2	—	—	1	1	—	1	—	1
Enteric fever	64	97	61	53	35	46	29	50	24	31	33
Erysipelas	13	10	6	11	7	10	5	5	10	2	9
Ophthalmia neonatorum	—	—	—	—	—	—	—	—	—	—	—
Plague	—	—	—	1	—	—	—	—	—	—	—
Pneumonia (acute primary and acute influenza)	87	92	101	71	74	50	40	46	36	31	41
Polio-encephalitis (acute)	1	—	—	—	—	—	—	—	—	1	—
Poliomyelitis (acute)	—	—	1	—	—	—	2	1	2	—	3
*Puerperal fever	—	—	—	—	—	—	—	—	—	—	—
*Puerperal pyrexia	1	1	—	—	—	—	1	—	—	—	1
Relapsing fever	—	—	—	—	—	—	—	—	—	—	—
Scarlet fever	44	39	39	51	21	22	39	26	22	12	18
Small-pox	3	2	10	2	—	3	4	—	—	—	—
†Tuberculosis of respiratory system	230	210	254	261	292	†	†	†	†	†	†
†Tuberculosis (other forms) ..	13	22	42	37	16	†	†	†	†	†	†
Typhus fever	1	—	—	—	—	—	—	—	1	—	—

* See note at head of Table 28—(a).

† Not notified to the Registrar General after 31st December, 1931.

For later years see the Annual Reports of the Chief Medical Officer of the Ministry of Health.

TABLE 28—*contd.*—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED, 1927–1937. } England and Wales.
(c) Non-Civilians (including cases in Port Health Districts).

Diseases.	1927.	1928.	1929.	1930.	1931.	1932.	1933.	1934.	1935.	1936.	1937.
Cerebro-spinal fever.. ..	2	1	17	10	59	43	26	14	18	27	26
Continued fever	—	—	—	—	—	—	—	—	—	—	1
Diphtheria (including Membranous croup)	183	88	66	90	54	37	32	111	93	46	39
Dysentery	25	45	11	27	27	17	18	22	32	16	20
Encephalitis lethargica (acute)	4	1	2	3	3	6	1	2	—	1	3
Enteric fever.. ..	13	46	35	12	14	9	8	11	12	16	9
Erysipelas	4	5	10	7	9	2	17	22	11	16	18
Malaria (contracted in England and Wales)	—	—	1	—	—	—	—	—	—	—	—
Pneumonia (acute primary and acute influenzal)	58	59	79	52	83	80	160	105	69	74	98
Poliomyelitis (acute)	2	4	—	4	2	—	1	—	1	2	7
Relapsing fever	1	—	—	—	—	—	—	—	—	—	—
Scarlet fever	102	33	90	68	94	72	92	202	139	152	166
Small-pox	—	—	1	—	—	—	—	—	—	—	—
*Tuberculosis of respiratory system	} 120	—	136	154	142	*	*	*	*	*	*
*Tuberculosis (other forms)		163	—	—	—	—	—	—	—	—	—
Typhus fever.. ..		—	—	—	—	—	—	—	—	—	—

* Not notified to the Registrar General after 31st December, 1931. For later years see the Annual Reports of the Chief Medical Officer of the Ministry of Health.

TABLE 29. NUMBER OF CASES (INCLUDING NON-CIVILIANS) OF INFECTIOUS DISEASES NOTIFIED DURING THE 52 WEEKS ENDED 1ST JANUARY, 1938, WITH CERTAIN ATTACK-RATES.

England and Wales; Geographical Regions: Counties; County Boroughs; Other Urban Districts; Rural Districts.

The populations of the several areas will be found in Table 17.

NOTES.—(1) Rates based upon less than 20 notifications are distinguished by *italic type* (see note to Table 17, page 71).

(2) Areas marked * have been altered, those marked † created, and those marked ‡ abolished during the year. (See Table 17, page 71.)

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric Fever (Typhoid and paratyphoid).	Erysipelas.	Acute pneumonia (primary and influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever. Cases.	Pyrexia. Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
ENGLAND AND WALES.*	95,735	2·33	61,341	1·49	1,581	7,268	4	2,149	15,166	55,896	1,140	768	217	5,050	4,100
Port Health Districts.	18	—	13	—	—	1	—	38	9	50	2	9	3	—	—
REGIONAL SUMMARY:															
South East ..	29,334	2·04	16,242	1·13	565	2,428	—	1,055	4,571	13,083	341	431	42	1,060	2,400
Greater London..	19,690	2·27	12,354	1·43	416	1,684	—	820	3,253	9,103	264	299	22	707	1,700
Remainder of South East.	9,644	1·69	3,888	0·68	149	744	—	235	1,318	3,980	77	132	20	353	700
North ..	36,758	2·80	27,658	2·11	461	2,622	3	592	6,104	24,308	490	103	79	1,873	5,000
North I ..	7,167	3·25	5,848	2·65	64	384	—	81	1,199	4,887	64	10	7	249	1,000
North II ..	3,702	2·86	1,733	1·34	51	231	—	54	487	1,784	26	33	8	122	500
North III ..	9,317	2·70	6,854	1·98	146	795	—	97	1,582	6,648	108	20	12	301	900
North IV ..	16,572	2·69	13,223	2·15	200	1,212	3	360	2,836	10,989	292	40	52	1,201	3,000
Midland ..	16,304	2·28	9,972	1·39	295	1,255	1	192	2,846	12,084	216	69	49	1,655	3,000
Midland I ..	10,347	2·20	6,960	1·48	216	798	—	107	1,988	8,207	159	40	39	1,390	2,000
Midland II ..	5,957	2·44	3,012	1·23	79	457	1	85	858	3,877	57	29	10	265	1,000
East.. ..	3,102	1·68	1,161	0·63	58	276	—	88	519	1,681	11	58	13	143	2,000
South West ..	2,761	1·33	1,044	0·50	70	362	—	93	467	1,841	30	80	17	105	3,000
Wales ..	7,458	3·01	5,251	2·12	132	324	—	91	650	2,849	50	18	14	214	1,000
Wales I ..	5,871	3·27	3,699	2·06	114	244	—	73	500	2,115	44	11	9	160	1,000
Wales II ..	1,587	2·32	1,552	2·27	18	80	—	18	150	734	6	7	5	54	1,000
DENSITY SUMMARY OF ALL AREAS OUTSIDE GREATER LONDON:															
County Boroughs	34,724	2·72	24,934	1·95	631	3,064	—	547	5,943	24,411	539	129	83	2,925	8,000
Other Urban Districts	28,587	2·31	16,978	1·37	357	1,734	4	442	4,232	15,307	258	204	75	975	9,000
Rural Districts ..	12,716	1·76	7,062	0·98	177	785	—	302	1,729	7,025	77	127	34	443	6,000
SUPPLEMENTARY SUB-DIVISIONS OF SOUTH EAST REGION:															
Midland Section..	11,936	2·30	4,845	0·94	190	879	—	270	1,535	4,916	90	183	17	277	9,000
Southern Section	17,398	1·89	11,397	1·24	375	1,549	—	785	3,036	8,167	251	248	25	783	1,000

* Including Port Health Districts. Hitherto described as Port Sanitary Districts. † See note at end of table.

REGIONAL SUMMARY.—The country has been re-divided into regions, after consultation with other Government Departments with a view to securing greater homogeneity in the character of the sectional populations than was provided by the old groupings into North, Midlands, South (including London) and Wales. In order to maintain continuity the parts of the new "South East" region, comprised in the former "Midlands" and "South" respectively, are shown separately. "North" and "Wales" are identical in both groupings, "Midlands" comprises "Midland" and "East" together with the Midland section of "South East" "South (including London)" comprises "South West" and the Southern section of "South East."

The counties in the various regions are as follows:—

South East. Bedfordshire. Berkshire. Buckinghamshire. Essex. Hertfordshire. Kent. London. Middlesex. Oxfordshire. Southampton. Surrey. Sussex, East. " West. Wight, Isle of.	North I. Durham. Northumberland. North II. Cumberland. Westmorland. Yorkshire, East Riding. " North Riding. North III. Yorkshire, West Riding. York C.B. North IV. Cheshire. Lancashire.	Midland I. Gloucestershire. Herefordshire. Shropshire. Staffordshire. Warwickshire. Worcestershire. Midland II. Derbyshire. Leicestershire. Northamptonshire. Nottinghamshire. Peterborough, Soke of.	East. Cambridgeshire. Ely, Isle of. Huntingdonshire. Lincolnshire— Parts of Holland. " Kesteven. " Lindsey. Norfolk. Rutlandshire. Suffolk, East. " West. South West. Cornwall. Devonshire. Dorsetshire. Somersetshire. Wiltshire.	Wales I. Brecknockshire. Carmarthenshire. Glamorganshire. Monmouthshire. Wales II. Anglesey. Caernarvonshire. Cardiganshire. Denbighshire. Flintshire. Merionethshire. Montgomeryshire. Pembrokeshire. Radnorshire.
---	---	---	---	---

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
					Cases.	Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
ENGLAND (excluding Monmouth).															
BEDFORDSHIRE:															
ADMINISTRATIVE COUNTY	450	1·77	555	2·19	10	29	—	4	68	237	3	1	2	15	287
URBAN DISTRICTS ..	278	1·60	431	2·49	9	25	—	2	51	170	2	1	—	12	284
Ampthill.. ..	4	1·71	18	7·71	—	—	—	—	—	2	1	—	—	—	—
Bedford M.B. ..	87	1·92	69	1·52	6	13	—	1	15	91	—	—	—	8	—
Biggleswade ..	5	0·84	52	8·77	2	—	—	—	1	1	—	—	—	—	—
Dunstable M.B. ..	10	0·74	23	1·71	—	—	—	—	1	3	—	—	—	1	—
Kempston	11	1·64	9	1·34	1	—	—	—	—	1	—	—	—	1	—
Leighton Buzzard	11	1·57	5	0·71	—	—	—	—	1	10	—	—	—	—	—
Luton M.B.	144	1·61	255	2·85	—	12	—	1	32	62	1	1	—	2	284
Sandy	6	1·85	—	—	—	—	—	—	1	—	—	—	—	—	—
RURAL DISTRICTS ..	172	2·14	124	1·54	1	4	—	2	17	67	1	—	2	3	3
Ampthill.. ..	54	2·91	21	1·13	—	3	—	1	4	24	—	—	—	—	—
Bedford	69	2·89	32	1·34	1	1	—	—	5	27	1	—	—	2	—
Biggleswade ..	33	1·42	35	1·51	—	—	—	—	8	15	—	—	—	—	—
Luton	16	1·08	36	2·42	—	—	—	1	—	1	—	—	2	1	3
BERKSHIRE:															
ADMINISTRATIVE COUNTY BOROUGH	498	1·52	144	0·44	10	29	—	19	61	201	4	5	—	21	3
Reading	176	1·76	64	0·64	2	10	—	3	22	57	—	1	—	12	—
ADMINISTRATIVE COUNTY	322	1·42	80	0·35	8	19	—	16	39	144	4	4	—	9	3
URBAN DISTRICTS ..	128	1·61	42	0·53	6	6	—	5	13	24	3	3	—	1	—
Abingdon M.B. ...	10	1·26	3	0·38	—	2	—	—	4	6	—	—	—	—	—
Maidenhead M.B.	12	0·52	15	0·65	2	2	—	3	4	8	1	—	—	1	—
Newbury M.B. ...	17	1·16	—	—	2	2	—	1	—	9	—	1	—	—	—
New Windsor M.B.	57	2·94	19	0·98	1	—	—	—	4	—	2	1	—	—	—
Wallingford M.B.	4	1·33	1	0·33	—	—	—	1	—	—	—	—	—	—	—
Wantage.. .. .	2	0·48	—	—	—	—	—	—	1	1	—	—	—	—	—
Wokingham M.B.	26	3·47	4	0·53	1	—	—	—	—	—	—	1	—	—	—
RURAL DISTRICTS ..	194	1·32	38	0·26	2	13	—	11	26	120	1	1	—	8	3
Abingdon	21	1·38	1	0·07	—	5	—	2	3	15	—	—	—	2	—
Bradfield.. ..	19	1·27	3	0·20	—	—	—	4	—	16	—	—	—	—	2
Cookham.. .. .	7	0·68	1	0·10	—	2	—	—	1	3	—	—	—	—	—
Easthampstead ..	60	3·11	8	0·41	1	—	—	—	3	14	—	1	—	—	—
Faringdon	6	0·65	3	0·33	—	1	—	—	2	5	—	—	—	1	—
Hungerford	2	0·23	1	0·12	1	1	—	—	3	4	—	—	—	—	—
Newbury.. .. .	15	1·28	1	0·09	—	2	—	—	2	24	1	—	—	1	—
Wallingford	6	0·52	2	0·17	—	—	—	1	3	3	—	—	—	—	—
Wantage.. .. .	14	1·20	1	0·09	—	2	—	—	2	2	—	—	—	1	—
Windsor	21	2·26	5	0·54	—	—	—	—	1	7	—	—	—	—	—
Wokingham	23	0·93	12	0·48	—	—	—	4	6	27	—	—	—	3	1

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
BUCKINGHAMSHIRE :															
ADMINISTRATIVE COUNTY	515	1·69	110	0·36	10	22	—	7	66	180	6	10	1	4	—
URBAN DISTRICTS ..	307	2·03	53	0·35	6	16	—	4	39	109	6	5	1	2	—
Aylesbury M.B.	46	3·24	5	0·35	1	1	—	1	6	15	2	—	—	—	—
Beaconsfield ..	2	0·37	—	—	1	—	—	—	—	1	—	—	—	—	—
Bletchley ..	11	1·49	23	3·12	—	—	—	—	2	4	—	—	—	—	—
Buckingham M.B.	31	9·42	4	1·22	—	—	—	—	1	5	—	—	—	—	—
Chepping Wycombe M.B.	25	0·74	12	0·36	—	4	—	2	5	19	—	1	1	1	—
Chesham ..	38	3·68	—	—	—	1	—	—	4	—	1	1	—	—	—
Eton ..	6	1·51	—	—	—	—	—	—	1	—	—	1	—	—	—
Linslade ..	22	8·20	2	0·75	—	—	—	—	—	2	—	—	—	—	—
Marlow ..	—	—	1	0·19	—	—	—	—	—	5	—	—	—	—	—
Newport Pagnell	—	—	—	—	—	—	—	1	—	—	2	—	—	—	—
Slough ..	100	2·07	5	0·10	4	10	—	—	15	32	1	2	—	1	—
Wolverton ..	26	2·03	1	0·08	—	—	—	—	5	26	—	—	—	—	—
RURAL DISTRICTS ..	208	1·36	57	0·37	4	6	—	3	27	71	—	5	—	2	—
Amersham ..	37	1·17	22	0·70	—	1	—	2	6	15	—	—	—	1	—
Aylesbury ..	25	0·94	13	0·49	—	2	—	1	7	9	—	1	—	—	—
Buckingham ..	43	5·66	2	0·26	1	—	—	—	6	8	—	—	—	—	—
Eton ..	50	1·58	6	0·19	3	2	—	—	3	14	—	2	—	1	—
Newport Pagnell	25	1·95	7	0·55	—	—	—	—	2	7	—	—	—	—	—
Wing ..	11	1·65	1	0·15	—	—	—	—	1	5	—	1	—	—	—
Winslow ..	2	0·31	2	0·31	—	—	—	—	—	6	—	1	—	—	—
Wycombe ..	15	0·51	4	0·14	—	1	—	—	2	7	—	—	—	—	—
CAMBRIDGESHIRE :															
ADMINISTRATIVE COUNTY	225	1·52	10	0·07	5	11	—	3	31	45	—	3	—	4	—
URBAN DISTRICT : Cambridge M.B.	97	1·25	9	0·12	2	5	—	—	19	13	—	3	—	3	—
RURAL DISTRICTS :	128	1·80	1	0·01	3	6	—	3	12	32	—	—	—	1	—
Chesterton ..	48	1·55	—	—	1	2	—	3	8	18	—	—	—	1	—
Newmarket ..	22	1·17	—	—	1	1	—	—	4	8	—	—	—	—	—
South Cambridgeshire.	58	2·73	1	0·05	1	3	—	—	—	6	—	—	—	—	—
*CHESHIRE:	2,951	2·59	2,727	2·39	26	161	1	34	443	1,361	25	7	4	48	—
*COUNTY BOROUGHS	1,294	3·09	1,259	3·01	14	81	—	18	183	567	13	1	—	16	—
Birkenhead ..	441	3·03	609	4·19	5	24	—	12	87	297	6	—	—	6	—
Chester ..	222	4·97	113	2·53	2	10	—	1	12	62	2	1	—	2	—
*Stockport ..	281	2·10	292	2·18	6	40	—	2	64	131	5	—	—	7	—
Wallasey ..	350	3·69	245	2·58	1	7	—	3	23	77	—	—	—	1	—

† See note at end of Table.

TABLE 29—continued.

	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia									
					Cases.	Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
CHESHIRE—cont.															
ADMINISTRATIVE COUNTY.	1,657	2·30	1,468	2·04	12	80	1	16	257	794	12	6	4	32	29
URBAN DISTRICTS	1,446	2·57	1,320	2·35	10	62	1	13	220	651	11	4	3	21	28
Alderley Edge ..	4	1·29	1	0·32	—	—	—	—	—	2	—	—	—	—	—
Alsager	5	1·67	1	0·33	1	—	—	—	2	—	—	—	—	1	—
Altrincham M.B.	44	1·20	32	0·87	1	10	—	—	17	56	1	—	—	2	—
Bebington M.B...	84	2·12	100	2·53	1	16	—	2	15	75	—	—	—	1	—
Bollington ..	16	3·15	3	0·59	—	—	—	—	—	2	—	—	—	1	—
Bowdon ..	—	—	1	0·32	—	—	—	1	2	1	—	—	—	—	—
Bredbury and Romiley.	27	1·81	29	1·94	—	1	—	—	5	7	1	—	—	—	—
Cheadle and Gatley	74	2·98	19	0·76	—	4	—	1	5	19	—	—	—	—	—
Congleton M.B. ..	48	3·20	19	1·27	—	6	—	—	9	27	4	—	—	2	—
Crewe M.B.	65	1·41	112	2·44	1	5	—	—	6	17	2	—	—	1	—
Dukinfield M.B...	62	3·29	35	1·86	—	—	—	—	12	41	—	—	—	2	—
Ellesmere Port ..	145	5·66	211	8·24	1	1	—	—	4	39	—	1	—	—	—
Hale	19	1·63	5	0·43	—	3	—	—	2	7	—	—	—	—	—
Hazel Grove and Bramhall.	26	1·63	39	2·45	—	—	—	—	5	5	—	—	—	—	—
Hoole	16	2·17	9	1·22	—	—	—	—	1	12	—	—	—	—	—
Hoylake.. ..	79	3·50	44	1·95	—	1	—	2	16	18	—	—	1	—	—
Hyde M.B.	70	2·21	148	4·66	—	—	1	1	11	39	1	—	—	1	—
Knutsford	14	2·21	9	1·42	1	—	—	1	1	1	—	—	—	—	—
Longendale ..	6	1·27	8	1·69	—	—	—	—	4	2	—	—	—	—	—
Lymm	11	1·86	9	1·53	—	—	—	—	1	—	—	—	—	1	—
Macclesfield M.B.	42	1·16	5	0·14	—	3	—	—	28	52	—	—	1	1	4
Marple	27	2·32	35	3·00	—	—	—	—	5	23	—	—	—	—	22
Middlewich ..	1	0·17	—	—	1	1	—	—	1	15	—	—	—	1	—
Nantwich	8	0·95	97	11·48	—	—	—	—	6	11	—	—	—	—	—
Neston	10	1·17	11	1·29	—	1	—	—	—	12	—	—	—	—	—
Northwich ..	18	0·92	9	0·46	1	3	—	—	12	10	—	—	—	1	1
Runcorn	259	11·16	134	5·77	—	—	—	1	11	25	—	1	—	1	1
Sale M.B.	82	2·26	41	1·13	—	1	—	1	6	21	2	—	—	1	—
Sandbach	14	1·68	5	0·60	—	1	—	—	8	15	—	2	—	4	—
Stalybridge M.B.	74	3·12	122	5·15	1	2	—	1	16	55	—	—	—	—	—
Wilmslow	31	2·18	5	0·35	—	—	—	1	—	7	—	—	—	—	—
Winsford.. ..	52	4·67	5	0·45	—	3	—	1	6	17	—	—	—	—	—
Wirral	13	1·07	17	1·40	1	—	—	—	3	18	—	—	—	—	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
					Cases.	Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
CHESHIRE—cont.															
RURAL DISTRICTS	211	1·32	148	0·93	2	18	—	3	37	143	1	2	1	11	—
Bucklow	12	1·30	2	0·22	—	2	—	—	—	1	—	—	—	—	—
Chester	18	1·07	21	1·25	—	—	—	—	6	9	—	—	—	—	—
Congleton .. .	20	1·71	13	1·11	—	1	—	—	5	17	—	2	—	—	—
Disley	11	3·80	3	1·04	—	1	—	—	—	3	—	—	—	—	—
Macclesfield ..	23	1·22	14	0·74	—	—	—	—	5	13	—	—	—	1	—
Nantwich .. .	31	1·25	42	1·69	—	2	—	—	4	23	—	—	—	1	—
Northwich .. .	53	1·87	15	0·53	1	4	—	1	4	9	—	—	—	—	—
Runcorn .. .	24	0·77	27	0·86	—	7	—	—	13	41	—	—	—	5	—
Tarvin	16	1·13	10	0·71	1	—	—	—	—	27	1	—	1	—	—
Tintwistle .. .	3	2·44	1	0·81	—	1	—	2	—	—	—	—	—	—	—
CORNWALL :															
ADMINISTRATIVE COUNTY.	320	1·03	134	0·43	10	29	—	11	51	225	6	3	1	19	—
URBAN DISTRICTS..	159	0·93	95	0·55	7	16	—	9	23	137	6	3	1	13	—
Bodmin M.B. ..	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—
Bude-Stratton ..	1	0·22	—	—	—	—	—	—	—	—	—	—	—	—	—
Camborne-Redruth	40	1·14	1	0·03	3	7	—	1	7	47	3	—	—	—	3
Falmouth M.B. ..	4	0·26	1	0·07	1	2	—	3	1	20	3	—	—	—	—
Fowey M.B. .. .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Helston M.B. ..	2	0·41	—	—	—	—	—	—	—	—	—	—	—	1	—
Launceston M.B.	8	1·87	—	—	—	3	—	—	1	8	—	—	—	1	—
Liskeard M.B. ..	3	0·72	15	3·62	2	—	—	—	—	11	—	1	—	—	—
Looe	3	0·98	—	—	—	—	—	1	—	1	—	—	—	—	—
Lostwithiel M.B.	3	1·58	5	2·63	—	—	—	—	1	3	—	—	—	—	1
Newquay .. .	4	0·51	2	0·26	—	1	—	—	—	4	—	—	—	—	—
Padstow .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Penryn M.B. ..	—	—	2	0·52	—	—	—	—	—	3	—	—	—	1	—
Penzance M.B. ..	31	1·62	58	3·03	—	—	—	1	—	1	—	2	—	—	3
St. Austell .. .	31	1·39	—	—	1	1	—	—	1	2	—	—	—	—	2
St. Ives M.B. ..	8	1·01	3	0·38	—	—	—	—	2	1	—	—	—	—	—
St. Just .. .	6	1·45	—	—	—	1	—	—	—	7	—	—	—	—	2
Saltash M.B. ..	9	1·36	—	—	—	—	—	—	3	11	—	—	—	—	—
Torpoint .. .	4	1·07	1	0·27	—	—	—	—	3	9	—	—	—	—	—
Truro M.B. .. .	2	0·16	7	0·55	—	—	—	—	4	9	—	—	—	—	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
					Cases.	Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
CORNWALL—cont.															
RURAL DISTRICTS ..	161	1·15	39	0·28	3	13	—	2	28	88	—	—	—	6	3
Camelford ..	—	—	2	0·28	1	1	—	—	2	8	—	—	—	1	—
Kerrier ..	3	0·16	—	—	—	—	—	—	5	3	—	—	—	—	—
Launceston ..	—	—	3	0·47	1	—	—	2	4	5	—	—	—	—	—
Liskeard ..	4	0·30	1	0·07	—	2	—	—	3	14	—	—	—	—	—
St. Austell ..	91	4·70	—	—	—	3	—	—	1	3	—	—	—	1	1
St. Germans ..	8	0·52	1	0·06	1	1	—	—	2	14	—	—	—	—	—
Scilly, Isles of ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stratton ..	7	1·50	1	0·21	—	1	—	—	1	—	—	—	—	—	—
Truro ..	38	1·60	—	—	—	4	—	—	4	19	—	—	—	2	2
Wadebridge ..	2	0·16	8	0·64	—	1	—	—	3	11	—	—	—	1	—
West Penwith ..	8	0·48	23	1·39	—	—	—	—	3	11	—	—	—	—	—
CUMBERLAND :															
COUNTY BOROUGH :	384	1·50	179	0·70	9	35	—	18	124	259	1	12	2	41	—
Carlisle ..	136	2·29	28	0·47	4	14	—	1	31	51	—	3	1	16	—
ADMINISTRATIVE COUNTY ..															
	248	1·26	151	0·77	5	21	—	17	93	208	1	9	1	25	—
URBAN DISTRICTS															
	88	1·10	68	0·85	2	11	—	3	36	60	—	3	—	11	—
Cockermouth ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Keswick ..	3	0·68	—	—	—	—	—	—	—	3	—	—	—	—	—
Maryport ..	20	1·74	8	0·70	—	—	—	1	4	2	—	—	—	—	—
Penrith ..	22	2·37	8	0·86	—	1	—	—	5	16	—	3	—	5	—
Whitehaven M.B.	7	0·31	24	1·07	2	6	—	1	11	24	—	—	—	3	—
Workington M.B.	36	1·31	28	1·02	—	4	—	1	16	15	—	—	—	3	—
RURAL DISTRICTS															
	160	1·38	83	0·71	3	10	—	14	57	148	1	6	1	14	—
Alston with Garri- gill ..	12	5·02	—	—	—	3	—	—	5	3	—	—	—	—	—
Border ..	40	1·56	5	0·20	1	1	—	9	10	25	1	2	—	1	—
Cockermouth ..	28	1·57	12	0·67	—	1	—	4	5	11	—	—	—	—	—
Ennerdale ..	26	0·97	31	1·16	1	1	—	—	18	46	—	—	—	8	—
Millom ..	14	1·21	10	0·87	1	1	—	1	3	24	—	—	—	1	—
Penrith ..	4	0·35	—	—	—	1	—	—	1	16	—	—	—	2	—
Wigton ..	36	1·72	25	1·20	—	2	—	—	15	23	—	4	1	2	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
					Cases.	Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
DERBYSHIRE :	2,565	3·36	1,310	1·71	28	147	1	29	274	1,354	17	21	2	74	
COUNTY BOROUGH															
Derby	718	5·14	196	1·40	9	72	—	5	55	268	3	9	1	39	
ADMINISTRATIVE COUNTY	1,847	2·96	1,114	1·78	19	75	1	24	219	1,086	14	12	1	35	
URBAN DISTRICTS	1,016	2·99	624	1·84	13	41		11	116	631	9	10	1	19	
Alfreton	140	6·38	12	0·55	1	3	—	3	6	38	—	—	—	1	
Ashbourne	8	1·66	—	—	—	2	—	—	—	6	—	—	—	4	
Bakewell	6	1·90	1	0·32	1	—	—	—	1	4	—	—	—	—	
Belper	57	3·92	4	0·28	—	—	—	1	2	9	—	—	—	—	
Bolsover	10	0·99	9	0·89	—	1	—	—	4	15	—	—	—	1	
Buxton M.B. ..	82	4·92	9	0·54	1	1	—	—	7	9	—	—	—	1	
Chesterfield M.B.	84	1·30	235	3·64	3	17	—	5	41	155	3	1	1	1	
Clay Cross	7	0·85	47	5·73	2	—	—	—	—	32	2	—	—	1	
Dronfield	16	2·45	17	2·60	—	2	—	—	2	2	—	—	—	—	
Glossop M.B. ..	26	1·41	6	0·32	—	—	—	—	4	20	—	—	—	3	
Heanor	113	5·00	29	1·28	2	2	—	1	7	101	2	2	—	—	
Ilkeston M.B. ..	56	1·73	26	0·80	—	1	—	—	3	43	—	5	—	1	
Long Eaton ..	92	3·53	42	1·61	1	3	—	—	9	31	1	—	—	—	
Matlock	29	1·75	17	1·03	—	3	—	—	3	13	—	—	—	—	
New Mills	65	7·84	69	8·32	—	—	—	—	3	13	—	—	—	—	
Ripley	91	5·20	21	1·20	—	2	1	—	9	30	1	—	—	—	
Staveley	26	1·53	41	2·42	—	1	—	—	6	48	—	—	—	1	
Swadlincote District	82	4·01	23	1·12	1	1	—	—	8	40	—	2	—	3	
Whaley Bridge ..	25	5·02	16	3·21	—	—	—	—	—	3	—	—	—	—	
Wirksworth	1	0·21	—	—	1	2	—	1	1	19	—	—	—	2	
RURAL DISTRICTS :	831	2·91	490	1·72	6	34	—	13	103	455	5	2	—	16	
Ashbourne	35	3·14	—	—	—	1	—	—	1	4	—	—	—	—	
Bakewell	66	3·50	9	0·48	—	—	—	—	8	35	—	—	—	—	
Belper	45	1·77	8	0·31	—	9	—	—	5	18	—	—	—	1	
Blackwell	107	2·50	58	1·35	1	6	—	1	19	31	—	—	—	2	
Chapel-en-le-Frith	37	2·05	50	2·77	1	—	—	—	4	9	—	—	—	3	
Chesterfield	213	3·07	283	4·08	2	13	—	10	36	244	4	—	—	8	
Clowne	43	2·41	31	1·74	—	2	—	2	5	21	—	—	—	—	
Repton	81	2·95	24	0·87	2	—	—	—	11	35	—	2	—	1	
Shardlow	204	3·76	27	0·50	—	3	—	—	14	58	1	—	—	1	

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		† Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
					Cases.	Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
DEVONSHIRE :	1,307	1·77	455	0·62	34	116	—	50	177	723	13	38	7	31	122
*COUNTY BOROUGHES	524	1·87	280	1·00	25	70	—	21	64	296	11	5	2	18	2
*Exeter	71	1·03	8	0·12	9	30	—	16	14	71	1	2	—	1	—
Plymouth	453	2·15	272	1·29	16	40	—	5	50	225	10	3	2	17	2
*ADMINISTRATIVE COUNTY	783	1·70	175	0·38	9	46	—	29	113	427	2	33	5	13	120
URBAN DISTRICTS	495	2·13	97	0·42	7	31	—	12	55	246	1	11	4	10	64
Ashburton	—	—	4	1·64	—	—	—	—	1	4	—	—	—	1	—
Axminster	10	4·29	—	—	—	3	—	—	1	10	—	—	—	—	—
Barnstaple M.B. . .	20	1·36	9	0·61	1	2	—	1	5	33	1	1	—	1	19
Bideford M.B. ..	191	20·40	—	—	—	1	—	1	—	10	—	—	—	—	—
Brixham	7	0·85	4	0·49	1	1	—	—	6	27	—	—	—	1	4
Buckfastleigh ..	—	—	1	0·41	—	—	—	—	—	—	—	—	—	—	1
Budleigh Salterton	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Crediton	8	2·15	—	—	—	1	—	—	2	4	—	1	—	—	—
Dartmouth M.B. .	3	0·51	—	—	—	—	—	—	—	4	—	—	—	2	—
Dawlish	3	0·56	—	—	—	—	—	—	—	—	—	—	—	—	—
Exmouth	1	0·07	3	0·20	—	—	—	—	1	10	—	—	—	—	—
Great Torrington M.B. . .	3	1·07	1	0·36	—	—	—	—	—	—	—	1	—	—	—
Holsworthy	—	—	—	—	—	—	—	—	1	1	—	—	—	—	1
Honiton M.B. ..	3	0·94	7	2·19	—	—	—	—	1	4	—	—	1	—	—
Ilfracombe	1	0·12	—	—	—	—	—	—	—	13	—	—	—	—	—
Kingsbridge	1	0·33	—	—	—	—	—	—	1	2	—	—	—	—	—
Lynton	1	0·55	—	—	—	—	—	—	1	5	—	—	—	—	3
Newton Abbot ..	4	0·27	5	0·34	—	4	—	—	2	2	—	1	—	—	2
Northam	18	3·42	—	—	—	—	—	—	3	6	—	—	—	—	—
Okehampton M.B. .	—	—	—	—	—	1	—	—	1	2	—	—	—	—	17
Ottery St. Mary ..	—	—	3	0·84	—	—	—	—	—	1	—	—	—	—	—
Paignton	54	2·52	12	0·56	—	1	—	1	3	21	—	1	—	—	9
Salcombe	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Seaton	7	2·82	4	1·61	—	—	—	—	3	4	—	—	—	—	—
Sidmouth	7	0·84	1	0·12	—	1	—	1	2	6	—	1	1	—	3
South Molton M.B.	2	0·72	—	—	—	4	—	—	1	4	—	—	—	1	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
DEVONSHIRE—cont.															
URBAN DISTRICTS—cont.															
Tavistock ..	2	0·36	1	0·18	—	1	—	3	—	5	—	1	—	—	—
Teignmouth ..	1	0·10	6	0·61	—	—	—	1	5	20	—	—	—	—	—
Tiverton M.B. ..	5	0·51	1	0·10	—	3	—	—	7	13	—	1	—	—	—
Torquay M.B. ..	91	2·04	35	0·78	5	8	—	3	7	35	—	3	2	4	—
Totnes M.B. ..	52	11·24	—	—	—	—	—	—	—	—	—	—	—	—	—
*RURAL DISTRICTS	288	1·27	78	0·34	2	15	—	17	58	181	1	22	1	3	5
Axminster ..	25	2·48	3	0·30	—	—	—	1	2	8	—	—	—	—	—
Barnstaple ..	37	1·97	4	0·21	—	—	—	—	6	42	—	—	—	—	1
Bideford ..	13	2·58	—	—	—	1	—	—	2	1	—	—	1	—	—
Broadwood Widger	1	0·50	—	—	—	—	—	—	3	1	—	—	—	—	—
Crediton ..	11	1·17	4	0·42	—	2	—	—	10	23	—	—	—	—	—
Holsworthy ..	9	1·44	—	—	—	3	—	—	—	5	—	—	—	—	—
Honiton ..	12	1·77	1	0·15	—	1	—	—	1	7	—	—	—	—	—
Kingsbridge ..	6	0·57	2	0·19	—	—	—	1	3	3	—	—	—	—	—
Newton Abbot ..	9	0·42	20	0·93	—	3	—	—	4	14	—	9	—	—	—
Okehampton ..	6	0·50	4	0·34	—	—	—	1	3	2	—	6	—	1	—
Plympton St.Mary	37	1·09	23	0·68	2	—	—	—	5	16	—	1	—	—	—
*St. Thomas ..	53	1·81	6	0·21	—	1	—	8	9	19	—	3	—	2	1
South Molton ..	19	2·08	2	0·22	—	1	—	—	1	6	—	1	—	—	—
Tavistock ..	6	0·43	3	0·22	—	2	—	1	3	10	1	1	—	—	—
Tiverton ..	23	1·20	5	0·26	—	1	—	—	6	20	—	1	—	—	1
Torrington ..	11	1·47	—	—	—	—	—	5	—	—	—	—	—	—	—
Totnes ..	10	0·80	1	0·08	—	—	—	—	—	4	—	—	—	—	—
DORSETSHIRE :															
ADMINISTRATIVE COUNTY ..	375	1·50	87	0·35	10	28	—	12	61	170	3	7	3	15	7
URBAN DISTRICTS ..	241	1·55	64	0·41	9	19	—	4	45	99	3	7	1	14	—
Blandford Forum M.B. ..	—	—	—	—	—	—	—	—	—	7	—	—	—	—	—
Bridport M.B. ..	10	1·73	—	—	—	1	—	—	2	7	—	—	—	—	—
Dorchester M.B. ..	3	0·29	—	—	1	2	—	—	7	4	—	—	1	1	—
Lyme Regis M.B. ..	1	0·38	1	0·38	—	—	—	—	—	—	—	2	—	—	—
Poole M.B. ..	54	0·79	9	0·13	5	10	—	3	14	24	2	2	—	2	—
Portland ..	18	1·56	4	0·35	1	1	—	1	3	2	—	—	—	5	—
Shaftesbury M.B. ..	26	8·47	—	—	—	—	—	—	—	1	—	—	—	—	—
Sherborne ..	3	0·47	4	0·63	—	—	—	—	—	13	1	—	—	—	—
Swanage ..	2	0·33	—	—	1	1	—	—	1	8	—	2	—	—	—
Wareham M.B. ..	—	—	1	0·40	—	—	—	—	1	5	—	—	—	—	—
Weymouth and Melcombe Regis M.B. ..	117	3·62	42	1·30	1	4	—	—	15	22	—	—	—	5	—
Wimborne Minster	7	1·71	3	0·73	—	—	—	—	1	6	—	—	—	1	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
DORSETSHIRE— <i>cont.</i>															
RURAL DISTRICTS ..	134	1·43	23	0·24	1	9	—	8	16	71	—	—	2	1	67
Beaminster ..	13	1·68	10	1·30	—	—	—	—	4	—	—	—	—	1	16
Blandford ..	7	0·96	1	0·14	—	1	—	1	—	14	—	—	1	—	—
Bridport ..	40	5·82	—	—	—	1	—	2	—	7	—	—	—	—	—
Dorchester ..	22	1·42	8	0·52	—	1	—	1	2	11	—	—	—	—	50
Shaftesbury ..	26	3·11	—	—	—	5	—	—	—	7	—	—	—	—	—
Sherborne ..	1	0·20	—	—	1	1	—	—	3	2	—	—	—	—	—
Sturminster ..	1	0·12	—	—	—	—	—	—	1	3	—	—	—	—	—
Wareham and Purbeck ..	14	0·84	1	0·06	—	—	—	1	3	16	—	—	1	—	—
Wimborne and Cranborne ..	10	0·55	3	0·16	—	—	—	3	3	11	—	—	—	—	1
DURHAM :															
COUNTY BOROUGHs.	1,747	3·14	1,222	2·19	18	94	—	16	338	1,801	22	2	3	86	6
Darlington ..	211	2·79	127	1·68	4	9	—	7	38	114	1	—	—	9	—
Gateshead ..	361	3·07	567	4·82	4	19	—	—	71	209	7	1	—	6	3
South Shields ..	450	4·05	128	1·15	2	8	—	—	69	385	3	1	1	14	1
Sunderland ..	545	2·98	286	1·56	7	41	—	7	124	940	11	—	1	26	2
West Hartlepool ..	180	2·57	114	1·63	1	17	—	2	36	153	—	—	1	31	—
ADMINISTRATIVE COUNTY.	3,342	3·77	3,564	4·02	18	113	—	19	465	1,449	23	4	2	91	27
*URBAN DISTRICTS	2,374	4·01	2,384	4·03	11	63	—	12	290	885	15	2	1	53	6
*Annfield Plain ..	5	1·36	29	7·90	—	—	—	—	—	12	—	—	—	—	—
*Barnard Castle ..	26	6·61	1	0·25	1	—	—	1	—	1	1	1	—	—	—
*Benfieldside ..	5	2·13	12	5·11	—	—	—	—	2	2	—	—	—	1	—
*Billingham ..	223	10·98	70	3·45	—	2	—	—	13	38	—	—	—	1	—
*Bishop Auckland	84	2·83	64	2·16	—	1	—	1	9	27	2	—	—	7	—
*Blaydon ..	126	4·04	180	5·78	—	1	—	—	21	31	—	+	—	3	2
Boldon ..	35	2·09	45	2·69	—	2	—	—	11	21	—	1	—	1	—
*Brandon and Byshottles ..	94	4·89	136	7·08	—	6	—	—	8	22	—	—	—	4	—
*Chester-le-Street	56	3·29	36	2·12	—	2	—	—	5	45	—	—	—	1	—
*Consett ..	136	4·39	158	5·10	—	3	—	—	12	27	—	—	—	1	3
†Crook ..	22	8·30	15	5·66	—	—	—	—	—	1	—	—	—	—	—
†Crook and Willington ..	144	6·70	122	5·68	1	2	—	—	5	20	—	—	—	—	—
Durham M.B. ..	49	2·54	94	4·87	1	2	—	—	12	6	4	—	—	1	—
Felling ..	112	4·34	340	13·16	—	2	—	2	11	27	—	—	—	1	1
Hartlepool M.B. ..	38	2·09	17	0·94	—	1	—	1	5	2	1	—	—	1	—
Hebburn ..	59	2·60	101	4·45	—	1	—	—	14	87	—	—	—	1	—
*Hetton ..	37	1·93	24	1·25	2	1	—	1	8	58	—	—	—	—	—
*Houghton-le-Spring	59	2·38	78	3·15	—	1	—	—	14	44	—	—	—	2	—
Jarrow M.B. ..	23	0·74	25	0·80	—	2	—	—	17	125	—	—	—	1	—
†Leadgate ..	3	1·99	1	0·66	—	—	—	—	—	—	—	—	—	—	—
Ryton ..	37	2·75	44	3·27	—	—	—	1	4	11	—	—	—	—	—
*Seaham ..	97	3·64	95	3·57	—	3	—	—	4	54	—	—	—	1	—
*Shildon ..	50	3·75	70	5·25	—	2	—	—	8	23	1	—	—	9	—
*Spennymoor ..	44	2·38	29	1·57	2	1	—	1	18	15	2	—	—	3	—
†Stanhope ..	1	2·60	—	—	—	—	—	—	—	—	—	—	—	—	—
*Stanley ..	132	3·02	277	6·34	2	6	—	3	20	45	—	—	—	7	—
Stockton-on-Tees M.B. ..	294	4·38	128	1·91	1	17	—	1	34	69	4	—	1	6	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
DURHAM—cont.															
URBAN DISTRICTS—cont.															
†Tanfield ..	12	5·37	24	10·74	—	—	—	—	1	6	—	—	—	1	—
Tow Law ..	60	18·29	39	11·89	—	1	—	—	1	4	—	—	—	—	—
*Washington ..	149	8·78	28	1·65	1	—	—	—	7	8	—	—	—	—	—
*Whickham ..	151	6·80	97	4·37	—	4	—	—	25	53	—	—	—	—	—
†Willington ..	11	5·17	5	2·35	—	—	—	—	1	1	—	—	—	—	—
*RURAL DISTRICTS	968	3·29	1,180	4·01	7	50	—	7	175	564	8	2	1	38	2
†Auckland ..	56	4·62	57	4·71	1	1	—	1	11	17	2	—	—	1	—
*Barnard Castle ..	59	3·81	6	0·39	—	1	—	2	2	5	—	—	1	—	—
*Chester-le-Street	179	4·07	72	1·64	—	5	—	2	32	106	—	—	—	5	—
*Darlington ..	34	3·83	21	2·37	—	2	—	—	3	12	—	—	—	—	—
*Durham ..	83	2·71	342	11·16	2	6	—	—	9	31	1	—	—	1	—
*Easington ..	290	3·50	391	4·72	3	18	—	1	41	144	4	—	—	12	—
†Hartlepool ..	1	1·77	1	1·77	—	—	—	—	—	—	—	—	—	—	—
†Houghton-le-Spring	16	2·45	14	2·14	—	—	—	—	3	21	—	—	—	1	—
*Lanchester ..	64	3·26	111	5·65	1	2	—	—	6	28	—	—	—	1	—
*Sedgefield ..	52	1·52	83	2·42	—	6	—	—	26	94	1	—	—	5	—
*Stockton ..	18	2·55	4	0·57	—	3	—	1	4	15	—	—	—	3	—
*Sunderland ..	76	3·22	62	2·63	—	3	—	—	30	84	—	2	—	7	—
*Weardale ..	40	4·55	16	1·82	—	3	—	—	8	7	—	—	—	2	—
ELY, ISLE OF :															
ADMINISTRATIVE COUNTY ..	225	2·76	106	1·30	3	6	—	—	35	60	—	3	—	5	—
URBAN DISTRICTS..	156	3·15	66	1·33	3	6	—	—	26	32	—	2	—	2	—
Chatteris..	3	0·59	—	—	—	—	—	—	—	3	—	1	—	—	—
Ely ..	60	7·20	2	0·24	—	—	—	—	5	6	—	1	—	—	—
March ..	24	1·95	11	0·89	—	3	—	—	9	4	—	—	—	1	—
Whittlesey ..	18	2·21	19	2·33	3	2	—	—	5	9	—	—	—	1	—
Wisbech M.B. ..	51	3·25	34	2·17	—	1	—	—	7	10	—	—	—	—	—
RURAL DISTRICTS ..	69	2·15	40	1·25	—	—	—	—	9	28	—	1	—	3	—
Ely ..	37	2·82	21	1·60	—	—	—	—	7	7	—	—	—	—	—
North Witchford	2	0·40	2	0·40	—	—	—	—	—	14	—	1	—	2	—
Thorney ..	1	0·43	—	—	—	—	—	—	—	—	—	—	—	—	—
Wisbech ..	29	2·48	17	1·46	—	—	—	—	2	7	—	—	—	1	—
ESSEX :	4,975	2·61	1,974	1·04	48	302	—	175	650	2,035	22	88	5	85	3
COUNTY BOROUGHS	1,762	3·34	745	1·41	12	90	—	35	256	682	13	26	1	29	—
East Ham ..	387	2·95	149	1·14	5	7	—	13	53	111	2	4	1	7	—
Southend-on-Sea	301	2·19	93	0·68	3	8	—	7	36	217	3	4	—	12	—
West Ham ..	1,074	4·14	503	1·94	4	75	—	15	167	354	8	18	—	10	—
ADMINISTRATIVE COUNTY.	3,213	2·33	1,229	0·89	36	212	—	140	394	1,353	9	62	4	56	2
URBAN DISTRICTS	2,986	2·52	1,160	0·98	31	197	—	134	363	1,265	8	55	3	53	2
Barking M.B. ..	245	3·20	156	2·04	2	9	—	17	29	100	—	5	—	5	—
Benfleet ..	32	2·04	15	0·95	1	1	—	—	3	5	—	—	—	—	—
Billericay ..	91	2·63	33	0·95	—	6	—	—	8	35	—	—	1	1	—
Braintree and Bocking.	7	0·48	1	0·07	—	1	—	1	—	7	—	—	—	—	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
					Cases.	Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
ESSEX—cont.															
URBAN DISTRICTS—cont.															
Brentwood ..	53	1.94	75	2.75	2	3	—	3	12	22	—	—	—	—	43
Brightlingsea ..	9	2.13	3	0.71	—	—	—	—	—	8	—	—	—	—	—
Burnham on Crouch ..	—	—	—	—	—	—	—	—	1	2	—	—	—	1	—
Canvey Island ..	15	2.31	5	0.77	—	1	—	—	—	2	—	—	—	—	—
Chelmsford M.B.	90	2.93	1	0.03	1	9	—	—	5	17	1	1	—	—	1
Chigwell ..	34	1.51	6	0.27	1	2	—	3	5	5	—	—	—	—	1
Chingford ..	61	1.70	22	0.61	—	7	—	11	10	34	1	3	—	—	5
Clacton ..	14	0.60	7	0.30	—	2	—	—	2	2	—	—	—	—	—
Colchester M.B.	72	1.39	50	0.96	3	7	—	4	13	75	2	4	—	—	21
Dagenham ..	380	3.60	159	1.51	5	19	—	15	24	123	1	2	—	4	1
Epping ..	15	2.60	1	0.17	—	4	—	1	1	16	—	1	—	1	—
Frinton and Walton ..	3	0.41	—	—	2	—	—	—	1	3	—	—	—	—	—
Halstead ..	3	0.51	1	0.17	—	—	—	—	5	—	—	—	—	—	—
Harwich M.B.	7	0.55	6	0.47	—	—	—	—	2	16	—	—	—	—	—
Hornchurch ..	277	3.85	50	0.69	4	6	—	7	25	81	—	2	—	5	3
Ilford M.B.	308	1.89	93	0.57	3	42	—	27	35	208	—	4	—	11	37
Leyton M.B.	315	2.67	158	1.34	—	13	—	17	72	122	1	12	1	5	35
Maldon M.B.	20	2.22	2	0.22	—	—	—	—	2	2	—	1	—	—	—
Rayleigh ..	55	7.33	4	0.53	—	—	—	—	1	2	—	—	—	—	—
Romford M.B.	231	4.46	87	1.68	1	9	—	10	12	95	1	5	—	1	1
Saffron Walden M.B.	7	1.11	1	0.16	—	1	—	—	4	—	—	—	—	—	—
Thurrock ..	327	4.87	69	1.03	—	13	—	2	13	54	—	2	—	4	—
Waltham Holy Cross ..	10	1.41	5	0.70	1	1	—	1	—	3	—	—	—	—	—
Walthamstow M.B.	203	1.54	101	0.77	4	34	—	11	61	152	1	9	—	8	84
Wanstead and Woodford M.B.	96	1.78	46	0.85	—	6	—	3	15	64	—	3	—	1	4
West Mersea ..	1	0.42	1	0.42	—	1	—	1	—	1	—	—	—	—	—
Witham ..	4	0.56	1	0.14	—	—	—	—	1	9	—	—	—	—	—
Wivenhoe ..	1	0.46	1	0.46	1	—	—	—	1	—	—	1	—	—	—
RURAL DISTRICTS															
Braintree ..	227	1.17	69	0.36	5	15	—	6	31	88	1	7	1	3	4
Chelmsford ..	12	0.77	2	0.13	—	2	—	—	3	12	—	—	—	—	—
Dunmow ..	46	1.54	13	0.43	—	2	—	1	5	5	—	2	—	—	1
Epping ..	21	1.30	3	0.19	—	2	—	1	3	11	—	—	—	—	—
Halstead ..	18	1.20	16	1.06	1	3	—	—	5	13	1	1	—	—	—
Lexden and Winstree ..	9	0.58	1	0.06	1	1	—	1	3	2	—	—	—	—	—
Maldon ..	30	1.51	9	0.45	1	2	—	—	1	8	—	1	—	—	—
Ongar ..	14	1.03	—	—	1	—	—	2	2	3	—	—	—	—	—
Rochford ..	31	2.46	6	0.48	—	1	—	1	2	12	—	—	—	—	—
Saffron Walden ..	17	1.02	13	0.78	1	1	—	—	3	7	—	1	—	—	—
Tendring ..	15	0.95	1	0.06	—	—	—	—	—	3	—	—	—	—	—
	14	0.61	5	0.22	—	1	—	—	4	12	—	1	—	1	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
					Cases.	Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
GLOUCESTER-SHIRE :	1,293	1·59	541	0·67	15	97	—	22	290	800	11	17	8	59	48
COUNTY BOROUGH	715	1·52	335	0·71	9	61	—	16	192	528	9	12	6	38	38
Bristol	661	1·59	315	0·76	6	39	—	14	175	441	9	12	6	30	38
Gloucester ..	54	0·95	20	0·35	3	22	—	2	17	87	—	—	—	8	—
ADMINISTRATIVE COUNTY.	578	1·71	206	0·61	6	36	—	6	98	272	2	5	2	21	10
URBAN DISTRICTS	248	2·15	88	0·76	1	13	—	2	27	48	—	3	1	5	—
Charlton Kings ..	1	0·20	2	0·40	—	2	—	1	—	5	—	—	—	—	—
Cheltenham M.B.	76	1·48	18	0·35	—	6	—	1	10	24	—	2	—	1	—
Cirencester ..	1	0·13	3	0·38	—	—	—	—	1	8	—	—	—	—	—
Kingswood ..	62	4·06	54	3·54	1	2	—	—	7	2	—	1	—	1	—
Mangotsfield ..	85	6·07	4	0·29	—	1	—	—	7	2	—	—	—	—	—
Nailsworth ..	1	0·31	—	—	—	1	—	—	—	1	—	—	—	3	—
Stroud	13	0·92	7	0·50	—	1	—	—	2	6	—	—	1	—	—
Tewkesbury M.B.	9	2·07	—	—	—	—	—	—	—	—	—	—	—	—	—
RURAL DISTRICTS	330	1·48	118	0·53	5	23	—	4	71	224	2	2	1	16	10
Cheltenham ..	11	0·73	1	0·07	—	—	—	1	4	4	—	—	—	—	—
Cirencester ..	7	0·59	—	—	—	1	—	—	3	9	—	—	—	—	—
Dursley	27	1·88	4	0·28	—	1	—	—	3	4	1	—	—	—	—
East Dean ..	38	1·98	25	1·30	1	2	—	—	4	13	—	—	—	4	—
Gloucester ..	20	0·88	8	0·35	—	3	—	2	5	23	—	—	—	6	—
Lydney	19	1·79	2	0·19	1	1	—	—	2	9	—	—	—	—	—
Newent	6	0·83	15	2·08	—	—	—	—	—	4	—	—	—	2	—
North Cotswold	29	1·91	4	0·26	—	3	—	—	8	14	1	—	—	—	—
Northleach ..	17	2·33	—	—	—	—	—	1	1	4	—	—	—	1	—
Sodbury	40	1·46	27	0·99	—	2	—	—	13	47	—	—	1	2	2
Stroud	14	0·65	—	—	—	1	—	—	6	21	—	1	—	—	—
Tetbury	5	0·85	—	—	—	1	—	—	1	9	—	1	—	—	—
Thornbury ..	34	1·83	1	0·05	2	5	—	—	6	18	—	—	—	—	8
Warmley	20	2·19	30	3·28	—	—	—	—	5	4	—	—	—	1	—
West Dean ..	43	2·46	1	0·06	1	3	—	—	10	41	—	—	—	—	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
					Cases.	Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	Cases.
HEREFORDSHIRE :															
ADMINISTRATIVE COUNTY	151	1·38	66	0·60	11	19	-	-	30	118	-	1	-	10	29
URBAN DISTRICTS..	63	1·49	24	0·57	3	13	-	-	16	48	-	-	-	5	-
Bromyard ..	3	1·97	-	-	-	-	-	-	1	3	-	-	-	-	-
Hereford M.B. ..	44	1·72	18	0·70	1	11	-	-	6	29	-	-	-	5	-
Kington ..	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Ledbury ..	-	-	3	0·92	-	-	-	-	1	-	-	-	-	-	-
Leominster M.B.	8	1·43	2	0·36	1	1	-	-	1	6	-	-	-	-	-
Ross-on-Wye ..	8	1·72	1	0·22	1	1	-	-	5	10	-	-	-	-	-
RURAL DISTRICTS..	88	1·32	42	0·63	8	6	-	-	14	70	-	1	-	5	29
Bromyard ..	11	1·57	3	0·43	-	2	-	-	2	15	-	-	-	1	-
Dore and Bredwardine ..	30	4·12	1	0·14	1	-	-	-	2	2	-	-	-	-	-
Hereford ..	17	1·29	10	0·76	-	-	-	-	3	10	-	-	-	3	-
Kington ..	1	0·22	4	0·87	1	1	-	-	1	8	-	1	-	-	-
Ledbury ..	3	0·36	4	0·48	2	1	-	-	3	1	-	-	-	-	29
Leominster and Wigmore ..	15	1·52	9	0·91	-	1	-	-	1	11	-	-	-	-	-
Ross and Whitchurch ..	10	0·92	6	0·55	3	-	-	-	1	12	-	-	-	1	-
Weobley ..	1	0·18	5	0·89	1	1	-	-	1	11	-	-	-	-	-
HERTFORDSHIRE :															
ADMINISTRATIVE COUNTY	762	1·61	141	0·30	7	73	-	12	89	342	4	23	2	13	2
URBAN DISTRICTS..	598	1·71	119	0·34	6	66	-	9	67	286	3	21	2	10	2
Baldock ..	5	1·32	-	-	-	1	-	-	-	5	-	-	-	-	-
Barnet ..	44	2·12	12	0·58	-	19	-	1	17	117	-	3	-	2	-
Berkhamsted ..	49	4·81	1	0·10	-	-	-	-	-	2	-	-	-	-	-
Bishop's Stortford	30	2·78	2	0·19	-	1	-	-	1	8	-	-	-	-	1
Bushey ..	13	1·05	-	-	-	1	-	1	2	4	-	2	-	-	-
Cheshunt ..	20	1·20	10	0·60	-	1	-	-	3	24	1	-	-	-	-
Chorleywood ..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Barnet ..	69	2·20	14	0·45	-	3	-	3	9	31	-	1	1	2	-
Harpenden ..	21	1·86	7	0·62	1	-	-	1	-	4	-	-	-	-	-
Hemel Hempstead M.B. ..	13	0·70	1	0·05	1	8	-	-	2	1	1	4	1	-	-
Hertford M.B. ..	38	2·93	10	0·77	-	1	-	-	-	-	-	-	-	1	-
Hitchin ..	37	2·20	14	0·83	-	1	-	1	1	5	-	-	-	2	1
Hoddesdon ..	16	1·36	6	0·51	1	1	-	-	1	13	-	-	-	-	-
Letchworth ..	55	3·51	7	0·45	1	4	-	-	5	12	-	-	-	-	-
Rickmansworth ..	14	0·80	1	0·06	-	1	-	-	3	2	-	-	-	1	-
Royston ..	1	0·26	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Albans M.B. ..	29	0·81	7	0·20	-	17	-	-	2	10	1	3	-	1	-
Sawbridgeworth ..	2	0·67	-	-	-	-	-	-	-	-	-	-	-	-	-
Stevenage ..	3	0·53	2	0·35	-	-	-	1	-	3	-	-	-	-	-
Tring ..	6	1·35	-	-	-	-	-	-	1	4	-	1	-	-	-
Ware ..	14	1·88	2	0·27	-	1	-	-	-	2	-	-	-	-	-
Watford M.B. ..	97	1·50	19	0·29	2	5	-	1	16	32	-	7	-	1	-
Welwyn Garden City ..	22	1·93	4	0·35	-	1	-	-	4	7	-	-	-	-	-

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
HERTFORDSHIRE —cont.															
RURAL DISTRICTS	164	1·32	22	0·18	1	7	—	3	22	56	1	2	—	3	—
Barnet	10	1·16	2	0·23	—	—	—	—	3	4	—	—	—	1	—
Berkhamsted ..	18	4·21	—	—	—	—	—	1	—	2	—	—	—	—	—
Braughing ..	2	0·23	3	0·34	—	—	—	—	—	6	—	1	—	1	—
Hatfield	38	2·42	2	0·13	—	—	—	—	4	13	—	—	—	—	—
Hemel Hempstead	—	—	4	0·46	1	—	—	—	1	3	—	—	—	—	—
Hertford	17	2·44	—	—	—	—	—	—	1	2	—	—	—	—	—
Hitchin	15	0·80	2	0·11	—	2	—	1	4	5	—	—	—	1	—
St. Albans ..	24	1·18	7	0·35	—	3	—	1	5	9	1	1	—	—	—
Ware	13	1·35	—	—	—	1	—	—	—	1	—	—	—	—	—
Watford	19	1·03	2	0·11	—	1	—	—	4	11	—	—	—	—	—
Welwyn	8	1·99	—	—	—	—	—	—	—	—	—	—	—	—	—
HUNTINGDON- SHIRE :															
ADMINISTRATIVE COUNTY	48	0·85	101	1·79	4	5	—	2	18	92	—	5	1	1	—
URBAN DISTRICTS	33	1·25	65	2·47	2	2	—	—	12	55	—	4	1	—	—
Godmanchester M.B.	1	0·49	—	—	—	1	—	—	3	10	—	—	—	—	—
Huntingdon M.B.	11	2·36	1	0·21	—	1	—	—	4	11	—	—	—	—	—
Old Fletton ..	6	0·78	60	7·77	—	—	—	—	1	9	—	—	—	—	—
Ramsey	7	1·36	4	0·78	1	—	—	—	—	14	—	2	1	—	—
St. Ives M.B. ..	5	1·90	—	—	—	—	—	—	2	2	—	2	—	—	—
St. Neots ..	3	0·73	—	—	1	—	—	—	2	9	—	—	—	—	—
RURAL DISTRICTS ..	15	0·50	36	1·20	2	3	—	2	6	37	—	1	—	1	—
Huntingdon ..	2	0·29	2	0·29	2	—	—	—	4	13	—	—	—	—	—
Norman Cross ..	3	0·43	28	3·98	—	1	—	—	2	7	—	1	—	—	—
St. Ives	5	0·52	2	0·21	—	2	—	1	—	11	—	—	—	—	—
St. Neots.. ..	5	0·77	4	0·62	—	—	—	1	—	6	—	—	—	1	—
KENT :	2,476	1·78	1,109	0·80	47	126	—	65	343	979	15	56	3	42	1
COUNTY BOROUGH															
Canterbury ..	45	1·76	3	0·12	1	—	—	1	9	12	2	1	—	—	—
ADMINISTRATIVE COUNTY	2,431	1·78	1,106	0·81	46	126	—	64	334	967	13	55	3	42	1

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
					Cases.	Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
KENT—cont.															
URBAN DISTRICTS	2,000	1·84	944	0·87	35	113	—	56	276	761	12	46	3	33	108
Ashford	12	0·53	16	0·71	1	3	—	3	1	31	—	2	—	—	—
Beckenham M.B.	113	1·62	12	0·17	2	15	—	7	7	49	—	12	—	—	18
*Bexley	195	2·62	60	0·81	1	10	—	—	20	41	—	6	1	2	8
Broadstairs and St. Peter's ..	31	2·34	3	0·23	—	2	—	—	3	16	—	—	—	1	—
Bromley M.B. ..	105	1·79	40	0·68	6	4	—	1	7	50	—	6	—	3	25
Chatham M.B. ..	162	3·60	257	5·71	—	9	—	—	27	15	1	4	—	3	—
*Chislehurst and Sidcup	204	3·48	57	0·97	4	7	—	7	14	46	1	4	—	2	22
Crayford	43	1·81	5	0·21	1	—	—	—	7	16	—	—	—	—	—
Dartford M.B. ..	41	1·19	25	0·72	1	3	—	—	8	26	2	2	—	—	—
Deal M.B.	18	0·76	1	0·04	—	—	—	1	2	—	—	—	—	—	—
Dover M.B.	48	1·19	12	0·30	—	8	—	1	12	36	—	—	—	1	—
*Erith	61	1·60	37	0·97	3	2	—	1	17	42	—	1	—	2	3
Faversham M.B.	8	0·66	1	0·08	—	1	—	—	9	4	—	—	—	1	—
Folkestone M.B...	56	1·23	68	1·50	—	6	—	12	17	31	—	1	—	—	3
Gillingham M.B.	211	3·04	42	0·61	—	1	—	2	17	50	—	—	—	2	—
Gravesend M.B...	60	1·52	11	0·28	—	1	—	—	6	6	—	—	—	—	—
Herne Bay	44	2·74	2	0·12	1	—	—	—	3	54	—	1	2	—	—
Hythe M.B. .. .	1	0·11	4	0·46	1	—	—	8	—	3	—	—	—	—	—
Lydd M.B. .. .	1	0·35	—	—	—	1	—	—	—	4	—	—	—	—	—
Maidstone M.B...	45	0·95	51	1·08	3	4	—	1	16	24	—	—	—	5	2
Margate M.B. ..	67	1·69	17	0·43	1	2	—	3	8	16	1	1	—	1	—
New Romney M.B.	2	1·06	—	—	—	—	—	—	—	5	—	—	—	—	—
Northfleet .. .	23	1·28	3	0·17	2	2	—	—	1	4	2	—	—	—	—
Orpington .. .	69	1·58	54	1·24	4	5	—	4	17	27	2	—	—	1	2
Penge	74	2·90	23	0·90	—	2	—	—	6	7	—	1	—	—	—
Queenborough M.B.	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Ramsgate M.B. ..	46	1·33	28	0·81	1	1	—	2	5	41	1	1	—	2	5
Rochester M.B. ..	41	1·12	46	1·26	2	10	—	—	9	33	1	3	—	3	—
Royal Tunbridge Wells M.B. ..	75	2·27	13	0·39	—	8	—	—	11	27	1	1	—	1	2
Sandwich M.B. ..	2	0·51	7	1·80	—	—	—	—	1	1	—	—	—	—	—
Sevenoaks	39	3·10	4	0·32	—	2	—	—	1	2	—	—	—	—	1
Sheerness	8	0·49	7	0·43	—	1	—	3	3	7	—	—	—	—	—
Sittingbourne and Milton	20	0·96	2	0·10	—	1	—	—	9	3	—	—	—	1	—
Southborough ..	4	0·52	3	0·39	1	—	—	—	—	—	—	—	—	2	—
Swanscombe .. .	26	3·14	9	1·09	—	1	—	—	2	—	—	—	—	—	—
Tenterden M.B...	2	0·59	—	—	—	—	—	—	—	1	—	—	—	—	—
Tonbridge .. .	20	1·14	7	0·40	—	1	—	—	8	18	—	—	—	—	17
Whitstable .. .	23	1·48	17	1·09	—	—	—	—	2	24	—	—	—	—	—
RURAL DISTRICTS	431	1·53	162	0·58	11	13	—	8	58	206	1	9	—	9	3
Bridge-Blean ..	69	4·43	1	0·06	3	—	—	1	2	26	—	1	—	—	—
Cranbrook	23	1·73	8	0·60	2	—	—	—	6	12	—	1	—	—	—
Dartford	58	1·78	27	0·83	—	2	—	—	6	11	1	4	—	1	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
KENT—cont.															
RURAL DISTRICTS—cont.															
Dover	6	0·64	1	0·11	—	—	—	1	2	—	—	—	—	—	—
East Ashford ..	3	0·33	7	0·77	—	—	—	—	—	7	—	—	—	1	—
Eastry	35	1·48	21	0·89	1	1	—	—	3	21	—	—	—	1	—
Elham	11	1·23	4	0·45	—	—	—	2	1	11	—	—	—	—	—
Hollingbourne ..	26	1·87	3	0·22	—	2	—	—	4	2	—	—	—	—	—
Maidstone	21	1·35	3	0·19	1	1	—	—	2	5	—	—	—	1	—
Malling	33	1·08	24	0·78	1	1	—	1	8	30	—	1	—	1	—
Romney Marsh ..	2	0·59	—	—	—	—	—	—	—	—	—	—	—	—	—
Sevenoaks	46	1·65	—	—	—	2	—	1	11	16	—	—	—	—	—
Sheppey	7	0·88	1	0·12	—	1	—	—	2	10	—	—	—	2	—
Strood	14	0·80	9	0·51	—	—	—	—	2	5	—	2	—	—	—
Swale	33	1·84	13	0·73	1	2	—	1	2	17	—	—	—	1	—
Tenterden	4	0·63	6	0·95	1	—	—	—	—	3	—	—	—	—	—
Tonbridge	27	1·41	27	1·41	1	1	—	—	7	7	—	—	—	1	—
West Ashford ..	13	1·53	7	0·83	—	—	—	1	—	23	—	—	—	—	—
*LANCASHIRE :	13,621	2·72	10,496	2·09	174	1,051	2	326	2,393	9,628	267	33	48	1,153	270
*COUNTY BOROUGHs	9,443	2·99	7,652	2·43	131	839	—	237	1,707	7,119	211	17	28	1,017	102
Barrow-in-Furness	82	1·25	164	2·49	—	1	—	—	30	141	—	—	—	5	—
Blackburn	262	2·30	202	1·77	3	24	—	6	39	233	7	1	1	10	—
Blackpool	161	1·30	70	0·57	5	23	—	7	27	49	—	2	—	16	—
Bolton	563	3·30	222	1·30	1	3	—	5	67	171	8	1	1	5	—
Bootle	236	3·16	263	3·52	—	11	—	21	45	209	5	—	—	9	—
Burnley	162	1·81	283	3·16	—	35	—	1	48	223	1	—	—	9	—
*Bury	74	1·24	97	1·63	2	5	—	1	19	113	3	—	—	9	—
Liverpool	3,192	3·82	2,448	2·93	24	422	—	151	676	1,935	93	5	15	785	77
Manchester	2,656	3·61	1,883	2·56	69	122	—	13	391	2,298	61	1	6	115	6
Oldham	214	1·67	273	2·14	6	51	—	2	38	171	4	—	—	22	6
Preston	214	1·88	144	1·27	5	26	—	11	40	136	5	—	1	4	—
Rochdale	80	0·87	56	0·61	—	6	—	3	25	49	1	3	1	—	—
St. Helens	671	6·25	463	4·31	7	29	—	2	63	275	3	2	—	8	—
Salford	466	2·31	531	2·63	5	53	—	8	102	520	16	—	—	9	—
Southport	208	2·63	81	1·03	3	7	—	—	26	119	—	—	—	5	—
Warrington	91	1·16	142	1·81	—	16	—	1	43	225	—	2	2	5	—
Wigan	111	1·33	330	3·97	1	5	—	5	28	252	4	—	1	1	—
*ADMINISTRATIVE COUNTY	4,178	2·25	2,844	1·53	43	212	2	89	686	2,509	56	16	20	136	174
*URBAN DISTRICTS	3,603	2·23	2,522	1·56	38	198	2	65	625	2,280	54	14	18	125	32
Abram	30	4·76	9	1·43	—	—	—	—	2	22	—	—	—	—	—
Accrington M.B.	37	0·93	96	2·41	—	2	—	—	9	55	—	—	—	3	—
Adlington	27	6·70	—	—	—	1	—	—	—	9	—	—	—	3	—
Ashton-in-Makerfield	13	0·66	7	0·36	—	5	—	3	4	46	—	—	—	1	—
Ashton-under-Lyne M.B.	233	4·77	243	4·98	3	22	—	1	25	97	1	—	2	5	5
Aspull	4	0·60	7	1·06	—	—	—	—	10	49	—	—	—	—	—
Atherton	51	2·47	109	5·29	2	8	—	1	14	50	—	—	—	2	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
LANCASHIRE—cont.															
URBAN DISTRICTS—cont.															
Audenshaw ..	34	2.97	35	3.05	—	—	—	—	7	6	—	—	—	1	—
Bacup M.B. ..	10	0.51	11	0.56	—	1	—	—	8	30	—	—	—	2	—
Barrowford ..	4	0.81	3	0.60	—	2	—	—	2	5	—	—	—	—	—
Billinge and Winstanley ..	7	1.24	1	0.18	—	1	—	—	3	8	—	—	—	—	—
Blackrod ..	32	9.74	2	0.61	1	—	—	1	3	2	—	—	—	1	—
Brierfield ..	5	0.69	10	1.38	—	—	—	—	2	5	—	—	—	—	—
Carnforth ..	4	1.28	1	0.32	—	—	—	—	—	1	—	—	—	—	—
Chadderton ..	71	2.41	14	0.47	—	—	—	—	5	27	1	—	—	6	2
Chorley M.B. ..	65	2.18	11	0.37	—	2	—	1	13	42	1	—	1	1	—
Church ..	9	1.62	6	1.08	—	—	—	—	2	4	—	—	—	2	—
Clayton-le-Moors ..	1	0.14	2	0.28	—	—	—	—	—	1	—	1	—	—	—
Clitheroe M.B. ..	44	3.89	20	1.77	—	1	—	—	4	10	—	1	—	2	—
Colne M.B. ..	19	0.86	1	0.05	—	1	—	—	8	24	—	—	—	1	—
Crompton ..	15	1.12	4	0.30	—	—	—	—	—	12	—	—	—	—	—
a† Crosby M.B. ..	83	1.49	89	1.60	—	1	—	7	20	63	1	—	—	4	—
Dalton-in-Furness ..	73	7.03	22	2.12	—	—	—	—	—	—	—	—	—	—	—
Darwen M.B. ..	41	1.27	60	1.86	1	2	—	—	5	33	1	1	—	1	—
*Denton ..	58	2.75	96	4.55	—	—	—	—	12	16	—	—	—	—	—
Droylsden ..	60	2.79	64	2.98	1	5	—	—	6	19	—	—	1	—	—
Eccles M.B. ..	76	1.79	74	1.74	4	3	—	2	27	42	5	—	1	1	—
Failsworth ..	62	3.57	31	1.78	—	4	2	—	9	35	2	—	—	2	—
Farnworth ..	73	2.61	25	0.90	9	3	—	—	23	99	1	—	1	—	—
Fleetwood M.B. ..	57	2.34	9	0.37	2	2	—	—	8	32	—	—	—	5	—
Formby ..	12	1.41	20	2.34	—	—	—	—	3	9	—	—	—	—	—
Fulwood ..	6	0.56	4	0.37	1	15	—	—	2	10	1	—	—	1	—
Golborne ..	46	3.29	19	1.36	—	—	—	1	4	31	—	—	1	5	—
Grange ..	5	2.11	—	—	—	—	—	—	—	3	—	—	—	—	—
b† Great Crosby ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Great Harwood ..	2	0.18	2	0.18	—	1	—	—	1	3	—	—	—	—	—
Haslingden M.B. ..	8	0.52	6	0.39	—	2	—	2	7	28	—	—	—	1	—
Haydock ..	24	2.23	5	0.47	—	3	—	—	6	20	—	—	—	—	—
Heywood M.B. ..	29	1.14	43	1.69	—	6	—	—	2	23	—	—	—	1	—
Hindley ..	94	4.60	40	1.96	—	1	—	6	13	45	—	2	1	—	—
Horwich ..	88	5.89	6	0.40	—	1	—	1	2	18	—	—	1	—	—
Huyton with Roby ..	112	5.00	117	5.22	—	3	—	—	1	10	—	—	—	3	—
Ince in Makerfield ..	34	1.62	90	4.29	—	1	—	—	6	83	3	—	—	—	—
Irlam ..	34	2.37	15	1.04	1	—	—	1	5	23	—	—	—	—	—
Kearsley ..	35	3.26	7	0.65	—	—	—	—	3	5	—	—	—	—	—
Kirkham ..	10	2.40	1	0.24	—	—	—	—	—	1	—	—	—	—	—
Lancaster M.B. ..	160	3.39	53	1.12	1	15	—	2	40	75	2	1	—	1	1
Lees ..	3	0.70	5	1.17	—	—	—	—	—	7	—	—	—	—	—
Leigh M.B. ..	163	3.54	135	2.93	—	12	—	4	23	101	1	1	—	17	—
Leyland ..	76	6.41	4	0.34	—	—	—	7	—	16	—	—	—	1	—
Litherland ..	38	2.01	22	1.17	—	2	—	—	8	27	—	1	—	5	—
Littleborough ..	6	0.53	2	0.18	1	—	—	—	3	8	—	—	—	1	—
Little Lever ..	20	4.15	1	0.21	—	—	—	—	—	6	—	—	—	1	—

† See note at end of Table.

(a) Created 9th November, 1937, by the amalgamation of Great Crosby U.D. and Waterloo with Seaforth U.D. Figures are shown as from 1st January, 1937.

(b) Abolished 9th November, 1937. Figures included with those of Crosby M.B. from 1st January, 1937.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		† Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
					Cases.	Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
LANCASHIRE—cont.															
URBAN DISTRICTS—cont.															
Longridge ..	5	1·25	1	0·25	—	—	—	—	2	5	—	—	—	—	—
Lytham St. Anne's M.B. ..	75	2·97	31	1·23	1	2	—	1	4	8	—	—	2	1	—
Middleton M.B. ..	27	0·93	53	1·83	—	—	—	—	4	42	1	—	—	—	—
Milnrow ..	9	1·12	4	0·50	—	3	—	—	5	3	—	—	—	1	—
Morecambe and Heysham M.B. ..	92	3·08	17	0·57	—	4	—	—	9	32	1	1	1	5	—
Mossley M.B. ..	12	1·09	10	0·91	—	—	—	—	1	11	—	—	1	—	—
Nelson M.B. ..	23	0·64	25	0·70	—	—	—	—	8	19	—	—	—	2	—
Newton in Makerfield ..	42	2·05	23	1·12	—	3	—	2	12	62	3	—	—	6	—
Ormskirk ..	27	1·48	12	0·66	—	1	—	3	4	30	—	—	—	1	—
Orrell ..	8	0·96	36	4·31	—	—	—	3	3	13	—	—	—	—	—
Oswaldtwistle ..	11	0·86	15	1·18	—	—	—	—	—	24	—	—	1	1	—
Padiham ..	27	2·54	8	0·75	—	1	—	—	5	20	—	—	—	1	—
Poulton le Fylde	—	—	1	0·16	—	—	—	—	—	3	—	—	—	1	—
Preesall ..	5	2·47	—	—	—	—	—	—	—	2	—	—	—	—	—
Prescot ..	25	2·18	47	4·10	—	2	—	—	3	—	—	—	—	—	—
Prestwich ..	54	1·70	44	1·39	1	3	—	2	20	43	—	—	—	—	—
Radcliffe M.B. ..	69	2·55	30	1·11	1	5	—	—	13	53	1	—	—	2	—
Rainford ..	7	1·93	4	1·10	—	—	—	—	—	4	—	—	—	—	—
Ramsbottom ..	24	1·60	31	2·06	—	—	—	—	3	40	—	—	—	2	—
Rawtenstall M.B. ..	14	0·51	30	1·10	—	1	—	—	13	43	1	—	—	2	—
Rishton ..	6	1·01	5	0·84	—	—	—	—	1	5	—	—	—	—	—
Royton ..	27	1·73	1	0·06	—	—	—	—	7	16	—	—	—	1	—
Skelmersdale ..	7	1·13	2	0·32	—	—	—	—	—	5	—	—	—	—	—
Standish with Langtree ..	5	0·61	7	0·86	—	—	—	—	5	16	—	—	—	—	—
Stretford M.B. ..	107	1·79	80	1·34	2	7	—	1	28	55	1	—	1	4	—
Swinton and Pendlebury M.B. ..	117	2·95	68	1·71	—	5	—	6	19	52	10	2	—	3	—
Thornton Cleveleys	18	1·44	12	0·96	1	—	—	—	2	5	—	—	2	—	—
Tottington ..	3	0·49	6	0·98	1	—	—	—	7	33	—	—	—	—	—
Trawden ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Turton ..	19	1·69	3	0·27	—	2	—	—	—	6	—	—	—	—	—
Tyldesley ..	34	1·81	22	1·17	—	1	—	—	14	35	5	—	—	4	—
Ulverston ..	56	6·02	5	0·54	—	—	—	2	3	3	—	—	1	—	—
Upholland ..	4	0·66	21	3·48	—	—	—	—	4	13	—	—	—	—	—
Urmston ..	81	2·66	25	0·82	—	11	—	1	12	37	5	—	—	2	—
Walton le Dale ..	53	3·97	9	0·67	—	1	—	1	5	11	—	—	—	—	—
Wardle ..	4	0·93	6	1·40	1	5	—	3	10	—	—	1	—	3	—
a† Waterloo with Seaforth.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Westhoughton ..	25	1·65	15	0·99	—	2	—	—	4	7	—	—	—	—	—
* Whitefield ..	40	3·32	14	1·16	—	—	—	—	2	18	1	—	—	—	—
Whitworth ..	3	0·39	5	0·66	—	—	—	—	—	2	—	1	—	—	—
Widnes M.B. ..	65	1·51	90	2·09	1	11	—	—	18	96	1	—	—	3	—
Withnell ..	4	1·44	2	0·72	—	—	—	—	2	1	—	1	—	—	—
Worsley ..	66	2·69	43	1·76	—	1	—	—	11	11	4	—	—	—	—

† See note at end of Table.

(a) Abolished 9th November, 1937. Figures included with those of Crosby M.B. from 1st January, 1937.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
					Cases.	Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
LANCASHIRE—cont.															
RURAL DISTRICTS	575	2·37	322	13·3	5	14	—	24	61	229	2	2	2	11	142
Blackburn ..	10	0·79	3	0·24	—	1	—	—	7	13	—	—	—	—	—
Burnley ..	28	1·58	15	0·85	—	2	—	—	2	24	1	—	—	1	—
Chorley ..	57	2·36	6	0·25	—	—	—	—	5	23	—	—	—	—	—
Clitheroe ..	25	2·78	17	1·89	—	—	—	—	9	9	—	1	—	—	12
Fylde ..	50	5·29	2	0·21	1	—	—	1	—	4	—	1	—	1	—
Garstang ..	24	2·04	4	0·34	—	—	—	—	1	8	—	—	—	—	—
Lancaster ..	55	5·59	18	1·83	—	1	—	—	3	8	—	—	—	—	—
Limehurst ..	21	2·62	37	4·62	1	—	—	1	2	7	—	—	—	2	—
Lunesdale ..	24	3·79	6	0·95	—	—	—	—	—	—	—	—	—	—	—
Preston ..	65	1·95	12	0·36	2	4	—	4	7	26	—	—	—	—	117
Ulverston ..	56	3·50	8	0·50	—	1	—	1	1	2	—	—	—	—	—
Warrington ..	20	1·03	31	1·59	—	2	—	6	7	44	—	—	1	4	—
West Lancashire	50	1·55	33	1·02	—	1	—	5	12	27	—	—	1	—	—
Whiston ..	84	3·32	122	4·82	1	2	—	4	3	11	—	—	—	1	13
Wigan ..	6	0·84	8	1·12	—	—	—	2	2	23	1	—	—	1	—
LEICESTERSHIRE :															
1,377	2·44	829	1·47	22	125	—	18	225	983	21	2	4	49	2	
COUNTY BOROUGH															
Leicester ..	614	2·34	457	1·74	7	105	—	13	124	520	9	2	2	28	2
ADMINISTRATIVE COUNTY.															
763	2·54	372	1·24	15	20	—	5	101	463	12	—	2	21	—	
URBAN DISTRICTS															
367	2·60	164	1·16	6	13	—	2	60	271	9	—	—	11	—	
Ashby de la Zouch	4	0·68	1	0·17	—	3	—	1	—	1	—	—	—	—	—
Ashby Wolds ..	12	3·67	10	3·06	—	—	—	—	1	4	—	—	—	—	—
Coalville ..	65	2·70	31	1·29	2	2	—	—	18	101	4	—	—	4	—
Hinckley ..	68	2·02	50	1·48	2	1	—	—	21	49	1	—	—	2	—
Loughborough M.B.	125	4·14	9	0·30	1	5	—	1	9	36	2	—	—	1	—
Market Harborough	5	0·53	4	0·42	—	—	—	—	1	10	—	—	—	—	—
Melton Mowbray	20	1·78	3	0·27	—	—	—	—	6	31	2	—	—	3	—
Oadby ..	7	1·35	—	—	—	—	—	—	—	2	—	—	—	—	—
Shepshed ..	6	1·05	36	6·32	—	1	—	—	4	36	—	—	—	—	—
Wigston ..	55	4·38	20	1·59	1	1	—	—	—	1	—	—	—	1	—
RURAL DISTRICTS															
396	2·48	208	1·30	9	7	—	3	41	192	3	—	—	2	10	—
Ashby de la Zouch	94	6·76	46	3·31	1	2	—	2	4	39	—	—	1	—	—
Barrow upon Soar	116	3·03	54	1·41	3	2	—	—	13	66	—	—	1	5	—
Billesdon ..	6	0·97	3	0·48	—	—	—	—	—	—	—	—	—	—	—
Blaby ..	53	1·64	32	0·99	1	1	—	—	8	22	1	—	—	—	—
Castle Donington	7	0·86	4	0·49	1	—	—	—	5	32	—	—	—	1	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
					Cases.	Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
LEICESTERSHIRE— —cont.															
RURAL DISTRICTS— —cont.															
Lutterworth ..	8	0·76	—	—	1	—	—	—	2	2	—	—	—	2	—
Market Bosworth	48	1·97	29	1·19	2	1	—	—	6	13	2	—	—	—	—
Market Harborough	6	0·69	22	2·53	—	1	—	1	1	1	—	—	—	—	—
Melton & Belvoir	58	3·40	18	1·06	—	—	—	—	2	17	—	—	—	2	—
LINCOLNSHIRE— PARTS OF HOLLAND :															
ADMINISTRATIVE COUNTY	120	1·26	17	0·18	1	5	—	10	25	53	1	—	3	17	—
URBAN DISTRICTS ..	53	1·45	4	0·11	—	4	—	3	12	33	—	—	2	7	—
Boston M.B. ..	13	0·56	1	0·04	—	3	—	3	8	23	—	—	—	2	—
Spalding	40	3·00	3	0·23	—	1	—	—	4	10	—	—	2	5	—
RURAL DISTRICTS	67	1·14	13	0·22	1	1	—	7	13	20	1	—	1	10	—
Boston	23	1·21	1	0·05	1	1	—	—	7	9	1	—	—	8	—
East Elloe ..	9	0·40	12	0·53	—	—	—	7	5	8	—	—	—	—	—
Spalding	35	2·00	—	—	—	—	—	—	1	3	—	—	1	2	—
LINCOLNSHIRE— PARTS OF KESTEVEN :															
ADMINISTRATIVE COUNTY.	234	2·06	54	0·48	4	20	—	3	26	86	—	1	1	4	—
URBAN DISTRICTS ..	58	1·38	21	0·50	2	11	—	—	14	32	—	—	—	—	—
Bourne	4	0·86	—	—	1	1	—	—	1	1	—	—	—	—	—
Grantham M.B. ..	10	0·50	17	0·85	—	5	—	—	8	12	—	—	—	—	—
Sleaford	21	2·87	4	0·55	1	2	—	—	5	16	—	—	—	—	—
Stamford M.B. ..	23	2·27	—	—	—	3	—	—	—	3	—	—	—	—	—
RURAL DISTRICTS	176	2·46	33	0·46	2	9	—	3	12	54	—	1	1	4	—
East Kesteven ..	125	5·94	4	0·19	1	—	—	—	4	19	—	—	—	2	—
North Kesteven ..	17	0·80	1	0·05	—	5	—	1	6	20	—	—	1	—	—
South Kesteven ..	8	0·58	7	0·51	—	2	—	—	1	9	—	1	—	—	—
West Kesteven ..	26	1·68	21	1·35	1	2	—	2	1	6	—	—	—	2	—
LINCOLNSHIRE— PARTS OF LINDSEY :															
COUNTY BOROUGHS	274	1·76	134	0·86	7	39	—	3	30	200	4	—	1	31	—
Grimsby	215	2·32	86	0·93	6	31	—	1	14	80	1	—	—	26	—
Lincoln	59	0·94	48	0·76	1	8	—	2	16	120	3	—	1	5	—
ADMINISTRATIVE COUNTY	324	1·20	227	0·84	9	50	—	7	68	301	2	3	—	22	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
					Cases.	Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
LINCOLNSHIRE—PARTS OF LINDSEY—cont.															
URBAN DISTRICTS	166	1·28	148	1·14	4	30	—	6	47	161	2	1	—	12	1
Alford	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Barton upon Humber ..	4	0·64	1	0·16	—	—	—	—	4	5	—	—	—	—	—
Brigg	1	0·24	—	—	—	2	—	—	1	8	—	—	—	—	—
Cleethorpes ..	49	1·70	18	0·62	1	3	—	—	12	31	—	—	—	4	1
Gainsborough ..	32	1·88	24	1·41	—	2	—	1	11	38	1	—	—	1	—
Horncastle ..	3	0·86	32	9·21	—	—	—	—	1	7	—	—	—	—	—
Louth M.B. ..	3	0·31	4	0·41	—	2	—	—	1	10	—	—	—	—	—
Mablethorpe and Sutton. ..	2	0·45	1	0·22	—	2	—	—	1	1	—	—	—	—	—
Market Rasen ..	1	0·50	1	0·50	—	—	—	—	1	—	—	—	—	—	—
Scunthorpe M.B.	55	1·37	65	1·61	3	19	—	5	13	56	1	1	—	6	—
Skegness ..	12	1·19	2	0·20	—	—	—	—	2	3	—	—	—	—	—
Woodhall Spa ..	4	2·74	—	—	—	—	—	—	—	2	—	—	—	1	—
RURAL DISTRICTS	158	1·12	79	0·56	5	20	—	1	21	140	—	2	—	10	—
Caistor	46	3·80	4	0·33	—	6	—	—	1	20	—	—	—	1	—
Gainsborough ..	9	0·88	9	0·88	1	1	—	—	—	12	—	—	—	1	—
Glanford Brigg ..	20	0·66	44	1·45	1	3	—	—	4	23	—	—	—	2	—
Grimsby	35	3·01	1	0·09	—	2	—	—	3	9	—	1	—	2	—
Horncastle ..	17	1·51	5	0·45	1	1	—	—	1	21	—	1	—	1	—
Isle of Axholme..	9	0·69	9	0·69	—	1	—	—	1	3	—	—	—	1	—
Louth	8	0·48	3	0·18	—	1	—	—	3	19	—	—	—	1	—
Spilsby	6	0·26	1	0·04	1	5	—	1	6	31	—	—	—	—	—
Welton	8	0·66	3	0·25	1	—	—	—	2	2	—	—	—	1	—
LONDON :	8,554	2·09	7,902	1·93	237	826	—	223	1,795	4,831	186	121	10	456	981
CITY OF LONDON ..	12	1·34	6	0·67	—	1	—	1	2	5	—	—	—	—	—
Inner and Middle Temples ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
METROPOLITAN BOROUGHs :															
Battersea ..	278	1·94	313	2·18	3	18	—	5	83	289	10	2	—	12	9
Bermondsey ..	167	1·69	167	1·69	1	13	—	5	28	170	10	1	—	1	43
Bethnal Green ..	305	3·23	225	2·38	6	16	—	4	72	100	6	4	—	14	53
Camberwell ..	422	1·88	344	1·53	16	24	—	7	79	152	14	3	—	16	20
Chelsea	96	1·70	79	1·40	1	7	—	3	18	67	1	—	—	4	5

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
LONDON—cont.															
METROPOLITAN BORO'S.—cont.															
Deptford ..	171	1·77	159	1·65	4	23	—	7	30	120	1	5	—	5	20
Finsbury ..	133	2·27	142	2·42	4	20	—	—	25	93	3	—	—	13	19
Fulham ..	319	2·30	206	1·48	2	26	—	3	63	171	12	3	1	19	29
Greenwich ..	183	1·91	307	3·20	8	28	—	11	34	119	6	1	—	12	29
Hackney ..	420	2·03	308	1·49	22	73	—	6	110	194	9	5	1	28	29
Hammersmith ..	331	2·62	177	1·40	9	36	—	2	50	86	5	2	—	13	29
Hampstead ..	194	2·14	106	1·17	3	19	—	1	25	88	6	2	3	22	19
Holborn ..	58	1·68	114	3·29	4	2	—	1	12	37	2	22	—	3	39
Islington ..	723	2·45	623	2·11	17	75	—	11	151	214	10	1	1	34	39
Kensington ..	251	1·43	215	1·22	12	33	—	14	72	217	3	8	—	8	69
Lambeth ..	535	1·95	510	1·86	20	50	—	10	113	281	8	5	—	54	19
Lewisham ..	590	2·61	284	1·26	4	46	—	18	70	258	7	8	2	16	89
Paddington ..	237	1·71	223	1·61	24	40	—	11	60	185	5	7	—	16	59
Poplar ..	351	2·57	572	4·18	5	31	—	12	93	331	5	5	1	5	39
St. Marylebone ..	121	1·31	108	1·17	13	34	—	9	47	61	3	2	—	10	—
St. Pancras ..	365	2·01	617	3·39	14	31	—	13	65	229	5	8	—	26	89
Shoreditch ..	215	2·61	169	2·05	3	21	—	8	55	90	5	1	1	15	59
Southwark ..	308	2·09	364	2·47	8	15	—	5	55	165	8	3	—	29	29
Stepney ..	378	1·86	645	3·18	7	33	—	5	118	279	9	8	—	14	29
Stoke Newington	90	1·79	46	0·92	11	17	—	1	28	50	2	1	—	2	19
Wandsworth ..	636	1·86	414	1·21	4	37	—	17	121	485	9	7	—	25	39
Westminster ..	241	1·94	134	1·08	2	27	—	16	43	28	12	2	—	9	39
Woolwich ..	424	2·84	325	2·18	10	24	—	17	73	267	10	5	—	31	89
MIDDLESEX :															
ADMINISTRATIVE COUNTY ..	4,802	2·38	1,994	0·99	107	412	—	67	614	1,948	49	59	5	140	32
URBAN DISTRICTS ..	4,802	2·38	1,994	0·99	107	412	—	67	614	1,948	49	59	5	140	32
Acton M.B. ..	207	3·00	69	1·00	2	6	—	2	24	73	1	—	—	4	—
Brentford and Chiswick M.B.	201	3·24	39	0·63	—	21	—	2	12	36	1	—	—	—	—
*Ealing M.B. ..	315	2·02	123	0·79	4	25	—	5	30	98	1	7	—	7	—
Edmonton M.B. ...	282	2·78	109	1·07	8	53	—	9	45	78	4	4	—	20	29
Enfield ..	160	1·83	132	1·51	3	7	—	3	26	52	1	—	2	5	11
*Feltham ..	142	4·95	15	0·52	1	4	—	1	3	1	—	—	—	4	—
*Finchley M.B. ..	146	2·26	12	0·19	—	3	—	2	15	56	1	4	—	—	—
*Friern Barnet ..	49	1·84	10	0·38	1	—	—	—	8	47	—	1	—	—	29
†Hampton ..	3	0·84	—	—	—	1	—	—	—	2	—	—	—	—	—
†Hampton Wick ..	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—
Harrow ..	415	2·37	95	0·54	5	29	—	2	32	119	7	4	1	14	29
Hayes and Harlington ..	190	4·78	12	0·30	2	5	—	—	7	28	—	1	—	5	—
Hendon M.B. ..	244	1·70	122	0·85	25	37	—	2	45	151	2	3	—	8	39
Heston and Isleworth M.B. ..	242	2·43	18	0·18	20	61	—	6	45	123	5	3	—	11	—
*Hornsey M.B. ..	134	1·39	107	1·11	2	9	—	2	43	80	1	—	—	2	—
Potters Bar ..	10	0·90	6	0·54	1	—	—	—	1	4	—	2	—	—	—
Ruislip Northwood	138	3·80	22	0·61	1	4	—	—	17	19	—	—	1	1	—
Southall M.B. ..	141	2·73	119	2·31	—	10	—	1	17	61	1	1	—	1	—
Southgate M.B. ..	59	0·89	9	0·14	—	9	—	3	25	49	—	1	—	—	—
Staines ..	61	2·11	66	2·29	1	2	—	—	3	27	—	4	—	3	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
MIDDLESEX—cont.															
URBAN DISTRICTS—cont.															
*Sunbury-on-Thames	57	3.58	4	0.25	—	1	—	—	3	4	—	1	—	2	—
†Teddington ..	12	2.04	6	1.02	—	—	—	—	2	11	—	—	—	1	—
Tottenham M.B.	306	2.09	236	1.61	4	32	—	7	66	139	5	6	—	10	26
*Twickenham M.B.	133	1.58	110	1.31	7	6	—	2	24	61	—	—	1	4	2
Uxbridge ..	135	3.22	26	0.62	—	22	—	2	12	49	5	2	—	1	—
Wembley M.B. ..	423	3.69	72	0.63	6	17	—	3	24	115	1	3	—	3	8
*Willesden M.B. ..	483	2.57	400	2.13	13	32	—	10	68	409	11	10	—	28	35
Wood Green M.B.	72	1.35	46	0.86	1	11	—	2	12	36	2	2	—	3	3
Viewsley and West Drayton ..	42	2.70	9	0.58	—	5	—	1	5	19	—	—	—	2	—
NORFOLK :															
COUNTY BOROUGHS	360	2.03	223	1.26	2	29	—	5	67	178	1	9	1	16	212
Great Yarmouth	51	0.94	95	1.75	—	—	—	2	18	39	—	6	—	5	88
Norwich	309	2.51	128	1.04	2	29	—	3	49	139	1	3	1	11	124
ADMINISTRATIVE COUNTY.	596	1.83	221	0.68	4	54	—	28	80	270	—	7	2	19	11
URBAN DISTRICTS															
Cromer	4	1.00	3	0.75	—	1	—	1	—	—	—	—	—	—	—
Diss	4	1.21	—	—	—	1	—	—	—	—	—	—	—	1	—
Downham Market	1	0.40	—	—	—	3	—	—	1	2	—	—	—	—	—
East Dereham ..	12	2.06	—	—	1	—	—	—	3	8	—	—	—	—	—
King's Lynn M.B.	33	1.37	16	0.66	—	3	—	4	8	18	—	—	—	2	—
New Hunstanton	6	2.16	—	—	—	—	—	—	1	3	—	—	—	—	—
North Walsham..	2	0.47	2	0.47	—	—	—	—	1	1	—	—	—	—	—
Sheringham ..	4	0.97	—	—	—	—	—	—	—	2	—	—	—	—	—
Swaffham ..	4	1.52	—	—	—	—	—	—	1	2	—	1	—	—	—
Thetford M.B. ..	2	0.50	2	0.50	—	—	—	—	1	9	—	—	—	—	—
Wells	—	—	—	—	2	—	—	1	1	1	—	—	—	—	—
Wymondham ..	27	5.24	2	0.39	—	4	—	—	1	3	—	—	—	—	—
RURAL DISTRICTS															
Blofield and Flegg	26	0.91	43	1.51	—	6	—	12	11	33	—	1	—	1	1
Depwade	35	2.04	17	0.99	—	2	—	—	11	24	—	3	—	3	—
Docking	8	0.49	2	0.12	—	3	—	1	—	14	—	—	—	—	—
Downham	57	2.79	56	2.75	—	3	—	1	5	13	—	1	—	—	—
Erpingham ..	20	1.16	1	0.06	—	1	—	—	—	5	—	—	—	2	—
Forehoe and Henstead ..	81	4.08	8	0.40	—	3	—	2	6	26	—	—	1	4	7
Freebridge Lynn	2	0.20	1	0.10	—	—	—	—	2	7	—	—	—	1	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
					Cases.	Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
NORFOLK—cont.															
RURAL DISTRICTS—cont.															
Loddon	19	1·63	1	0·09	—	8	—	—	1	24	—	—	—	2	—
Marshland ..	75	4·91	22	1·44	—	2	—	—	2	16	—	—	1	—	—
Mitford and Launditch ..	35	2·10	6	0·36	—	1	—	4	4	5	—	—	—	—	—
St. Faith's and Alysham ..	69	2·27	2	0·07	1	3	—	1	7	17	—	—	—	1	—
Smallburgh ..	8	0·50	—	—	—	2	—	—	3	3	—	1	—	—	—
Swaffham ..	15	1·97	5	0·66	—	—	—	1	3	4	—	—	—	—	—
Walsingham ..	7	0·41	2	0·12	—	3	—	—	1	15	—	—	—	1	—
Wayland ..	40	2·48	30	1·86	—	5	—	—	6	15	—	—	—	1	—
NORTHAMPTON-SHIRE:	358	1·13	136	0·43	8	57	—	17	86	334	9	3	4	19	—
COUNTY BOROUGH:															
Northampton ..	89	0·92	66	0·68	4	28	—	6	20	145	4	1	2	5	—
ADMINISTRATIVE COUNTY. ..															
	269	1·22	70	0·32	4	29	—	11	66	189	5	2	2	14	—
URBAN DISTRICTS															
	122	1·13	14	0·13	3	13	—	8	42	114	2	2	1	6	—
Brackley M.B. ..	1	0·44	—	—	—	—	—	—	—	1	—	—	—	—	—
Burton Latimer ..	2	0·58	1	0·29	—	1	—	—	2	9	—	—	—	—	—
Daventry M.B. ..	2	0·54	—	—	—	—	—	—	1	2	1	—	—	—	—
Desborough ..	3	0·68	—	—	—	—	—	1	2	1	—	—	—	—	—
Higham Ferrers M.B. ..	6	1·95	—	—	1	—	—	—	3	6	—	—	—	—	—
Irthlingborough ..	5	1·12	—	—	—	—	—	4	3	7	—	—	—	—	—
Kettering ..	44	1·31	—	—	1	8	—	—	12	17	1	—	1	3	—
Oundle ..	2	0·73	1	0·37	—	—	—	1	1	3	—	—	—	—	—
Raunds ..	8	1·81	1	0·23	—	1	—	—	3	5	—	—	—	—	—
Rothwell ..	3	0·67	—	—	—	—	—	—	—	2	—	—	—	—	—
Rushden ..	7	0·47	4	0·27	—	1	—	1	7	24	—	1	—	1	—
Wellingborough	39	1·49	7	0·27	1	2	—	1	8	37	—	1	—	2	—
RURAL DISTRICTS	147	1·30	56	0·50	1	16	—	3	24	75	3	—	1	8	—
Brackley ..	22	2·69	1	0·12	—	—	—	—	2	2	—	—	—	—	—
Brixworth ..	23	1·53	26	1·73	1	1	—	—	—	5	—	—	—	—	—
Daventry ..	17	1·13	21	1·39	—	2	—	—	4	5	—	—	—	—	—
Kettering ..	26	1·52	6	0·35	—	5	—	—	4	28	1	—	1	1	—
Northampton ..	19	1·22	—	—	—	—	—	2	4	12	1	—	—	4	—
Oundle and Thrapston ..	6	0·37	—	—	—	3	—	1	3	7	1	—	—	1	—
Towcester ..	24	1·86	2	0·16	—	5	—	—	1	8	—	—	—	—	—
Wellingborough ..	10	0·80	—	—	—	—	—	—	6	8	—	—	—	2	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
					Cases.	Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
NORTHUMBER- LAND:	2,078	2·72	1,062	1·39	28	177	-	46	396	1,637	19	4	2	72	131
COUNTY BOROUGHS	1,016	2·84	598	1·67	23	120	-	11	213	890	12	3	1	48	115
Newcastle upon Tyne	857	2·95	496	1·71	20	111	-	8	182	804	9	3	1	42	113
Tynemouth	159	2·38	102	1·53	3	9	-	3	31	86	3	-	-	6	2
ADMINISTRATIVE COUNTY.	1,062	2·62	464	1·14	5	57	-	35	183	747	7	1	1	24	16
URBAN DISTRICTS	926	2·98	393	1·26	5	45	-	27	154	628	7	1	1	20	15
Alnwick	4	0·58	5	0·73	-	1	-	-	1	1	-	-	-	-	-
Amble	6	1·39	1	0·23	-	-	-	-	-	-	-	-	-	-	-
Ashington	84	2·81	29	0·97	2	8	-	9	12	42	-	-	-	3	3
Bedlingtonshire ..	53	1·92	12	0·44	-	7	-	2	13	66	1	-	-	-	-
Berwick - upon - Tweed M.B. ..	5	0·41	11	0·91	1	-	-	-	2	7	-	-	-	-	-
Blyth M.B.	129	3·73	37	1·07	2	8	-	-	19	76	-	-	1	2	-
Gosforth	51	2·57	25	1·26	-	1	-	-	10	52	-	-	-	-	4
Hexham	10	1·09	2	0·22	-	-	-	-	4	21	-	-	-	-	-
Longbenton	130	6·07	81	3·78	-	5	-	4	6	44	1	-	-	1	-
Morpeth M.B. ..	12	1·27	2	0·21	-	-	-	-	3	7	-	-	-	-	-
Newbiggin by the Sea	29	3·26	10	1·13	-	4	-	5	12	72	-	-	-	2	5
Newburn	50	2·59	20	1·04	-	6	-	1	10	27	1	-	-	4	-
Prudhoe	50	5·64	15	1·69	-	-	-	-	10	40	-	-	-	-	-
Seaton Valley ...	54	1·95	42	1·52	-	1	-	1	10	16	-	-	-	1	1
Wallsend M.B. ..	214	4·88	78	1·78	-	4	-	5	31	129	4	1	-	5	2
Whitley and Monk-seaton	45	1·65	23	0·84	-	-	-	-	11	28	-	-	-	2	-
RURAL DISTRICTS	136	1·43	71	0·75	-	12	-	8	29	119	-	-	-	4	1
Alnwick	8	0·66	14	1·16	-	1	-	1	6	5	-	-	-	-	-
Belford	11	2·35	7	1·50	-	-	-	-	1	10	-	-	-	-	-
Bellingham	13	2·64	-	-	-	-	-	-	-	9	-	-	-	-	-
Castle Ward	21	1·67	12	0·96	-	1	-	1	7	12	-	-	-	-	-
Glendale	6	0·80	4	0·53	-	-	-	-	-	10	-	-	-	-	-
Haltwhistle	1	0·13	1	0·13	-	-	-	-	-	6	-	-	-	-	-
Hexham	32	1·61	4	0·20	-	5	-	-	6	33	-	-	-	-	1
Morpeth	25	1·66	16	1·06	-	3	-	5	4	23	-	-	-	3	-
Newcastle upon Tyne (Moot Hall and Precincts)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Norham and Island-shires	14	3·05	-	-	-	1	-	-	1	1	-	-	-	1	-
Rothbury	5	0·89	13	2·31	-	1	-	1	4	10	-	-	-	-	-
NOTTINGHAM- SHIRE:	1,620	2·18	595	0·80	17	119	-	19	265	1,149	10	3	-	123	54
COUNTY BOROUGH															
Nottingham ..	559	2·01	231	0·83	7	67	-	11	117	586	4	1	-	69	48
ADMINISTRATIVE COUNTY	1,061	2·28	364	0·78	10	52	-	8	148	563	6	2	-	54	6

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
					Cases.	Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
NOTTINGHAM-SHIRE—cont.															
URBAN DISTRICTS	727	2·23	292	0·90	7	34	—	5	103	382	5	2	—	38	—
Arnold	9	0·52	2	0·11	—	3	—	—	1	11	—	—	—	2	—
Beeston and Stapleford	160	4·28	27	0·72	1	2	—	—	12	39	1	1	—	3	—
Carlton	61	2·11	12	0·41	—	1	—	—	10	19	1	—	—	3	—
East Retford M.B.	34	2·25	57	3·78	—	7	—	—	6	50	—	—	—	1	—
Eastwood	24	2·65	20	2·21	—	1	—	—	1	11	—	—	—	2	—
Hucknall	23	1·18	1	0·05	—	2	—	1	11	57	—	—	—	5	—
Kirkby in Ashfield	86	4·65	18	0·97	—	2	—	—	12	54	—	—	—	—	—
Mansfield M.B. ..	99	2·10	74	1·57	4	7	—	1	22	49	—	1	—	6	—
Mansfield Woodhouse	41	2·79	5	0·34	—	1	—	—	5	14	—	—	—	3	—
Newark M.B. ..	30	1·48	25	1·24	—	2	—	—	3	3	—	—	—	1	—
Sutton in Ashfield	117	3·04	35	0·91	—	1	—	1	9	44	2	—	—	5	—
Warsop	8	0·74	3	0·28	1	2	—	—	4	3	—	—	—	3	—
West Bridgford ..	19	0·91	7	0·33	—	—	—	1	2	12	1	—	—	—	—
Worksop M.B. ..	16	0·58	6	0·22	1	3	—	1	5	16	—	—	—	4	—
RURAL DISTRICTS	334	2·39	72	0·52	3	18	—	3	45	181	1	—	—	16	—
Basford	102	2·40	36	0·85	—	5	—	2	18	47	—	—	—	8	—
Bingham	13	0·81	3	0·19	—	1	—	—	6	26	—	—	—	2	—
East Retford ..	31	1·57	8	0·40	2	2	—	—	5	40	—	—	—	1	—
Newark	37	3·97	3	0·32	—	—	—	1	1	3	—	—	—	1	—
Nottingham (Shire Hall)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Southwell	137	3·69	17	0·46	1	8	—	—	14	40	1	—	—	4	—
Worksop	14	0·95	5	0·34	—	2	—	—	1	25	—	—	—	—	—
OXFORDSHIRE :	432	1·91	71	0·31	8	41	—	5	48	174	6	2	2	20	—
COUNTY BOROUGH															
Oxford	286	3·09	11	0·12	5	28	—	—	28	77	4	—	—	9	—
ADMINISTRATIVE COUNTY	146	1·09	60	0·45	3	13	—	5	20	97	2	2	2	11	—
URBAN DISTRICTS..	44	1·13	13	0·33	1	2	—	—	1	18	1	—	—	1	6
Banbury M.B. ..	15	0·99	5	0·33	1	—	—	—	—	15	—	—	—	—	2
Bicester	9	2·72	—	—	—	—	—	—	—	—	—	—	—	—	—
Chipping Norton M.B.	4	1·18	4	1·18	—	—	—	—	1	3	—	—	—	—	1

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
					Cases.	Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
OXFORDSHIRE— <i>cont.</i>															
URBAN DISTRICTS— <i>cont.</i>															
Henley-on-Thames	8	1.14	1	0.14	—	2	—	—	—	—	—	—	1	1	—
M.B.					—	—	—	—	—	—	1	—	—	—	—
Thame	3	0.98	1	0.33	—	—	—	—	—	—	—	—	—	—	—
Witney	2	0.37	—	—	—	—	—	—	—	—	—	—	—	1	—
Woodstock M.B.	3	1.86	2	1.24	—	—	—	—	—	—	—	—	—	1	—
RURAL DISTRICTS ..	102	1.08	47	0.50	2	11	—	5	19	79	1	2	1	5	5
Banbury	14	1.09	—	—	2	2	—	—	4	15	—	—	—	—	—
Bullingdon ..	34	1.44	5	0.21	—	1	—	—	3	15	—	—	—	2	5
Chipping Norton	11	0.77	5	0.35	—	4	—	1	5	16	—	2	—	1	—
Henley	7	0.49	33	2.29	—	1	—	—	2	9	—	—	—	—	—
Ploughley ..	17	1.25	3	0.22	—	2	—	1	2	7	1	—	1	1	—
Witney	19	1.19	1	0.06	—	1	—	3	3	17	—	—	—	1	—
PETERBOROUGH, SOKE OF:															
ADMINISTRATIVE	37	0.67	142	2.57	4	9	—	2	8	57	—	—	—	—	—
COUNTY															
URBAN DISTRICT:															
Peterborough M.B.	33	0.71	134	2.88	4	8	—	1	8	57	—	—	—	—	—
RURAL DISTRICTS ..	4	0.46	8	0.91	—	1	—	1	—	—	—	—	—	—	—
Barnack	2	0.80	—	—	—	—	—	—	—	—	—	—	—	—	—
Peterborough ..	2	0.32	8	1.27	—	1	—	1	—	—	—	—	—	—	—
RUTLANDSHIRE:															
ADMINISTRATIVE	6	0.34	6	0.34	1	—	—	1	8	20	—	1	—	—	—
COUNTY															
URBAN DISTRICT:															
Oakham	1	0.30	2	0.60	—	—	—	—	3	7	—	—	—	—	—
RURAL DISTRICTS ..	5	0.35	4	0.28	1	—	—	1	5	13	—	1	—	—	—
Ketton	1	0.38	—	—	—	—	—	—	—	—	—	—	—	—	—
Oakham	1	0.17	3	0.51	1	—	—	1	2	7	—	1	—	—	—
Uppingham ..	3	0.52	1	0.17	—	—	—	—	3	6	—	—	—	—	—
SHROPSHIRE:															
ADMINISTRATIVE	303	1.26	227	0.94	14	57	—	4	55	306	2	5	1	36	—
COUNTY															
URBAN DISTRICTS ..	187	1.52	115	0.94	7	24	—	—	36	149	2	2	—	17	—
Bishop's Castle															
M.B.	1	0.76	—	—	—	—	—	—	—	1	—	—	—	—	—
Bridgnorth M.B.	5	0.95	3	0.57	—	6	—	—	—	5	—	—	—	1	—
Church Stretton ..	1	0.45	—	—	—	—	—	—	—	3	—	—	—	1	—
Dawley	1	0.13	1	0.13	—	4	—	—	1	23	—	—	—	1	—
Ellesmere ..	—	—	1	0.53	1	1	—	—	—	—	—	—	—	—	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
					Cases.	Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
SHROPSHIRE—cont.															
URBAN DISTRICTS—cont.															
Ludlow M.B. ..	15	2.62	—	—	—	—	—	—	7	12	—	—	—	1	—
Market Drayton ..	3	0.62	3	0.62	1	—	—	—	3	3	—	1	—	1	—
Newport	4	1.15	1	0.29	—	—	—	—	4	6	—	—	—	—	—
Oakengates ..	9	0.84	5	0.47	—	2	—	—	1	14	—	—	—	1	—
Oswestry M.B. ..	5	0.51	28	2.86	1	1	—	—	—	10	—	1	—	2	—
Shrewsbury M.B. ..	106	2.78	29	0.76	2	8	—	—	19	35	1	—	—	8	—
Wellington ..	18	1.87	42	4.37	—	2	—	—	—	24	—	—	—	—	—
Wem	1	0.45	—	—	—	—	—	—	—	9	—	—	—	—	—
Wenlock M.B. ..	16	1.17	—	—	2	—	—	—	—	2	1	—	—	—	—
Whitchurch ..	2	0.32	2	0.32	—	—	—	—	1	2	—	—	—	1	—
RURAL DISTRICTS	116	0.98	112	0.95	7	33	—	4	19	157	—	3	1	19	—
Atcham	18	0.98	9	0.49	1	4	—	—	2	25	—	—	—	6	—
Bridgnorth ..	17	1.43	5	0.42	1	6	—	—	1	8	—	—	1	2	—
Clun	5	0.50	1	0.10	—	5	—	1	2	17	—	3	—	1	—
Drayton	3	0.36	7	0.85	—	1	—	—	1	2	—	—	—	—	—
Ellesmere ..	10	1.43	16	2.30	1	—	—	1	—	5	—	—	—	2	—
Ludlow	7	0.51	5	0.37	—	1	—	—	4	10	—	—	—	—	—
Oswestry	25	1.61	58	3.73	3	8	—	1	4	18	—	—	—	2	—
Shifnal	4	0.53	2	0.26	—	1	—	1	1	5	—	—	—	1	—
Wellington ..	24	1.51	5	0.31	—	3	—	—	3	47	—	—	—	4	—
Wem	3	0.31	4	0.41	1	4	—	—	1	20	—	—	—	1	—
*SOMERSETSHIRE:	470	1.00	252	0.53	10	73	—	16	113	405	3	18	4	27	—
COUNTY BOROUGH.															
Bath	78	1.15	127	1.87	1	16	—	4	20	47	1	6	—	4	—
*ADMINISTRATIVE COUNTY	392	0.97	125	0.31	9	57	—	12	93	358	2	12	4	23	—
URBAN DISTRICTS..	178	0.97	70	0.38	6	34	—	4	38	168	1	7	1	12	—
Bridgwater M.B. ..	19	1.05	2	0.11	1	2	—	—	3	19	1	—	—	1	—
Burnham on Sea ..	3	0.39	3	0.39	—	3	—	—	3	3	—	—	—	—	—
Chard M.B. ..	—	—	—	—	—	1	—	—	2	4	—	—	—	2	—
Clevedon	—	—	4	0.52	—	—	—	1	3	21	—	—	—	—	—
Crewkerne ..	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—
Frome	17	1.64	2	0.19	—	1	—	—	1	2	—	—	—	—	—
Glastonbury M.B. ..	4	0.90	1	0.22	—	3	—	—	—	3	—	—	—	—	—
Ilminster	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—
Minehead	4	0.63	—	—	—	1	—	1	—	—	—	—	—	1	—
Norton-Radstock ..	13	1.16	6	0.54	—	2	—	—	4	13	—	—	—	—	—
Portishead ..	2	0.53	6	1.58	—	—	—	—	—	1	—	—	—	—	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
SOMERSETSHIRE— cont.															
URBAN DISTRICTS— cont.															
Shepton Mallet ..	20	4.66	2	0.47	—	1	—	—	2	28	—	—	—	—	—
Street ..	1	0.22	—	—	—	—	—	—	—	9	—	—	—	—	—
Taunton M.B. ..	47	1.71	19	0.69	—	8	—	—	7	9	—	1	—	2	—
Watchet ..	1	0.46	3	1.37	1	1	—	—	—	—	—	—	—	—	—
Wellington ..	8	1.21	1	0.15	—	2	—	—	2	6	—	—	—	—	—
Wells M.B. ..	—	—	—	—	—	1	—	—	—	2	—	1	—	—	—
Weston super Mare, M.B.	18	0.55	9	0.28	3	3	—	1	3	24	—	5	1	4	—
Yeovil M.B. ..	21	1.04	12	0.60	1	5	—	1	7	19	—	—	—	2	—
*RURAL DISTRICTS..	214	0.97	55	0.25	3	23	—	8	55	190	1	5	3	11	13
Axbridge..	24	1.09	3	0.14	—	5	—	3	17	29	—	1	1	—	—
Bathavon ..	18	0.78	15	0.65	—	—	—	2	4	7	—	1	—	—	—
Bridgwater ..	7	0.43	1	0.06	—	2	—	—	2	6	—	—	—	—	—
Chard ..	9	0.81	—	—	—	2	—	—	—	9	—	—	—	1	10
Clutton ..	22	1.39	2	0.13	1	2	—	—	1	24	—	1	—	1	1
Dulverton ..	1	0.22	1	0.22	—	1	—	—	—	7	—	—	—	—	—
*Frome ..	27	2.84	—	—	1	1	—	—	2	9	—	1	—	1	—
Langport..	9	0.74	4	0.33	1	—	—	—	2	15	—	1	—	1	—
Long Ashton ..	17	0.87	11	0.56	—	2	—	1	4	7	1	—	1	—	1
Shepton Mallet ..	31	3.22	3	0.31	—	—	—	—	2	14	—	—	—	—	—
Taunton ..	9	0.54	7	0.42	—	4	—	1	14	9	—	—	—	2	—
Wellington ..	5	0.69	1	0.14	—	—	—	—	—	3	—	—	—	—	—
Wells ..	1	0.11	—	—	—	2	—	—	—	8	—	—	1	1	—
Williton ..	5	0.42	1	0.08	—	1	—	1	1	1	—	—	—	—	—
Wincanton ..	7	0.44	6	0.38	—	1	—	—	4	18	—	—	—	—	—
Yeovil ..	22	1.33	—	—	—	—	—	—	2	24	—	—	—	4	1
SOUTHAMPTON :															
2,020	1.89	897	0.84	19	155	—	48	260	542	13	10	1	146	18	
COUNTY BOROUGHs															
1,272	2.29	627	1.13	9	80	—	30	157	208	8	6	1	52	10	
Bournemouth ..	89	0.74	47	0.39	1	10	—	2	32	52	3	1	1	9	7
Portsmouth ..	947	3.70	310	1.21	4	34	—	12	63	45	3	4	—	15	2
Southampton ..	236	1.32	270	1.51	4	36	—	16	62	111	2	1	—	28	1
ADMINISTRATIVE COUNTY ..															
748	1.47	270	0.53	10	75	—	18	103	334	5	4	—	94	8	
URBAN DISTRICTS ..															
518	1.80	147	0.51	7	46	—	5	59	196	4	4	—	59	1	
Aldershot M.B. ..	33	0.97	24	0.70	—	11	—	—	9	5	1	1	—	6	—
Alton ..	6	0.78	10	1.30	—	1	—	—	6	4	—	—	—	4	—
Andover M.B. ..	7	0.59	1	0.08	—	3	—	1	1	16	—	—	—	8	—
Basingstoke M.B.	10	0.69	3	0.21	—	—	—	—	3	1	—	1	—	5	—
Christchurch M.B.	5	0.37	4	0.30	1	2	—	—	2	6	—	1	—	—	—
Eastleigh ..	48	1.86	7	0.27	—	—	—	2	12	16	—	—	—	3	—
Fareham ..	96	3.36	33	1.15	—	10	—	—	5	45	—	—	—	4	—
Farnborough ..	49	2.41	5	0.25	—	1	—	—	1	5	—	—	—	—	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
SOUTHAMPTON— cont.															
URBAN DISTRICTS— cont.															
Fleet	12	1·53	—	—	—	—	—	—	2	8	—	—	—	1	—
Gosport M.B. ..	117	2·65	24	0·54	1	1	—	—	13	62	3	1	—	14	—
Havant and Waterloo ..	72	2·88	9	0·36	3	3	—	2	2	5	—	—	—	2	—
Lymington M.B. ..	3	0·17	6	0·34	—	—	—	—	1	2	—	—	—	1	—
Petersfield ..	11	1·84	6	1·00	—	2	—	—	1	4	—	—	—	1	—
Romsey M.B. ..	8	1·40	5	0·87	—	2	—	—	—	—	—	—	—	1	—
Winchester M.B.	41	1·67	10	0·41	2	10	—	—	1	17	—	—	—	9	—
RURAL DISTRICTS ..	230	1·03	123	0·55	3	29	—	13	44	138	1	—	—	35	—
Alton	16	0·77	6	0·29	—	—	—	—	3	11	—	—	—	4	—
Andover	7	0·46	12	0·78	—	1	—	—	2	12	—	—	—	3	—
Basingstoke ..	7	0·48	19	1·30	—	—	—	1	7	10	—	—	—	3	—
Droxford	45	2·49	5	0·28	—	1	—	4	6	21	—	—	—	5	—
Hartley Wintney	5	0·30	3	0·18	—	6	—	—	1	8	1	—	—	2	—
Kingsclere and Whitchurch ..	8	0·53	10	0·66	—	3	—	—	5	13	—	—	—	1	—
New Forest ..	19	0·53	21	0·58	1	3	—	1	4	34	—	—	—	9	—
Petersfield ..	18	1·15	—	—	—	8	—	—	4	1	—	—	—	—	—
Ringwood and Fordingbridge	15	0·80	7	0·37	—	1	—	3	4	14	—	—	—	1	—
Romsey and Stockbridge ..	26	1·37	7	0·37	1	2	—	—	5	8	—	—	—	4	—
Winchester ..	64	1·94	33	1·00	1	4	—	4	3	6	—	—	—	3	—
STAFFORDSHIRE :															
COUNTY BOROUGHS	2,390	3·26	1,460	1·99	30	103	—	19	344	1,558	33	1	1	127	—
Burton-on-Trent	304	6·45	186	3·95	5	12	—	—	19	51	—	—	—	13	—
Smethwick ..	117	1·46	210	2·61	—	4	—	2	28	142	1	—	—	9	—
Stoke-on-Trent ..	1,189	4·36	481	1·76	13	27	—	14	131	836	25	1	—	48	—
Walsall	442	4·14	175	1·64	3	7	—	—	59	245	4	—	—	9	—
West Bromwich..	119	1·45	239	2·90	—	10	—	2	61	143	1	—	1	9	—
Wolverhampton	219	1·52	169	1·17	9	43	—	1	46	141	2	—	—	39	—
ADMINISTRATIVE COUNTY.. ..	1,780	2·40	986	1·33	24	104	—	22	341	1,349	27	7	6	102	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
TAFFORDSHIRE —cont.															
URBAN DISTRICTS	1,217	2·16	821	1·46	20	75	—	5	289	1,033	20	5	4	85	86
Aldridge ..	65	3·63	16	0·89	—	2	—	1	11	51	—	—	—	6	3
Amblecote ..	4	1·36	2	0·63	—	—	—	—	1	4	1	—	—	—	—
Biddulph ..	35	3·59	36	3·70	—	—	—	—	3	43	1	—	—	1	—
Bilston M.B. ..	25	0·80	21	0·67	—	2	—	—	9	93	4	1	—	7	40
Brierley Hill ..	51	1·11	23	0·50	2	5	—	—	26	53	—	—	—	2	—
Brownhills ..	63	3·22	16	0·82	—	7	—	—	37	84	1	—	—	8	2
Cannock ..	230	6·30	49	1·34	4	7	—	—	33	40	2	1	—	10	6
Coseley ..	17	0·60	41	1·46	1	2	—	1	17	71	2	—	2	2	1
Darlaston ..	22	1·10	21	1·05	1	7	—	—	2	48	—	—	—	5	—
Kidsgrove ..	20	1·37	10	0·63	—	2	—	—	18	23	—	1	—	6	—
Leek ..	44	2·27	18	0·93	—	1	—	—	7	4	—	2	—	1	—
Lichfield M.B. ..	6	0·69	8	0·92	1	—	—	—	—	4	1	—	—	—	—
Newcastle under Lyme M.B.	267	4·27	258	4·13	2	3	—	2	14	85	2	—	—	4	—
Rowley Regis M.B.	65	1·49	31	0·71	1	2	—	—	11	49	1	—	—	3	—
Rugeley ..	12	1·59	6	0·80	—	2	—	—	—	8	—	—	—	—	—
Sedgley ..	14	0·69	31	1·53	1	10	—	—	12	41	2	—	—	—	1
Stafford M.B. ..	75	2·37	14	0·44	—	8	—	—	18	69	1	—	—	1	3
Stone ..	6	0·94	9	1·41	—	—	—	—	1	10	—	—	—	—	—
Tamworth M.B. ..	12	1·00	35	2·93	—	1	—	—	6	31	2	—	—	—	—
Tettenhall ..	6	0·90	10	1·50	1	—	—	—	—	10	—	—	—	2	—
Tipton ..	38	1·04	98	2·67	1	3	—	—	17	115	—	—	1	9	3
Utttoxeter ..	28	4·13	—	—	—	2	—	—	1	—	—	—	—	2	—
Wednesbury M.B.	62	1·87	34	1·03	—	4	—	1	27	87	—	—	—	8	—
Wednesfield ..	22	1·70	14	1·08	1	1	—	—	5	15	—	—	—	6	17
Willenhall ..	28	1·00	20	0·71	4	4	—	—	13	45	—	—	1	2	10
RURAL DISTRICTS	563	3·14	165	0·92	4	29	—	17	52	266	7	2	2	17	44
Cannock ..	189	8·74	33	1·53	1	1	—	—	14	39	1	1	—	4	19
Cheadle ..	53	1·75	28	0·92	—	7	—	15	8	64	3	—	1	3	1
Leek ..	29	1·82	6	0·33	—	1	—	—	—	13	1	—	—	—	—
Lichfield ..	49	1·55	20	0·63	2	5	—	1	16	58	1	—	—	2	—
Newcastle - under- Lyme	49	3·02	7	0·43	—	1	—	—	10	21	1	—	—	6	—
Seisdon ..	40	2·48	15	0·93	—	1	—	—	1	27	—	—	1	1	—
Stafford ..	47	3·54	4	0·30	—	5	—	—	1	16	—	—	—	—	1
Stone ..	25	2·05	21	1·72	—	4	—	—	2	21	—	—	—	—	23

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
					Cases.	Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
STAFFORDSHIRE															
—cont.															
RURAL DISTRICTS															
—cont.															
Tutbury	43	3·55	23	1·90	—	4	—	—	—	1	—	—	—	—	1
Uttoxeter	39	4·06	8	0·83	1	—	—	1	—	6	—	1	—	—	—
SUFFOLK EAST :															
COUNTY BOROUGH															
Ipswich	268	2·86	16	0·17	11	25	—	4	54	61	1	10	1	—	8
ADMINISTRATIVE COUNTY.															
URBAN DISTRICTS ..	323	1·57	32	0·16	6	25	—	17	71	244	1	11	1	—	15
URBAN DISTRICTS ..															
Aldeburgh M.B.	4	1·64	—	—	—	2	—	1	—	3	—	—	—	—	1
Beccles M.B. ..	3	0·47	—	—	—	—	—	—	—	1	—	—	—	—	—
Bungay	30	9·77	—	—	—	—	—	—	1	7	—	—	—	—	—
Eye M.B.	—	—	—	—	—	—	—	—	—	3	—	1	—	—	—
Felixstowe	8	0·64	1	0·08	1	1	—	—	—	1	—	—	—	—	—
Halesworth	2	0·93	—	—	—	1	—	—	1	8	—	—	—	—	—
Leiston cum Sizewell	5	1·25	1	0·25	—	1	—	—	4	4	—	—	—	—	—
Lowestoft M.B. ..	70	1·58	11	0·25	—	7	—	11	25	46	—	2	—	1	4
Saxmundham	7	5·14	—	—	—	—	—	—	1	6	—	—	—	—	—
Southwold M.B.	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
Stowmarket	9	1·40	—	—	—	2	—	—	8	8	—	—	—	—	1
Woodbridge	13	2·68	—	—	—	3	—	—	2	15	—	—	—	—	1
RURAL DISTRICTS ..															
Blyth	17	0·92	—	—	1	2	—	—	3	29	—	1	—	—	1
Deben	40	1·66	3	0·12	1	—	—	—	3	29	1	1	—	—	1
Gipping	36	1·98	2	0·11	—	1	—	—	13	11	—	1	—	—	—
Hartismere	29	1·67	6	0·34	1	1	—	—	3	24	—	—	—	—	2
Lothingland	25	1·73	—	—	—	2	—	2	4	16	—	1	—	—	2
Samford	19	1·30	4	0·27	1	1	—	3	2	21	—	3	—	—	2
Wainford	6	0·94	4	0·63	—	1	—	—	—	11	—	—	—	—	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
UFFOLK WEST :															
ADMINISTRATIVE COUNTY ..	99	0·96	14	0·14	1	7	-	5	6	71	1	5	2	1	-
URBAN DISTRICTS	41	1·04	6	0·15	-	2	-	4	4	32	-	2	2	1	-
Bury St. Edmunds M.B. ..	17	1·01	5	0·30	-	2	-	4	4	24	-	-	-	-	-
Hadleigh ..	15	5·22	-	-	-	-	-	-	-	2	-	-	-	-	-
Haverhill ..	-	-	-	-	-	-	-	-	-	4	-	2	2	-	-
Newmarket ..	9	0·96	1	0·11	-	-	-	-	-	-	-	-	-	-	-
Sudbury M.B. ..	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
RURAL DISTRICTS	58	0·91	8	0·13	1	5	-	1	2	39	1	3	-	-	-
Clare ..	4	0·50	-	-	-	-	-	-	-	10	-	-	-	-	-
Cosford ..	17	1·91	4	0·45	-	-	-	-	2	12	1	1	-	-	-
Melford ..	7	0·63	1	0·09	1	3	-	-	-	1	-	1	-	-	-
Mildenhall ..	13	1·05	2	0·16	-	2	-	-	-	4	-	1	-	-	-
Thedwastre ..	11	1·43	-	-	-	-	-	-	-	3	-	-	-	-	-
Thingoe ..	6	0·39	1	0·07	-	-	-	1	-	9	-	-	-	-	-
URREY :	2,881	2·05	965	0·69	35	211	-	396	345	894	16	33	6	53	274
COUNTY BOROUGH															
Croydon ..	777	3·21	292	1·21	13	68	-	319	59	71	4	6	-	21	2
ADMINISTRATIVE COUNTY. ..	2,104	1·81	673	0·58	22	143	-	77	286	823	12	27	6	37	272
URBAN DISTRICTS	2,010	1·93	630	0·60	21	136	-	71	270	757	12	26	6	35	248
Banstead ..	47	1·75	19	0·71	1	3	-	1	13	11	-	1	-	-	12
Barnes M.B. ..	82	2·00	3	0·07	-	1	-	3	12	34	-	2	-	1	-
Beddington and Wallington, M.B. ..	66	2·16	4	0·13	1	2	-	2	3	1	-	1	-	1	1
Carshalton ..	294	5·07	93	1·60	1	5	-	1	13	115	1	1	-	1	53
Caterham and Warlingham ..	14	0·53	28	1·07	-	-	-	3	9	9	3	-	-	-	2
Chertsey ..	70	3·32	9	0·43	-	2	-	1	2	6	-	-	-	1	-
Coulsdon and Purley ..	60	1·11	9	0·17	5	2	-	27	13	30	-	3	-	1	1
Dorking ..	17	1·01	4	0·24	1	1	-	-	2	8	-	-	-	-	-
Egham ..	9	0·49	13	0·70	-	-	-	-	10	9	-	-	5	1	3
Epsom & Ewell, M.B. ..	66	1·16	16	0·28	1	19	-	5	32	26	-	-	-	2	4
Esher ..	79	1·91	30	0·72	-	3	-	1	8	23	-	1	-	1	2
Farnham ..	29	1·42	46	2·25	1	2	-	3	8	16	-	-	-	1	53
Frimley and Camberley ..	24	1·29	2	0·11	-	1	-	-	1	4	-	-	-	-	-
Godalming M.B. ..	23	1·77	3	0·23	-	-	-	1	1	1	-	-	-	1	-
Guildford M.B. ..	109	2·77	19	0·48	2	5	-	9	6	29	1	-	-	2	2
Haslemere ..	6	0·63	1	0·10	-	-	-	-	4	1	1	-	-	1	-
Kingston-on-Thames M.B. ..	51	1·28	21	0·53	-	32	-	1	13	22	1	2	-	3	10
Leatherhead ..	11	0·54	3	0·15	-	-	-	-	5	7	-	-	-	1	1
Malden and Coombe M.B. ...	37	0·99	23	0·62	-	3	-	4	3	19	-	1	-	2	12
Merton and Morden	129	1·97	22	0·34	1	2	-	1	10	89	2	1	-	5	19

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
					Cases.	Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
SURREY—cont.															
URBAN DISTRICTS—cont.															
Mitcham M.B. ..	192	2·93	89	1·36	1	5	—	—	16	32	—	—	—	1	1
Reigate M.B. ..	34	0·94	15	0·41	1	15	—	—	15	57	—	—	—	—	—
Richmond M.B. ..	59	1·54	19	0·50	—	6	—	—	11	27	—	—	—	—	—
Surbiton M.B. ..	82	1·83	27	0·60	—	5	—	1	13	39	—	1	—	1	—
Sutton and Cheam M.B. ..	159	2·13	28	0·38	1	10	—	3	15	13	1	2	—	3	—
Walton and Weybridge ..	105	3·62	14	0·48	1	2	—	—	5	26	—	1	—	—	—
Wimbledon M.B. ..	54	0·92	58	0·99	2	5	—	4	17	46	—	1	—	3	2
Woking	102	2·55	12	0·30	1	5	—	—	10	57	—	3	—	—	—
RURAL DISTRICTS	94	0·79	43	0·36	1	7	—	6	16	66	—	1	—	2	2
Bagshot	12	1·01	11	0·93	—	1	—	—	—	8	—	—	—	1	—
Dorking and Horley ..	10	0·49	11	0·54	—	1	—	1	3	20	—	—	—	—	—
Godstone	14	0·53	5	0·19	—	3	—	5	5	10	—	—	—	—	2
Guildford	27	0·81	7	0·21	—	1	—	—	5	9	—	—	—	1	—
Hambleton	31	1·18	9	0·34	1	1	—	—	3	19	—	1	—	—	—
SUSSEX EAST :															
	638	1·13	204	0·39	17	79	—	15	160	446	10	18	1	23	—
COUNTY BOROUGHS	290	1·09	115	0·43	8	51	—	7	96	205	7	10	—	10	—
Brighton	92	0·63	85	0·58	4	33	—	4	47	83	6	8	—	7	—
Eastbourne	123	2·21	14	0·25	3	3	—	—	19	35	—	—	—	2	—
Hastings	75	1·18	16	0·25	1	15	—	3	30	87	1	2	—	1	—
ADMINISTRATIVE COUNTY ..	348	1·17	89	0·30	9	28	—	8	64	241	3	8	1	13	—
URBAN DISTRICTS ..	126	0·81	57	0·37	6	14	—	8	45	99	1	6	1	9	—
Bexhill M.B. ..	34	1·47	14	0·61	1	3	—	—	4	6	1	1	1	3	—
Burgess Hill ..	1	0·15	2	0·30	—	—	—	—	2	12	—	1	—	—	—
Cuckfield	5	0·38	2	0·15	1	2	—	1	5	2	—	2	—	—	—
East Grinstead ..	8	0·84	8	0·84	—	—	—	2	6	13	—	—	—	1	—
Hove M.B.	53	0·91	18	0·31	1	4	—	2	11	35	—	1	—	1	—
Lewes M.B.	9	0·76	7	0·59	3	—	—	—	7	3	—	—	—	4	—
Newhaven	4	0·57	—	—	—	1	—	2	2	8	—	—	—	—	—
Portslade by Sea	8	0·68	2	0·17	—	2	—	—	7	16	—	—	—	—	—
Rye M.B.	1	0·25	—	—	—	1	—	—	—	1	—	—	—	—	—
Seaford	3	0·34	4	0·45	—	1	—	1	1	3	—	1	—	—	—
RURAL DISTRICTS ..	222	1·54	32	0·22	3	14	—	—	19	142	2	2	—	4	—
Battle	45	1·55	5	0·17	1	3	—	—	5	15	—	—	—	—	—
Chailey	11	0·64	2	0·12	—	1	—	—	2	4	—	1	—	—	—
Cuckfield	35	1·45	4	0·17	—	—	—	—	5	22	—	1	—	—	—
Hailsham	45	1·29	6	0·17	1	6	—	—	2	58	2	—	—	4	—
Uckfield	86	2·23	15	0·39	1	4	—	—	5	43	—	—	—	—	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
					Cases.	Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
SUSSEX WEST :															
ADMINISTRATIVE COUNTY.	251	0·97	141	0·54	8	121	—	17	44	242	6	4	2	33	65
URBAN DISTRICTS	176	1·23	87	0·61	7	102	—	10	29	192	5	3	1	31	20
Arundel M.B. ..	—	—	3	1·24	—	1	—	—	—	8	—	—	—	—	—
Bognor Regis ..	32	1·64	23	1·18	1	—	—	—	5	9	1	1	—	1	6
Chichester M.B. ..	14	0·86	26	1·59	—	2	—	6	4	21	—	—	—	—	—
Horsham ..	9	0·61	2	0·14	—	—	—	1	1	7	—	—	—	—	—
Littlehampton ..	28	2·52	4	0·36	—	—	—	2	4	17	—	—	—	—	—
Shoreham-by-Sea	13	1·20	5	0·46	6	88	—	1	9	69	3	—	—	27	6
Southwick ..	8	0·86	6	0·65	—	5	—	—	1	9	—	1	—	1	2
Worthing M.B.	72	1·23	18	0·31	—	6	—	—	5	52	1	1	—	2	6
RURAL DISTRICTS ..	75	0·64	54	0·46	1	19	—	7	15	50	1	1	1	2	45
Chancetonbury ..	12	0·70	2	0·12	—	—	—	1	3	6	1	—	1	—	1
Chichester ..	21	0·64	19	0·58	—	6	—	1	2	20	—	1	—	1	28
Horsham ..	23	1·03	10	0·45	—	2	—	1	—	3	—	—	—	—	1
Midhurst ..	4	0·28	6	0·42	1	4	—	2	1	2	—	—	—	—	—
Petworth ..	6	0·74	1	0·12	—	2	—	1	1	3	—	—	—	1	1
Worthing ..	9	0·40	16	0·72	—	5	—	1	8	16	—	—	—	—	14
WARWICKSHIRE :															
COUNTY BOROUGHES	2,954	2·39	2,336	1·89	81	285	—	26	659	2,800	67	3	20	975	66
Birmingham ..	2,654	2·58	2,082	2·02	64	256	—	22	595	2,520	27	1	20	957	64
Coventry ..	300	1·47	254	1·24	17	29	—	4	64	280	40	2	—	18	2
ADMINISTRATIVE COUNTY.	927	2·37	693	1·77	17	66	—	5	133	774	13	5	1	27	3
URBAN DISTRICTS	707	2·84	422	1·69	10	49	—	4	85	447	10	4	1	20	3
Bedworth ..	41	2·24	30	1·64	—	—	—	—	14	44	5	1	—	—	—
Kenilworth ..	16	1·85	10	1·16	—	—	—	—	3	17	—	—	—	—	—
Nuneaton M.B. ..	169	3·49	109	2·25	—	8	—	—	16	67	4	1	—	5	—
Royal Leamington Spa M.B.	71	2·37	56	1·87	—	9	—	1	12	52	—	—	1	1	—
Rugby M.B. ..	161	4·32	71	1·91	5	17	—	—	12	82	—	1	—	1	3
Solihull ..	136	3·00	100	2·20	2	8	—	1	8	57	1	—	—	7	—
Stratford-on-Avon M.B.	35	2·89	1	0·08	1	2	—	—	4	37	—	—	—	—	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
WARWICKSHIRE—cont.															
URBAN DISTRICTS—cont.															
Sutton Coldfield M.B.	34	0·97	13	0·37	1	2	—	1	9	45	—	1	—	—	3
Warwick M.B. ..	44	3·15	32	2·29	1	3	—	1	7	46	—	—	—	—	3
RURAL DISTRICTS ..	220	1·55	271	1·91	7	17	—	1	48	327	3	1	—	—	7
Alcester	7	0·60	22	1·89	1	1	—	—	—	43	—	—	—	—	—
Atherstone ..	27	1·24	41	1·89	—	1	—	1	13	88	1	—	—	—	1
Meriden	48	1·74	95	3·45	1	3	—	—	21	54	—	—	—	—	1
Rugby	62	3·39	23	1·26	2	6	—	—	6	41	2	—	—	—	3
Shipston-on-Stour	17	2·27	3	0·40	—	2	—	—	1	11	—	—	—	—	—
Southam	24	2·17	29	2·62	—	2	—	—	1	11	—	—	—	—	1
Stratford-on-Avon	13	0·88	5	0·34	1	1	—	—	2	24	—	1	—	—	1
Tamworth	7	0·49	42	2·95	1	1	—	—	2	36	—	—	—	—	—
Warwick	15	1·01	11	0·74	1	—	—	—	2	19	—	—	—	—	—
WESTMORLAND :															
ADMINISTRATIVE COUNTY.	137	2·15	22	0·34	5	7	—	1	21	61	1	9	1	—	4
URBAN DISTRICTS ..	25	0·83	7	0·23	2	4	—	—	10	16	1	—	—	1	1
Appleby M.B. ..	5	3·09	1	0·62	—	—	—	—	—	1	1	—	—	—	—
Kendal M.B. ..	11	0·63	2	0·11	2	2	—	—	8	2	—	—	—	1	—
The Lakes	5	0·96	3	0·57	—	1	—	—	2	8	—	—	—	—	1
Windermere ..	4	0·67	1	0·17	—	1	—	—	—	5	—	—	—	—	—
RURAL DISTRICTS ..	112	3·34	15	0·45	3	3	—	1	11	45	—	9	—	—	3
North Westmorland.	88	5·20	11	0·65	2	2	—	1	5	41	—	9	—	—	2
South Westmorland	24	1·44	4	0·24	1	1	—	—	6	4	—	—	—	—	1
WIGHT, ISLE OF															
ADMINISTRATIVE COUNTY.	80	0·93	35	0·41	2	8	—	2	28	32	1	1	2	—	4
URBAN DISTRICTS ..	73	1·04	34	0·49	2	4	—	2	26	27	1	1	2	—	4
Cowes	24	1·56	3	0·20	1	—	—	2	4	6	—	—	—	—	2
Newport M.B. ..	20	1·01	28	1·41	1	1	—	—	16	5	1	1	—	—	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
					Cases.	Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
WIGHT, ISLE OF															
—cont.															
URBAN DISTRICTS—															
—cont.															
Ryde M.B. ..	9	0.51	2	0.11	—	2	—	—	1	1	—	—	1	—	—
Sandown—	16	1.47	—	—	—	—	—	—	4	12	—	—	—	1	—
Shanklin															
Ventnor	4	0.66	1	0.17	—	1	—	—	1	3	—	—	1	1	—
RURAL DISTRICT															
Isle of Wight ..	7	0.45	1	0.06	—	4	—	—	2	5	—	—	—	—	—
WILTSHIRE :															
*ADMINISTRATIVE COUNTY.															
	289	0.95	116	0.38	6	116	—	4	65	318	5	14	2	13	77
URBAN DISTRICTS ..															
	117	0.77	61	0.40	—	103	—	2	30	190	2	7	1	8	32
Bradford on Avon	—	—	1	0.21	—	—	—	—	—	3	—	—	—	—	1
Calne M.B. ..	2	0.42	—	—	—	2	—	—	1	15	—	—	—	1	—
Chippenham M.B.	11	1.12	2	0.20	—	7	—	—	1	11	—	—	—	—	—
Devizes M.B. ..	6	0.86	1	0.14	—	3	—	—	1	8	—	—	—	1	—
Malmesbury M.B.	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—
Marlborough M.B.	1	0.21	—	—	—	—	—	1	2	12	—	—	—	—	—
Melksham ..	6	1.18	4	0.79	—	1	—	—	2	1	—	—	—	—	1
Salisbury M.B. ..	29	1.03	15	0.53	—	32	—	1	4	20	1	—	1	—	—
Swindon M.B. ..	51	0.85	31	0.52	—	51	—	—	16	112	1	4	—	3	30
Trowbridge ..	5	0.40	7	0.56	—	7	—	—	1	—	—	2	—	3	—
Warminster ..	1	0.18	—	—	—	—	—	—	1	3	—	—	—	—	—
Westbury ..	2	0.48	—	—	—	—	—	—	1	1	—	1	—	—	—
Wilton M.B. ..	3	1.30	—	—	—	—	—	—	—	1	—	—	—	—	—
*RURAL DISTRICTS ..															
	172	1.12	55	0.36	6	13	—	2	35	128	3	7	1	5	45
Amesbury ..	31	1.76	12	0.68	—	—	—	—	3	13	1	—	—	—	—
Bradford and Melksham ..	12	1.42	—	—	—	—	—	—	1	3	—	1	—	—	1
Calne and Chippenham ..	23	1.28	4	0.22	—	2	—	2	5	18	—	—	—	2	—
Cricklade and Wootton Bassett	8	0.71	1	0.09	1	2	—	—	—	12	—	—	—	1	—
Devizes	2	0.16	1	0.08	1	2	—	—	4	15	—	3	1	—	13
Highworth ..	10	0.60	7	0.42	2	1	—	—	5	23	—	2	—	—	3
Malmesbury ..	8	1.00	4	0.50	—	—	—	—	3	11	—	—	—	—	—
Marlborough and Ramsbury.	11	1.14	—	—	—	—	—	—	4	13	1	—	—	—	—
Mere and Tisbury	25	2.39	3	0.29	—	2	—	—	3	7	—	1	—	—	—
Pewsey	9	0.64	8	0.57	—	—	—	—	3	9	1	—	—	1	27
Salisbury and Wilton.	25	1.59	12	0.76	2	1	—	—	3	3	—	—	—	1	1
*Warminster and Westbury.	8	0.69	3	0.26	—	3	—	—	1	1	—	—	—	—	—

† See note at end of Table.

TABLE 29—continued.

AREA	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
WORCESTERSHIRE:	549	1·23	651	1·46	24	67	—	9	136	502	6	1	2	54	
COUNTY BOROUGHS	127	1·11	251	2·20	4	24	—	1	38	111	1	—	—	15	
Dudley	67	1·10	98	1·60	1	6	—	—	24	71	1	—	—	10	—
Worcester ..	60	1·13	153	2·88	3	18	—	1	14	40	—	—	—	5	
ADMINISTRATIVE COUNTY.	422	1·27	400	1·21	20	43	—	8	98	391	5	1	2	39	
URBAN DISTRICTS ..	306	1·29	281	1·18	16	33	—	7	91	322	5	1	1	36	
Bewdley M.B. ..	8	1·87	—	—	—	1	—	1	1	6	—	—	—	1	—
Bromsgrove ..	23	0·99	48	2·07	2	—	—	1	4	8	—	—	—	2	—
Droitwich M.B. ..	1	0·22	3	0·65	—	—	—	—	2	—	—	—	—	—	—
Evesham M.B. ..	5	0·46	1	0·09	1	2	—	3	1	—	—	—	—	—	—
Halesowen, M.B.	27	0·77	15	0·43	2	1	—	—	19	48	—	—	—	—	—
Kidderminster M.B.	116	3·58	35	1·08	8	2	—	1	20	78	1	—	—	10	—
Malvern	4	0·23	6	0·34	—	1	—	—	7	23	—	1	—	3	—
Oldbury M.B. ..	72	1·62	72	1·62	—	3	—	1	19	97	3	—	—	10	—
Redditch	9	0·40	18	0·80	2	4	—	—	5	26	1	—	1	2	—
Stourbridge M.B.	29	0·83	81	2·32	1	13	—	—	10	20	—	—	—	7	—
Stourport-on-Severn.	12	1·56	2	0·26	—	6	—	—	3	16	—	—	—	1	—
RURAL DISTRICTS ..	116	1·23	119	1·27	4	10	—	1	7	69	—	—	1	3	—
Bromsgrove ..	19	0·97	22	1·12	1	3	—	—	—	10	—	—	—	1	—
Droitwich ..	10	0·91	19	1·73	1	—	—	—	1	2	—	—	—	—	—
Evesham	16	1·15	2	0·14	—	—	—	1	—	7	—	—	—	—	—
Kidderminster ..	20	2·58	31	4·01	—	2	—	—	—	3	—	—	—	1	—
Martley	25	2·38	14	1·33	—	3	—	—	3	18	—	—	1	1	—
Pershore	12	0·91	24	1·82	—	—	—	—	1	6	—	—	—	—	—
Tenbury	4	0·75	2	0·38	1	2	—	—	1	—	—	—	—	—	—
Upton on Severn	10	0·79	5	0·39	1	—	—	—	1	23	—	—	—	—	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
					Cases.	Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
YORKSHIRE, EAST RIDING :	1,235	2·46	997	1·99	11	105	—	18	119	541	5	5	1	42	7
COUNTY BOROUGH															
Kingston upon Hull	978	3·06	840	2·63	6	92	—	14	80	375	4	5	—	30	4
ADMINISTRATIVE COUNTY.	257	1·41	157	0·86	5	13	—	4	39	166	1	—	1	12	3
URBAN DISTRICTS	114	1·32	67	0·78	2	5	—	3	20	108	—	—	1	6	2
Beverley M.B. ..	38	2·69	17	1·20	—	1	—	1	8	27	—	—	—	3	—
Bridlington M.B. ..	14	0·65	17	0·79	1	—	—	—	5	38	—	—	1	1	2
Driffield	26	4·24	10	1·63	1	—	—	—	1	20	—	—	—	1	—
Filey	1	0·23	2	0·46	—	1	—	—	—	11	—	—	—	—	—
Haltemprice	27	1·04	16	0·62	—	1	—	2	3	4	—	—	—	—	—
Hedon M.B. ..	4	2·27	—	—	—	—	—	—	2	6	—	—	—	—	—
Hornsea	2	0·44	1	0·22	—	2	—	—	—	1	—	—	—	—	—
Norton	—	—	2	0·48	—	—	—	—	—	—	—	—	—	1	—
Withernsea	2	0·52	2	0·52	—	—	—	—	1	1	—	—	—	—	—
RURAL DISTRICTS	143	1·50	90	0·94	3	8	—	1	19	58	1	—	—	6	1
Beverley	13	0·77	13	0·77	2	—	—	—	—	7	—	—	—	2	1
Bridlington	3	0·36	6	0·72	—	—	—	—	—	13	—	—	—	—	—
Derwent	20	1·72	4	0·34	—	1	—	—	2	4	1	—	—	—	—
Driffield	6	0·59	1	0·10	—	2	—	—	—	7	—	—	—	—	—
Holderness	32	1·86	32	1·86	1	3	—	—	9	10	—	—	—	4	—
Howden	51	4·51	7	0·62	—	1	—	1	4	15	—	—	—	—	—
Norton	7	0·94	1	0·13	—	1	—	—	—	—	—	—	—	—	—
Pocklington	11	0·86	26	2·04	—	—	—	—	4	2	—	—	—	—	—
YORKSHIRE, NORTH RIDING :	1,946	4·12	535	1·13	26	84	—	17	223	923	19	7	4	35	25
COUNTY BOROUGH :															
Middlesbrough	944	6·76	261	1·87	17	50	—	1	103	384	17	3	1	16	—
ADMINISTRATIVE COUNTY.	1,002	3·01	274	0·82	9	34	—	16	120	539	2	4	3	19	25
URBAN DISTRICTS ..	738	3·97	146	0·79	5	18	—	6	88	386	1	2	2	15	6
Eston	238	7·79	12	0·39	1	2	—	—	14	125	1	—	—	1	—
Guisborough	23	2·86	—	—	—	1	—	—	3	41	—	—	—	—	—
Loftus	55	7·22	7	0·92	1	—	—	—	6	12	—	—	—	1	—
Malton	1	0·24	—	—	—	—	—	—	—	—	—	—	—	—	—
Northallerton	10	2·02	5	1·01	—	—	—	—	—	13	—	—	1	—	—
Pickering	—	—	1	0·26	—	1	—	—	—	—	—	—	—	—	—
Redcar M.B.	129	5·60	8	0·35	1	7	—	1	14	39	—	—	—	—	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
YORKSHIRE, NORTH RIDING—cont.															
URBAN DISTRICTS—cont.															
Richmond M.B. . .	7	1·28	—	—	1	1	—	—	2	12	—	—	—	2	—
Saltburn and Marske by the Sea ..	36	5·43	6	0·90	—	—	—	—	3	14	—	1	—	—	—
Scalby ..	4	0·92	1	0·23	—	—	—	—	—	—	—	—	—	—	—
Scarborough M.B.	102	2·49	49	1·20	—	3	—	2	4	52	—	1	—	2	—
Skelton and Brotton ..	76	5·91	12	0·93	—	1	—	2	11	2	—	—	—	—	—
Thornaby on Tees M.B. ..	29	1·33	29	1·33	1	2	—	1	24	57	—	—	—	9	—
Whitby ..	28	2·41	16	1·38	—	—	—	—	7	19	—	—	—	—	—
RURAL DISTRICTS ..	264	1·79	128	0·87	4	16	—	10	32	153	1	2	1	4	1
Aysgarth ..	14	3·70	—	—	—	—	—	—	1	—	—	—	—	—	—
Bedale ..	6	0·93	2	0·31	2	4	—	—	—	3	—	—	—	1	—
Croft ..	2	0·98	2	0·98	—	1	—	—	1	2	—	—	—	—	—
Easingwold ..	9	0·93	14	1·45	—	—	—	—	2	7	—	—	—	—	—
Flaxton ..	19	1·36	21	1·51	—	1	—	4	3	7	—	—	—	—	—
Helmsley ..	2	0·38	1	0·19	—	—	—	1	2	19	—	—	—	—	—
Kirkby Moorside ..	5	1·03	12	2·47	—	—	—	—	—	4	—	—	—	—	—
Leyburn ..	32	4·70	8	1·17	—	1	—	—	3	1	—	—	—	1	—
Malton ..	8	1·43	4	0·71	—	—	—	—	3	—	—	—	—	—	—
Masham ..	—	—	—	—	—	1	—	—	2	3	—	—	—	—	—
Northallerton ..	25	3·30	8	1·06	—	—	—	—	3	22	—	—	1	—	—
Pickering ..	5	0·92	1	0·18	—	—	—	—	—	1	—	—	—	—	—
Reeth ..	6	2·74	1	0·46	—	1	—	—	1	1	—	—	—	1	—
Richmond ..	54	2·75	20	1·02	1	4	—	2	—	26	—	—	—	—	—
Scarborough ..	16	2·37	1	0·15	—	—	—	—	3	4	—	1	—	—	—
Startforth ..	18	4·44	1	0·25	1	1	—	—	3	—	—	—	—	—	—
Stokesley ..	21	1·36	18	1·17	—	—	—	2	2	16	1	—	—	—	—
Thirsk ..	8	0·67	10	0·84	—	2	—	—	1	22	—	1	—	—	—
Wath ..	1	0·41	2	0·82	—	—	—	1	1	6	—	—	—	—	—
Whitby ..	13	1·12	2	0·17	—	—	—	—	1	9	—	—	—	1	—
*YORKSHIRE, WEST RIDING :															
*COUNTY BOROUGHS	5,227	2·83	4,423	2·39	121	530	—	44	960	4,471	69	8	10	166	8
Barnsley ..	155	2·23	137	1·97	6	12	—	2	41	148	4	—	1	14	—
*Bradford ..	867	3·00	872	3·01	7	56	—	9	144	514	21	—	1	28	—
Dewsbury ..	130	2·45	92	1·73	2	6	—	—	21	16	3	—	—	8	—
Doncaster ..	198	2·78	78	1·09	—	18	—	1	18	85	3	—	—	5	—
Halifax ..	162	1·66	164	1·68	12	29	—	1	37	115	4	—	1	7	—
*Huddersfield ..	122	1·01	94	0·78	2	30	—	2	63	153	2	1	—	18	—
*Leeds ..	2,233	4·54	939	1·91	59	144	—	16	272	973	16	1	—	42	—
Rotherham ..	130	1·72	300	3·96	4	25	—	1	59	153	3	—	—	8	—
Sheffield ..	1,076	2·08	1,633	3·15	28	198	—	11	269	2,162	11	6	5	32	—
Wakefield ..	154	2·60	114	1·92	1	12	—	1	36	152	2	—	—	4	—
*ADMINISTRATIVE COUNTY ..	3,886	2·57	2,298	1·52	25	224	—	52	579	2,059	35	10	2	130	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and Pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
					Cases.	Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
ORKSHIRE, WEST RIDING—cont.															
URBAN DISTRICTS	2,847	2·62	1,709	1·57	19	139	—	36	460	1,579	21	8	2	94	2
Adwick-le-Street	65	3·36	61	3·16	—	2	—	—	30	71	1	—	—	10	—
†Aireborough ..	40	2·32	42	2·43	—	5	—	—	4	13	—	1	—	1	—
Altofts ..	7	1·52	3	0·65	—	1	—	—	3	10	—	—	—	1	—
†Ardsley East and West	15	6·15	2	0·82	1	—	—	—	—	9	—	—	—	—	—
*Baildon ..	17	1·75	6	0·62	—	—	—	—	4	—	—	—	—	—	—
†Barkisland ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Barnoldswick ..	6	0·57	21	2·00	—	—	—	—	5	10	—	—	—	—	—
*Batley M.B. ..	104	2·60	62	1·55	1	5	—	—	15	37	—	1	—	2	—
Bentley with Arksey ..	43	2·45	15	0·85	1	9	—	—	6	40	—	—	—	13	—
Bingley ..	99	4·53	51	2·33	—	1	—	—	21	44	—	—	—	1	—
†Birkenshaw ..	3	3·58	—	—	—	—	—	—	—	2	—	—	—	—	—
†Birstal ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
†Bolton upon Dearne ..	6	1·79	6	1·79	1	1	—	—	—	20	—	—	—	—	—
*Brighouse M.B. ..	89	3·24	25	0·91	—	5	—	1	11	23	1	—	—	1	—
†Burley in Wharfedale ..	2	1·99	—	—	—	—	—	—	—	—	—	—	—	—	—
†Calverley ..	4	3·29	—	—	—	—	—	—	—	—	—	—	—	—	—
*Castleford ..	27	1·36	36	1·82	—	2	—	—	7	13	—	1	—	1	—
Clayton West ..	—	—	1	0·57	—	2	—	—	1	3	—	—	—	—	—
†Colne Valley ..	35	2·03	4	0·23	—	—	—	—	12	12	—	—	—	1	—
Conisbrough ..	22	1·28	26	1·51	—	—	—	—	3	29	3	—	—	1	—
Cudworth ..	22	2·59	17	2·00	—	1	—	1	2	25	—	—	—	6	—
Darfield ..	14	2·46	16	2·81	—	2	—	1	4	13	—	—	—	—	—
Darton ..	28	2·15	30	2·30	—	1	—	—	10	11	1	—	—	—	—
†Dearne ..	52	2·85	110	6·02	1	7	—	1	11	33	2	—	—	3	—
Denby and Cum-berworth ..	1	0·30	—	—	—	—	—	—	—	1	—	—	—	—	—
Denholme ..	13	5·16	—	—	—	—	—	—	1	2	—	—	—	—	—
Dodworth ..	1	0·25	2	0·49	—	1	—	—	2	4	—	—	—	—	—
†Drighlington ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Earby ..	1	0·21	1	0·21	—	—	—	—	3	7	—	—	—	—	—
*Elland ..	12	0·71	6	0·35	—	—	—	—	4	17	—	—	—	—	—
Emley ..	2	1·35	—	—	—	—	—	—	1	2	—	—	—	—	—
†Farsley ..	3	1·73	1	0·58	—	—	—	2	—	—	—	—	—	—	—
Featherstone ..	35	2·53	51	3·69	1	2	—	—	5	24	—	—	—	1	—
Flockton ..	—	—	2	1·44	—	—	—	—	2	3	—	—	—	—	—
Garforth ..	16	4·23	51	13·50	—	—	—	1	—	1	—	—	1	—	—
†Gildersome ..	1	1·18	—	—	—	—	—	—	—	6	—	—	—	—	—
†Golcar ..	1	0·42	1	0·42	—	—	—	1	—	3	—	—	—	2	—
Goole M.B. ..	40	2·03	34	1·73	—	2	—	—	—	—	—	—	—	—	—
Greetland ..	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
†Guiseley ..	4	2·66	2	1·33	—	—	—	—	—	—	—	—	—	—	—
Gunthwaite and Ingbirchworth Harrogate M.B.	86	2·20	28	0·72	4	9	—	5	18	76	—	—	1	4	—
Haworth ..	3	0·54	20	3·59	—	—	—	4	3	2	—	—	—	—	—
*Hebden Royd formerly Hebden Bridge	4	0·38	—	—	1	—	—	—	5	8	—	—	—	1	—

† See note at end of Table.

(a) Abolished 1st April, 1937. Figures included in those of Batley M.B. as from 1st January, 1937.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
					Cases.	Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
YORKSHIRE, WEST RIDING—cont.															
URBAN DISTRICTS—cont.															
Heckmondwike ..	18	2.03	8	0.90	—	1	—	—	2	3	—	—	—	—	2
Hemsworth ..	23	1.80	24	1.88	—	—	—	—	15	29	—	—	—	—	—
*Hipperholme ..	1	0.72	—	—	—	—	—	—	—	6	—	—	—	—	—
Holme ..	2	6.29	—	—	—	—	—	—	—	1	—	—	—	—	—
Holmfirth ..	18	1.84	5	0.51	—	1	—	—	2	12	—	—	—	—	—
Honley ..	6	1.34	2	0.45	1	1	—	—	2	5	—	—	—	—	—
Horbury ..	25	3.26	3	0.39	—	—	—	—	7	23	—	—	—	—	1
*Horsforth ..	37	3.06	4	0.33	—	—	—	—	3	10	—	—	—	—	—
Hoyland Nether	43	2.95	27	1.85	—	2	—	—	10	61	—	—	—	—	1
Hoyland Swaine	1	1.39	—	—	—	—	—	—	—	—	—	—	—	—	—
†Hunsworth ..	1	1.53	—	—	—	—	—	—	—	—	—	—	—	—	—
*Ilkley ..	80	5.63	10	0.70	—	1	—	2	10	21	—	1	—	—	—
Keighley M.B. ..	107	2.74	164	4.20	—	2	—	2	7	23	3	—	—	2	—
Kirkburton ..	2	0.64	3	0.96	—	—	—	—	3	18	—	—	—	—	—
*Kirkheaton ..	3	1.23	1	0.41	—	—	—	—	—	—	—	—	—	1	—
Knaresborough ..	18	2.89	1	0.16	—	3	—	1	2	2	—	—	—	—	—
*Knottingley ..	31	3.64	48	5.63	—	1	—	1	2	23	—	—	—	—	1
†Lepton ..	12	3.84	3	0.96	—	—	—	—	2	6	—	—	—	—	—
†Linthwaite ..	2	0.84	4	1.69	—	—	—	—	—	6	—	—	—	—	—
†Luddenden Foot	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—
*Maltby ..	24	2.23	45	4.19	—	1	—	—	5	16	3	—	—	—	1
†Marsden ..	9	6.77	—	—	—	—	—	—	2	4	—	—	—	—	—
Meltham ..	6	1.27	—	—	—	—	—	—	1	3	—	—	—	—	—
†Methley ..	5	4.43	1	0.89	—	—	—	—	—	—	—	—	—	—	1
Mexborough ..	5	0.32	27	1.71	—	8	—	—	2	28	1	—	—	—	3
Midgley ..	1	0.59	2	1.18	—	—	—	—	—	1	—	—	—	—	—
Mirfield ..	17	1.43	3	0.25	—	—	—	—	2	1	—	—	—	—	2
*Morley M.B. ..	216	6.19	25	0.72	—	2	—	1	14	51	—	—	—	—	—
a†Mytholmroyd ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
New Mill ..	10	2.41	2	0.48	—	—	—	—	1	4	—	—	—	—	—
Normanton ..	63	4.30	25	1.71	2	4	—	3	9	26	—	—	—	—	1
Oakworth ..	2	0.53	—	—	—	—	—	—	—	—	—	—	—	—	1
Ossett M.B. ..	48	3.35	6	0.42	—	2	—	—	2	20	—	—	—	—	1
*Otley ..	19	1.71	5	0.45	—	5	—	—	7	19	1	—	—	—	—
Oxenhope ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Penistone ..	7	2.25	—	—	—	—	—	—	1	—	—	1	—	—	—
*Pontefract M.B. ..	114	5.47	50	2.40	—	2	—	1	13	47	—	—	—	—	2
*Pudsey M.B. ..	40	1.64	30	1.23	—	4	—	1	6	17	1	—	—	—	2
b†Queensbury ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
†Queensbury and Shelf ..	86	9.95	26	3.01	—	—	—	—	1	5	—	—	—	—	1
†Rawdon ..	2	1.53	1	0.76	—	—	—	—	—	—	—	—	—	—	—
Rawmarsh ..	76	4.17	18	0.99	—	4	—	1	12	92	—	—	—	—	3
Ripon M.B. ..	18	2.11	17	1.99	—	—	—	—	—	4	—	—	—	—	—
†Ripponden ..	35	8.89	1	0.25	—	—	—	—	—	—	—	—	—	—	—
†Rishworth ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
*Rothwell ..	126	5.69	20	0.90	1	5	—	—	19	40	—	—	—	—	2
Royston ..	20	2.58	10	1.29	—	3	—	—	—	—	—	—	—	—	—
*Saddleworth ..	11	0.64	15	0.87	—	—	—	—	6	5	2	—	—	—	2
†Scammonden ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Selby ..	17	1.68	6	0.59	2	—	—	—	2	13	—	—	—	—	—
b†Shelf ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

† See note at end of Table.
(a) Abolished 1st April, 1937. Figures are included in those of Hebden Royd as from 1st January, 1937.
(b) Abolished 1st April, 1937. Figures are included in those of Queensbury and Shelf as from 1st January, 1937.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
					Cases.	Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
ORKSHIRE, WEST RIDING—cont.															
URBAN DISTRICTS—cont.															
Shelley	1	0.69	1	0.69	—	—	—	—	—	3	—	—	—	—	—
Shepley	11	7.00	2	1.27	—	—	—	—	—	5	—	—	—	—	—
Shipley	49	1.58	82	2.65	—	3	—	—	8	41	—	—	—	2	—
Silsden	21	4.22	5	1.00	—	—	—	1	—	2	—	—	—	—	—
Skelmanthorpe ..	1	0.29	2	0.58	—	—	—	—	1	4	—	—	—	—	—
*Skipton	8	0.63	2	0.16	—	1	—	1	—	2	—	—	—	1	—
†Slaithwaite ..	1	0.82	—	—	—	—	—	—	—	1	—	—	—	—	—
South Crosland ..	10	3.40	1	0.34	—	—	—	—	1	4	—	—	—	—	—
†Southowram ..	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
*Sowerby Bridge..	28	1.65	8	0.47	1	1	—	—	5	6	—	—	—	—	—
†Soyland	3	3.96	1	1.32	—	—	—	—	—	—	—	—	—	—	—
*Spenborough ..	65	1.88	19	0.55	—	1	—	—	5	36	—	—	—	3	—
†Springhead ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
†Stainland	—	—	1	1.00	—	—	—	—	—	2	—	—	—	—	—
*Stanley	101	6.69	18	1.19	—	2	—	—	8	55	—	—	—	3	—
*Stocksbridge ..	12	1.26	1	0.10	1	2	—	—	3	35	—	—	—	1	—
Swinton	19	1.40	13	0.96	—	3	—	3	9	29	—	1	—	—	—
†Thurlstone ..	1	0.41	3	1.24	—	1	—	—	1	—	—	—	—	—	—
†Thurnscoe ..	1	0.37	1	0.37	—	—	—	—	1	13	1	—	—	—	—
Thurstonland and Farnley Tyas	5	1.34	—	—	—	—	—	1	9	3	—	—	—	—	—
Tickhill	2	0.87	1	0.43	—	—	—	—	2	4	—	—	—	1	—
*Todmorden M.B.	33	1.54	—	—	—	3	—	—	4	13	1	—	—	1	—
Wath upon Dearne	11	0.81	79	5.84	—	—	—	—	2	15	—	—	—	1	—
Whitley Upper ..	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—
*Whitwood	27	3.82	39	5.51	—	3	—	—	2	1	—	—	—	1	—
Wombwell	56	3.16	43	2.43	—	4	—	—	21	53	—	—	—	1	1
Worsborough ..	48	3.64	8	0.61	—	4	—	—	10	22	—	2	—	—	—
†Yeadon	3	1.46	4	1.95	—	1	—	—	1	5	—	—	—	—	—
RURAL DISTRICTS	1,039	2.44	589	1.39	6	85	—	16	119	480	14	2	—	36	—
Barnsley	20	3.61	11	1.99	—	—	—	1	1	1	—	—	—	1	—
†Bishopthorpe ..	1	1.12	—	—	—	—	—	—	—	—	3	—	—	—	—
Bowland	4	0.80	3	0.60	—	1	—	—	3	6	—	—	—	1	—
*Doncaster	170	3.44	113	2.29	2	21	—	9	5	63	1	—	—	2	—
Goole	17	1.97	7	0.81	1	1	—	—	—	4	—	—	—	—	—
*Great Ouseburn	9	1.00	8	0.89	—	7	—	1	—	2	—	—	—	—	—
†Halifax	2	1.37	—	—	—	—	—	—	—	2	—	—	—	—	—
Hemsworth	127	2.62	81	1.67	1	13	—	1	12	86	6	—	—	7	—
†Hunslet	4	3.80	1	0.95	—	—	—	—	1	2	—	—	—	—	—
Keighley	18	1.83	12	1.22	—	—	—	—	—	7	—	—	—	—	—
Kiveton Park ..	91	5.59	48	2.95	—	—	—	—	3	20	1	—	—	—	—
*Knaresborough ..	23	2.24	5	0.49	—	—	—	1	—	12	—	—	—	1	—
†Pateley Bridge ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Penistone	3	0.58	14	2.72	—	2	—	—	1	—	—	—	—	—	—
*Pontefract	88	3.84	46	2.01	1	2	—	—	5	24	—	—	—	2	—
†Ripon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
†Ripon	11	0.99	—	—	—	1	—	—	1	10	—	1	—	—	—
†Pateley Bridge and	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
*Rotherham	103	2.61	46	1.17	1	1	—	1	19	63	2	—	—	—	—
Sedburgh	—	—	5	1.28	—	—	—	—	—	—	—	—	—	—	—

† See note at end of Table.

(a) Abolished 1st April, 1937. Figures included in those of Saddleworth U.D. as from 1st January, 1937.

(b) Abolished 1st April, 1937. Figures included in those of Ripon and Pateley Bridge R.D. as from 1st January, 1937.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
					Cases.	Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
YORKSHIRE, WEST RIDING—cont.															
RURAL DISTRICTS—cont.															
*Selby	11	1.91	1	0.17	—	1	—	—	4	9	—	—	—	—	—
Settle	24	1.72	2	0.14	—	3	—	—	3	20	—	1	—	—	—
*Skipton	12	0.67	5	0.28	—	—	—	—	3	9	—	—	—	—	1
*Tadcaster	65	2.01	67	2.07	—	4	—	—	12	25	—	—	—	—	2
Thorne	39	1.27	45	1.46	—	15	—	—	7	32	1	—	—	14	—
*Todmorden	2	0.46	1	0.23	—	1	—	—	2	4	—	—	—	—	1
*Wakefield	77	4.38	40	2.28	—	4	—	—	10	19	—	—	—	—	3
*Wetherby	31	1.83	5	0.30	—	2	—	2	6	13	—	—	—	—	1
*Wharfedale	12	1.75	5	0.73	—	1	—	—	6	15	—	—	—	—	—
*Wortley	75	2.47	18	0.59	—	5	—	—	15	32	—	—	—	—	—
COUNTY BOROUGH															
*York	204	2.09	133	1.36	—	41	—	1	43	118	4	2	—	5	—
WALES AND MONMOUTH.															
ANGLESEY :															
ADMINISTRATIVE COUNTY	145	3.10	80	1.71	—	6	—	1	1	61	—	1	—	—	3
URBAN DISTRICTS..	42	2.40	16	0.91	—	—	—	—	—	24	—	—	—	—	1
Amlwch	23	9.11	5	1.98	—	—	—	—	—	10	—	—	—	—	—
Beaumaris M.B.	4	2.54	1	0.64	—	—	—	—	—	3	—	—	—	—	—
Holyhead	5	0.50	2	0.20	—	—	—	—	—	4	—	—	—	—	1
Llangefni	10	5.71	8	4.57	—	—	—	—	—	6	—	—	—	—	—
Menai Bridge ..	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
RURAL DISTRICTS..	103	3.53	64	2.19	—	6	—	1	1	37	—	1	—	—	2
Aethwy	57	5.57	50	4.89	—	1	—	—	—	6	—	1	—	—	1
Twrcelyn	30	3.55	9	1.07	—	1	—	1	—	26	—	—	—	—	1
Valley	16	1.52	5	0.48	—	4	—	—	1	5	—	—	—	—	—
BRECKNOCKSHIRE:															
ADMINISTRATIVE COUNTY	174	3.25	20	0.37	3	1	—	2	6	72	—	—	—	—	3
URBAN DISTRICTS..	77	5.00	4	0.26	2	1	—	—	3	48	—	—	—	—	1
Brecknock M.B.	35	6.82	3	0.58	1	1	—	—	—	6	—	—	—	—	—
Brynmaur	38	5.68	1	0.15	1	—	—	—	2	30	—	—	—	—	1
Builth Wells ..	4	2.60	—	—	—	—	—	—	—	10	—	—	—	—	—
Hay	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Llanwrtyd	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
RURAL DISTRICTS..	97	2.55	16	0.42	1	—	—	2	3	24	—	—	—	—	2
Brecknock (Defynnock and Llangorse Div.) ..	15	2.65	6	1.06	—	—	—	—	1	2	—	—	—	—	—
Brecknock(Merthyr Cynog Div.) ..	3	1.59	2	1.06	—	—	—	—	—	1	—	—	—	—	—
Builth	1	0.26	—	—	1	—	—	—	—	2	—	—	—	—	—
Crickhowell ..	13	1.98	1	0.15	—	—	—	—	—	7	—	—	—	—	—
Hay	5	1.42	1	0.28	—	—	—	2	1	3	—	—	—	—	—
Vaynor and Penderyn	3	0.57	1	0.19	—	—	—	—	—	—	—	—	—	—	—
Ystradgynlais ..	57	5.01	5	0.44	—	—	—	—	1	9	—	—	—	—	2

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
					Cases.	Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
CAERNARVON-SHIRE :															
ADMINISTRATIVE COUNTY	562	4·73	330	2·78	3	11	—	2	37	54	3	—	—	10	3
URBAN DISTRICTS ..	309	4·65	173	2·60	2	9	—	1	23	34	2	—	—	5	—
Bangor M.B. ..	73	5·90	9	0·73	—	5	—	—	6	1	—	—	—	5	—
Bethesda.. ..	50	11·09	1	0·22	—	1	—	—	4	—	—	—	—	—	—
Bettws y Coed ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Caernarvon M.B.	60	6·92	113	13·03	—	—	—	—	3	2	2	—	—	—	—
Conway M.B. ..	43	4·80	17	1·90	1	1	—	1	3	7	—	—	—	—	—
Criccieth	6	4·08	1	0·68	—	—	—	—	—	—	—	—	—	—	—
Llandudno	22	1·46	5	0·33	—	—	—	—	5	13	—	—	—	—	—
Llanfairfechan ..	4	1·30	22	7·16	1	—	—	—	—	—	—	—	—	—	—
Penmaenmawr ..	18	4·63	1	0·26	—	—	—	—	1	2	—	—	—	—	—
Portmadoc	28	6·90	—	—	—	1	—	—	1	—	—	—	—	—	—
Pwllheli M.B. ..	5	1·40	4	1·12	—	1	—	—	—	9	—	—	—	—	—
URAL DISTRICTS ..	253	4·82	157	2·99	1	2	—	1	14	20	1	—	—	5	3
Gwyrfaï	142	5·97	128	5·38	1	—	—	—	10	3	1	—	—	4	—
Lleyn	77	4·45	19	1·10	—	1	—	—	1	16	—	—	—	—	3
Nant Conway ..	15	2·37	4	0·63	—	—	—	1	—	—	—	—	—	1	—
Ogwen	19	3·79	6	1·20	—	1	—	—	3	1	—	—	—	—	—
CARDIGANSHIRE :															
ADMINISTRATIVE COUNTY	32	0·61	13	0·25	1	3	—	4	3	62	2	—	1	—	—
URBAN DISTRICTS ..	12	0·70	10	0·58	1	1	—	3	2	20	—	—	—	—	—
Aberayron	1	0·85	—	—	—	—	—	—	—	5	—	—	—	—	—
Aberystwyth M.B.	10	1·05	10	1·05	—	1	—	3	2	9	—	—	—	—	—
Cardigan M.B. ..	—	—	—	—	1	—	—	—	—	4	—	—	—	—	—
Lampeter M.B. ..	1	0·45	—	—	—	—	—	—	—	2	—	—	—	—	—
New Quay	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
URAL DISTRICTS ..	20	0·56	3	0·08	—	2	—	1	1	42	2	—	1	—	—
Aberayron	3	0·32	—	—	—	—	—	1	—	9	—	—	—	—	—
Aberystwyth North ..	3	0·45	1	0·15	—	—	—	—	—	7	—	—	—	—	—
South	2	0·48	1	0·24	—	2	—	—	1	7	—	—	—	—	—
Teifside	9	0·90	1	0·10	—	—	—	—	—	12	1	—	1	—	—
Tregaron	3	0·54	—	—	—	—	—	—	—	7	1	—	—	—	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
					Cases.	Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
CARMARTHEN-SHIRE :															
ADMINISTRATIVE COUNTY	253	1·45	279	1·60	7	14	—	7	42	153	2	1	4	16	—
URBAN DISTRICTS	94	1·29	114	1·56	5	8	—	6	26	80	1	1	2	9	—
Ammanford ..	27	3·88	3	0·43	—	—	—	—	—	2	—	—	—	—	—
Burry Port ..	4	0·74	1	0·18	—	1	—	—	—	1	—	—	—	—	—
Carmarthen M.B. ..	15	1·37	3	0·27	1	1	—	1	6	10	—	—	—	—	—
Cwmamman ..	6	1·21	—	—	—	—	—	—	—	3	—	—	—	—	—
Kidwelly M.B. ..	1	0·34	1	0·34	—	—	—	—	—	9	—	—	—	—	—
Llandilo ..	3	1·57	—	—	1	—	—	—	5	7	—	—	—	—	—
Llandovery M.B. ..	2	0·98	—	—	—	—	—	—	1	4	—	—	—	—	—
Llanelly M.B. ..	33	0·89	105	2·83	3	5	—	5	10	44	1	1	2	9	—
Newcastle Emlyn	3	3·79	1	1·26	—	1	—	—	—	—	—	—	—	—	—
RURAL DISTRICTS	159	1·57	165	1·63	2	6	—	1	16	73	1	—	2	7	—
Carmarthen ..	51	1·81	38	1·35	1	1	—	—	5	5	—	—	1	3	—
Llandilo ..	53	1·91	17	0·61	—	2	—	—	6	23	1	—	—	1	—
Llanelly ..	47	1·29	110	3·02	1	1	—	—	5	37	—	—	—	3	—
Newcastle Emlyn	8	0·92	—	—	—	2	—	1	—	8	—	—	1	—	—
DENBIGHSHIRE :															
ADMINISTRATIVE COUNTY	326	2·08	740	4·71	5	23	—	5	53	184	—	—	1	13	—
URBAN DISTRICTS	127	1·83	261	3·77	3	10	—	4	26	105	—	—	1	9	—
Abergele ..	17	2·68	23	3·63	1	—	—	1	4	7	—	—	—	3	—
Colwyn Bay M.B. ..	48	2·25	51	2·39	1	2	—	—	10	23	—	—	—	2	—
Denbigh M.B. ..	7	0·92	4	0·52	—	—	—	—	—	11	—	—	—	2	—
Llangollen ..	1	0·34	2	0·68	—	—	—	—	1	1	—	—	—	—	—
Llanrwst ..	5	2·10	1	0·42	—	—	—	—	—	—	—	—	—	—	—
Ruthin M.B. ..	2	0·63	3	0·94	—	2	—	—	1	7	—	—	—	—	—
Wrexham M.B. ...	47	1·85	177	6·95	1	6	—	3	10	56	—	—	1	2	—
RURAL DISTRICTS	199	2·27	479	5·46	2	13	—	1	27	79	—	—	—	4	—
Aled ..	4	0·63	19	2·99	—	1	—	—	2	1	—	—	—	—	—
Ceiriog ..	7	1·00	20	2·85	—	1	—	—	—	3	—	—	—	—	—
Hiraethog ..	6	1·09	1	0·18	—	—	—	—	1	8	—	—	—	1	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
					Cases.	Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
DENBIGHSHIRE															
—cont.															
RURAL DISTRICTS—															
—cont.															
Ruthin	16	1.84	38	4.36	—	1	—	—	—	7	—	—	—	2	—
Wrexham	166	2.76	401	6.67	2	10	—	1	24	60	—	—	—	1	—
DELMINTSHIRE :															
ADMINISTRATIVE COUNTY	249	2.08	219	1.83	2	26	—	3	27	189	—	1	1	18	—
URBAN DISTRICTS	105	1.75	117	1.94	—	12	—	—	18	113	—	1	1	12	—
Buckley	10	1.41	22	3.11	—	—	—	—	4	6	—	—	—	1	—
Connah's Quay ..	17	2.71	35	5.57	—	1	—	—	1	24	—	—	—	—	—
Flint M.B.	15	1.16	15	1.16	—	6	—	—	5	29	—	—	—	2	—
Holywell	5	0.82	4	0.65	—	2	—	—	4	14	—	—	—	6	—
Mold	11	1.94	25	4.40	—	2	—	—	2	3	—	—	—	—	—
Prestatyn	6	0.91	3	0.46	—	—	—	—	1	2	—	—	—	2	—
Rhyl	41	2.64	13	0.84	—	1	—	—	1	35	—	1	1	1	—
RURAL DISTRICTS..	144	2.43	102	1.72	2	14	—	3	9	76	—	—	—	6	—
Hawarden	96	3.53	80	2.94	1	5	—	2	5	43	—	—	—	3	—
Holywell	24	1.17	16	0.78	—	6	—	—	4	26	—	—	—	—	—
Overton	3	0.69	—	—	—	1	—	1	—	4	—	—	—	1	—
St. Asaph (Flint)	21	2.87	6	0.82	1	2	—	—	—	3	—	—	—	2	—
GLAMORGANSHIRE :															
COUNTY BOROUGHS	1,468	3.30	1,168	2.62	66	88	—	15	112	396	14	3	1	46	82
Cardiff	495	2.25	588	2.67	50	38	—	15	62	187	10	—	—	33	17
Merthyr Tydfil ..	180	2.85	141	2.23	—	2	—	—	7	43	—	—	—	6	—
Swansea	793	4.90	439	2.71	16	48	—	—	43	166	4	3	1	7	65
ADMINISTRATIVE COUNTY	2,859	4.00	1,463	2.05	27	96	—	37	201	993	17	4	2	61	26
URBAN DISTRICTS ..	2,485	4.64	1,184	2.21	20	79	—	26	167	854	16	4	2	50	24
Aberdare.. .. .	256	5.88	101	2.32	1	3	—	—	7	76	—	—	—	2	19
Barry	73	2.03	127	3.53	—	5	—	3	20	48	—	1	—	6	—
Bridgend.. .. .	15	1.45	16	1.55	—	—	—	—	2	3	—	—	—	—	—
Caerphilly	207	6.36	70	2.15	1	4	—	—	9	15	1	—	—	2	1
Cowbridge M.B... ..	1	1.00	—	—	—	—	—	—	—	3	—	—	—	—	—
Gelligaer	72	1.94	44	1.19	—	8	—	—	10	19	2	—	—	1	—
Glyncorwg	41	4.22	5	0.51	—	—	—	—	1	20	—	—	—	—	—
Llchwyr	49	1.89	25	0.97	—	3	—	—	2	22	—	—	—	1	—
Maesteg	31	1.37	83	3.66	1	1	—	13	7	25	—	—	—	—	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
					Cases.	Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
GLAMORGANSHIRE															
—cont.															
URBAN DISTRICTS															
—cont.															
Mountain Ash ..	240	7·04	193	5·66	—	10	—	—	25	112	—	—	—	1	—
Neath M.B. ..	94	2·96	142	4·47	3	3	—	—	5	7	—	1	—	1	—
Ogmore and Garw	102	4·21	19	0·78	6	—	—	3	10	63	—	—	—	5	—
Penarth	39	2·38	113	6·88	—	10	—	4	7	131	5	1	—	1	—
Pontypridd ..	381	9·75	88	2·25	—	13	—	—	11	44	2	—	—	3	—
Porthcawl ..	24	3·59	26	3·88	—	1	—	—	1	1	—	—	—	1	—
Port Talbot M.B.	186	4·62	23	0·57	1	1	—	2	3	10	—	—	—	1	—
Rhondda.. ..	674	5·43	109	0·88	7	17	—	1	47	255	6	1	—	25	—
RURAL DISTRICTS ..	374	2·09	279	1·56	7	17	—	11	34	139	1	—	—	11	—
Cardiff	94	2·98	42	1·33	—	3	—	—	8	10	—	—	—	—	—
Cowbridge	21	2·02	42	4·04	2	—	—	—	3	6	—	—	—	1	—
Gower	8	0·77	12	1·15	—	1	—	1	—	7	—	—	—	—	—
Llantrisant and	44	1·80	35	1·43	3	1	—	8	5	21	1	—	—	3	—
Llantwitfardre															
Neath	116	2·89	50	1·25	—	6	—	1	6	60	—	—	—	4	—
Penybont	27	0·98	77	2·79	2	2	—	1	4	15	—	—	—	—	—
Pontardawe ..	64	1·87	21	0·61	—	4	—	—	8	20	—	—	—	3	—
MERIONETHSHIRE:															
ADMINISTRATIVE	101	2·50	10	0·25	—	2	—	1	7	22	—	1	—	2	—
COUNTY.															
URBAN DISTRICTS ..	29	1·60	6	0·33	—	1	—	—	4	8	—	1	—	—	—
Bala	2	1·33	1	0·67	—	—	—	—	—	—	—	—	—	—	—
Barmouth	5	2·26	—	—	—	—	—	—	—	—	—	—	—	—	—
Dolgelley	—	—	—	—	—	1	—	—	2	2	—	—	—	—	—
Ffestiniog	16	1·86	5	0·58	—	—	—	—	1	1	—	—	—	—	—
Towyn	6	1·79	—	—	—	—	—	—	1	5	—	1	—	—	—
RURAL DISTRICTS ..	72	3·24	4	0·18	—	1	—	1	3	14	—	—	—	2	—
Deudraeth	48	6·90	—	—	—	—	—	—	1	7	—	—	—	1	—
Dolgelley	22	3·04	1	0·14	—	1	—	—	1	7	—	—	—	1	—
Edeirnion	1	0·23	3	0·69	—	—	—	—	1	—	—	—	—	—	—
Penllyn	1	0·30	—	—	—	—	—	1	—	—	—	—	—	—	—
Civil Parish of															
Pennal admin-															
istered by R.D.C.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
of Machynlleth															
(Montgomery-															
shire).															
MONMOUTHSHIRE:	1,117	2·73	769	1·88	11	45	—	12	139	501	11	3	2	34	—
COUNTY BOROUGH															
Newport	227	2·36	325	3·38	6	14	—	7	38	165	1	1	—	11	—
ADMINISTRATIVE	890	2·85	444	1·42	5	31	—	5	101	336	10	2	2	23	—
COUNTY															

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
					Cases.	Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
MONMOUTHSHIRE															
—cont.															
URBAN DISTRICTS ..	842	3·14	429	1·60	5	31	—	5	101	307	8	2	2	22	1
Abercarn ..	23	1·23	6	0·32	—	—	—	1	4	6	—	—	—	—	—
Abergavenny M.B.	7	0·88	—	—	—	1	—	—	—	—	—	—	—	—	—
Abertillery ..	119	4·16	3	0·10	—	1	—	1	5	5	—	1	—	3	—
Bedwas and Machen ..	15	1·77	2	0·24	—	2	—	—	1	12	—	—	—	—	—
Bedwellty ..	45	1·57	73	2·55	3	2	—	—	14	34	2	—	—	2	—
Blaenavon ..	12	1·20	1	0·10	—	—	—	—	1	—	—	—	—	—	—
Caerleon ..	18	5·38	2	0·60	—	1	—	—	—	—	—	—	—	—	—
Chepstow ..	7	1·69	10	2·42	—	—	—	—	—	2	—	—	—	—	—
Cwmbran ..	5	0·46	4	0·37	—	1	—	—	—	16	—	—	—	2	—
Ebbw Vale ..	225	7·54	50	1·68	1	3	—	2	29	91	4	—	1	7	1
Monmouth M.B.	5	1·04	1	0·21	—	—	—	—	—	—	—	—	—	—	—
Mynyddislwyn ..	17	1·28	58	4·35	—	4	—	—	5	2	1	—	—	1	—
Nantyglo and Blaina ..	40	3·39	12	1·02	—	3	—	—	—	34	—	—	—	1	—
Pontypool ..	33	0·81	154	3·80	—	6	—	1	3	15	1	—	—	1	2
Rymney ..	15	1·57	12	1·25	—	1	—	—	11	8	—	—	—	—	—
Risca ..	121	8·07	8	0·53	—	2	—	—	3	27	—	—	—	3	—
Tredegar ..	131	6·20	33	1·56	1	4	—	—	25	54	—	1	—	1	—
Usk ..	4	3·28	—	—	—	—	—	—	—	1	—	—	—	—	—
RURAL DISTRICTS ..	48	1·09	15	0·34	—	—	—	—	—	29	2	—	—	1	—
Abergavenny ..	11	1·32	1	0·12	—	—	—	—	—	—	—	—	—	1	—
Chepstow ..	11	1·28	5	0·58	—	—	—	—	—	10	—	—	—	—	—
Magor and St. Mellons ..	19	1·19	3	0·19	—	—	—	—	—	18	1	—	—	—	—
Monmouth ..	2	0·34	3	0·51	—	—	—	—	—	—	—	—	—	—	—
Pontypool ..	5	0·93	3	0·56	—	—	—	—	—	1	1	—	—	—	—
MONTGOMERYSHIRE :															
ADMINISTRATIVE COUNTY ..	16	0·35	4	0·09	1	2	—	—	7	65	—	2	—	2	—
URBAN DISTRICTS ..	5	0·31	1	0·06	—	2	—	—	6	22	—	—	—	2	—
Llanfyllin M.B. ..	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—
Llanidloes M.B. ..	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Machynlleth ..	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
Montgomery M.B. ..	—	—	1	1·20	—	—	—	—	—	8	—	—	—	—	—
Newtown and Llanllwchaiarn ..	4	0·85	—	—	—	—	—	—	4	7	—	—	—	—	—
Welshpool M.B. ..	1	0·19	—	—	—	1	—	—	2	3	—	—	—	—	—
RURAL DISTRICTS ..	11	0·38	3	0·10	1	—	—	—	1	43	—	2	—	—	—
Forden ..	1	0·20	—	—	—	—	—	—	—	6	—	—	—	—	—
Llanfyllin ..	10	0·91	1	0·09	—	1	—	—	—	22	—	—	—	—	—
Machynlleth ..	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
Newtown and Llanidloes ..	—	—	2	0·21	—	—	—	—	1	13	—	2	—	—	—

† See note at end of Table.

TABLE 29—continued.

AREA.	Scarlet fever.		Diphtheria.		†Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenza).	Cerebro-spinal fever.	Acute poliomyelitis.	Acute encephalitis lethargica.	Ophthalmia neonatorum.	Dysentery.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.									
					Cases.	Cases.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
PEMBROKESHIRE :															
ADMINISTRATIVE COUNTY.	147	1·77	152	1·83	2	1	-	1	11	79	1	1	1	3	-
URBAN DISTRICTS ..	91	2·29	117	2·94	1	1	-	1	11	63	1	-	1	1	-
Fishguard and Goodwick	5	1·06	7	1·48	-	-	-	-	2	2	-	-	-	-	-
Haverfordwest M.B.	15	2·36	9	1·42	-	-	-	-	1	3	1	-	-	-	-
Milford Haven ..	32	3·10	39	3·78	-	-	-	-	7	26	-	-	-	-	-
Narberth.. ..	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-
Neyland	1	0·48	-	-	-	-	-	-	-	1	-	-	-	-	-
Pembroke M.B.	25	2·16	37	3·19	1	-	-	1	-	25	-	-	1	1	-
Tenby M.B. ..	13	3·53	25	6·79	-	1	-	-	1	-	-	-	-	-	-
RURAL DISTRICTS ..	56	1·29	35	0·80	1	-	-	-	-	16	-	1	-	2	-
Cemaes	5	0·56	3	0·33	-	-	-	-	-	5	-	-	-	-	-
Haverfordwest ..	38	1·96	6	0·31	-	-	-	-	-	4	-	1	-	1	-
Narberth.. ..	6	0·60	16	1·59	1	-	-	-	-	1	-	-	-	1	-
Pembroke	7	1·37	10	1·96	-	-	-	-	-	6	-	-	-	-	-
RADNORSHIRE :															
ADMINISTRATIVE COUNTY	9	0·46	4	0·20	4	6	-	1	4	18	-	1	1	3	-
URBAN DISTRICTS ..	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-
Knighton	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
Llandrindod Wells	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Presteign	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
RURAL DISTRICTS ..	9	0·63	4	0·28	4	5	-	-	3	17	-	1	1	3	-
Colwyn	4	2·18	1	0·54	1	-	-	-	-	2	-	1	-	-	-
Knighton	1	0·28	-	-	-	1	-	-	3	9	-	-	-	-	-
New Radnor	3	1·24	-	-	1	-	-	-	-	-	-	-	1	1	-
Painscastle	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-
Rhayader	1	0·22	3	0·66	2	4	-	-	-	3	-	-	-	1	-

† By virtue of the Public Health Act, 1936, in all areas outside London A.C., conditions notifiable as puerperal fever prior to 1st October, 1937, are, from that date, notifiable as and included with notifications of puerperal pyrexia.

TABLE 30.—AIR TEMPERATURE, RAINFALL AND SUNSHINE, ENGLAND AND WALES, DURING THE YEAR 1937*

District.	Air Temperature.			Rainfall.		Sun-shine.	Average Values, 1881-1915.			
	Highest.	Lowest.	Difference from Average Daily Mean.	Percentage of Average.	Number of Days Difference from Average.	Percentage of Average.	Daily Mean Temperature.	Total Rainfall.	Number of Days.	Daily Sunshine.
	Year 1937.						Years 1881-1915.			
	° F.	° F.	° F.	%		%	° F.	mm.		hr.
England N.E. ..	84	10	+ 0.3	127	+ 5	86	47.3	645	188	3.93
England E. ..	88	14	+ 0.3	134	0	85	48.4	610	181	4.32
Midland Counties	87	17	+ 0.5	111	-15	91	47.9	686	181	3.82
England S.E. ..	92	16	+ 0.7	132	- 5	92	49.5	709	175	4.49
England N.W.† .	85	11	+ 0.2	91	- 6	95	48.2	901	201	3.89
England S.W.†..	88	12	+ 0.4	100	-10	86	49.5	1001	199	4.28
Mean	—	—	+ 0.4	116	-5	89	48.5	759	187	4.12

* For similar values for each month and quarter, see the Registrar-General's Quarterly Returns.
† The district known as England N.W. includes the Northern half of Wales, whilst England S.W. includes the Southern half.

TABLE 31.—METEOROLOGICAL

Year.	Mean Weekly Movement of the Air in Miles.	Departure from Average of 50 Years (1861-1910).	Fall of Rain in Inches and in Millimetres.		Departure from Average of 50 Years (1861-1910)	Mean Degree of Humidity of the Air (Saturation = 100).	Departure from Average of 50 Years (1861-1910).	Mean Temperature of the Air.	Departure from Average of 50 Years (1861-1910)
	Miles.	Miles.	in.	mm.	mm.	%	%	° F.	° F.
1888 ..	2049	+ 98	27.5	699	+ 89	82	+ 1	47.7	— 1.8
1889 ..	1934	— 17	23.3	591	— 19	83	+ 2	48.8	— 0.7
1890 ..	1946	— 5	21.9	555	— 55	81	0	48.6	— 0.9
1891 ..	1945	— 6	25.0	636	+ 26	82	+ 1	48.4	— 1.1
1892 ..	1863	— 88	22.3	567	— 43	80	— 1	48.1	— 1.4
1893 ..	1909	— 42	20.1	511	— 99	76	— 5	51.1	+ 1.6
1894 ..	2019	+ 68	26.9	683	+ 73	81	0	49.9	+ 0.4
1895 ..	1951	0	19.7	501	— 109	78	— 3	49.3	— 0.2
1896 ..	1932	— 19	22.4	569	— 41	79	— 2	50.2	+ 0.7
1897 ..	2033	+ 82	22.1	562	— 48	79	— 2	50.3	+ 0.8
1898 ..	1956	+ 5	18.9	479	— 131	78	— 3	51.3	+ 1.8
1899 ..	1911	— 40	22.3	567	— 43	77	— 4	50.6	+ 1.1
1900 ..	2050	+ 99	22.3	567	— 43	79	— 2	50.4	+ 0.9
1901 ..	1970	+ 19	20.3	515	— 95	78	— 3	49.2	— 0.3
1902 ..	1933	— 18	19.3	491	— 119	80	— 1	49.2	— 0.3
1903 ..	2226	+ 275	35.5	903	+ 293	80	— 1	50.1	+ 0.6
1904 ..	1913	— 38	20.7	525	— 85	82	+ 1	49.8	+ 0.3
1905 ..	2063	+ 112	23.0	585	— 25	81	0	49.9	+ 0.4
1906 ..	2093	+ 142	24.7	628	+ 18	79	— 2	50.7	+ 1.2
1907 ..	1977	+ 26	22.3	565	— 45	81	0	49.7	+ 0.2
1908 ..	1932	— 19	23.8	604	— 6	83	+ 2	50.1	+ 0.6
1909 ..	2041	+ 90	25.7	653	+ 43	83	+ 2	48.9	— 0.6
1910 ..	2155	+ 204	28.1	713	+ 103	84	+ 3	50.2	+ 0.7
1911 ..	2140	+ 189	23.7	601	— 9	79	— 2	51.8	+ 2.3
1912 ..	2085	+ 134	24.9	632	+ 22	83	+ 2	51.0	+ 1.5
1913 ..	2030	+ 79	22.4	570	— 40	83	+ 2	51.3	+ 1.8
1914 ..	2087	+ 136	23.9	606	— 4	81	0	51.5	+ 2.0
1915 ..	1932	— 19	30.6	776	+ 166	82	+ 1	49.9	+ 0.4
1916 ..	2040	+ 89	29.8	757	+ 147	84	+ 3	49.9	+ 0.4
1917 ..	2059	+ 108	26.0	660	+ 50	82	+ 1	48.9	— 0.6
1918 ..	1993	+ 42	28.4	722	+ 112	82	+ 1	50.6	+ 1.1
1919 ..	1940	— 11	23.0	586	— 24	81	0	48.8	— 0.7
1920 ..	1918	— 33	21.5	546	— 64	82	+ 1	51.1	+ 1.6
1921 ..	1855	— 96	12.8	318	— 292	77	— 4	52.7	+ 3.2
1922 ..	2043	+ 92	23.2	589	— 21	80	— 1	49.4	— 0.1
1923 ..	2055	+ 104	24.0	610	0	81	0	50.3	+ 0.8
1924 ..	1947	— 4	30.6	779	+ 169	83	+ 2	50.6	+ 1.1
1925 ..	1957	+ 6	23.4	594	— 16	81	0	50.5	+ 1.0
1926 ..	1948	— 3	28.1	714	+ 104	82	+ 1	51.1	+ 1.6
1927 ..	† 2003	+ 52	29.4	746	+ 136	83	+ 2	50.2	+ 0.7
1928 ..	2086	+ 135	25.3	643	+ 33	80	— 1	51.1	+ 1.6
1929 ..	1846	— 105	21.7	551	— 59	78	— 3	50.1	+ 0.6
1930 ..	1979	+ 28	27.4	696	+ 86	79	— 2	51.2	+ 1.7
1931 ..	1968	+ 17	24.9	634	+ 24	82	+ 1	49.9	+ 0.4
1932 ..	1970	+ 19	24.7	628	+ 18	82	+ 1	50.7	+ 1.2
1933 ..	1871	— 80	17.0	430	— 180	79	— 2	50.5	+ 1.0
1934 ..	1891	— 60	19.5	496	— 114	81	0	51.7	+ 2.2
1935 ..	2070	+ 109	25.6	651	+ 41	79	— 2	51.3	+ 1.8
1936 ..	†† 1915	— 36	24.6	625	+ 15	83	+ 2	50.5	+ 1.0
1937 ..	1786	— 165	28.8	730	+ 120	83	+ 2	51.1	+ 1.6
Average 50 years (1861-1910)	1951	—	24.0	610	—	81	—	49.5	—

† Mean of 52 weeks only (50th week—defective record).
†† Mean of 51 weeks only (4th and 5th weeks missing).

Corresponding values from the year 1849 are

ELEMENTS, GREENWICH, 1888-1937.

Mean Temperature of the Air in the Quarters ended the last day of								Year.
March.	Departure from Average of 50 Years (1861-1910).	June.	Departure from Average of 50 Years (1861-1910).	September.	Departure from Average of 50 Years (1861-1910).	December.	Departure from Average of 50 Years (1861-1910)	
° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	
36.9	— 3.1	51.6	— 1.4	57.6	— 2.9	44.6	+ 0.3	1888
38.2	— 1.8	54.5	+ 1.5	58.9	— 1.6	43.5	— 0.8	1889
41.4	+ 1.4	52.8	— 0.2	58.4	— 2.1	40.8	— 3.5	1890
37.6	— 2.4	51.6	— 1.4	59.3	— 1.2	45.0	+ 0.7	1891
37.5	— 2.5	53.4	+ 0.4	59.2	— 1.3	42.3	— 2.0	1892
40.9	+ 0.9	57.0	+ 4.0	61.9	+ 1.4	44.6	+ 0.3	1893
41.4	+ 1.4	53.3	+ 0.3	58.6	— 1.9	46.4	+ 2.1	1894
35.2	— 4.8	55.1	+ 2.1	62.3	+ 1.8	44.7	+ 0.4	1895
42.2	+ 2.2	55.6	+ 2.6	60.4	— 0.1	42.4	— 1.9	1896
41.1	+ 1.1	53.1	+ 0.1	60.9	+ 0.4	46.0	+ 1.7	1897
41.5	+ 1.5	52.4	— 0.6	62.7	+ 2.2	48.5	+ 4.2	1898
41.8	+ 1.8	52.8	— 0.2	63.0	+ 2.5	44.7	+ 0.4	1899
39.2	— 0.8	52.8	— 0.2	61.8	+ 1.3	47.6	+ 3.3	1900
37.8	— 2.2	53.4	+ 0.4	61.7	+ 1.2	43.9	— 0.4	1901
40.5	+ 0.5	51.0	— 2.0	59.6	— 0.9	45.2	+ 0.9	1902
43.9	+ 3.9	51.2	— 1.8	60.0	— 0.5	45.2	+ 0.9	1903
39.5	— 0.5	53.8	+ 0.8	61.5	+ 1.0	44.3	0.0	1904
41.9	+ 1.9	53.8	+ 0.8	61.7	+ 1.2	42.2	— 2.1	1905
41.1	+ 1.1	52.8	— 0.2	63.2	+ 2.7	45.8	+ 1.5	1906
40.0	0.0	52.9	— 0.1	60.1	— 0.4	45.8	+ 1.5	1907
39.5	— 0.5	53.8	+ 0.8	60.3	— 0.2	46.6	+ 2.3	1908
38.4	— 1.6	52.5	— 0.5	59.7	— 0.8	44.8	+ 0.5	1909
41.5	+ 1.5	54.2	+ 1.2	59.3	— 1.2	45.6	+ 1.3	1910
40.3	+ 0.3	54.9	+ 1.9	65.7	+ 5.2	46.2	+ 1.9	1911
43.6	+ 3.6	55.3	+ 2.3	58.9	— 1.6	45.9	+ 1.6	1912
42.4	+ 2.4	54.5	+ 1.5	60.2	— 0.3	47.8	+ 3.5	1913
42.5	+ 2.5	54.9	+ 1.9	62.2	+ 1.7	46.5	+ 2.2	1914
40.8	+ 0.8	53.4	+ 0.4	60.9	+ 0.4	44.3	0.0	1915
41.5	+ 1.5	53.0	0.0	60.4	— 0.1	44.7	+ 0.4	1916
36.4	— 3.6	54.5	+ 1.5	61.7	+ 1.2	43.1	— 1.2	1917
42.3	+ 2.3	53.2	+ 0.2	60.7	+ 0.2	46.1	+ 1.8	1918
38.1	— 1.9	54.3	+ 1.3	60.2	— 0.3	42.5	— 1.8	1919
44.3	+ 4.3	55.3	+ 2.3	59.1	— 1.4	45.4	+ 1.1	1920
44.5	+ 4.5	54.9	+ 1.9	64.2	+ 3.7	47.2	+ 2.9	1921
41.2	+ 1.2	54.2	+ 1.2	58.1	— 2.4	44.2	— 0.1	1922
44.8	+ 4.8	51.4	— 1.6	61.8	+ 1.3	43.0	— 1.3	1923
39.8	— 0.2	54.6	+ 1.6	60.8	+ 0.3	47.1	+ 2.8	1924
42.2	+ 2.2	55.0	+ 2.0	60.9	+ 0.4	44.0	— 0.3	1925
43.8	+ 3.8	53.9	+ 0.9	63.0	+ 2.5	43.9	— 0.4	1926
42.8	+ 2.8	53.8	+ 0.8	60.6	+ 0.1	43.6	— 0.7	1927
43.4	+ 3.4	53.1	+ 0.1	62.2	+ 1.7	45.9	+ 1.6	1928
37.0	— 3.0	53.0	0.0	64.0	+ 3.5	46.4	+ 2.1	1929
42.0	+ 2.0	55.0	+ 2.0	61.8	+ 1.3	45.9	+ 1.6	1930
39.7	— 0.3	54.6	+ 1.6	59.2	— 1.3	46.0	+ 1.7	1931
40.9	+ 0.9	53.1	+ 0.1	63.1	+ 2.6	45.4	+ 1.1	1932
41.2	+ 1.2	55.9	+ 2.9	65.5	+ 5.0	43.0	— 1.3	1933
40.1	+ 0.1	55.3	+ 2.3	63.6	+ 3.1	47.8	+ 3.5	1934
42.8	+ 2.8	53.9	+ 0.9	63.6	+ 3.1	44.9	+ 0.6	1935
41.3	+ 1.3	53.9	+ 0.9	61.9	+ 1.4	45.0	+ 0.7	1936
41.6	+ 1.6	55.4	+ 2.4	63.2	+ 2.7	44.1	— 0.2	1937
40.0	—	53.0	—	60.5	—	44.3	—	Average 50 years (1861-1910)

TABLE 32.—QUARTERLY METEOROLOGICAL ELEMENTS. GREENWICH, 1937.

1st Quarter : Jan, Feb, Mar. 2nd " April, May, June. 3rd " July, Aug., Sept. 4th " Oct., Nov., Dec.	Temperature of						Vapour Pressure in Millibars.		Mass of Vapour in Cubic Metre of Air.		Degree of Humidity		Mean Air Pressure at Station Level* in Millibars.		Mass of a Cubic Metre of Air.		Rain.		Readings of Thermometer on Grass.													
	Air.		Evaporation.		Dew Point.		Air Daily Range.		Mean.		Difference from Average of 60 years.		Mean.		Difference from Average of 60 years.		Mean.		Amount in Millimetres.		Difference from Average of 86 years.		At or below 30° F.		Between 30° and 40° F.		Above 40° F.		Lowest Reading at Night.		Highest Reading at Night.	
	Mean of Maximum and Minimum.		Difference from Average of 130 years.		Difference from Average of 60 years.		Mean.		Difference from Average of 60 years.		Mean.		Difference from Average of 60 years.		Mean.		Difference from Average of 60 years.		Mean.		Difference from Average of 60 years.		At or below 30° F.		Between 30° and 40° F.		Above 40° F.		Lowest Reading at Night.		Highest Reading at Night.	
	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	
1937.	51.1	+2.4	+1.7	47.5	+1.0	44.7	+1.2	15.1	-0.7	10.6	+0.7	8.1	+0.3	83	+1	1007.6	-1.3	1234	-7	730	+100	103	127	135	13	59						
Year ..	41.6	+2.7	+1.8	39.3	+1.5	36.8	+1.6	11.6	+0.2	7.6	+0.6	5.9	+0.4	84	0	1000.2	-8.6	1248	-16	261	+136	53	28	9	15	45						
1st Quarter	55.4	+3.0	+2.5	50.7	+1.6	47.2	+2.0	18.3	-1.6	11.3	+0.9	8.6	+0.8	78	+1	1009.9	+0.7	1226	-6	196	+53	9	45	37	19	55						
2nd "	63.2	+3.4	+2.8	57.4	+0.9	54.3	+1.3	19.5	-0.2	14.6	+1.0	11.0	+0.5	79	+2	1010.8	+1.2	1209	-5	93	-89	1	22	69	27	59						
3rd "	44.1	+0.4	-0.3	42.4	-0.2	40.7	+0.1	10.9	-0.8	9.0	+0.3	7.0	-0.1	90	+1	1009.4	+1.3	1252	-1	180	0	40	32	20	13	50						
4th "																																

* Height of barometer cistern above mean sea level = 152 feet (average correction to sea level + 5.6 mb.).
In this table + and - respectively signify that the numbers in the preceding column are above or below the average to which the signs are affixed.
Pressure is expressed in millibars (1,000 mb. = 29.531 mercury inches).
Density is expressed in grams per cubic metre (2.294 grams per cubic metre = 1 grain per cubic foot).

APPENDIX. ESTIMATED RESIDENT MID-YEAR POPULATION, 1937, OF
AREAS AS CONSTITUTED AFTER CHANGE OF BOUNDARY DURING THE YEAR.
(Supplementary to Table 17.)

Areas in which a change of Boundary occurred during 1937.	Estimated Resident Mid-Year Population.	Areas in which a change of Boundary occurred during 1937.	Estimated Resident Mid-Year Population.
<i>Density Summary (Greater London excluded) :—</i>		Middlesex—	
County Boroughs	12,779,160	Urban Districts—	
Urban Districts	12,387,759	Ealing M.B.	156,460
Rural Districts	7,209,081	Feltham	28,700*
<i>Counties, County Boroughs, Urban and Rural Districts :—</i>		Finchley M.B.	64,525
Cheshire—	1,139,820*	Friern Barnet	26,775
County Boroughs	418,720*	Hampton	Nil
Stockport	133,700*	Hampton Wick	Nil
Devonshire—		Hornsey M.B.	96,520*
County Boroughs	279,700*	Sunbury-on-Thames	15,940*
Exeter	69,240*	Teddington	Nil
Administrative County	459,800*	Twickenham M.B.	94,230
Rural Districts	227,400*	Willesden M.B.	187,640
St. Thomas	29,230*	Somersetshire—	471,850
Durham—		Administrative County	404,090
Urban Districts	614,940	Rural Districts	221,190
Annfield Plain	Nil	Frome	9,563
Benfieldside	Nil	Staffordshire—	
Billingham	20,680	Urban Districts—	
Bishop Auckland	35,710	Darlaston	20,050*
Blaydon	31,150*	Willenhall	28,020*
Brandon and Byshottles	20,440	Wiltshire—	
Chester-le-Street	17,000†	Administrative County	304,910
Consett	37,280	Rural Districts	153,810
Crook	Nil	Warminster and Westbury	11,610
Crook and Willington	28,640	Yorkshire, West Riding—	
Hetton	19,670	County Boroughs	3,355,010
Houghton-le-Spring	29,490	Bradford	1,848,900
Leadgate	Nil	Huddersfield	289,510
Seaham	29,380	Leeds	123,030
Shildon	13,946	Administrative County	491,880
Spennymoor	19,560	Urban Districts	1,506,110
Stanhope	Nil	Aireborough	1,088,809
Stanley	50,830	Ardsley East and West	23,000
Tanfield	Nil	Baildon	Nil
Washington	17,150	Barkisland	9,712†
Whickham	22,190	Batley M.B.	Nil
Willington	Nil	Birkenshaw	40,060
Rural Districts	271,260	Birstal	Nil
Auckland	Nil	Bolton-upon-Dearne	Nil
Barnard Castle	17,460	Brighouse M.B.	Nil
Chester-le-Street	43,230	Burley-in-Wharfedale	30,120
Darlington	8,955	Calverley	Nil
Durham	31,520	Castleford	19,810*
Easington	79,870	Colne Valley	23,040
Hartlepool	Nil	Dearne	24,360
Houghton-le-Spring	Nil	Drighlington	Nil
Lanchester	15,640	Elland	19,150
Sedgefield	33,700	Farsley	Nil
Stockton	7,238	Gildersome	Nil
Sunderland	24,440	Golcar	Nil
Weardale	9,207	Greetland	Nil
Kent—		Guiseley	Nil
Urban Districts—		Hebden Royd	10,500
Bexley M.B.	74,380	Hipperholme	Nil
Chislehurst and Sidcup	58,640	Horsforth	12,080†
Erith	38,240*	Hunsworth	Nil
Lancashire—	5,013,180*	Ilkley	15,840
County Boroughs	3,153,980*	Kirkheaton	2,376
Bury	59,620*	Knottingley	8,993
Administrative County	1,859,200*	Lepton	3,127
Urban Districts	1,616,700*	Linthwaite	Nil
Crosby M.B.	55,580	Luddenden Foot	Nil
Denton	21,090*	Maltby	10,740*
Great Crosby	Nil	Marsden	Nil
Waterloo with Seaforth	Nil	Methley	Nil
Whitefield	12,040*	Morley M.B.	39,210

* No population was involved in this change. The population, therefore, is the same as in Table 17.

† The population involved in this change was too small to necessitate adjustment for the calculation of rates. The population, therefore, is the same as in Table 17.

APPENDIX—*contd.*

Areas in which a change of Boundary occurred during 1937.	Estimated Resident Mid-Year Population.	Areas in which a change of Boundary occurred during 1937.	Estimated Resident Mid-Year Population.
Yorkshire, West Riding— <i>contd.</i>		Yorkshire, West Riding— <i>contd.</i>	
Urban Districts— <i>contd.</i>		Urban Districts— <i>contd.</i>	
Mytholmroyd	Nil	Todmorden M.B.	21,410
Otley	11,095†	Whitwood	7,077*
Pontefract M.B.	21,160	Yeadon	Nil
Pudsey M.B.	27,350	Rural Districts	417,301
Queensbury	Nil	Bishopthorpe	Nil
Queensbury and Shelf ..	8,641	Doncaster	49,380
Rawdon	Nil	Great Ouseburn	6,941
Ripponden	5,248	Halifax	Nil
Rishworth	Nil	Hunslet	Nil
Rothwell	24,350	Knarborough	10,270*
Saddleworth	17,300	Pateley Bridge	Nil
Scammonden	Nil	Pontefract	22,120
Shelf	Nil	Ripon	Nil
Shipley	30,930†	Ripon and Pateley Bridge	11,080
Skipton	12,840	Rotherham	39,470*
Slaithwaite	Nil	Selby	5,705
Southowram	Nil	Skipton	17,960
Sowerby Bridge	17,860	Tadcaster	32,920
Soyland	Nil	Todmorden	4,362
Spenborough	36,440	Wakefield	17,210
Springhead	Nil	Wetherby	16,900*
Stainland	Nil	Wharfedale	5,180
Stanley	15,470	Wortley	30,320†
Stocksbridge	9,537	County Borough :—	
Thurnscoe	Nil	York	100,090

* No population was involved in this change. The population, therefore, is the same as in Table 17

† The population involved in this change was too small to necessitate adjustment for the calculation of rates. The population, therefore, is the same as in Table 17.